

MODEL PROTOCOL

INHALER WITHOUT A SPACER

Disclaimer: NASN's model protocols and/or language are intended as examples that may serve as a tool for those responsible for drafting protocols that meet the needs of a local school or district. These examples are not authoritarian, nor should they be viewed as complying with any requirements specific or unique to any school or district. Model policies and language should not substitute or replace the advice of legal counsel and/or research on applicable federal or local laws, regulations or ordinances.

Needed Supplies:

- Inhaler
- Student's Individualized Health Plan/Asthma Action Plan and/or healthcare provider's order

Procedure:

1. Gather needed supplies and place on clean surface.
2. Position student providing for as much privacy as possible.
3. Wash hands.
4. If student will be administering medication, have student wash hands.
5. Check for authorization forms/record
 - a. medication administration form
 - b. healthcare provider
 - c. parent/guardian.
6. Check the medication to ensure that it is:
 - a. for the right child
 - b. the right medication
 - c. the right dose
 - d. being given at the right time
 - e. being given by the right route
 - f. not expired.
7. Make sure the inhaler and spacer are free of foreign objects.
8. Shake the inhaler for 10 seconds to mix the medicine.
9. Remove the cap from the mouthpiece.
10. Prime the inhaler if indicated.
 - a. When the MDI is brand new or has not been used for a while, the medication may separate from the other ingredients in the canister and the metering chamber. Shaking the MDI will mix the ingredients in the drug reservoir but may not produce enough turbulence to re-blend the ingredients in the metering chamber. Priming, or releasing one or more sprays into the air, ensures your next dose will contain the labeled amount of medication.
11. Hold the inhaler between your index finger and thumb.
12. Have the student stand up and take a deep breath in, and breathe out.
13. Have the student put the inhaler in their mouth, between their teeth and above their tongue.

14. Have the student close their lips around the spacer.
15. Press down on the top of the inhaler once as the student breathes in very slowly until they have taken a full breath.
16. Instruct the student to hold their breath for 5 to 10 seconds.
17. Instruct the student to breathe out slowly through their mouth.
18. Wait 1 minute before having the student take a second puff, if ordered.
19. Repeat steps 12 through 17 if taking a second puff.
20. Have student rinse out their mouth with water and spit.
21. Wash hands.
22. Document medication administration in student's medication administration log.
23. Follow up, as needed, with parents/guardian and healthcare provider.

Cleaning the Spacer:

1. Remove the canister from the actuator.
2. Run warm water through the top and bottom of plastic actuator (do not boil or place the actuator in the dishwasher).
3. Shake off the excess water.
4. Allow the actuator to air dry on a clean surface prior to putting canister back in.

References:

- American Lung Association. (2019). *How to use your inhaler and spacer*. Available at: <https://www.lung.org/getmedia/1a58adde-c10a-4925-bd89-cd5c61767897/how-to-use-your-inhaler-and.pdf>. Accessed April 14, 2020.
- American Lung Association. (2019). *How to use a metered-dose inhaler*. Available at: <https://www.lung.org/getmedia/958e9666-07f9-4c28-a439-223e143f0ecf/how-to-use-a-metered-dose.pdf.pdf>. Accessed April 14, 2020.
- American Lung Association. (2020). *How to use a metered dose inhaler* [video]. Available at: <https://www.lung.org/lung-health-diseases/lung-disease-lookup/asthma/patient-resources-and-videos/videos/how-to-use-a-metered-dose-inhaler>
- American Lung Association. (2020). *How to use a metered-dose inhaler with a spacer or valved holding chamber* [video]. Available at: <https://www.lung.org/lung-health-diseases/lung-disease-lookup/asthma/patient-resources-and-videos/videos/how-to-use-a-metered-dose-inhaler>. Retrieved April 14, 2020.
- Butler, S.M., Boucher, E.A., Tobison, J. & Phan, H. (2020). Medication use in schools: Current trends, challenges, and best practices. *J Pediatr Pharmacol Ther.*, 25(1): 7–24. doi: 10.5863/1551-6776-25.1.7
- Center for Disease Control. (2018). *Know how to use your asthma inhaler using a metered dose inhaler* (inhaler in mouth). Available at: https://www.cdc.gov/asthma/pdfs/Inhaler_in_Mouth_FactSheet.pdf. Retrieved: April 30, 2020.
- Corjulo, M. (2011). Mastering the metered-dose inhaler: An essential step toward improving asthma control in school. *NASN School Nurse*, 26, 285.
- Fanta, C.H. (2020). An overview of asthma management. In a R.A. Wood and B.S. Bochner (Ed.), *UpToDate*. Retrieved: April 7, 2020.

National Asthma Education and Prevention Program. (2011). *Management of asthma exacerbations: School treatment: Suggested emergency nursing protocol for students with asthma symptoms who don't have a personal asthma action plan*. Available at: <https://www.nhlbi.nih.gov/files/docs/resources/lung/sch-emer-actplan.pdf> Retrieved: May 1, 2020.

Prescribers' Drug Reference (PDR). 2020. albuterol sulfate - drug summary. Available at: <https://www.pdr.net/drug-summary/Albuterol-Sulfate-Inhalation-Solution-0-083-albuterol-sulfate-1427>. Retrieved: April 15, 2020.