


2008INDIVIDUAL SCHOOL REPORT for

OAK PARK & RIVER FOREST HIGH SCH OAK PARK

OAK PARK & RIVER FOREST HIGH SCH 10th Grade - 2008 Substance Use and Violence - part 1 of 2




Past Year Use: student has used the substance at least once in the past year

Other Illicit Drug Use: student has used one or more of the following in the past year: Cocaine, Psychedelics, MDMA, Methamphetamine, Heroin


Prescription Drug Misuse: student has used a prescription drug in the past year without a doctor's prescription

OAK PARK & RIVER FOREST HIGH SCH 10th Grade - 2008 Substance Use and Violence - part 2 of 2



Binge Drinking: student has consumed 5 or more alcoholic drinks in a row on one occasion in the previous two weeks
Rode with DUI Teen/Adult: student reports at least one incident in the past year of riding in a car driven by a teen or adult who had been drinking or using drugs

OAK PARK & RIVER FOREST HIGH SCH 12th Grade - 2008 Substance Use and Violence - part 1 of 2




Past Year Use: student has used the substance at least once in the past year

Other Illicit Drug Use: student has used one or more of the following in the past year: Cocaine, Psychedelics, MDMA, Methamphetamine, Heroin

Prescription Drug Misuse: student has used a prescription drug in the past year without a doctor's prescription

OAK PARK & RIVER FOREST HIGH SCH 12th Grade - 2008 Substance Use and Violence - part 2 of 2



Binge Drinking: student has consumed 5 or more alcoholic drinks in a row on one occasion in the previous two weeks
Rode with DUI Teen/Adult: student reports at least one incident in the past year of riding in a car driven by a teen or adult who had been drinking or using drugs

Survey Validity

	И	9/6
Invalid.	34	5%
Valid	599	95%

Valid surveys are those that have 40% or more of the questions answered, report no derbisol use, indicate that the respondent was honest at least some of the time, and report a grade in school that matches an intended target grade.

Age

	10	th-	12	th
	Avg	N	Avg	Z
Age	15.6	355	17.5	238

Gender

	10	th	12	th
	%	N	%	N
Female	53%	180	51%	119
Male	47%	162	49%	113

Race / Ethnicity

	10	th	12	th
	%	N	%	N
White	56%	196	56%	132
Black/African American	23%	82	29%	68
Latino/Latina	6%	21	4%	10
Asian American	4%	14	5%	13
Native: American/American Indian	1%	2	1%	3
Multi-racial	8%	29	6%	15
Other	4%	15	3%	8

ZIP code

	10)th	12	th:
	%	N	%	N
6	5%	19	2%	5
63	0%	1	0%	()
6666	0%	1	0%	()
60202	0%	()	0%	1
60203	0%	0	0%	1
60300	0%	0	1%	2
60301	1%	2	1%	3
60302	47%	165	50%	117
60304	29%	101	27%	62
60305	16%	57	17%	39
60308	0%	1	0%	0
60404	0%	0	0%	1
60527	0%	1	0%	0
60603	0%	1	0%	1
60604	0%	1	0%	0
60634	0%	1	0%	0
66030	0%	0	0%	1

At school are you eligible to receive:

		101	h je ir i	3.3. 12	th
		% ``	Ñ	%	N
Eligible to receive	Free lunch	10%	36	13%	31
Free Lunch at	Reduced priced lunch	5%	19	6%	13
school	Neither	84%	298	81%	192

About how many days are you absent from school during an entire year?

		10	th	12	th .
		%	N N	%	N.
How many	0-9 days () ()	83%	294	67%	157
days absent	10-19 days;	14%	51	25%	60
during a	20-30 days	3%	9	6%	13
year	More than 30 days	0%	1	3%	6

If you wanted to get the following, how difficult would it be to get?

		Very Hard	Sort of Hard	Sort of Easy	Very Easy
		%	%	- %	. %
	Alcoholas	8%	23%	43%	26%
400	Cigarettes 2	14%	17%	31%	38%
10th	Marijuana	13%	16%	29%	43%
	Cocaine, LSD, Amphetamines	47%	35%	14%	5%
	Alconol	8%	8%	39%	45%
	Cigarettes	8%	5%	16%	71%
12th	Marijuana	8%	8%	30%	54%
	Cocaine, LSD, Amphetamines	30%	39%	20%	11%

How wrong would most adults (over 21) in your neighborhood think it is for kids your age to:

		Very	10.0	A Little Bit	Not Wrong at
		Wrong	Wrong	Wrong	All
		%	%	%	%
	Drink alcohol	25%	48%	24%	3%
10th	Smoke cigarettes	30%	41%	23%	5%
	Smoke marijuana	47%	39%	12%	2%
	Drink alcohol	16%	41%	36%	7%
12th	Smoke cigarettes	20%	36%	31%	13%
	Smoke marijuana	28%	44%	24%	4%

In which of the following activities do you participate?

The second secon	195 April 10	(h)	12th		
•	** %**	越,N	%	i € N	
School Sports Team	54%	180	55%	115	
Other Sports	49%	165	46%	96	
Scouling	4%	14	5%	11	
Boys and Girls Club	7%	24	9%	19	
4-H Club	0%	1	- 2%	4	
Service Club	48%	160	54%	113	
Faith-Based Youth Group	37%	123	44%	93	
Other Activities	78%	260	77%	161	

How safe do you feel in your neighorhood?

		10	th	12th		
		%	N	%.\ <u></u>	N	
	Very safe	53%	186	58%	134	
How safe do you feel	Sort of safe	41%	143	35%	80	
In your neighborhood	Sort of unsafe	5%	17	3%	7	
· · · · · · · · · · · · · · · · · · ·	Very unsafe	1%	3	4%	9	

How old were you when you first:

		Nover Have	10 or younger	11	12	13	14	15	16	17.2	1.1B or
		X	%	** ** *	* 2	%	. %	%	%	%SZ	-, %
	Smoked marijuana	64%	1%	1%	2%	4%	9%	15%	3%	0%	0%
400	Smoked a cigarette even just a puff	68%	3%	3%	5%	5%	5%	9%	2%	0%	0%
Q.	Used any other topecco product () (chewing topacco digars) ()	79%	2%	2%	1%	1%	4%	9%	1%	0%	0%
10th	Had more than a sip or two of alcohol	30%	9%	3%	6%	10%	16%	21%	5%	0%	0%
	Began drinking alcoholic beverages regularly (at least once or twice a month)	66%	0%	1%	0%	2%	5%	19%	5%	1%	0%
1	Used inhalante 44 cg.	97%	1%	0%	0%	1%	0%	1%	1%	0%	0%
1000	Began using methamphetemine	98%	1%	0%	0%	0%	0%	0%	0%	0%	0%
	Smoked marijuana	46%	2%	0%	3%	6%	8%	15%	13%	6%	1%
***	Smoked a cigarette, even just a puff	58%	5%	1%	3%	5%	8%	8%	7%	6%	0%
	Used any other lobacco product (chewing lobacco cigars)	66%	3%	0%	2%	2%	4%	5%	9%	8%	0%
12th	Had more than a siplor two of alcohol	25%	7%	2%	6%	8%	12%	16%	13%	10%	2%
	Began drinking alcoholic beverages regularly (at least once or twice a month)	51%	1%	0%	2%	3%	4%	12%	13%	13%	1%
	Used Inhalants	95%	2%	0%	0%	0%	1%	0%	0%	0%	0%
	Began using methamphetamine	98%	1%	0%	0%	0%	0%	0%	0%	0%	0%

Cigarettes: past month and past year use

		Less					
			1-5 cigarettes		About 1 pack per		2 packs or more
	Notatall	per day	per day	day	day	LEVEL DESCRIPTION OF THE PROPERTY OF THE PROPE	
	·% ·	%	%	%	- %	%ss	%
PAST MONTH cigarette use	89%	6%	4%	1%	0%	0%	0%
PAST-YEAR-cigarette use	83%	10%	5%	2%	0%	1%	0%
PAST MONTH cigarette use	83%	12%	3%	1%	0%	0%	1%
PAST YEAR cigarette use	76%	17%	4%	2%	0%	0%	1%

Other tobacco products: past month and past year use

	Never	Once or twice	Once or twice per week	About once a day:	More than once a day
PAST MONTH other tobacco products use	86%	9%	4%	1%	1%
PAST YEAR other tobacco products use	81%	12%	6%	1%	1%
PAST MONTH other tobacco products use	84%	7%	3%	4%	2%
PASTLYEAR other tobacco products use	75%	16%	4%	3%	2%

Alcohol: number of occasions of past month and past year use

	0 occasions	1-2 occasions	3-5 occasions		10-19 occasions		40 or more occasions
	%	%	%	%	%	%	%
PAST-MONTH alcohol use	54%	24%	12%	4%	3%	2%	0%
PAST YEAR alcoholiuse	36%	18%	14%	7%	11%	7%	7%
PAST MONTH alcohol use	43%	24%	13%	8%	8%	3%	0%
PAST YEAR alcohol use	31%	14%	8%	11%	7%	12%	18%

In the past 2 weeks, how many times have you had five or more alcoholic drinks in a row?

	0 times	1 time	and the last water to be a few or the last of the last	STREET, CONTROL OF THE PARTY OF THE	6-9 times	10 or more times
	%	%	%	%	%	%
10th Binge drinking	77%	7%	8%	7%	1%	1%
12th Binge drinking	63%	11%	8%	9%	5%	4%

Illicit drugs number of occasions of past month use

		0 occasions	1-2, , occasions	3-5 occasions	G-0 occasions	occhilons	20 or more occasions	40 or more occasions
		** %# **	学生%	。 " " " " " " " " " " " " " " " " " " "	第 65	* *	%	%
101	PAST MONTH marijuana usa 🐉	74%	9%	7%	3%	3%	4%	ern.
	PAST MONTH Inhalanta usa	97%	1%	0%	0%	1%	0%	1%
1011	PAST MONTI- marijuana use .	67%	10%	/%	5%	3%	8%	0%
12th	PAST MONTH Inhalants use	96%	2%	1%	0%	1%	()%	0%

Illicit drugs: number of occasions of past year use

		0 occasions	1-2 occasions	3-5 occasions	6-9 occasions	10-19 occasions	20 or more occasions	40 or more occasions
		. %	%	%	%	%	%	%
1977	PAST YEAR merijuana usa	65%	9%	5%	6%	4%	11%	0%
	PAST YEAR Inhalanta US9	96%	3%	1%	0%	0%	0%	1%
	PAST YEAR MDMA (*ecslasy!) use	97%	1%	1%	1%	0%	0%	0%
10th	PASTIYEARUSDUM	98%	1%	1%	0%	0%	0%	0%
	PAST YEAR cocaine / crack use	97%	1%	0%	0%	1%	0%	0%
	PAST YEAR meth use	98%	1%	0%	1%	0%	0%	0%
	PAST YEAR heroin use	99%	0%	0%	0%	0%	1%	0%
25.1	PAST YEAR manijuana usa	52%	12%	6%	4%	5%	20%	0%
	PAST YEAR Inhalanta use	96%	1%	1%	0%	0%	0%	1%
	PAST YEAR MDMA ("ecstasy") use	97%	1%	0%	0%	0%	1%	0%
2th	PAST YEAR LSD use	96%	2%	1%	0%	0%	1%	0%
	PAST YEAR cocajne // crack use	97%	1%	0%	0%	0%	1%	0%
	PAST YEAR meth use 111	99%	0%	0%	1%	0%	0%	0%
	PAST YEAR heroin use	98%	0%	1%	0%	0%	0%	0%

During the past 12 months, which of these Over-the-Counter drugs have you used for a non-medical purpose?

		No.	Yes: 1 or 2 times	Yes: 3-5 times	Yes: 6 or more times
	Performance-enhancing or body-building supplements (creatine :fat-burners etc.)	97%	2%	1%	0%
10th	Over-the-counter-weight loss aids (laxatives: Dexatrim, etc.)	99%	1%	1%	0%
	Other over-the-counterdrugs (cough syrup, etc.)	85%	10%	3%	3%
	Refformance-enhancing or body-building supplements. (creatine, fat-burners, etc.)	92%	3%	2%	3%
12th	Over-the-counter-weightloss aids (laxatives, Dexatrim, etc.))	97%	1%	1%	0%
	Other over-the counter drugs ((cough syrup, etc.))	84%	9%	4%	3%

During the past 12 months, which of these drugs have you used without a doctor's presciption?*

		No.	Yes: 1 or 2 times	Yes: 3-5 times	Yes: 6 or more times
	Steroids	100%	0%	0%	0%
	Uppers (Ritalin, etc.)	95%	3%	1%	1%
10th	Downers (Vallum, etc.)	98%	1%	1%	0%
	Other prescription drugs (OxyContin/Ketamine, etc.)	97%	1%	0%	1%
	Steroids	98%	0%	0%	2%
	(Uppers (Ritalin, etc.)	96%	2%	1%	1%
12th	Downers (Valium, etc.)	97%	2%	0%	2%
	Other prescription drugs (OxyContin, Ketamine, etc.)	96%	2%	1%	1%.

During the past year, how often did you get CIGARETTES or other TOBACCO PRODUCTS from the following sources?.

		I did not smoke cigarettes or use other tobacco productae during the	Novers	Sometimes	Ofton
		%	%	32.4 3.7	%
	I bought them at a gas station	78%	12%	5%	6%
	I bought them at a store	78%	18%	4%	1%
	I bought them from a vending machine	78%	22%	0%	0%
	I gave a stranger money to buy them for me	78%	15%	6%	1%
	bought them over the Internet	78%	21%	1%	0%
10lh	A friend gave them to me	77%	5%	12%	6%
	My older brother or sister gave them to me	78%	18%	3%	1%
	My parent gave them to me	78%	22%	1%	0%
	I look them from a store	78%	21%	0%	1%
	I look them from home without my parents knowing it	77%	19%	3%	1%
	got them some other way	78%	15%	4%	3%
7.57	bought them at a gas station	68%	12%	12%	8%
**1	i bought them at a store	68%	19%	8%	5%
	boughtsthem from a wending machine	69%	30%	1%	0%
	Ligave a stranger money to buy them for me	69%	28%	2%	2%
	I bought them over the Internet	69%	31%	0%	0%
2th	A friend gave them to me	68%	9%	20%	3%
	My older brother or sister gave them to mer	69%	28%	3%	0%
	My parent gave them to me	69%	30%	1%	1%
	I took them from a store	69%	29%	1%	1%
	Litook them from home without my perents knowing it.	69%	29%	1%	1%
	I got them some other way	69%	27%	3%	2%

During the past year, how often did you get ALCOHOL from the following sources?:

	lidid not drink alcohol during the past year	Never.	Sometimes.	Often %
alibought it at a gas station	48%	48%	3%	1%
libought it at a store	48%	43%	5%	4%
I bought it at a bar or restaurant	48%	46%	4%	1%
Il gave a stranger money to buy it for me	48%	39%	8%	5%
I bought it over the Internet	48%	49%	2%	1%
A friend gave it to me	47%	14%	23%	15%
10th: My older brother or sister gave it to me	48%	38%	9%	5%
My parent gave it to me	48%	40%	10%	1%
'I took it from a store's	48%	48%	2%	2%
I took it from a friend's house.	48%	38%	12%	2%
I got it at a party	48%	18%	18%	16%
J, look it from home without my parents knowing it	48%	30%	17%	4%
il got it some other way.	48%	30%	15%	7%
Il bought it at a gas station	43%	47%	6%	4%
1 bought it at a store	43%	36%	10%	11%
I bought it at a bar or restaurant	43%	48%	8%	1%
: I gave a stranger money to buy it for me	42%	35%	14%	8%
I/bought it over the Internet	43%	56%	1%	0%
Afriend gave if to me	42%	11%	26%	21%
12th My older brother or sister gave it to me	43%	32%	19%	6%
My parent gave lit to me	43%	44%	11%	2%
l took it from a stores	43%	55%	1%	1%
littook it from a friend's house	43%	46%	9%	2%
il got it at a party	42%	16%	21%	21%
ilitook it from home without my parents knowing it	44%	37%	17%	2%
I got it some other way.	43%	37%	14%	7%

If you bought digarettes or other tobacco products during the past year, did you use a fake ID?

	I didnit buy these products	Yes, I used a fake ID	I bought these products without a fake ID
	* %	%	%
If you bought cigarettes or other 10th, lobacco products during the past year, did you'use a fake ID?	85%	1%	14%
If you bought cigarettes or other 12th lobacco products during the past year, did you use a fake ID?	71%	2%	26%

If you bought beer, wine, or liquor during the past year, did you use a fake ID?

	I didnit buy these products	Yes; I used a fake ID	I bought these products without a fake ID
If you bought beer, wine, or 10th diquor during the past year; did you use a fake ID?	89%	2%	9%
12th liquor during the past year; did you use a take ID?	72%	8%	20%

During the past 30 days, on how many days did you:

		None.	1 or 2 days	3.5 days ::	6 or more days
1015	Drink alcohol on school property?	92%	7%	1%	0%
IOU.ES	Use marijuana on school property?	90%	6%	2%	2%
12th	Drink alcohol on school property?	86%	7%	3%	3%
	Use márijuana on school property?	86%	8%	2%	4%

During the past 12 months, have you seen/heard any alcohol or drug prevention messages (posters, pamphlets radio, TV)?

	Yes.	No %
In the past 12 months have you seen or heard any alcohol or drug; preventions; messages (posters, pamphlets, radio, TV)?	93%	7%
in the past 12 months, have you seen or heard any alcohol or drug preventions messages (posters, pamphlets, radio, TV)?	89%	11%

What effect do these commercials or ads have on you?

	10th 12th				
	%	N	%	N.	
Make me more aware of the risks of using drugs	34%	119	23%	52	
Encourage me to talk to an adult about drug risks	2%	7	3%	6	
Make me less likely to use drugs	31%	106	21%	49	
Give me information I didn't know	25%	87	14%	33	
They have no effect	41%	142	53%	121	

When was the LAST time that:

	- 10 Landau and Lan	Neverse	1+ years	2-12 months - ago :	Past month
		% 34.5	%	*** %:***	···* %
	you used alcohol or other drugs weekly?	71%	3%	9%	17%
	you kept using alcohol or drugs even after you knew it could get you into fights or other kinds of legal trouble?	78%	1%	8%	13%
10th	you had withdrawal problems from alcohol ordrugs like shaking hands, throwing up, having trouble sitting still or sleeping of that you used any alcohol or drugs to slop being sick or avoid withdrawal problems?	94%	0%	3%	3%
	you spent a lot of time either getting alcohol or drugs, using alcohol or drugs, or feeling the effects of alcohol or drugs (high, sick)?	82%	1%	G%	10%
	your use of alcohol or drugs caused you to give up, reduce of have problems at important activities at work school; home, or social events?	93%	1%	3%	3%
	you used alcohol or other drugs weekly?	56%	4%	9%	31%
	you kept using alcoholor drugs even after you knew it could geltyou into fights or other kinds of legal trouble?	69%	4%	4%	23%
i2th	you had withdrawal problems from alcohol or drugs like shaking hands; throwing up, having trouble sitting still or sleeping or that you used any alcohol or drugs to stop being sick or avoid withdrawal problems?	89%	2%	3%	7%
	you spent a lot of time either getting alcohol or drugs, using alcohol or drugs, or feeling the effects of alcohol or drugs (high sick)?	78%	0%	5%	17%
	your use of alcohol or drugs caused you to give up; reduce or have problems at important activities at work, school, home, or social events?	93%	0%	3%	3%

If you drank beer, wine, or liquor in the past 30 days, what did you drink?:

		i did not drink alcohol during the past 30 days	Never %	Sometimes.	Often %
	Beers	57%	12%	19%	13%
	'Malt liquor'	58%	31%	7%	4%
	Wine	57%	25%	15%	3%
10th	Wine coolers	58%	30%	9%	3%
	Liquor (vodka, whiskey, etc.)	56%	10%	18%	16%
	Mixed drinks (margarita, etc.)	57%	24%	11%	8%
	Flavored Valcopops' (hard lemonade, hard cider, etc.)	58%	25%	11%	6%
	Beer	45%	14%	18%	23%
	Malt liquor	46%	39%	11%	4%
	Wine	46%	29%	22%	3%
12th	Wine coolers	46%	39%	11%	4%
1211	Liquor (vodka, whiskey, etc.)	45%	10%	26%	18%
	(Mixed drinks:(margarita; etc.)	46%	25%	22%	7%
	Flavored "alcopops" (hard lemonade, hard cider, etc.)	46%	37%	13%	4%

How much do you think people risk harming themselves (physically or in other ways) if they:

		No risk	Slight ⊯ risk	Moderate risk	Groat risk
	•	% ***	ੂ %	%	%
	Smoke one or more packs of cigarettes per day	3%	3%	23%	70%
	Take one or two drinks of an alcoholic beverage nearly every day	6%	20%	39%	35%
10th	Have five of more drinks of an alcoholic beverage once or twice a week	3%	15%	39%	43%
	Smoke marijuana regularly,	7%	17%	30%	46%
	Smoke marljuana once or lwice a week	16%	28%	37%	19%
aki vini Kalaba	Use inhalants regularly.	3%	2%	20%	75%
	Smoke one of more packs of cigarettes per day.	5%	6%	21%	69%
12th	Take one or two drinks of an alcoholic beverage nearly every day:	10%	24%	36%	29%
	Have live or more drinks of an alcoholic beverage once or twice a week	5%	20%	42%	32%
	Smoke marijuana regularly	12%	25%	35%	29%
	Smoke marijuana once or twice a week	22%	32%	31%	15%
	Use inhalants regularly	4%	3%	19%	74%

During the past 12 months, how many times were you in a physical fight?

		Never	1-2 times	3-5 times ∵	6 or more
		∞ %	%	%	%
10th	In fight in past year	75%	18%	5%	2%
12th	In fight in past year	75%	19%	3%	3%

During the past 12 months, how many times have you ridden in a car driven by:

		Never:	1-2 times #	:3:5 times:	6 or more times
6919340005836108	aTEENAGER:Who had been : : ::: dinking.or.using.diugs	73%	17%	4%	6%
C160200000000000000000000000000000000000	an ADULT who had been drinkling or using drugs	77%	13%	6%	3%
l c	TEENAGER who had been strinking or using drugs	57%	22%	6%.	14%
CONTRACTOR FOREST CONTRACTOR	n ADULT who had been Irinking or using drugs	77%	13%	4%	6%

During the past 12 months, how many times did you drive a car or other vehicle when:

	Never	1-2 times	3-5 times.	6 or more times
drinking alcohol	% 93%	% 4%	<u>%</u> 1%	% 2%
10th using manjuana or other illegal drugs	90%	6%	2%	3%
drinking alcohol	76%	15%	4%	5%
using marijuana or other illegal drugs	78%	12%	3%	8%

During the past 12 months, have any of the following been done by someone in a dating relationship with you?:

		I have not begun to date	Yes	No.	Not sure
		%	%	%	%
- was to refer to	Abused in past year	15%	6%	76%	2%
	Called you names to put you down or make you leel bad	18%	15%	66%	1%
	insisted on knowing who you're with and where you are at all times	18%	15%	65%	3%
10th	Followed you	18%	4%	75%	3%
	Destroyed something that belonged to you on that you liked very much	18%	4%	77%	1%
	Threatened or frightened your family or friends	18%	3%	79%	1%
	Abused in past year.	10%	13%	74%	4%
	Called you names to put you down or make you ree! back	11%	19%	67%	3%
	insisted on knewing Wnosyoulfe with and when evoluene at all times	12%	16%	70%	3%
12lh	Follows of You	12%	4%	80%	4%
	Destroyed something that belonged to you or that you liked very much	12%	6%	81%	1%
	Threatened of frightened your family or friends	12%	3%	84%	0%

In the past 12 months, did you ever seriously consider attempting suicide?

		Yes	No
		%	%
10th	During the past 12 months did you ever seriously consider attempting suicide?	12%	88%
12th	During the past 12 months did you ever seriously consider attempting suicide?	9%	91%

How wrong do you think it is for someone your age to:

		Very Wrong	Wrong*	A Little Bit Wrong	Not Wrong at All
	Drink alcohol regularly	25%	29%	37%	10%
	Smoke cigarettes	37%	37%	19%	7%
10th	Smoke marijuana	32%	27%	27%	14%
	Use LSD; cocaine, amphetamines, or another illegal drug	84%	11%	3%	1%
	Drink alcohol regularly	20%	20%	38%	22%
	Smoke cigarettes	29%	26%	25%	20%
12th	Smoke marijuana	25%	17%	32%	26%
	Use LSD, cocaine, amphetamines, or another illegal drug.	70%	18%	7%	4%

Do you currently belong to a street gang?

	Yes %	No %
10th Do you currently belong to a "street gang?"	5%	95%
12th Do you currently belong to a "street gang?"	6%	94%

How many times in the past year (12 months) have you:

		0 times	1-2 times	3-5 times	6-9 times	10-19 times	20 or more times
		%	%	%	%	%	%
	Carried a weapon such as a handgun, knife, or club	89%	6%	3%	1%	0%	1%
10th	Sold illegal drugs	89%	4%	2%	1%	2%	2%
	Been drunk or high at school	83%	8%	3%	3%	1%	2%
	Carried a weapon such as a handgun, knife, or club	85%	6%	1%	1%	0%	5%
12th	Sold illegal drugs	88%	6%	1%	0%	1%	4%
	Been drunk or high at school	78%	9%	3%	3%	1%	6%

During the past 12 months, has another student at school:

		Yes	No
		∜ % .	%
-	Bullled you by calling you a name	26%	74%
10lh	Threatened to hurt you	15%	85%
	Bullied you by hitting, punching, kicking, or pushing you	8%	92%
	Bullied you by calling you a name	21%	79%
12th	Threatened to hurt you	11%	89%
12th	Bullled you by hitting, punching, kicking, or pushing you	6%	94%

What are the chances you would be seen as cool if:

		No or very little chance	Little chance	Some chance	Pretty good chance	Very good chance
		%	%	%	%	%
	Smoked cigarettes	51%	26%	14%	6%	2%
10th	Began drinking alcohol regularly	31%	21%	25%	17%	6%
and the second	Smoked marijuana	37%	17%	27%	14%	5%
19 19 19 19 19 19 19 19 19 19 19 19 19 1	Smoked cigarettes	61%	20%	12%	2%	4%
12th	Began drinking alcohol regularly	39%	17%	19%	18%	7%
	Smoked marijuana	43%	17%	17%	14%	9%

How likely is it that you will complete a post high school program such as vocational training program, military service, community college, or 4-year college?

	Definitely. will not	Probably will not	Probably will	Definitely will	Not sure
	%	* %	%	%	%
10th How likely is it that you will complete a post high school program?	7%	2%	11%	74%	5%
12th How likely is it that you will complete a post high school program?	10%	2%	8%	80%	1%

How old were you the first time you gambled?

	Never Have	10 or younger	11	12	13	14	15	16	17 or older
	%	. %	%	% r	% %	%	% :	%	%
Gambled (bet money of something of the consports, a game of chance of the skill; played the lotter) or bet cards of dice games)	37%	24%	7%	10%	9%	8%	4%	1%	0%
Gambled(bet money on something of value on sports a game of chance or skill, played the lottery or bet cards or dice games)	38%	19%	4%	5%	10%	6%	7%	7%	4%

In the last 30 days, have you gambled for money or anything of value?

	Yes v	No:
10th In the past 30 days, have you gambled for money or anything of value?	25%	75%
12th In the past 30 days, have you gambled for money or anything of value?	28%	72%

in Ti

In the past 12 months, have you gambled for money or anything of value?

	Yes	No
	%	%
10th in the year, have you gambled for money or anything of value?	41%	59%
12th In the year, have you gambled for money or anything of value?	41%	59%

If you gambled for money in the past 12 months, where have you gambled?

	10th 12th					
	%	N	%	N		
Didn't gamble for money	52%	166	52%	114		
At someone's house	28%	91	30%	GG		
Casino or Riverboat	2%	6	4%	8		
Internet	2%	8	6%	13		
Poker machine	1%	3	2%	- 4		
Person-to-person betting with another teen	35%	113	24%	53		
Person-to-person betting with an adult	21%	69	11%	25		
Lottery self service machine	5%	15	5%	11		
Other lottery tickets	6%	18	6%	13		
Off-Track Betting	3%	10	4%	8		
Sports pool	25%	81	17%	38		
Other	14%	44	11%	25		

In the past year, have you often found yourself thinking about gambling or planning to gamble?

		1	Yes	
		7	%	%"
10th	In the past year, have you often found yourself thinking about gambling or planning to gamble?		14%	86%
12th	In the past year, have you often found yourself thinking about gambling or planning to gamble?		19%	81%

What percent of students at your school do you think have done the following in the past 30 days:

		0%	1-10%	11-20%	21-30%	31-40%	41-50%	51-60%	61-70%	71-80%	81-90%	91-100%
		%	%	%	%	%	%	%	%	%	%	%
	smoked cigarettes	1%	4%	9%	17%	17%	12%	11%	10%	13%	5%	2%
10th	had beer, wine, or hard liquor	1%	1%	3%	5%	6%	7%	14%	16%	23%	18%	6%
	used marijuana	1%	5%	7%	9%	12%	14%	13%	11%	15%	10%	4%
	smoked cigarettes	4%	5%	12%	11%	17%	10%	11%	10%	12%	5%	3%
12th	had beer, wine, or hard liquor	3%	0%	0%	3%	8%	8%	16%	17%	23%	14%	9%
177	used merijuana	3%	2%	4%	9%	13%	13%	10%	13%	14%	10%	7%

In the past 12 months did you ever feel so sad or hopeless that you stopped doing some usual activities?

	Yes	No
	%	%
During past year were you ever so aloth sad or hopeless for 2-week period that you stopped usual activities?	20%	80%
During past year were you ever so, 12th, sad or hopeless for 2-week period that you stopped usual activities?	18%	82%

How tall are you without your shoes on?

		10	th	12	th
		%	N	%	N
	3' 1"	0%	. 1	0%	0
	3' 3"	0%	()	0%	1
	4' 1"	0%	; 1	0%	0
	4' 9"	0%	0	0%	1
	4' 10"	15%	?	0%	0
	4' 11"	0%	1	0%	1
	5' 0"	3%	9	2%	5
and the second	5' 1"	3%	12	2%	4
	5' 2"	8%	29	5%	12
	5' 3"	7%	25	9%	22
And her	5' 4"	10%	35	7%	16
	5' 5"	9%	32	8%	18
	5' 6"	8%	29	7%	16
Height in feet	5' 7"	9%	30	9%	21
and	5' 8"	8%	28	7%	16
inches	5' 9"	6%	20	9%	22
	5' 10"	5%	16	6%	15
	5' 11"	7%	23	8%	19
	6' 0"	5%	16	5%	11
	6' 1"	4%	15	4%	10
	6' 2"	3%	9	4%	9
	6' 3"	2%	6	2%	5
	6' 4"	1%	2	3%	6
	6' 5"	1%	2	0%	1
	6' 6"	0%	0	1%	2
	6' 9"	0%	1	0%	0
	7' 0"	0%	0	0%	1
	7' 11"	0%	1	1%	3

How do you describe your weight?

	Veryi underweight	Underwei	About the right weight	Slightly overweight	
40th Hew.do.you describe your weight?	1%	11%	64%	21%	2%
12th How do you describe your weight?	0%	12%	62%	23%	3%

Average Height and Weight

	10	th	12	th
-	Ävg	Ñ	Avg	N
Height in inches	66.8	345	68.0	237
Weight in pounds	144.6	346	161.1	233

During the past 7 days, how many times did you:

							4 or more
	None			1 time	2 times	3 times	times per
	NOTE	1-3 times	4-6 times %	per day %	per day %	per day %	day %
eat fruit	7%	18%	18%	18%	23%	11%	5%
10th eat vegetables	3%	20%	22%	24%	15%	9%	7%
eat fruit	3%	23%	23%	15%	19%	12%	5%
eat vegetables	6%	18%	22%	25%	16%	9%	5%

During the past 7 days, how many glasses of milk did you drink?

	I did not drink milk during the past 7 days	123 glasses %	glasses	1 glass per day	2 glasses per day.	3 glasses	4 or more glasses per day %
10th During the past 7 days; how many, glasses of milk did you drink?	16%	20%	14%	15%	14%	15%	6%
12th During the past 7 days, how many, glasses of milk did you drink?	13%	21%	17%	15%	16%	9%	9%

On how many of the past I days did you participate in a physical activity?

	0 days	1 day	2 dnys	3 days	4 days	5 days	6 days	7 days
	%	%	%	%	%	%	%	%
10th On how many of the past 7 days did you participate in a physical activity?] '''	5%	10%	17%	10%	16%	10%	. 0.0
12th On how many of the past 7 days did you participate in a physical activity?	9%	5%	11%.	, .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	14%	18%	1,200	M".

On an average school day, how many hours do you watch TV?

		Do not watch TV on average school day	<1 hr/day	1 hr/day %	2 hrs/day %	3 hrs/day	4 hrs/day %	5 or more hrs/day %
10th	On an average school day, how many hours do you watch TV?	15%	18%	20%	18%	13%	7%	9%
12th	On an average school day, how many hours do you watch TV?	14%	18%	14%	20%	16%	11%	6%

In a typical week how often do you and your parent(s) or guardian eat dinner together?

	Never	1 day	2 days	3 days	4 days	5 days	6 days	7 days
	%	%	%	%.	%	%	%	%
In a typical week, how often do 10th you and your parent(s) or guardian eat dinner together?	12%	6%	9%	11%	13%	24%	12%	15%
in a typical week; how often do 12th you and your parent(s) or guardian eat dinner together?	15%	5%	9%	14%	14%	23%	10%	10%

Putting them all together, what were your grades like for the last year?

		Mostly A	Mostly A ∄ and B	Mostly B	Mostly B and C	Mostly C	Mostly C	Mostly D	Mostly F
		· %	% %	%	%	%	%	%	%
10th	Grades last year	19%	43%	8%	16%	7%	5%	0%	1%
12th.	Grades last year	18%	38%	14%	19%	4%	6%	1%	1%

During the LAST FOUR WEEKS how many whole days of school have you missed because you skipped or "cut"?

	None	1 day	2 days	3 days	4 or 5 days		11 days or more
10th: Daysof school missed in last 4 weeks	83%	5%	- 76 4%	76 1%	4%	76 2%	1%
12th Days of school missed in last 4 weeks	73%	9%	8%	4%	3%	2%	3%

How much do you agree or disagree wiht the following statements:

	Strongly Disagree	Disagree	Neither agree nor disagree	Agree	Strongly Agree
	%	%	%	%	%
I feel like a real part of my school	10%	18%	37%	27%	8%
People at this school are friendly to me	3%	6%	25%	53%	13%
liam treated with as much respect as other students	5%	12%	28%	43%	12%
10th clarifically be myself at this school	6%	13%	26%	42%	13%
Bullying is a problem for students at my school.	10%	22%	38%	24%	6%
"Other students bad behavior" gets in the way of my learning	14%	24%	29%	24%	9%
l feel like a real part of my school	12%	8%	28%	34%	17%
Reople at this school are friendly to me	3%	4%	16%	53%	24%
lam treated with as much respect as other students.	3%	7%	17%	50%	23%
12th il can really be myself at this school	6%	10%	20%	39%	25%
Bullying is a problem for students at my school	15%	32%	29%	19%	5%
"Other students bad behavior" gets in the way of my learning	16%	29%	28%	16%	11%

During the past 30 days, how many days did you not go to school because you felt you would be unsafe at school or on the way to or from school?

		0 days	1 day	2 or 3 days	4 or 5 days	6 or more
		%	%	%.	* %	%
10th	How many days did you not go to school because you felt it unsafe	97%	1%	1%	0%	0%
12th	How many days dld you not go to school because you felt it unsafe	94%	2%	2%	0%	2%

How wrong do your parents feel it would be for YOU to:

		Very Wrong	Wrong	A Little Bit Wrong	Not Wrong at All
		%	%	% =	% %
10th	drink alcohol regularly	64%	24%	10%	3%
	smoke cigarettes	80%	15%	4%	1%
	smoke marijuana	79%	15%	4%	2%
(E)	drink alcohol regularly	47%	26%	21%	6%
12th	smoke cigarettes	67%	22%	9%	2%
	smoke marijuana	69%	19%	8%	4%

In the past year have your parents/guardians talked to you about not using the following:

		Yes	No.	Do not Femember
		%	% % ****	% ·
	Tobacco	35%	49%	16%
10th	Alcohol	52%	34%	14%
	Marijuana / other illegal drugs	46%	41%	13%
	Tobacco	29%	59%	12%
12th	Alcohol	45%	45%	10%
	Marijuana / other illegal drugs	32%	57%	11%

Has anybody in your family ever had a severe alcohol or drug problem?

	10	th	12	th
	%	N .	%	N
Family member has had a severe . No	56%	195	56%	131
alcohol/drug problem Yes	44%	151	44%	102

Family Relationships


And the second s		Never	Sometimes	Most of the time	Always
		%	%	%	- %
	When I am not at home, one of my parents knows where I am and who I am with	3%	19%	50%	28%
	My parents want me to call if I'm going to be late getting home	3%	10%	15%	73%
	If you drank alcohol without your parents' permission would you be caught by your parents?	44%	35%	10%	10%
JANE.	My parents ask if live gotten my homework done	10%	25%	30%	36%
10th	Would your parents know if you did not come home on time?	5%	26%	33%	36%
	If you go to a party where alcohol is served, would you be caught by your parents?	48%	34%	9%	9%
	If you crank and drove, would you be caught by your parents?	23%	23%	22%	32%
	If you rode in a car driven by a teen driver who had been drinking, whould you be caught by your parents?	44%	30%	12%	15%
	When I am not at home, one of my parents knows where I am and who I am with	4%	25%	47%	23%
	My parents want me to call if I'm going to be late getting home	5%	15%	18%	63%
	If you drank alcoholiwithout your parents: permission would you be caught by your parents?	52%	36%	6%	6%
12th	My parents ask if live gotten my homework done	18%	39%	23%	20%
1200	Would your parents know if you did not come home on time?.	10%	35%	28%	27%
	If you go to a party where alcohol is served, would you be caught by your parents?	58%	31%	7%	4%
	If you drank and drove; would you be caught by your parents?	41%	26%	13%	20%
	If you rode in a car driven by a feel driver who had been drinking, whould you be caught by your parents?	63%	26%	6%	6%

Family Relationships

	Yes %	No. %
10th My family has clear rules about alcohol and drug use	73%	27%
12th My family has clear rules about alcohol and drug-use	61%	39%

In the past 3 months, have your parents ever talked with you about:

		TY YOR	No	
		% % · · ·	%	
10th	not drinking and driving	49%	51%	
	not riding with a driver who had been drinking	57%	43%	
12th	not drinking and driving	40%	60%	
	not riding with a driver who had been drinking	46%	54%	



2008 FOLLOW-UP REPORT

OAK PARK & RIVER FOREST HIGH SCH OAK PARK

Included:

Overview

Section 1: Recent Use Rate Comparisons Section 2: Risk/Protective Factors Section 3: Heavy Use and Abuse



Illinois Youth Survey

448 Wylie Drive Normal, IL 61761 Phone: 309-451-7834 Toll-free: 866-497-9727 Fax: 309-451-7764

www.illinoisyouthsurvey.org

2008 Illinois Youth Survey Follow-Up Report - Overview Grades 10 & 12

Thank you for your request for a follow-up report with more information from the Illinois Youth Survey administered at your school during the past school year. The enclosed follow-up report includes three sections. The first section gives comparisons for use rates of the main substances. The second section gives information about key risk and protective factors. The third section, for high schools only, gives the percentage of youth who are neither regularly using a substance nor reporting signs of abuse or dependence.

If your administration of the survey was successful in avoiding the major threats to validity, the results in this report should be very valid for the surveyed grade levels. The most common threat to validity is if the students surveyed were not representative of the full grade level. This can happen if many of the students intended to be surveyed do not participate due to some combination of absence, lack of parent permission, and lack of student willingness to participate. Schools that used an "active" permission process are especially vulnerable for this, and should ensure that the students who participated constituted at least 75% of the specific students intended to be surveyed. If your school had over 450 students enrolled in grade 10 and/or 12, a sample of 50% of the students at each grade level would have participated, unless you made other arrangements with us prior to surveying. Schools that surveyed samples should also have ensured that the sample they selected to participate was not "biased" in some way, such as having a disproportionate number of low or high achievement youth.

This report is a beginning towards promoting evidence-based prevention in your community, but will need to be supplemented by additional information you gather over time. The only risk factors measured on the Illinois Youth Survey are those that can be reasonably measured through a youth survey. So, for example, although media images promoting alcohol or tobacco are known to be a potent risk factor for youth use of those substances, media images are not a topic covered in the survey.

While the report is designed to give you some of the information you need, it should be supplemented by consultation from prevention professionals in your area that have been trained and funded by the state's Department of Human Services to assist local prevention efforts. We know that there are successful ways of lowering rates of youth substance use, and the best approaches involve collaborative efforts that include parents and other community members. Prevention professionals can help to:

- Match risk and protective factors to effective prevention strategies.
- Judge whether particular prevention programs are appropriate for your community, considering not only risk and protective factors addressed but also what is known about the program's effectiveness with particular types of communities.
- Plan for program implementation, since success depends not only on program or strategy selection but also correct implementation.

If any questions arise as you work with your local prevention professionals on the enclosed results, you and they are welcome to contact us. Our contact information is below. You can use the same contact information to ask for help identifying the local agency funded for youth substance use prevention in your community.

Alan Markwood

Prevention Projects Coordinator

amarkwood@chestnut.org

866-345-4497

Donna Prather
Survey Project Coordinator
dprather@chestnut.org
866-497-9727

Jessica Thomas
Research Project Assistant
jcthomas@chestnut.org
309-451-7849

Section 1: Recent Use Rate Comparisons

Each participating grade of your school (typically 6th and 8th or 10th and 12th) is covered on one page. On the page are data about past month use rate for four substances (alcohol, tobacco, marijuana, and inhalants) plus binge drinking in the past two weeks. Schools that participated in the Illinois Youth Survey in 2002, 2004, or 2006 will have a first column representing their most recent survey results prior to 2008. All schools then have a column showing their 2008 percentages, followed by a column showing the average 2008 percentage from among participating schools in the same "region".


The four regions we are using in 2008, based on population size and federal categories for urban and rural, are:

- Chicago public schools
- Other schools in the Chicago Metropolitan Area (including the rest of Cook County and all of DeKalb, DuPage, Grundy, Kane, Kendall, Lake, McHenry, and Will Counties)
- Schools in other federally designated urban counties (Bond, Boone, Calhoun, Champaign, Clinton, Ford, Henry, Jersey, Kankakee, Macon, Macoupin, Madison, Marshall, McLean, Menard, Mercer, Monroe, Peoria, Piatt, Rock Island, Sangamon, St. Clair, Stark, Tazewell, Vermillion, Winnebago, and Woodford Counties)
- The rest of Illinois' counties, which are rural


The survey was administered in the 2007-2008 school year, so the 2008 results for each grade relate to the youth who were in that grade (6th, 8th, 10th, or 12th grades) during the Spring of 2008.

If you would like specific data from other questions on the survey and cannot locate the results that were sent to you a few months ago, contact either Donna Prather (866-497-9727 or dprather@chestnut.org) or Jessica Thomas (jcthomas@chestnut.org) and we can re-send that information.

2008 IYS School Follow-Up Report Percentage of Youth Reporting Past 30 Day Substance Use OAK PARK & RIVER FOREST HIGH SCHOOL -- 10th Grade



2008 IYS School Follow-Up Report Percentage of Youth Reporting Past 30 Day Substance Use OAK PARK & RIVER FOREST HIGH SCHOOL -- 12th Grade



Section 2: Risk/Protective Factors Grades 10 & 12

INTRODUCTION

This section of your follow-up report is intended to give you useful information about how youth substance use develops in your community. Although the Illinois Youth Survey is administered in schools, most of the risk and protective factors that can lead to youth substance use have more to do with a whole community than with schools specifically. Your school may be an important partner in addressing these factors, but in many cases success may not be possible without an effort that unites many of the concerned organizations in the community. We therefore encourage you to share this information with concerned community groups or stakeholders willing to work with you. By measuring these factors among students, a school makes an important contribution to community prevention efforts.

The one or two charts that follow this introduction show for each participating grade level (typically 10th and 12th) how your students responded to questions about 9 key risk or protective factors, in comparison with other places around the state. Research has identified many dozens of factors, but we have narrowed the list to include only factors which:

- Are known to be powerful contributors to community-wide substance use rates, rather than just signs of some other factor operating.
- Are highly correlated with community level substance use scores in Illinois.
- Can be addressed with prevention strategies and/or programs already shown to have some potential for lowering use rates.

For each factor, the chart(s) that follow will give a score from 1 to 5, where "1" is good (low risk or high protection), "5" is bad, and "3" is average for communities that participated in the survey. Having all good scores doesn't mean that your community couldn't benefit from ATOD (alcohol, tobacco, or other drug) prevention efforts, but those efforts are especially important in cases where your community scores a "4" or "5" for a risk or protective factor. The report that follows the chart(s) goes into more detail about the meaning of each factor.

DESCRIPTIONS OF SPECIFIC FACTORS

Factor 1

"If you wanted to get some beer, wine, or hard liquor ... how easy would it be ...?" (Youth Access to Alcohol)

Examples of supporting research: Resnick et al, 1997; SAMHSA 2001; SAMHSA 2004; Wagenaar, 1993; Weitzman, et al 2003

Discussion: One of the most consistent findings in prevention research is that making a substance more difficult to obtain or costly (in time, money, or other ways) will decrease use. If you would like to address this issue, begin by looking at the following item in the initial report your school received from the Illinois Youth Survey: "During the past year, how often did you usually get your own beer, wine, or liquor from the following sources?" The results to those questions give some indication of which routes of access are problematic. In the statewide results, "A friend gave it to me" and "I got it at a party" were the most frequent responses of those who used alcohol.

Factor 2

"How wrong would most adults (over 21) in your neighborhood think it is for kids your age to smoke cigarettes?" (Adult Norms Favorable to Cigarette Use)

Examples of supporting research: Forster et al, 2003; SAMHSA, 2004; Alamar and Glantz, 2006

Discussion: Although parents are the most important adults in the lives of most youth, adult community norms about youth use of a substance also serve as a substantial contributing factor to whether youth use tobacco and other substances. If adults known or observed by teens or pre-teens don't oppose youth substance use, parents may be unable to successfully prevent youth access to the substance. Also, parents' disapproval of youth use would be reinforced when adult norms are against youth use, but somewhat compromised when adult norms aren't strongly against youth use. Even though most high school seniors can legally purchase cigarettes, perceptions of adult approval or disapproval are still strongly related to use rates.

Factors 3-5

"What are the chances you would be seen as cool if you smoked marijuana?" (Perceived Peer Approval of Marijuana Use)

"What percent of students at your school do you think have smoked cigarettes in the past 30 days?" (Perceived Peer Cigarette Use/Approval of Use)

"What percent of students at your school do you think have had beer, wine, or hard liquor in the past 30 days?" (Perceived Peer Alcohol Use/Approval of Use)

Examples of supporting research: 2003; D'Amico & McCarthy, 2006; Jackson, 1997; Page & Scanlon, 1999; Perkins & Craig, 2001; SAMHSA, 2001; SAMHSA, 2004; Wills & Cleary, 1999

Discussion: Adolescents' perception of how much peers approve or would approve of use of a substance is a powerful risk factor. Some of the things influencing this perception are known attitudes of a youth's friends and perceived extent of use of a substance among peers. Youth typically overestimate the percent of peers who use substances, and this apparently causes them to put pressure on themselves to conform to this incorrect norm. Substantial preventive impact has been achieved in this situation by finding (typically by survey) the actual percentage of use, and communicating this to students, ideally as part of a comprehensive prevention curriculum. There are technical details to this, such as knowing which figure (e.g., past year use, past month use, binge drinking, etc.) to share and how to share it in a way that is credible and effective. The basic idea is to correct the misperception that youth substance use is normal. Another aspect of this is not to inadvertently communicate a norm of majority use in other messages circulated in the community.

Factors 6-8

"How wrong do your parents feel it would be for you to ... (Parent Approval of Use)

- a. Drink beer, wine, or hard liquor At least once or twice a month?"
- b. Smoke cigarettes?"
- c. Smoke marijuana?"

Examples of supporting research: Jackson, 1997; Kosterman et al, 2000; Maryland DEWS, 2004; McDermott, 1984; Reifman et al, 1998; SAMHSA, 2001; SAMHSA, 2004

Discussion: There are many ways that parents can influence youth toward or away from use of a substance, but one of the most powerful is the attitude that they communicate (or fail to communicate) to youth about youth use of a substance. For each of the three substances listed, a high-risk score indicates parents either don't as widely disapprove of use as do parents in other communities or their disapproval isn't well communicated. It is not unusual for one or two of the substances to show a much greater parent approval problem than the others, and this may indicate a community norm that includes parents as well as other adults.

Factor 9


10th grade: "Would your parents know if you did not come home on time?" (Parental Monitoring)

12th grade: "If you rode in a car driven by a teen driver who had been drinking, would you be caught by your parents?" (Parental Monitoring)


Examples of supporting research: Chilcoat & Anthony, 1996; Kosterman et al, 2000; Mulhall et al, 1996; Reifman et al, 1998

Discussion: Although parents communicating an expectation of no-use is important, it may not be sufficient to protect youth from environments in which use is heavily encouraged and a substance is readily available. Therefore, parents who also monitor their youths' activities and "veto" potentially dangerous ones decrease the likelihood of their youth using substances. In the 2008 Illinois Youth Survey data, the questions that best demonstrated the relationship between parental monitoring and substance use were different for 10th and 12th grade.

2008 IYS School Follow-Up Report Risk and Protective Factors OAK PARK & RIVER FOREST HIGH SCHOOL -- 10th Grade



2008 IYS School Follow-Up Report Risk and Protective Factors OAK PARK & RIVER FOREST HIGH SCHOOL -- 12th Grade



Section 3: Heavy Use and Abuse

At the high school level, the 2008 Illinois Youth Survey allowed for measurement of problematic use in two different ways. One is the statistical clustering of substance use scores to show whether students are in the "no or low" use group, the "gateway substance" group, or the "other illegal drugs" group. The other is a set of screening questions used clinically to help diagnose substance abuse or dependence.

From one perspective, any underage use is problematic, but youth who have had one or two sips of alcohol or puffs of a cigarette are much more like non-users than like regular/heavy users. In order to give schools an idea of not just use but how many students have progressed past small-scale experimentation, one percentage figure per participating grade level is given in this section. The percentage reflects the proportion of your students in that grade who reported NEITHER a high use rate in the past month NOR clinical symptoms of substance abuse or dependence in the past month. At the statewide level, 76% of 10th grade students and 65% of 12th grade students reported neither heavy use nor abuse/dependence symptoms.

OAK PARK & RIVER FOREST HIGH SCH

The percentage of youth who reported <u>neither</u> regular use nor abuse/dependence symptoms were:

10th grade: **71%**

12th grade: **55%**

If either of the above grade levels does not show a percentage number, then either that grade level did not participate or the number of participants was too small to be significant.