



MONONA GROVE

SCHOOL DISTRICT

5301 Monona Drive, Monona, WI 53716 P: 608-221-7660 F: 608-221-7688

To help prevent the spread of COVID-19 and reduce the potential risk of exposure to our students, families and staff, all individuals coming to MGSD buildings should complete a daily self-screening for symptoms related to COVID-19 symptoms ([CDC Covid-19 symptoms](#)).

Staff and students should not come to school or enter any MGSD building before checking for the following COVID-like symptoms:

1. **Fever** (100° or higher), chills, or shaking chills
2. **Shortness of breath** or difficulty breathing
3. **New loss of taste or smell**
4. **Muscle or body aches**
5. **Cough** (not due to other known cause, such as chronic cough)
6. **Sore throat**, *when in combination with other symptoms*
7. **Nausea or vomiting**, *when in combination with other symptoms*
8. **Headache**, *when in combination with other symptoms*
9. **Fatigue**, *when in combination with other symptoms*
10. **Nasal congestion or runny nose** (not due to other known causes, such as allergies), *when in combination with other symptoms*

**Vomiting and fever may or may not be associated with COVID-19. If your student is experiencing only one of these symptoms, they may return to school once the symptom has resolved after 24 hours without the use of medications.*

Should an individual meet the criteria from above:

- Staff, family members, volunteers, or other adults in MGSD facilities should contact mgsdcontacttracing@mgschools.net and wait for further guidance.
- Parents/guardians of students should Contact your school's attendance email, report all symptoms and wait for further guidance.. Be sure to leave a phone number where you can be reached. After hours and on the weekends, contact mgsdcontacttracing@mgschools.net

Students will be closely monitored/surveyed by staff for signs of illness (symptoms listed above) at the start of their school day and as needed throughout the school day. When a student can return to school safely is guided by Public Health Madison Dane County using the following tables and [additional references](#):

Individual is NOT a known close contact to a COVID-19 case:

Individual	Symptomatic	No Symptoms
Not tested for COVID-19	<ul style="list-style-type: none"> The individual must remain home until they have been fever free without the use of fever-reducing medications for 24 hours AND with improvement of symptoms AND for either 5 days after symptom onset followed by 5 days of masking in school OR 10 days after symptom onset if a mask can't worn. Siblings and household members do not need to be excluded (different from DHS guidance). If diagnosed with another condition that explains the symptoms, such as influenza or strep throat, follow guidance from the health care provider and exclusion period of the diagnosed disease as listed on the Wisconsin Childhood Communicable Diseases Wall Chart 	May attend school.
Tested and negative for COVID-19	<ul style="list-style-type: none"> The individual must be fever free for 24 hours without the use of fever-reducing medications If diagnosed with another condition, the individual must complete the exclusion period for the diagnosed disease as listed on the Wisconsin Childhood Communicable Diseases Wall Chart. An alternative diagnosis is not required. 	May attend school.
Tested and positive for COVID-19	<ul style="list-style-type: none"> The individual must isolate at home for at least 5 days since the first symptoms began AND be fever free without the use of fever-reducing medications for 24 hours AND with improvement in symptoms. The individual should wear a well-fitting mask during days 6-10. Repeat testing is NOT required for making decisions about when people can return to work or school. If someone wants to get tested, they should use an antigen test. If an individual can't wear a mask they should isolate at home for 10 days. Siblings, household members, and other close contacts should follow the close contact chart below. 	<ul style="list-style-type: none"> Must isolate at home for 5 days after the day the sample was collected and wear a mask during days 6-10. Isolate at home for 10 days if they can't wear a mask. Siblings, household members, and other close contacts should follow the close contact chart below.

Individual IS a known close contact to a COVID-19 case:

Individual	Symptomatic	No Symptoms
Not tested for COVID-19	<ul style="list-style-type: none"> The individual must remain home until they have been fever free without the use of fever-reducing medications for 24 hours AND with improvement of symptoms AND for either 5 days after symptom onset followed by 5 days of masking in school OR 10 days after symptom onset if a mask can't worn, regardless of vaccination status. The individual must also quarantine if they are not in one of the exception groups above. The quarantine starts after the last contact with the COVID-19 positive person (see first page for other quarantine guidance). If the exposure is to a household member and the case cannot properly isolate away from others at home, the last date of contact may be the last day of isolation for the case. Individuals in the exception groups above do not need to quarantine. Siblings and household members do not need to be excluded (different from DHS guidance). 	Individuals not in the exception groups above must quarantine (see first page) from the date of last exposure before returning to school or day care. If the exposure is to a household member and the case cannot properly isolate away from others at home, the last date of contact may be the last day of isolation for the case. Individuals in the exception groups above do not need to quarantine.
Tested and negative for COVID-19	<ul style="list-style-type: none"> The individual must be fever free for 24 hours without the use of fever-reducing medications AND if diagnosed with another condition, they must complete the exclusion period for the diagnosed disease as listed on the Wisconsin Childhood Communicable Diseases Wall Chart, regardless of vaccination status. An alternative diagnosis is not required. The individual must also quarantine if they are not in one of the exception groups above. The quarantine starts after the last contact with the COVID-19 positive person (see first page for other quarantine guidance). If the exposure is to a household member and the case cannot properly isolate away from others at home, the last date of contact may be the last day of isolation for the case. Individuals in the exception groups above do not need to quarantine. 	Individuals not in the exception groups above must quarantine (see first page) from the date of last exposure before returning to school or day care. If the exposure is to a household member and the case cannot properly isolate away from others at home, the last date of contact may be the last day of isolation for the case. Individuals in the exception groups above do not need to quarantine.
Tested and positive for COVID-19	<ul style="list-style-type: none"> The individual must isolate at home for at least 5 days since the first symptoms began AND be fever free without the use of fever-reducing medications for 24 hours AND with improvement in symptoms. The individual should wear a mask during days 6-10. Repeat testing is NOT required for making decisions about when people can return to work or school. If someone wants to get tested, they should use an antigen test. If an individual can't wear a mask they should isolate at home for 10 days. Siblings, household members, and other close contacts should also follow this chart to determine quarantine length. 	<ul style="list-style-type: none"> Must isolate at home for 5 days after the day the sample was collected and wear a mask during days 6-10. Isolate at home for 10 days if they can't wear a mask. Siblings, household members, and other close contacts should follow this chart to determine quarantine length.

La persona NO es un contacto cercano conocido de un caso de COVID-19:

Persona	Sintomático	Sin síntomas
No se hizo prueba para COVID-19	<ul style="list-style-type: none"> La persona debe permanecer en casa hasta que haya estado sin fiebre sin el uso de medicamentos para la fiebre durante 24 horas Y con mejoría de los síntomas Y durante 5 días después del inicio de los síntomas seguidos de 5 días de uso de mascarilla en la escuela O 10 días después del inicio de los síntomas si no se puede usar una mascarilla. No es necesario excluir a los hermanos y miembros del grupo familiar (a diferencia de la guía del DHS). Si se le diagnostica otra condición médica que explica los síntomas, como influenza o faringitis estreptocócica, siga la guía del proveedor de atención médica y el período de exclusión de la enfermedad diagnosticada como se menciona en el Gráfico de pared de enfermedades transmisibles en la niñez de Wisconsin 	Puede asistir a la escuela.
Dio negativo para el COVID-19	<ul style="list-style-type: none"> La persona debe estar sin fiebre durante 24 horas sin el uso de medicamentos para reducir la fiebre Si se le diagnostica otra condición médica, la persona debe completar el período de exclusión para la enfermedad diagnosticada que se menciona en el Gráfico de pared de enfermedades transmisibles en la niñez de Wisconsin. No se necesita un diagnóstico alternativo. 	Puede asistir a la escuela.
Dio positivo para el COVID-19	<ul style="list-style-type: none"> La persona se debe aislar en casa durante al menos 5 días desde que comenzaron los primeros síntomas Y estar sin fiebre sin el uso de medicamentos para reducir la fiebre durante 24 horas Y con una mejoría en los síntomas. La persona debe usar una mascarilla bien ajustada durante los días 6 a 10. NO se necesita repetir la prueba para tomar decisiones sobre cuándo las personas se pueden reincorporar al trabajo o la escuela. Si alguien se quiere hacer la prueba, debe usar una prueba de antígeno. Si una persona no puede usar una mascarilla, se debe aislar en casa durante 10 días. Los hermanos, miembros del grupo familiar y otros contactos cercanos deben seguir la tabla de contacto cercano abajo. 	<ul style="list-style-type: none"> Se debe aislar en casa durante 5 días después del día en que se tomó la muestra y usar una mascarilla durante los días 6 a 10. Aíslese en casa durante 10 días si no puede usar una mascarilla. Los hermanos, miembros del grupo familiar y otros contactos cercanos deben seguir la tabla de contacto cercano abajo.

La persona ES un contacto cercano conocido de un caso de COVID-19:

Persona	Sintomático	Sin síntomas
No se hizo prueba para COVID-19	<ul style="list-style-type: none"> La persona debe permanecer en casa hasta que haya estado sin fiebre sin el uso de medicamentos para la fiebre durante 24 horas Y con mejoría de los síntomas Y durante 5 días después del inicio de los síntomas seguidos de 5 días de uso de mascarilla en la escuela O 10 días después del inicio de los síntomas si no se puede usar una mascarilla, independientemente del estado de vacunación. La persona también se debe poner en cuarentena si no está en uno de los grupos de excepción arriba. La cuarentena comienza después del último contacto con la persona positiva de COVID-19 (consulte la primera página para obtener otras guías de cuarentena). Si la exposición es a un miembro del grupo familiar y el caso no se puede aislar adecuadamente de los demás en casa, la última fecha de contacto puede ser el último día de aislamiento del caso. Las personas en los grupos de excepción arriba no necesitan ponerse en cuarentena. No es necesario excluir a los hermanos y miembros del grupo familiar (a diferencia de la guía del DHS). 	Las personas que no estén en los grupos de excepción arriba se deben poner en cuarentena (consulte la primera página) desde la fecha de la última exposición antes de regresar a la escuela o a la guardería. Si la exposición es a un miembro del grupo familiar y el caso no se puede aislar adecuadamente de los demás en casa, la última fecha de contacto puede ser el último día de aislamiento del caso. Las personas en los grupos de excepción arriba no necesitan ponerse en cuarentena.
Dio negativo para el COVID-19	<ul style="list-style-type: none"> La persona debe estar sin fiebre durante 24 horas sin el uso de medicamentos para la fiebre Y si se le diagnostica otra condición médica, debe completar el período de exclusión para la enfermedad diagnosticada como se menciona en el Gráfico de pared de enfermedades transmisibles en la niñez de Wisconsin, independiente del estado de vacunación. No se necesita un diagnóstico alternativo. La persona también se debe poner en cuarentena si no está en uno de los grupos de excepción arriba. La cuarentena comienza después del último contacto con la persona positiva de COVID-19 (consulte la primera página para obtener otras guías de cuarentena). Si la exposición es a un miembro del grupo familiar y el caso no se puede aislar adecuadamente de los demás en casa, la última fecha de contacto puede ser el último día de aislamiento del caso. Las personas en los grupos de excepción arriba no necesitan ponerse en cuarentena. 	Las personas que no estén en los grupos de excepción arriba se deben poner en cuarentena (consulte la primera página) desde la fecha de la última exposición antes de regresar a la escuela o a la guardería. Si la exposición es a un miembro del grupo familiar y el caso no se puede aislar adecuadamente de los demás en casa, la última fecha de contacto puede ser el último día de aislamiento del caso. Las personas en los grupos de excepción arriba no necesitan ponerse en cuarentena.
Dio positivo para el COVID-19	<ul style="list-style-type: none"> La persona se debe aislar en casa durante al menos 5 días desde que comenzaron los primeros síntomas Y estar sin fiebre sin el uso de medicamentos para reducir la fiebre durante 24 horas Y con una mejoría en los síntomas. La persona debe usar una mascarilla durante los días 6 a 10. NO se necesita repetir la prueba para tomar decisiones sobre cuándo las personas se pueden reincorporar al trabajo o la escuela. Si alguien se quiere hacer la prueba, debe usar una prueba de antígeno. Si una persona no puede usar una mascarilla, se debe aislar en casa durante 10 días. Los hermanos, miembros del grupo familiar y otros contactos cercanos también deben seguir este cuadro para determinar la duración de la cuarentena. 	<ul style="list-style-type: none"> Se debe aislar en casa durante 5 días después del día en que se tomó la muestra y usar una mascarilla durante los días 6 a 10. Aíslese en casa durante 10 días si no puede usar una mascarilla. Los hermanos, miembros del grupo familiar y otros contactos cercanos deben seguir este cuadro para determinar la duración de la cuarentena.