



Environmental and Laboratory Services

Dover Location:

90 1/2 West Blackwell St., Dover, NJ 07801
Phone: (973) 989-0010, Fax (973) 989-0156

Marlboro Location:

8A Railroad Ave, Marlboro, NJ 07746
Phone: (732) 308-3500, Fax (732) 308-3503

Date: October 05, 2020
Client: Waterford Elementary School
Address: 1106 Old White Horse Pike
Waterford, NJ 08089

PWSID#: NJ0435375

Project Location:

Analytical Results

Sample Matrix:	Drinking Water	Lab Sample Number:	20090322-001
Sample Location:	POE:Tap in Treatment WL002003	Customer Sample Number:	
Sampled By:	A. Alexander		
Sample Date/Time:	9/11/2020 11:18		

Parameters	Method	Results	Units	NJDEP Limit	Date Analyzed	Time Analyzed	Analyst	Reporting Limit	Dilution Factor
Uranium	EPA200.8	< 1.00	µg/L	30	9/22/2020	15:39	BM	1	1

NJ Lab ID# 14013 (Dover)

NJ Lab ID# 13033 (Marlboro)

NJDEP Limit for free and/or total chlorine does not apply to non-chlorinated samples.
Any method followed by an asterisk (*) was analyzed by the Agra-Marlboro laboratory.
All other methods, unless otherwise specified, were analyzed by the Agra-Dover laboratory.

I certify that these samples were analyzed in accordance with procedures approved by the New Jersey Department of Environmental Protection.

Susan VanVeen

Susan VanVeen, Laboratory Manager

October 05, 2020



CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

20090322
20090322

Customer Name: Waterford Elementary School	Report to: Brian Himes, Environmental Res	Agra Environmental Services	# Asc./HCl Vials pH:
Location:	dfox@wtds.org	90 1/2 West Blackwell Street	# HCl Vials pH:
Address: 1106 Old White Horse Pike	, ,	Dover, NJ 07801	# Na ₂ S ₂ O ₃ Cl ₂ :
Waterford, NJ, 08089		Phone: (973) 989-0010	# HNO ₃ pH: <i>2</i>
Customer Contact: James		Fax: (973) 989-0156	# H ₂ SO ₄ pH:
Phone: Work/Cell 856-768-8986 / 856-304-1010			# NaOH pH:
			# unpreserved
			# other
			# other

Matrix Abbreviations: DW - Drinking water GW - Ground Water RAW-GW - DW RAW GW WW/NPW - Wastewater SL - Sludge P - Pool L - Lake Page 1 of 1

Project:	Collection	PWSID#						for laboratory use only	Field Analysis		
Sample ID	Location	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	pH / Temp	Cl ₂ or PO ₄
20090322-001	POE: Tap in Treatment	9/11/20	1118	X		DW	1		Radiologicals → EMSL* <i>u only Resample GA + Radium</i>		

Sampled By (name/company): *A. Alexander / Agra* State Forms Needed (circle one): **Yes** or No

NJDEP Laboratory Certification (Dover, NJ) #14013
 NJDEP Laboratory Certification (Marlboro, NJ) #13033

Reporting Requirements (Check Box): Standard NJ Reduced Other (Specify)

indicate laboratory location where analysis request was performed

Cooler Temperature Upon Receipt at lab: *28°C*

Sample Custody Exchanges (Please use full legal signature)

Relinquished By:	Date:	Time:	Received By:	Date:	Time:	Comments:
<i>[Signature]</i>	9/11/20	1328	<i>[Signature]</i>	9/11/20	1328	*resample 2, use EMSL bottles * Uranium to Dover ✓
<i>[Signature]</i>	9/17/20	1045	<i>[Signature]</i>	9/17/20	1045	
						Date Faxed _____ Invoice Number _____
						Is sample known to be hazardous? (circle one) Yes or No <i>GA</i>