Burlington, WA *Corporate Laboratory (a)*
1620 S Walnut St - Burlington, WA 98233 - **800.755.9295** • 360.757.1400

Bellingham, WA *Microbiology (b)*
805 Orchard Dr Ste 4 - Bellingham, WA 98225 - 360.715.1212

Portland, OR *Microbiology/Chemistry (c)*
9150 SW Pioneer Ct Ste W - Wilsonville, OR 97070 - 503.682.7802

Corvallis, OR *Microbiology/Chemistry (d)*
540 SW Third Street - Corvallis, OR 97333 - 541.753.4946

Bend, OR *Microbiology (e)*
20332 Empire Blvd Ste 4 - Bend, OR 97701 - 541.639.8425

LEAD & COPPER RULE REPORT

Client Name: Woodburn School District
1390 Meridian Drive
Woodburn, OR 97071

Reference Number: **17-14188**
Project: H-V

System Name:
System ID Number:
DWP Source Number:
Multiple Sources:
Sample Type:
Sample Purpose: Investigative or Other
County:

Analyst: bj
Date Received: 6/15/2017
Report Date: 6/26/2017
Approved By: anp
Authorized by:

Thanh B Phan
Lab Manager, Portland

Lab Number	Date Collected	Site / Location	EPA #	Analyte Name	Result	Units	AL	RL	METHOD	Lab	Comments
17_32561	6/15/2017	H1 - Prep Sink 1	1030	LEAD	0.001	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.184	mg/L	1.3	0.005	200.8	4072	
17_32562	6/15/2017	H2 - Food Prep 2	1030	LEAD	0.002	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.184	mg/L	1.3	0.005	200.8	4072	
17_32563	6/15/2017	H3 - Kettle 1	1030	LEAD	0.003	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.164	mg/L	1.3	0.005	200.8	4072	
17_32564	6/15/2017	H4 - Kettle 2	1030	LEAD	0.003	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.146	mg/L	1.3	0.005	200.8	4072	
17_32565	6/15/2017	H5 - Gym F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.178	mg/L	1.3	0.005	200.8	4072	
17_32566	6/15/2017	H6 - Gym F2	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.183	mg/L	1.3	0.005	200.8	4072	
17_32567	6/15/2017	H7 - RM 1 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.222	mg/L	1.3	0.005	200.8	4072	
17_32568	6/15/2017	H8 - Staff S1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.160	mg/L	1.3	0.005	200.8	4072	
17_32569	6/15/2017	H9 - RM 2 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.226	mg/L	1.3	0.005	200.8	4072	
17_32570	6/15/2017	H10 - RM 13 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.217	mg/L	1.3	0.005	200.8	4072	

NOTES:

RL (Reporting Level): indicates the minimum reporting level.

AL Federal Action Levels are 0.015 mg/L for Lead and 1.3 mg/L for Copper under the Lead and Copper Rule for public water systems. A blank MCL value indicates a level is not currently established.

ND (Not Detected): indicates that the compound was not detected above the Reporting Level (RL).

These test results meet all the requirements of NELAP, unless otherwise stated in writing, and relate only to these samples. If you have any questions concerning this report contact Thanh B Phan at the above phone number.

FORM: clOC_PBCU_OR.rpt

LEAD & COPPER RULE REPORT

Lab Number	Date Collected	Site / Location	EPA #	Analyte Name	Result	Units	AL	RL	METHOD	Lab	Comments
17_32571	6/15/2017	H11 - RM 22 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.205	mg/L	1.3	0.005	200.8	4072	
17_32572	6/15/2017	H12 - RM 3 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.198	mg/L	1.3	0.005	200.8	4072	
17_32573	6/15/2017	H13 - E Pod F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.185	mg/L	1.3	0.005	200.8	4072	
17_32574	6/15/2017	H14 - RM 4 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.303	mg/L	1.3	0.005	200.8	4072	
17_32575	6/15/2017	H15 - RM 5 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.227	mg/L	1.3	0.005	200.8	4072	
17_32576	6/15/2017	H16 - RM 6 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.254	mg/L	1.3	0.005	200.8	4072	
17_32577	6/15/2017	H17 - RM 7 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.221	mg/L	1.3	0.005	200.8	4072	
17_32578	6/15/2017	H18 - Café F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.119	mg/L	1.3	0.005	200.8	4072	
17_32579	6/15/2017	H19 - HR S	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.182	mg/L	1.3	0.005	200.8	4072	
17_32580	6/15/2017	H20 - RM 11 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.203	mg/L	1.3	0.005	200.8	4072	
17_32581	6/15/2017	H21 - RM 21 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.248	mg/L	1.3	0.005	200.8	4072	
17_32582	6/15/2017	H22 - RM 24 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.230	mg/L	1.3	0.005	200.8	4072	
17_32583	6/15/2017	H23 - RM 12 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.249	mg/L	1.3	0.005	200.8	4072	
17_32584	6/15/2017	H24 - RM 15 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.215	mg/L	1.3	0.005	200.8	4072	
17_32585	6/15/2017	H25 - RM 16 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.244	mg/L	1.3	0.005	200.8	4072	
17_32586	6/15/2017	H26 - G Pod S	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	

NOTES:

RL (Reporting Level): indicates the minimum reporting level.

AL Federal Action Levels are 0.015 mg/L for Lead and 1.3 mg/L for Copper under the Lead and Copper Rule for public water systems. A blank MCL value indicates a level is not currently established.

ND (Not Detected): indicates that the compound was not detected above the Reporting Level (RL).

These test results meet all the requirements of NELAP, unless otherwise stated in writing, and relate only to these samples.

LEAD & COPPER RULE REPORT

Lab Number	Date Collected	Site / Location	EPA #	Analyte Name	Result	Units	AL	RL	METHOD	Lab	Comments
17_32586	6/15/2017	H26 - G Pod S	1022	COPPER	0.198	mg/L	1.3	0.005	200.8	4072	
17_32587	6/15/2017	H27 - RM 17 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.247	mg/L	1.3	0.005	200.8	4072	
17_32588	6/15/2017	H28 - RM 8 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.234	mg/L	1.3	0.005	200.8	4072	
17_32589	6/15/2017	H29 - RM 9 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.246	mg/L	1.3	0.005	200.8	4072	
17_32590	6/15/2017	H30 - E Pod S	1030	LEAD	0.003	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.213	mg/L	1.3	0.005	200.8	4072	
17_32591	6/15/2017	H31 - RM 10 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.202	mg/L	1.3	0.005	200.8	4072	
17_32592	6/15/2017	H32 - G Pod F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.200	mg/L	1.3	0.005	200.8	4072	
17_32593	6/15/2017	H33 - RM 20 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.212	mg/L	1.3	0.005	200.8	4072	
17_32594	6/15/2017	H34 - RM 18 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.187	mg/L	1.3	0.005	200.8	4072	
17_32595	6/15/2017	H35 - A Staff S	1030	LEAD	0.001	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.114	mg/L	1.3	0.005	200.8	4072	
17_32596	6/15/2017	H36 - F Pod S	1030	LEAD	0.005	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.238	mg/L	1.3	0.005	200.8	4072	
17_32597	6/15/2017	H37 - RM 34 S	1030	LEAD	0.001	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.039	mg/L	1.3	0.005	200.8	4072	
17_32598	6/15/2017	H38 - A F3	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.022	mg/L	1.3	0.005	200.8	4072	
17_32599	6/15/2017	H39 - A F4	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.025	mg/L	1.3	0.005	200.8	4072	
17_32600	6/15/2017	H40 - RM 25 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.229	mg/L	1.3	0.005	200.8	4072	
17_32601	6/15/2017	H41 - RM 23 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.238	mg/L	1.3	0.005	200.8	4072	

NOTES:

RL (Reporting Level): indicates the minimum reporting level.

AL Federal Action Levels are 0.015 mg/L for Lead and 1.3 mg/L for Copper under the Lead and Copper Rule for public water systems. A blank MCL value indicates a level is not currently established.

ND (Not Detected): indicates that the compound was not detected above the Reporting Level (RL).

These test results meet all the requirements of NELAP, unless otherwise stated in writing, and relate only to these samples.

LEAD & COPPER RULE REPORT

Lab Number	Date Collected	Site / Location	EPA #	Analyte Name	Result	Units	AL	RL	METHOD	Lab	Comments
17_32602	6/15/2017	H42 - RM 14 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.252	mg/L	1.3	0.005	200.8	4072	
17_32603	6/15/2017	H43 - RM 19 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.249	mg/L	1.3	0.005	200.8	4072	
17_32604	6/15/2017	H44 - A F2	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.038	mg/L	1.3	0.005	200.8	4072	
17_32605	6/15/2017	H45 - A F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.040	mg/L	1.3	0.005	200.8	4072	
17_32606	6/15/2017	V1 - GL F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.177	mg/L	1.3	0.005	200.8	4072	
17_32607	6/15/2017	V2 - BL F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.181	mg/L	1.3	0.005	200.8	4072	
17_32608	6/15/2017	V3 - Gym F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.200	mg/L	1.3	0.005	200.8	4072	
17_32609	6/15/2017	V4 - Gym F2	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.204	mg/L	1.3	0.005	200.8	4072	
17_32610	6/15/2017	V5 - Café F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.166	mg/L	1.3	0.005	200.8	4072	
17_32611	6/15/2017	V6 - Café F2	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.165	mg/L	1.3	0.005	200.8	4072	
17_32612	6/15/2017	V7 - Café F3	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.180	mg/L	1.3	0.005	200.8	4072	
17_32613	6/15/2017	V8 - Band F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.230	mg/L	1.3	0.005	200.8	4072	
17_32614	6/15/2017	V9 - HR S	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.183	mg/L	1.3	0.005	200.8	4072	
17_32615	6/15/2017	V10 - A-6 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.208	mg/L	1.3	0.005	200.8	4072	
17_32616	6/15/2017	V11 - RM 101 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	1.295	mg/L	1.3	0.005	200.8	4072	
17_32617	6/15/2017	V12 - Staff Rm S	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	

NOTES:

RL (Reporting Level): indicates the minimum reporting level.

AL Federal Action Levels are 0.015 mg/L for Lead and 1.3 mg/L for Copper under the Lead and Copper Rule for public water systems. A blank MCL value indicates a level is not currently established.

ND (Not Detected): indicates that the compound was not detected above the Reporting Level (RL).

These test results meet all the requirements of NELAP, unless otherwise stated in writing, and relate only to these samples.

LEAD & COPPER RULE REPORT

Lab Number	Date Collected	Site / Location	EPA #	Analyte Name	Result	Units	AL	RL	METHOD	Lab	Comments
17_32617	6/15/2017	V12 - Staff Rm S	1022	COPPER	0.177	mg/L	1.3	0.005	200.8	4072	
17_32618	6/15/2017	V13 - D Pod F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.369	mg/L	1.3	0.005	200.8	4072	
17_32619	6/15/2017	V14 - RM 106 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.225	mg/L	1.3	0.005	200.8	4072	
17_32620	6/15/2017	V15 - RM 103 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.242	mg/L	1.3	0.005	200.8	4072	
17_32621	6/15/2017	V16 - RM 108 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.208	mg/L	1.3	0.005	200.8	4072	
17_32622	6/15/2017	V17 - RM 109 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.211	mg/L	1.3	0.005	200.8	4072	
17_32623	6/15/2017	V18 - RM 107 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.244	mg/L	1.3	0.005	200.8	4072	
17_32624	6/15/2017	V19 - U Pod F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.187	mg/L	1.3	0.005	200.8	4072	
17_32625	6/15/2017	V20 - RM 206 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.220	mg/L	1.3	0.005	200.8	4072	
17_32626	6/15/2017	V21 - RM 208 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.230	mg/L	1.3	0.005	200.8	4072	
17_32627	6/15/2017	V22 - RM 207 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.198	mg/L	1.3	0.005	200.8	4072	
17_32628	6/15/2017	V23 - RM 209 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.225	mg/L	1.3	0.005	200.8	4072	
17_32629	6/15/2017	V24 - RM 210 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.217	mg/L	1.3	0.005	200.8	4072	
17_32630	6/15/2017	V25 - U Pod S	1030	LEAD	0.002	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.196	mg/L	1.3	0.005	200.8	4072	
17_32631	6/15/2017	V26 - RM 212 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.211	mg/L	1.3	0.005	200.8	4072	
17_32632	6/15/2017	V27 - RM 211 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.221	mg/L	1.3	0.005	200.8	4072	

NOTES:

RL (Reporting Level): indicates the minimum reporting level.

AL Federal Action Levels are 0.015 mg/L for Lead and 1.3 mg/L for Copper under the Lead and Copper Rule for public water systems. A blank MCL value indicates a level is not currently established.

ND (Not Detected): indicates that the compound was not detected above the Reporting Level (RL).

These test results meet all the requirements of NELAP, unless otherwise stated in writing, and relate only to these samples.

LEAD & COPPER RULE REPORT

Lab Number	Date Collected	Site / Location	EPA #	Analyte Name	Result	Units	AL	RL	METHOD	Lab	Comments
17_32633	6/15/2017	V28 - RM 201 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.221	mg/L	1.3	0.005	200.8	4072	
17_32634	6/15/2017	V29 - RM 203 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.211	mg/L	1.3	0.005	200.8	4072	
17_32635	6/15/2017	V30 - RM 204 F1	1030	LEAD	ND	mg/L	0.015	0.001	200.8	4072	
			1022	COPPER	0.230	mg/L	1.3	0.005	200.8	4072	

NOTES:

RL (Reporting Level): indicates the minimum reporting level.

AL Federal Action Levels are 0.015 mg/L for Lead and 1.3 mg/L for Copper under the Lead and Copper Rule for public water systems. A blank MCL value indicates a level is not currently established.

ND (Not Detected): indicates that the compound was not detected above the Reporting Level (RL).

These test results meet all the requirements of NELAP, unless otherwise stated in writing, and relate only to these samples.