Content				
Unit	Topics	Labs/Activities	Big Ideas	Learning Objectives/Science Practices
1. KINEMATICS [CR2a]	<ul> <li>Kinematics in one-dimension:         constant velocity and uniform         accelerated motion</li> <li>Vectors: vector components and         resultant</li> <li>Kinematics in two-dimensions:         projectile motion</li> </ul>	1.Match the Graph (GI) [CR6b] To determine the proper placement of an air track, a glider, and a motion detector to produce a motion that matches a set of given graphs: position, velocity, and acceleration versus	3	Learning Objectives: 3.A.1.1, 3.A.1.2, 3.A.1.3  Science Practices 1.2, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.3, 6.1, 6.4, 7.2
		time.  2. Free-Fall Investigation  To determine and compare the acceleration of two objects dropped simultaneously.		Science Practices 1.4, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.3, 6.1, 6.4, 7.2
	3. Vector Addition (GI) [CR6b] To determine the value of a resultant of several vectors, and then compare that value to the values obtained through graphical and analytical methods.		Science Practices 1.1, 1.2, 1.4, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.3, 6.1, 6.4,7.2	
		4. Shoot the Target (GI) [CR6b] To determine the initial velocity of a projectile, the angle at which the maximum range can be attained, and predict where the projectile will land.		Science Practices 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.3, 6.1, 6.4, 7.2
		5. Chase Scenario (GI) [CR6b]  Lab Practicum: Students use a battery cart and a fan cart to recreate a chase scenario (police-thief) to predict the position where the 'thief' will be caught and the final speeds of		Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 3.2, 3.3, 4.1, 4.2, 4.3,5.1, 5.2, 5.3, 6.1, 6.2, 6.4, 7.2

		both cars.		
2. DYNAMICS [CR2b]	<ul> <li>Forces, types, and representation (FBD)</li> <li>Newton's First Law</li> <li>Newton's Third Law</li> <li>Newton's Second Law</li> <li>Applications of Newton's Second Law</li> <li>Friction</li> <li>Interacting objects: ropes and pulleys</li> </ul>	6. Inertial and Gravitational Mass (GI) [CR6b] To determine the difference (if any) between inertial mass and gravitational mass. 7. Forces Inventory (GI) [CR6b] Qualitative and quantitative investigation on a variety of interactions between objects. 8. Static Equilibrium Challenge To determine the mass of a hanging object in a setup with three strings at various angles. 9. Newton's Second Law (OI) [CR6b] To determine the variation of the acceleration of a dynamics cart in two scenarios: (1) the total mass of the system is kept constant while the net force varies, and (2) the net force is kept constant while the total mass of the system varies. 10. Coefficient of Friction (GI)	1,2,3,	Learning Objectives: 1.C.1.1, 1.C.1.3, 2.B.1.1, 3.A.2.1, 3.A.3.1, 3.A.3.2, 3.A.3.3, 3.A.4.1, 3.A.4.2, 3.A.4.3, 3.B.1.1, 3.B.1.2, 3.B.1.3, 3.B.2.1, 3.C.4.1, 3.C.4.2, 4.A.1.1, 4.A.2.1, 4.A.2.2, 4.A.2.3, 4.A.3.1, 4.A.3.2  Science Practices 1.4, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.3, 6.1, 6.4, 7.2  Science Practices 1.1, 1.4, 1.5, 2.1, 2.2, 3.3, 4.1, 4.2, 4.3, 5.1, 5.3, 6.1, 6.4, 7.2  Science Practices 1.1, 1.4, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.3, 6.1, 6.4, 7.2  Science Practices 1.1, 1.4, 1.5, 2.1, 2.2, 3.1, 3.2, 3.3, 4.1, 4.2, 4.3, 5.1, 5.3, 6.1, 6.4, 7.2
		[CR6b] To determine the maximum coefficient of static friction between a shoe and a wooden		Science Practices 1.1, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.3, 6.1, 6.4,7.2
		plank.  11. Atwood's Machine (GI)  [CR6b]  To determine the acceleration of		Science Practices 1.1, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.3, 6.1, 6.4,7.2

A DAME LAST CO			NG 150 MIN	
2. DYNAMICS	<ul> <li>Forces, types, and representation</li> </ul>		1,2,3,	<b>Learning Objectives:</b> 1.C.1.1, 1.C.1.3, 2.B.1.1, 3.A.2.1,
[CR2b]	(FBD)		4	3.A.3.1, 3.A.3.2, 3.A.3.3, 3.A.4.1, 3.A.4.2, 3.A.4.3,
	<ul> <li>Newton's First Law</li> </ul>			3.B.1.1, 3.B.1.2, 3.B.1.3, 3.B.2.1, 3.C.4.1, 3.C.4.2,
	<ul> <li>Newton's Third Law</li> </ul>			4.A.1.1, 4.A.2.1, 4.A.2.2, 4.A.2.3, 4.A.3.1, 4.A.3.2
	<ul> <li>Newton's Second Law</li> </ul>			
	<ul> <li>Applications of Newton's Second</li> </ul>	6. Inertial and Gravitational		Science Practices 1.4, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.3,
	Law	Mass (GI) [CR6b]		6.1, 6.4, 7.2
	• Friction	To determine the difference (if		0.1, 0.1, 7.2
	Interacting objects: ropes and	any) between inertial mass and		
	pulleys	gravitational mass.		
	puncys			Seignes Burgetines 1 1 1 4 1 5 2 1 2 2 2 2 4 1 4 2
		7. Forces Inventory (GI)		Science Practices 1,1, 1.4, 1.5, 2.1, 2.2, 3.3, 4.1, 4.2,
		[CR6b]		4.3, 5.1, 6.1, 6.2, 6.4, 7.2
		Qualitative and quantitative		
		investigation on a variety of		
		interactions between objects.		
		8. Static Equilibrium		Science Practices 1.1, 1.4, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3,
		Challenge		5.1, 5.3, 6.1, 6.4,7.2
		To determine the mass of a		
		hanging object in a setup with		
		three strings at various angles.		
		9. Newton's Second Law (OI)		Science Practices 1.1, 1.4, 1.5, 2.1, 2.2, 3.1, 3.2, 3.3,
1		[CR6b]		4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 6.4, 7.2
		To determine the variation of		111, 112, 113, 5.11, 5.21, 5.13, 6.11, 6.21, 6.11, 7.2
		the acceleration of a dynamics		
		cart in two scenarios: (1) the		
		total mass of the system is kept		
*		constant while the net force		
		varies, and (2) the net force is		
		kept constant while the total		-
		mass of the system varies.		
		10. Coefficient of Friction (GI)		<b>Science Practices</b> 1.1, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2,
		[CR6b]		4.3, 5.3, 6.1, 6.4,7.2
		To determine the maximum		
		coefficient of static friction		
		between a shoe and a wooden		
		plank.		
		11. Atwood's Machine (GI)		Science Practices 1.1, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2,
		[CR6b]		4.3, 5.3, 6.1, 6.4,7.2
		To determine the acceleration of		
	2	a hanging mass and the tension		
		in the string.		
		in the string.		

5. MOMENTUM [CR2e]	<ul><li>Impulse</li><li>Momentum</li><li>Conservation of momentum</li></ul>		3,4,5	Learning Objectives: 3.D.1.1, 3.D.2.1, 3.D.2.2, 3.D.2.3, 3.D.2.4, 4.B.1.1, 4.B.1.2, 4.B.2.1, 4.B.2.2, 5.A.2.1, 5.D.1.1, 5.D.1.2, 5.D.1.3, 5.D.1.4, 5.D.1.5, 5.D.2.1,
	Elastic and inelastic collisions			5.D.2.2, 5.D.2.3, 5.D.2.4 , 5.D.2.5, 5.D.3.1
		16. Bumper Design (GI) [CR6b] To design a paper bumper that will soften the impact of the colli- sion between a cart and a fixed block of wood. Their designs are evaluated by the shape of an acceleration-versustime graph of the collision.		Science Practices 1.4, 2.1, 2.2, 3.1, 3.2, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1,6.2, 6.4, 7.2
		17. Impulse and Change in Momentum (GI) [CR6b] To measure the change in momentum of a dynamics cart and compare it to the impulse received.		Science Practices 1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1,5.3, 6.1, 6.4, 7.2
		18. Elastic and Inelastic Collisions (OI) [CR6b] To investigate conservation of momentum and conservation of energy using a ballistic pendulum to determine the type of collision.		Science Practices 1.1, 1.2, 1.3, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1,5.2, 5.3, 6.1, 6.2, 6.4, 7.2
		19. Forensic Investigation (OI) [CR6b]  Lab Practicum: Apply principles of conservation of energy, conservation of momentum, the work-energy theorem, and a linear model of friction to find the coefficient of kinetic friction.		Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 3.2, 3.3, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 6.4, 7.2
6.SIMPLE HARMONIC MOTION[CR2d]	<ul> <li>Linear restoring forces and simple harmonic motion</li> <li>Simple harmonic motion graphs</li> </ul>		3,5	Learning Objectives: 3.B.3.1, 3.B.3.2, 3.B.3.3, 3.B.3.4, 5.B.2.1, 5.B.3.1, 5.B.3.2, 5.B.3.3, 5.B.4.1, 5.B.4.2
	<ul> <li>Simple pendulum</li> <li>Mass-spring systems</li> </ul>	20. Finding the Spring Constant (GI) [CR6b]		Science Practices 1.1, 1.4, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.3, 6.1, 6.4, 7.2

		To design two independent experiments to determine the spring constants of various springs of equal length.  21. Graphs of an Oscillating System (GI) [CR6b]  To analyze graphs of position, velocity, and acceleration versus time for an oscillating system to determine how velocity and acceleration vary at the equilibrium position and at the endpoints.  22. Simple Pendulum Investigation (GI) [CR6b]  To investigate the factors that affect the period of a simple pendulum and test whether the period is proportional to the pendulum's length, the square of its length.		Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.3,6.1, 6.4, 7.2  Science Practices 1.2, 1.4, 2.1, 2.2, 2.3, 3.1, 3.2, 3.3, 4.1, 4.2, 4.3, 5.1,5.3, 6.1, 6.4, 7.2
7.ROTATIONAL MOTION[CR2g]	<ul> <li>Torque</li> <li>Center of mass</li> <li>Rotational kinematics</li> <li>Rotational dynamics and rotational inertia</li> <li>Rotational energy</li> <li>Angular momentum</li> <li>Conservation of angular momentum</li> </ul>	23. Torque and the Human Arm (OI) [CR6b] To design and build an apparatus that replicates the forearm and biceps muscle system to determine the biceps tension when holding an object in a lifted position. 24. Rotational Inertia (GI) [CR6b] To determine the rotational inertia of a cylinder from the slope of a graph of an applied torque versus angular	3,4,5	Learning Objectives: 3.F.1.1, 3.F.1.2, 3.F.1.3, 3.F.1.4, 3.F.1.5, 3.F.2.1, 3.F.2.2, 3.F.3.1, 3.F.3.2, 3.F.3.3, 4.A.1.1, 4.D.1.1, 4.D.1.2, 4.D.2.1, 4.D.2.2, 4.D.3.1, 4.D.3.2, 5.E.1.1, 5.E.1.2, 5.E.2.1  Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 6.4, 7.1, 7.2  Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.3,6.1, 6.4, 7.2

		acceleration.  25. Conservation of Angular  Momentum (GI) [CR6b]  To investigate how the angular momentum of a rotating system responds to changes in the rotational inertia.	Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.3,6.1, 6.4, 7.2
8.MECHANICAL WAVES[CR2j]	<ul> <li>Traveling waves</li> <li>Wave characteristics</li> <li>Sound</li> <li>Superposition</li> <li>Standing waves on a string</li> <li>Standing sound waves</li> </ul>	26. Mechanical Waves (GI) [CR6b] To model the two types of mechanical waves with a spring toy to test whether or not these characteristics affect the speed of a pulse: frequency, wavelength, and amplitude.	Learning Objectives: 6.A.1.1, 6.A.1.2, 6.A.1.3, 6.A.2.1, 6.A.3.1, 6.A.4.1, 6.B.1.1, 6.B.2.1, 6.B.4.1, 6.B.5.1, 6.D.1.1, 6.D.1.2, 6.D.1.3, 6.D.2.1, 6.D.3.1, 6.D.3.2, 6.D.3.3, 6.D.3.4, 6.D.4.1, 6.D.4.2, 6.D.5.1  Science Practices 1.2, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.3, 6.1, 6.2, 6.4,7.2
		27. Speed of Sound (GI) [CR6b] Design two different procedures to determine the speed of sound in air.	Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.3, 6.1,6.4, 7.2
		28. Wave Boundary Behavior (GI) [CR6b] To compare what happens to the phase of a transverse wave on a spring toy when a pulse is reflected from a boundary and when it is reflected and transmitted from various boundaries (spring to string).	Science Practices 1.4, 3.1, 4.1, 4.2, 4.3, 5.1, 6.1, 6.4, 7.2
		29. Standing Waves (GI) [CR6b] Given a specified tension, students predict the length of the string necessary to generate the first two harmonics of a	Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.3,6.1, 6.4, 7.2

		standing wave on the string. Then they perform the experiment and compare the outcome with their prediction.		
9.ELECTROSTATICS [CR2h]	<ul> <li>Electric charge and conservation of charge</li> <li>Electric force: Coulomb's Law</li> </ul>	30. Static Electricity Interactions (GI) [CR6b] Students use sticky tape and a variety of objects to make qualitative observations of the interactions when objects are charged, discharged, and recharged. 31. Coulomb's Law (GI) [CR6b] To estimate the charge on two identical, equally charged spherical pith balls of known mass.	1,3,5	Learning Objectives: 1.B.1.1, 1.B.1.2, 1.B.2.1, 1.B.3.1, 3.C.2.1, 3.C.2.2, 5.A.2.1  Science Practices 1.2, 3.1, 4.1, 4.2, 5.1, 6.2, 7.2  Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.3, 6.1, 6.4, 7.2
10.DC CIRCUITS [CR2i]	<ul> <li>Electric resistance</li> <li>Ohm's Law</li> <li>DC circuits</li> <li>Series and parallel connections</li> <li>Kirchhoff's Laws</li> </ul>	32. Brightness Investigation (GI) [CR6b] To make predictions about the brightness of light bulbs in a variety of series and parallel circuits when some of the bulbs are removed.  33. Voltage and Current (GI) [CR6b] To determine the relationship between the current through a resistor and the voltage across the resistor.  34. Resistance and Resistivity	1,5	Learning Objectives: 1.B.1.1, 1.B.1.2, 1.E.2.1, 5.B.9.1, 5.B.9.2, 5.B.9.3, 5.C.3.1, 5.C.3.2, 5.C.3.3  Science Practices 1.2, 3.1, 4.1, 4.2, 4.3, 5.3, 6.1, 6.4, 7.2  Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.3,6.1, 6.4, 7.2  Science Practices 1.4, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1,5.3,

(GI) [CR6b]	6.1, 6.4, 7.2
To investigate the effects of cross-sectional area and length on the flow of current through a roll of Play-Doh.	
35. Series and Parallel Circuits (GI) [CR6b]	Science Practices 1.1, 1.2, 1.4, 1.5, 2.1, 2.2, 3.1, 4.1, 4.2, 4.3, 5.1, 5.2,5.3, 6.1, 6.4, 7.2
To investigate the behavior of resistors in series, parallel, and series-parallel circuits. The lab	
should include measurements of voltage and current.	