# ADVERTISEMENT: REQUEST FOR PROPOSALS FOR GAINESVILLE HIGH SCHOOL HVAC REPLACEMENT FOR GAINESVILLE CITY SCHOOLS

The Gainesville City School System will receive proposals for the Gainesville High School HVAC Replacement at Gainesville City Schools Board of Education at 508 Oak Street, Gainesville, GA 30506. Proposals will be accepted from 2/1/2022 and no later than 3/1/2022 at 1:00 p.m.

Copies of the RFP are available on our website www.gcssk12.net under current RFP.

The Gainesville City Board of Education reserves the right to reject any and all proposals and to waive technicalities.

Gainesville City School System Request for Proposals (RFP) Gainesville High School HVAC Replacement

**Basic Information -** Gainesville City School System is a small school system located at the foothills of the Blue Ridge Mountains and we are 60 miles north of Atlanta.

**Purpose** - Gainesville City School System is soliciting Proposals from interested and qualified Proposers to provide Total Cost for GHS HVAC Replacement.

### **Schedule**

RFP Release	11/11/22
Available pre-bid meeting and walk thru	11/18/22
Deadline for Receipt of Questions E-Mail Only – david.presnell@gcssk12.net	12/01/22
Deadline for Receipt of Proposals	12/12/22 at 1:00 PM
Proposal Opening	2 in a Closed Session
Board approval	1/9/23

**Proposer Requirements** - Should the Gainesville City School System Board of Education (GCSSBOE) elect to proceed with this project, the successful Proposer will be required to enter into an Agreement with GCSSBOE for implementation and operation of the Proposed System offered in the successful Proposer's submittal in response to this RFP. All proposers must be E-Verified and must submit a contractor's affidavit with their proposal. You can find a copy of the affidavit that is required on our website gcssk12.net.

**Terms of Agreement** - Any Agreement developed as a result of this RFP will commence and take effect on a date mutually agreed upon by the successful Proposer and the GCSSBOE and will be set forth in the Agreement. During the contract period, the Board or the successful Proposer may terminate the agreement if a breach occurs which is not resolved within ninety days after written notice. The Board may terminate the Agreement for convenience with 7 days written notice.

The requirements of this RFP and responses to the RFP, as agreed to by the Board, shall be incorporated into the Agreement.

Respondents agree to waive any claims they have or may have against the Owner, its employees, agents, members, representatives and legal counsel, arising out of or in connection with the: (1) administration, evaluation, recommendation or selection of any proposal or qualifications; (2) waiver of any representations under the proposal or documents; (3) approval or rejection of any proposal or qualifications; and (4) award of a contract.

**Payment-** Payment will be made upon completion and inspection of delivery of contract expectations.

Location and Description of Facilities
Gainesville High School
830 Century Place
Gainesville High School

Note: Statutorily Required Bid Bond and 100% Payment & Performance Bond required for this package pursuant to O.C.G.A. § 36-91-50 et seq.!

# **Scope for Gainesville High School HVAC Replacement:**

Replace all the WSHP on first and third floor.
Replace existing heat pumps with Daikin heat pumps.
We are only replacing WSHP. Not RTU
Replace valve and hose kits.

Rework all existing drains.

Replace all 4 pumps in mechanical room.

Please refer to plans and spec sheets at bottom of RFP

This is a very time sensitive project with the scope of work being performed in June and July 2023!

**Proposal Delivery Instructions -** Proposals shall consist of one original and three copies. Submit proposals to:

Gainesville City School System – Maintenance & Operations

Gainesville High School HVAC Replacement

Attention: Mr. David Presnell, Director of Maintenance & Operations

508 Oak Street

Gainesville, Georgia 30501

Proposals will be received until December 12 at 1:00 PM. (No Proposals will be accepted after this time). To be accepted, all proposals are to be submitted, in sealed packages marked "GHS HVAC Replacement. Proposals must be sent by U.S. Mail, courier service such as Federal Express or United Parcel Service or hand delivered. **NO** proposals will be accepted via fax transmission regardless of time of delivery. One original and three (3) copies of each proposal should be sent or delivered to Gainesville City School System. (508 Oak St. Gainesville, Ga 30501)

<u>Contracts and Obligations</u> - Contracts and obligations are contingent upon the Gainesville City School System Board of Education having sufficient local funding at the time the contract is secured. Contracts and obligations will commence upon approval by the Gainesville City School System Board of Education.

<u>Data Access</u> - Any data (Data defined as any information, associated with data and databases.) provided to vendors is intellectual property of Gainesville City School System Board of Education and as such must be provided to Gainesville City School System Board of Education upon request.

### Insurance -

To adequately protect the interests of the Owner, the successful respondent shall procure, and maintain in effect during the life of the agreement, the following insurance coverage:

- 1. Workers Compensation:
  - a. State: Statutory
  - b. Employers Liability:
    - i. \$1,000,000.00 Each Accident
    - ii. \$1,000,000.00 Disease Policy Limit
    - iii. \$1,000,000.00 Disease Each Employee

- 2. Comprehensive General Liability (including Premises-Operations; Independent Contractors Protective; Products and Completed Operations; Broad Form Property Damage; X-C/U Explosion, Collapse and Underground Coverage):
  - a. General Aggregate: \$2,000,000.00
  - b. Products/Completed & Operations Aggregate: \$2,000,000.00
  - c. Each Occurrence: \$1,000,000.00
  - d. Personal & Advertising Injury: \$1,000,000.00
  - e. Fire Damage Any One Fire: \$100,000.00
- 3. Comprehensive Automobile Liability:
  - a. Combined Single Limits: \$1,000,000.00
- 4. Umbrella Excess Liability:
  - a. General Aggregate: \$1,000,000.00
  - b. Products/Completed & Operations Aggregate: \$1,000,000.00
  - c. Each Occurrence: \$1,000,000.00
  - d. Personal & Advertising Injury: \$1,000,000,00
  - e. <u>Completed Value/Builders Risk including interests of the Owner, Contractor, Subcontractors and Sub-subcontractors and covering the entire project including materials stored off site and materials in transit.</u>

Evidence of required bonds and insurance shall be presented prior to the execution of a contract. Insurance policies to be carried under the agreement shall not be changed, canceled, or allowed to expire without thirty (30) days prior written notification by the insurer to the school system via registered mail, return receipt requested.

<u>Assignment</u> - Any attempt by supplier to assign or otherwise transfer any interest in this Agreement without prior written consent of Gainesville City School System Board of Education shall be void.

<u>Attorney's Fees</u> - The parties agree that in the event of dispute, each party will bear its own costs of litigation and attorney's fees.

<u>Compliance with Law</u> - The vendor shall comply with all applicable federal, state and local statutes, regulations, ordinances or other legal requirements that apply to it or Gainesville City School System Board of Education.

<u>Inconsistencies in Conditions</u> - In the event there are inconsistencies between the specifications, scope of work and the proposal terms or conditions, contained herein, the proposal terms and conditions will take precedence.

<u>Indemnity</u> - Proposer shall indemnify, defend and hold harmless Gainesville City School System Board of Education from and against any claims, losses, suits, charges, demands and expenses, including attorneys' feels, arising out of or related to (i) Proposer providing the services, (ii) any breach of any duty, representation, warranty or covenant, contractual or otherwise, by or attributable to Proposer and (iii) any act or omission attributable to Proposer.

<u>Selection Evaluation</u> – The services being sought under the RFP are considered professional in nature. Consequently, the evaluation of the proposals will be based upon consideration of the demonstrated qualifications and capabilities of the proposers which will result in an award that is in the best interest of Gainesville City School System Board of Education. Factors for evaluation will be weighted and a grading scale of 1-5 shall be used to grade certain factors.

- 1. The capability of the proposer to deliver the services in an efficient and timely manner (30%), June and July 2023.
- 2. Proposers contract amount (45%)
- 3. Responses of at least (3) references for the proposer has performed similar services (25%)

# **Sequence of Events**

11/11/22	Advertise on GCSS web site
12/12/22	Receipt of Proposals by GAINESVILLE CITY SCHOOLS
12/14/22	Evaluation of Proposals by GAINESVILLE CITY SCHOOLS
1/9/23	Recommendation to Gainesville City Board of Education

# **Proposal Sheet**

Contract Price Quotation for GHS HVAC Replacement

Proposal Deadline is \_\_\_\_\_

# **Total Contract Bid**


\$


\_\_\_\_


**Company Name and Address** 


Telephone/Fax numbers
Email address
Company website
Printed name of Authorized Company Representative

Signature of Authorized Company Representative and date













	96346m3.1	Q	ظ
	ARR DISTRIBUTION SCHEDULE	ENERGY RECOVERY UNITS	ROBERTS LOIA
COULTING 10 WEST 3 1 OWNER 3 1 OWNE	□	© waters report of the first call to decide sat,  @ resource provincements contained and  @ resource contained becames calle.  @ resource contained becames calle.	ROOF ATLANTA, GEORGIA ARCHITECTS & EN
EXPANSION TANK SCHEDULE  MARK SIRROT LOCATION COCCUMENT. BIORD 01  LES BOY NOW LEY VISCHMEN, YOUR LEAST DESCRIPTION LOCATION  © DIMERSION IN O IS MAKE THE SIRROTHE.	\$\\ \begin{array}{cccccccccccccccccccccccccccccccccccc		
PUMP SCHEDULE	© REGISTET - BOUND NOCK ESSE LETTED.  (I) MET SEE S SOUN. TO SEET SOUT ON DISPARSE.	MECHANICAL NOTES	REVISIONS
MARK SERVICE GPM PEAD HP RPM DESCN NOTES	(3) NECK SET IS COULT TO SULT SET ON DIMANG. (3) THANDETHEN PERM NECK SIDE ON DIMANGED TO 22"/32" NECK OF DIMANG. (4) LIFT-IN COURSE SPECIALIZED.	<ol> <li>ALL MECHANICAL EQUIPMENT SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS AND LOCAL CODES.</li> </ol>	CITY COMMENTS
P-1 100P WIRE 455 70 10.0 1750 BILL & GESSETT P-2 100P WIRE 455 70 10.0 1750 BILL & GESSETT	© SUPPLIE MOUNTED INSCRIPTION © PROJECT GRALE WITH MY THOM MANY FROM GUIST.	<ol><li>DUCT SIZES ARE SHOWN AS CLEAR INSIDE DIMENSIONS. PROVIDE FLEXIBLE CONNECTIONS WHERE DUCTS CONNECT TO UNIT.</li></ol>	
ALI CONSERVE WORKE 429 30 10.0 1700 IRLA GOSSERT ALIS CONSERVE WORKE 429 30 10.0 1700 IRLA GOSSERT ALIS CONSERVE WORKE 400 27 10.0 1700 IRLA GOSSERT ALIS CONSERVE 400 27 10.0 1700 IRLA GOSSERT ALIS CONSERVE 400 27 10.0 1700 IRLA GOSSERT ALIS CONSERVE 400 201 10.0 1700 IRLA GOSSERT ALIS CONS	© PROMOE CHALLE WERR 22 1/27 THROPK % NO CORRET  WATER SOURCE HEAT PUMP SCHEDULE	ALL DUCTHORN SHALL BE GALVANIZED AND SHALL BE FARRISATED AND INFALLED IN ACCORDANCE BITH SHALCHAI, DIE PERSONIER DUCT CONSTRUCTION STANDARDS DUCT HANDERS HAD SUPPORTS SHALL BL IN ACCORDANCE WITH SHAWAR RECOMMENDATIONS.	
	MapRX   CFM   O.A   (SO   Mm)   COOLING   P-20   FM   FF   CFM   O. PM   O.	4. SELLANT ALL SERVEY MAN RETURN DEST MAIN " DES MODO DENCED LASS TIERS ROUND WITH PER RESEART COURSE DENCED LASS TIERS ROUND WITH PER RESEART COURSE DENCED LAST COURSE OF SALLAND ROUND LINES APPLICATIONS STREAMBERS ALL DUCTHOON DEMCHOORS HE SELT SOILE DENCESCOS, ALL DUCTHOON DEMCHOORS SHALL BE RESTALLED WITH THERMIN WARTS. DUCT SERVE WHERE COURSELS IS ACCEPTABLE.	
FAN SCHEDULE  MARK CFM LSP BRIVE H.P. TYPE BRSS OF LOCATION/SERVICE NOTES	28m3   800   210   - 122 vs   709   23.0   29.1   6.3   4.2   509-9024   ○ ○ ○	DUCTWORK MUST BE INTERNALLY INSULATED IN THE LOBBY.  5. OBTAINING ALL REQUIRED PERMITS AND PAYING ALL ASSOCIATED FEES ARE THE	
End         100         6.97         0 MICE         125 Ms         CHINE         Plose 211         TORKETS 100 & 121         ID           End         50         6.97         0 MICE         120 Ms         20 MiCE         POR 211         MILE TORKETS 100 & 121         ID           End         80         6.02         0 MICE         120 Ms         POR 211         MILE TORKETS 100 & 121         ID           End         80         6.02         0 MICE TORKETS 103 Ms         O MICE TORKETS 100         ID         ID	182-2 1000 780 - 0.5 707 46.0 54.7 12.1 10.3 50/G446 € € 182-2 2000 210 - 128 4, 707 56.4 68.4 4.0 7.8 50/G4460 € €	RESPONSIBILITY OF THE CONTRACTOR.  5. ALL CONTROL WRING SHALL BE RUN INSIDE WALLS OR ABOVE CULINDS. IN UNFINENCE ARBEIN, ROUTE CONTROL WIRING INSIDE CONDUIT ABOVE COLUNGS.	
E=6 300 6.6" 0.89CT 130 Vs CHENT PON 78H BLD. (0.0P. ROM (0.)  E=2 150 6.6" 0.89CT 125 Vs CHENT PON 211 JAMES 142 (0.)	99-9 1350 210 - 125 × 397 33.6 33.5 2.2 4.2 50(9036 € € € € € € € € € € € € € € € € € € €	UNFINISHED AREAS, NOVIR CONTROL MERKE INSUL CONDUIT ADVAC CULLINGS.  7. PROVIDE DEEP SEAL TRAP AT CONDENSATE DRAIN FROM DX COLL AT ALL REGITOP UNITS. ROUTE TO 24's24' SPLASHBLOCK ON ROOF, DOWN SLOVE FROM RTU.	
114   1457   1417   03   1418   1417   03   1418   Philosophic CREETS - CREETS - CREET   0   0   0   0   0   0   0   0   0		<ol> <li>THE MECHANICAL DRAWNICS ARE DIAGRAMATIC AND SHOW THE RELATIONSHIP BETHERN EQUIPMENT AND CONNECTIONS. DO NOT SCALE THE DRAWNICS FOR DACKT SEZ OR LOCATIONS, BUILDING DIMENSIONS SHALL IS VACAN</li> </ol>	, -
E_ST   S0   C   ST   S   SEC   S   S   C   S   C   S   C   S	Head   1 (a)   2 (b)   2 (c)   2 (c	CONTINUE COLUMNITY DATA.  SHAPE CENTURES SHALL BE LOCATED IN THE SETLING ARE STREAM OF PALL BOOFFIDE HATE AND WRITE BURBLET HERE FRANCE FROM BY DEHALESTAND FROM THE BURBLET HERE FRANCE FROM BY DEHALESTAND FROM THE BURBLET HERE AND AND AND AND WHITE THE STREAM BOOKER'S POCKSON, OR DOCUMENT AND WHITE THE STREAM BOOKER'S POCKSON, OR DOCUMENT CHIMICATOR.  SHOOL DELICIONS TO IL REPORMED BY LUCTORIC CHIMICATOR.	NEV GAINES
E-19   55   457   5800   44 ty   500487   7004 7   752.07   32.07	H*-22 9500 910 937 3/n 397 67.1 91.0 11.1 1944 99404072 ① ①	10. CONTRACTOR TO COORDINATE VOLUME AND PHASE OF EACH PECE OF EQUIPMENT WITH ELECTRICAL CONTRACTOR SEPTIRE ORDERING EQUIPMENT.  11. SIPH-R HAST-OFF DE MAND WITH CONTRACTOR SEPTIRE ORDERING EQUIPMENT.	SCHO
E-19 300 €5" 0 RCCT 1/30 Ns. CARRET PDN 22H PHEP ROOM ⑤ E-20 300 €5" 0 RCCT 1/30 Ns. CARRET PDN 22H PHEP ROOM ⑥ E-21 250 €5" 0 RCCT 1/30 Ns. CARRET PDN 22H PHEP ROOM ⑥	PREVIOUS CONSIDERATE OFFICEN SATICIA.     MARRIAN PEROFF OF WITTER SOURCE HIGH PUMP NOT TO EXCELS 24°.	EQUIMILENT.	
E_22 16,782 6.85" BOLT 1.5 PALMO PON GA33560 DRAK SPRICE (\$0.00)		<ol> <li>PLEXIBLE DUCT TAKE—OFF TO BE THERMAPLEX II TYPE W—RF OR EQUIVALENT.</li> <li>LOCATION OF ALL PINITERATIONS SHALL BE COORDINATED WITH ARCHITECTURA. AND STRUCTURA DRIVANOS.</li> </ol>	GAINESVILLE, O
NEELLOK WIN BOW USHI SWICH AND PROVICE FACTOR' MOUNTS TRANSFORMER FOR 227 V.     PROVICE THERMOSIST SET AT MOY.		ARCHITECTURAL AND STRUCTURAL DRAWNINGS.  14. UNDERCUT ALL TOLLET DOORS 2/4 (BP C.C.)	PTE: NO
© connect with time closs  © month continuous personals.  © month continuous personals.		<ol> <li>EXACT LOCATION OF ALL CELLING DIFFUSERS TO BE COORDINATED WITH REFLECTED CELLING PLANS.</li> </ol>	GAINESV
® PRODUCTION AT 227 V.  ROOFTOP UNIT SCHEDULE		16. ALL FANS 1/9 HP. AND ABOVE SHALL HAVE FUSED DISCONNECT SWITCHES MOUNTED AT THE FAN. IF APPROVED BY LOCAL AUTHORITIES, NON-FUSED DISCONNECT SWITCHES MAY BE USED.	CITY SCH BOARD EDUCAT
NAPK   CPA   QA, EXP   MN   COCCUM   EXEMBLE   SMS OF CEDON   NOTES		<ol> <li>THERMOSTAT SHALL BE HOMEYARLL MODEL 7300. MOUNT ALL THERMOSTATS AT 4"-6" A.F. UNLLSS NOTED DIRECTION. ANY THERMOSTAT LOCATED ON AN EXCEPT WALL SHALL BE MOUNTED ON AN INSULATING BASE. ALL CONTROL WINNO SHALL BE ROW INSOLE WALLS ON A BOYLE CREMOS.</li> </ol>	SHEET BILE SCHEDULE
Hilling   0,000   550   0,07   2,0   867   877   88,0   125,000   103,000   455,800   €0,0		18. MAXIMUM LENGTH OF FLEXIBLE DUCT IS NOT TO EXCEED 8'-0".	8 NOTES - HVAC
PROMOC PLL PONETRY PACTORY ROOF CLIRE. SET SPOOTPONTONS FOR OPTIONS, CONTROLS & ACCESSORIES REQUIRES.     PROMOC 32 POSTON (CONCACES WITH SANDWITTER PAGE) FAND (PRINAP) SONICE.		19. RUN ALL CUTSIDE AIR DUCTWORK TIGHT TO STRUCTURE.	
THOUSE WITH CONTINUES DILLET.		<ol> <li>CONTRACTOR TO COORDINATE ALL CLEARANCES PRIOR TO INSTALLATION OF EQUIPMENT.</li> </ol>	
PLATE AND FRAME HEAT EXCHANGER SCHEDULE	COUNT BASIS OF NOTES  EX. NOTES (1)	21. PROVIDE HEAT TAPE FOR ALL EXPOSED CONDENSER AND DOMESTIC WATER LINES.  22. ALL LOUVERS TO BE LIKE PENN MODEL F, TYPE 3 COLOR #85 OFFORD BENEZ.	DATELIA.
Annual 2117   Year   05   35   10   4   415   390   59   10   4	I have the real of the		SHIET NUMBER

