



November 18, 2022

Request for Bid #23016

CNG FUELED SCHOOL BUSES

Tulsa Public Schools is inviting Bids for CNG fueled buses in accordance with the terms and conditions detailed herein.

Bids will be accepted until **9:00 a.m. on December 12, 2022**. Bids received after this time will not be accepted. One original and two (2) copies of your Bid and a thumb drive must be submitted. No award will be made until the Tulsa Public Schools Committee has had sufficient time to evaluate the Bids. Tulsa Public Schools reserves the right to contract in the best interest of the District.

Responses must be sealed and marked on the lower left-hand corner with the Bid name and number, name, and address of the vendor, opening date and time. Fax/electronic responses cannot be accepted. Address, mail or deliver all Bids and accessory documents to:

Mr. Ronald Friedberg
Tulsa Public Schools
3027 South New Haven, Room 529
Tulsa, Oklahoma 74114

Inquiries for information regarding procurement procedures, Bid submission requirements, or other fiscal/administrative concerns shall be directed to my office at (918) 746-6205, or RFPpurchasing@tulsaschools.org

Thank you for your participation.

A handwritten signature in cursive script, reading "Ron Friedberg", enclosed in a rectangular box.

Ronald R. Friedberg
Coordinator of Purchasing

Tulsa Public Schools Request for Bid 23016
CNG FUELED SCHOOL BUSES

- 1. PURPOSE:** Tulsa Public Schools (“TPS,” the “District”) will utilize Bond proceeds to acquire replacement and additional transportation equipment for use throughout the District.
- 2. BACKGROUND:** TPS is the largest school district in northeastern Oklahoma. The district contributes significantly to the economic base of the area, employing over 6,500 employees. Approximately 35,600 students are enrolled in over 55 elementary/Pre-K schools, 12 middle and junior high schools, and 9 senior high schools as well as over 15 special programs around the district.
- 3 PERIOD OF CONTRACT PERFORMANCE:** The period of performance for goods and/or services subject to this solicitation and any resulting contract shall be from award through delivery and final acceptance by TPS.
- 4. CONTRACT ADMINISTRATOR:** The following individual shall serve as the monitor of the conditions of the contract and shall work directly with the contractor on a regular basis in scheduling and coordinating performance of services, answering technical questions in connection with the scope of work, and providing general direction under the resulting contract: Mr. Ronald Friedberg, Coordinator of Purchasing.
- 5. QUANTITY:** Purchases under this solicitation are expected to total 31 units. Eight (8) units are wanted for delivery in February 2023 and eight (8) additional units to deliver in November 2023, and fifteen (15) unit delivered in February 2024. TPS reserves the right to purchase additional or fewer units at the offered prices depending upon final costs/budget.
- 6. QUESTIONS REGARDING THE RFB:** Email any technical issue and specification questions pertaining to this RFB to RFPpurchasing@tulsaschools.org by **4:00 p.m. on November 28, 2022**. Include a phone number and email address, and specifically reference the section of the RFB in question. All questions must be submitted in writing. Questions and answers will be distributed to all suppliers solicited in order to avoid any unfair advantage. These guidelines for communication have been established to ensure a fair and equitable evaluation process for all respondents. Any attempt to bypass the above lines of communication may be perceived as establishing an unfair or biased process and could lead to disqualification as a potential supplier. Any statements made by the district representatives do not modify the terms, conditions, and specifications of this RFB. Any changes to this RFB will be issued in a written addendum to the solicitation

7. SPECIFICATIONS: Units must meet all State of Oklahoma State Board of Education minimum specifications per 70 O.S §9-109 and State Contract #3540. Additional detailed technical specifications are shown on Exhibits I and II. **All units must be keyed differently by group/type**, i.e., none of the Spec Ed units can be keyed alike. Checklists reflect desired characteristics and are the TPS standard for purchase of new equipment. Desired, detailed technical specifications are shown on Attachment B, Checklist. **Offeror must state if the pricing is per an Oklahoma State Contract, or a Purchasing Cooperative contract, and specify the contract number**, Successful offeror shall be responsible for the following general requirements:

7.1 **Supply new buses as specified in Attachments B, C and D.** It is not the intent of these specifications to be closed and any brand names shown are the desired products. The name of a certain brand, make, or manufacturer does not restrict Bids to the specific brand, make or manufacturer named. All items specified must be the same item or, "an approved equal." Exceptions/alternates to any specification must be thoroughly detailed and listed in Checklist Comments. An "approved equal", if any, occurs when the Board of Education, by board action, accepts and awards the contract to a vendor who has submitted a substitute or alternate item deemed by the Board to be satisfactory for the designed use.. Substitutions and/or alternates must be clearly identified by manufacturer and model number.

7.2 Warranty – Warranty on all units to be a minimum of 5 years, 100,000 miles limited.

7.3 Dealer Services - Dealer is to provide:

- Set of diagnostic software
- Parts CD, or online access to parts detail
- Service Manual
- Electrical schematics
- Adequate training in operational and maintenance topics to allow TPS to routinely self-maintain the units

7.4 Delivery is to be made to the TPS Transportation Department at 1815 North 77th East Avenue, Tulsa, Oklahoma. Equipment shall be FOB Destination, freight included, to this address. Ownership of all vehicles passes when product is delivered, inspected, and accepted. Risk of loss and damage is the responsibility of the vendor until equipment is received and accepted by TPS.

7.4 The invoice must show the VIN number and unit price for each unit delivered.

7.5 TPS desires a financing option that will leverage all available state/federal tax credits. TPS expects to enter into a lease/purchase contract for the purpose of financing

Payment will be made after satisfactory performance in accordance with all of the provisions thereof (including delivery and acceptance following inspection) and upon receipt of a properly conveyed MSO. The School Board reserves the right to withhold any or all payments or portions thereof for contractor's failure to perform in accordance with the provisions of the contract or any modifications thereto.

8. BID SUBMISSION REQUIREMENTS: In order to be considered for selection, offeror must submit a complete response to this RFB. One (1) original, one (1) copy and **one (1) thumb drive** of each Bid shall be submitted to TPS as indicated on the cover sheet. Offeror shall make no other distribution of the Bid. Return this **Request for Bid** document with all attachments filled out as required and signed along with Bid information.

Offeror is to provide a master listing of additional features available along with pricing.

8.1 Offeror is to provide a master listing of additional features available along with pricing.

8.2 Include a presentation to describe the company, its size, number of employees, and annual sales volume. Include a brief history of the offering firm, emphasizing its experience in providing similar products to customers comparable to TPS.

8.3 **Bid Pricing.** Attachment A, the Pricing. Offerors may offer quotes on any or all the vehicles listed on this attachment.

8.4 **Attachments E, F, and G** (completed and signed, as required)

9. EVALUATION AND AWARD CRITERIA:

9.1 The evaluation committee will review all Bids and make a recommendation to the school board for award to a responsive and responsible offeror(s) who submits the Bid that is in the best interest of the District. TPS reserves the right to award products as listed on Attachment A on a line-by-line basis. Delivery will be a critical factor in the award decision.

9.2 **AWARD OF CONTRACT:** TPS reserves the right to cancel this RFB, reject any or all Bids, and waive informalities or minor irregularities in any Bid. A recommendation will be presented to the school board for award to the most responsive and responsible offeror who submits the Bid that is in the best interest of the District. An order will not be placed until this approval, as required, is obtained.

10. GENERAL TERMS AND CONDITIONS:

10.1. **DOWNLOADED RFB'S:** An Internet link will be provided to Respondents who have provided e-mail addresses to the Purchasing Department staff responsible for the specific solicitation. This RFB, accompanying exhibits/attachments, and any addenda are available for download from the web at [Purchase Bids - Tulsa Public Schools \(tulsaschools.org\)](http://Purchase Bids - Tulsa Public Schools (tulsaschools.org)). Respondents are responsible for checking the web site for clarifications and/or addenda. Failure to obtain clarifications and/or addenda from the web site shall not relieve such Respondents from considering addenda, if any, in preparing responses. Note that there may be multiple clarifications and/or addenda. Any harm to a respondent resulting from such failure shall not be grounds for a protest against award(s) made under this RFB.

10.2. **APPLICABLE LAWS AND COURTS:** This solicitation and any resulting contract shall be governed in all respects by the laws of the State of Oklahoma. The contractor shall comply with applicable federal, state and local laws and regulations.

10.3. **RIGHT TO REJECT:** TPS reserves the right to reject any or all Bids. In addition, Offerors should recognize the right of TPS to reject a Bid if they fail to submit the data required in the RFB, or if the Bid is in any way incomplete.

10.4. ETHICS IN PUBLIC CONTRACTING: By submitting their Bids, Offerors certify that their Bids are made without collusion or fraud and that they have not offered or received any kickbacks or inducements from any other Offeror, supplier, manufacturer or subcontractor in connection with their Bid, and that they have not conferred on any public employee having official responsibility for this procurement transaction any payment, loan, subscription, advance, deposit of money, services or anything of more than nominal value, present or promised unless consideration of substantially equal or greater value was exchanged.

10.5. MANDATORY USE OF FORM AND MODIFICATION OF TERMS AND CONDITIONS: Failure to submit a Bid in the official form provided for that purpose may be cause for rejection. Return of the complete document is required. Modification of or additions to the General Terms and Conditions of this solicitation may be cause for rejection; however, the Director of Materials Management reserves the right to decide, on a case basis, in his/her sole discretion, whether to reject such a Bid.

10.6. CONTRACT PROVISIONS BY REFERENCE: It is mutually agreed by and between TPS and the Offeror that the District's acceptance of the Offeror's Bid by the issuance of a purchase order shall create a contract between the parties thereto containing all specifications, terms, and conditions in the solicitation except as may be amended in the purchase order. Any exceptions taken by the Offeror not included in the resulting contract will not be a part of the contract. Therefore, in the event of a conflict between the terms and conditions of this solicitation and information submitted by an Offeror, the terms and conditions of the solicitation and resulting purchase order/contract will govern.

10.7. CHANGES: Statements made by TPS representatives do not modify the terms, conditions, and specifications of this RFB. Changes and modifications to any section of the RFB will not be valid unless said changes are confirmed in writing in the form of an addendum and issued by the Director of Materials Management.

Changes may be made to the contract if the parties agree in writing to modify the scope of the contract. Any increase or decrease in the price of the contract resulting from such modification shall be agreed to by the parties as a part of their written agreement to modify the scope of the contract.

10.8. ERRORS OR OMISSIONS: Offeror shall not be allowed to take advantage of any errors or omissions in the specifications. Where errors or omissions occur in the specifications, the vendor shall promptly notify the contact person listed. Inconsistencies in the specifications are to be reported before Bids are submitted.

10.9. TAX EXEMPTION: TPS is exempt from the payment of sales/use taxes. The price submitted must be net, exclusive of sales/use taxes. When under established trade practice, any federal excise tax is included in the list price; Offeror may quote the list price and shall show separately the amount of federal excise tax, either as a flat sum or as a percentage of the list price, which shall be deducted by TPS.

10.10. TESTING AND INSPECTION: TPS reserves the right to conduct any test or inspection it may deem advisable to assure supplies and services conform to the specification.

10.11. PROPRIETARY INDEMNITY: Offeror warrants that all products and services used by or furnished do not infringe upon or violate any patent, copyright, trade secret, trademark, or any other proprietary right of any third party. In the event of claim by any third party against TPS, TPS shall promptly notify vendor and vendor shall defend and indemnify TPS against any loss, cost, expense, claim, or liability arising out of such claim, whether or not such claim is successful.

10.12. PATENT AND COPYRIGHT MATERIALS: Unless otherwise expressly provided in a contract, Offeror shall be solely responsible for clearing the right to use any patented or copyrighted materials in the performance of this contract.

10.13. QUALIFICATIONS OF OFFERORS: TPS may make such reasonable investigations as deemed proper and necessary to determine the ability of the Offeror to perform the work/furnish the item(s) and the Offeror shall furnish to TPS all such information and data for this purpose as may be requested. TPS further reserves the right to reject any Bid if the evidence submitted by, or investigations of, such Offeror fails to satisfy TPS that such Offeror is properly qualified to carry out the obligations of the contract and to complete the work/furnish the item(s) contemplated therein.

10.14. LATE BIDS: Bids must be received by the TPS Purchasing Office by the designated date and hour to be considered for selection. Bids received in the Purchasing Department after the date and hour designated are automatically disqualified and will not be considered. TPS is not responsible for delays in the delivery of mail by the U.S. Postal Service, private couriers, or any other means of delivery. It is the sole responsibility of the Offeror to ensure that its Bid reaches the Purchasing Department by the designated date and hour.

10.15. OBLIGATION OF OFFEROR: By submitting a Bid, the Offeror covenants and agrees that they are satisfied, from their own investigation of the conditions to be met, that they fully understand their obligation and that they will not make any claim for, or have right to, cancellation or relief from the contract because of any misunderstanding or lack of information.

10.16. BID ACCEPTANCE PERIOD: The Bid shall be binding upon the Offeror for a minimum of ninety (90) calendar days following the Bid receipt and opening date.

10.17. COSTS OF RESPONSE TO RFB: TPS will not be liable for any costs associated with the preparation of materials for Offeror's submission.

10.18. METHOD OF PAYMENT: Standard payment terms are Net 30 days from the receipt of invoice. Payment will be made after satisfactory performance of the contract in accordance with all of the provisions thereof and upon receipt of a properly itemized invoice. **TPS may, at their sole option, elect to make payment by use of a Purchasing/Bank/Charge card.** No additional charges, fees, or price increases may be assessed by the vendor for the use of Procurement/Charge/Bank cards during the life of any award resulting from this RFB, and any applicable extensions. The Board of Education reserves the right to withhold any or all payments or portions thereof for contractor's failure to perform in accordance with the provisions of the contract or any modifications thereto.

10.19. AUDIT: Contractor hereby agrees to retain all books, records, and other documents relative to this contract for five (5) years after final payment, or until audited by TPS, whichever is sooner. TPS, its authorized agents, and/or auditors reserve the right to perform or have performed an audit of contractor's records and therefore shall have full access to and the right to examine any of said materials within a reasonable period of time during said period.

10.20. OPEN RECORDS: The Offeror's Bid/bid and all accompanying data, materials, and documentation are public records and are subject to inspection and reproduction in accordance with the Oklahoma Open Records Act.

10.21. COMPLIANCE WITH PROCEDURES: Contractor shall comply with all procedural instructions that may be issued from time to time by TPS; however, the terms and conditions of the contract will not change.

10.22. EXTRA CHARGES NOT ALLOWED: Proposed pricing shall be for the complete product/service.

10.23. ASSIGNMENT OF CONTRACT: A contract shall not be assigned or subcontracted by the Offeror in part or whole without the written consent of TPS.

10.24. TERMINATION: Failure to comply with the terms and conditions of this solicitation or to deliver materials, supplies or services identified in the solicitation and contract at the discounts quoted will void the contract award. In case of failure to deliver goods or provide services in accordance with the contract terms and conditions, TPS, after due oral or written notice, may procure them from other sources and hold the contractor responsible for any resulting additional purchase and administrative costs.

TPS reserves the right to cancel and terminate any resulting contract; in part or whole should the Director of Materials Management determine that such a termination is in the best interest of TPS. Any such termination shall be effected by delivery to the contractor, at least thirty (30) working days prior to the termination date, a Notice of Termination specifying the extent to which performance shall be terminated and date upon which such termination becomes effective. After receipt of a notice of termination, the contractor must stop all work or deliveries under the purchase order/contract on the date and to the extent specified; however, any contract termination notice shall not relieve the

contractor of the obligation to deliver and/or perform on all outstanding orders issued prior to the effective date of termination. No amount shall be allowed for anticipated profit on unperformed services.

10.25. STANDARDS OF PERFORMANCE: Offeror shall devote and shall cause all of its staff and any subcontractors to devote, such of their time, attention, best skill and judgment, knowledge and professional ability as is necessary to perform all Services effectively, efficiently and consistent with the best interests of the District and to the satisfaction of the District. Offeror shall retain and utilize sufficient staff to assure the most effective and efficient performance of services. Offeror shall use efficient business administration methods and perform the Services in the best way and in the most expeditious and economical manner consistent with the best interests of the District, so as to assure, among other things, that the Services are performed at a reasonable cost to the District and that Services performed by other entities or persons in connection with the Contract are efficiently and cost-effectively delivered. Offeror acknowledges and accepts a relationship of trust and confidence with the District and agrees to cooperate with the District, and all other persons or entities which may be retained by the District, in performing Services to further the best interests of the District.

10.26 MINORITY BUSINESSES: TPS will take all necessary affirmative steps to assure that minority businesses, women's business enterprises, and labor surplus area firms are used when possible.

10.27 DOMESTIC PREFERENCES FOR PROCUREMENT: TPS will, to the greatest extent practicable under a Federal award, provide a preference for the purchase, acquisition, or use of goods, products, or materials produced in the United States (including but not limited to iron, aluminum, steel, cement, and other manufactured products)

10.28. FAVORED NATION: Offeror shall furnish Services to the District at the lowest price that Offeror charges to other similarly situated parties. If Offeror overcharges, in addition to all other remedies, the District is entitled to a refund in the amount of the overcharge, plus interest at the rate of 1% per month from the date the overcharge was paid by the District until the date refund is made. The District has the right to offset any overcharge against any amounts due to Offeror under this or any other agreement between Offeror and the District, and, at the District's sole option, the right to declare Offeror in default under the Contract.

10.29. CONFIDENTIAL INFORMATION. In performance of Services to the District, Offeror may have access to or receive certain information that is not generally known to others ("Confidential Information"). Offeror agrees not to use or disclose any Confidential Information or any records, reports, or documents prepared or generated as a result of the Contract without the prior written consent of the District.

10.30. DISSEMINATION OF INFORMATION. Offeror agrees not to use or disclose any Confidential Information or any records, reports or documents prepared or generated as a result of this Agreement ("Work Product") without the prior written consent of the District. Offeror shall not issue publicity news releases or grant press interviews, except as may be required by law, during or after the performance of the Services, nor shall Offeror disseminate any information regarding Services without the prior written consent of the District. In the event that Offeror is presented with a request for documents by any administrative agency or with a subpoena duces tecum regarding any records, data, or Work Product which may be in Offeror's possession as a result of Services under this Contract, Offeror shall immediately give notice to the District and its General Counsel with the understanding that the District shall have the opportunity to contest such process by any means available to it prior to submission of any documents to a court or other third party. Offeror will not be obligated to withhold delivery of documents beyond the time ordered by a court of law or administrative agency, unless the request for production or subpoena is quashed or withdrawn, or the time to produce is otherwise extended. Offeror agrees to cause its personnel, staff and/or subcontractors, if any, to undertake the same obligations of confidentiality agreed to by Offeror under this Contract.

10.31. OWNERSHIP. All intellectual property, Work Product, and any and all other records, reports, documents, and materials prepared or generated as a result of this Contract, shall at all times be and remain the property of the District. All of the foregoing items shall be delivered to the District upon demand at any time and in any event, shall be promptly delivered to the District upon expiration or termination of the Contract. In the event any of the above items are lost or damaged while in Offeror's possession, such items shall be restored or replaced at Offeror's expense. Offeror shall minimize the use of proprietary materials and resources, third party or otherwise, except as agreed to by the

District, so that the District may continue using such property beyond any license or subscription terms relevant to the RFB.

10.32. RESERVATION OF RIGHTS: Contract Administrator or designee may require the removal from contract work of any employee of the contractor who is incompetent, careless, or insubordinate; who appears to be alcohol or drug impaired or otherwise objectionable; whose continued employment is contrary to a consistent good relationship between the parties to this contract; or who poses a safety risk.

10.33. INSURANCE REQUIREMENTS: By signing and submitting a Bid under this solicitation, Offeror agrees to carry workers' compensation insurance with limits for the employers' liability part of the **workers' compensation policy not less than \$500,000 per category**, at its own expense. Offeror agrees to carry **Commercial General Liability insurance with limits not less than \$1,000,000 combined single limits** for bodily injury and property damage, COMMERCIAL AUTOMOBILE LIABILITY INSURANCE WITH LIMITS NOT LESS THAN \$1,000,000 COMBINED SINGLE LIMIT FOR BODILY INJURY AND PROPERTY DAMAGE, AS WELL AS A COMMERCIAL EXCESS UMBRELLA POLICY WITH A LIMIT NOT LESS THAN \$4,000,000.00 DESIGNED TO ATTACH TO THE EMPLOYER' LIABILITY LIMITS ATTACHED TO THE WORKERS' COMPENSATION POLICY, THE COMMERCIAL GENERAL LIABILITY POLICY LIMIT AND THE COMMERCIAL AUTOMOBILE LIABILITY POLICY LIMIT. Offeror agrees to provide District with a certificate of insurance as evidence of the above lines of insurance carried by Offeror which shall include a thirty (30) day notice, in writing, to the District in the event of cancellation of such insurance for any reason. This certificate of insurance should also name District as "additional insured" EXCEPT FOR THE WORKERS' COMPENSATION / EMPLOYERS' LIABILITY POLICY, AND ALSO PROVIDE THE DISTRICT WITH A "WAIVER OF SUBROGATION ON ALL OF THE ABOVE INSURANCE POLICIES with respect to work performed by Offeror on behalf of District. In addition to such insurance, and not in lieu thereof, Offeror agrees to indemnify and hold District and its agents, employees, and officers harmless (including defense costs) against any claim, demand or action arising from or growing out of Offeror's performance of its services hereunder. All insurance coverage will be provided by insurance companies authorized to sell insurance in Oklahoma.

10.34. NON-DISCRIMINATION: Contractors or suppliers are obligated not to discriminate against any employee or applicant for employment because of race, religion, color, national origin, sex, sexual orientation, disability, genetic information, veteran status, marital status, or age. This obligation shall include, but not be limited to the following: employment, upgrading, demotion or transfer, recruitment or recruitment advertising, layoff or termination, rates of pay or other forms of compensation, and selection for training, including apprenticeship. Contractors or suppliers are obligated to comply with all requirements of the Americans with Disabilities Act.

10.35. CLEAN AIR ACT: Offeror must comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42.U.S.C. 7401-7671q) and the Federal Water pollution Control Act as amended (33 U.S.C.1251-1387). Violations must be reported to the Federal awarding agency and the Regional office of the Environmental Protection Agency (EPA).

10.36. BYRD ANTI-LOBBYING AMENDMENT (31 U.S.C.1352): Offeror must file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C.1352.

10.37. DOMESTIC PREFERENCES FOR PROCUREMENT (2 CFR § 200.322): As appropriate and to the extent consistent with law, the non-Federal entity should, to the greatest extent practicable under a Federal award, provide a preference for the purchase, acquisition, or use of goods, products, or materials produced in the United States (including but not limited to iron, aluminum, steel, cement, and other manufactured products).

Tulsa Public Schools does not discriminate on the basis of race, religion, color, national origin, sex, sexual orientation, disability, genetic information, veteran status, marital status or age in its employment, programs and activities.

Attachment A – RFB 23016

CNG FUELED SCHOOL BUSES PRICING – Page 1 - 2

Note: Each Unit must equal or exceed Oklahoma State Board of Education minimum specifications.

ETA: Deliver in Feb. 2023

Quantity 8	Description: CNG Fueled Type C Special Needs School Bus
UNIT PRICE:	\$
TOTAL PRICE:	\$
LEAD TIME ARO	
LEASEE PAYMENT AT DELIVERY (per bus)	\$
MONTHLY PAYMENT FOR 36-mth LEASE:	\$
PURCHASE OPTION AT 36-mths	\$
SPECIFICATON:	
MAKE:	
MODEL:	
WARRANTY:	

ETA: Deliver in Nov. 2023

Quantity 4	Description: CNG Fueled Type C Special Needs School Bus
UNIT PRICE:	\$
TOTAL PRICE:	\$
LEAD TIME ARO	
LEASEE PAYMENT AT DELIVERY (per bus)	\$
MONTHLY PAYMENT FOR 36-mth LEASE:	\$
PURCHASE OPTION AT 36-mths	\$
SPECIFICATON:	
MAKE:	
MODEL:	
WARRANTY:	

ETA: Deliver in Nov. 2023

Quantity 4	Description: CNG Fueled Type C 77 Passenger School Bus
UNIT PRICE:	\$
TOTAL PRICE:	\$
LEAD TIME ARO	
LEASEE PAYMENT AT DELIVERY (per bus)	\$
MONTHLY PAYMENT FOR 36-mth LEASE:	\$
PURCHASE OPTION AT 36-mths	\$
SPECIFICATON:	
MAKE:	
MODEL:	
WARRANTY:	

ETA: Deliver in Feb. 2024

Quantity 10	Description: CNG Fueled Type C 77 Passenger School Bus
UNIT PRICE:	\$
TOTAL PRICE:	\$
LEAD TIME ARO	
LEASEE PAYMENT AT DELIVERY (per bus)	\$
MONTHLY PAYMENT FOR 36-mth LEASE:	\$
PURCHASE OPTION AT 36-mths	\$
SPECIFICATON:	
MAKE:	
MODEL:	
WARRANTY:	

ETA: Deliver in Feb. 2024

Quantity 5	Description: CNG Type D Rear Engine 84 Passenger School Bus
UNIT PRICE:	\$
TOTAL PRICE:	\$
LEAD TIME ARO	
LEASEE PAYMENT AT DELIVERY (per bus)	\$
MONTHLY PAYMENT FOR 36-mth LEASE:	\$
PURCHASE OPTION AT 36-mths	\$
SPECIFICATON:	
MAKE:	
MODEL:	
WARRANTY:	

TOTAL PRICE FOR ALL THIRTYONE (31) BUSES: \$ _____

VENDOR: _____

Attachment B – RFB 23016
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 1

Model Profile: Saf-T-Liner C2 341TS
 Product Type: School Transportation
 Year: 2024
 Chassis Model: B2 106
 Chassis MFG: FLNER
 GVWR: GVWR

Passenger Capacity	77
Headroom	78
Wheelbase	279
Brake Type	AIR
Engine Type	CUMMINS 6.7N CNG, 6 Cyl. 220HP, 2600 RPM
Fuel Type	CNG
Fuel Tank Capacity	4
Transmission Type	Automatic
Axle, Front	10,000-lb Capacity
Axle, Rear	23,000-lb Capacity
Tires, Front	Radial, Michelin XZE2, 11R22.5 14 Ply
Tires, Rear	Radial, Michelin XZE2, 11R22.5 14 Ply
Suspension, Front	(Front Suspension)
Rear Suspension	(Rear Suspension)

Meets all FMVSS requirements in effect at the time of manufacture.

BODY ACCESSORIES

- 1 LOC-1ST.SEAT DRVRSIDE REFL TRIANGLE
- 1 LOCKS-KEYED ALIKE #CH545
- 1 METHOD-FASTENER SCREWS

CERTIFICATION/SAFETY

- 1 REFLECTTAPE-RR END YEL 2"
- 4 REFLECTTAPE-P/O WDO YEL
- 1 REFLECTIVE TAPE-EMERGENCY DOOR REAR YELLOW
- 1 REFLECTTAPE-SIDE 2" @ FLR YEL
- 1 FIRE EXTINGUISHER-5 3A-40BC
- 1 REFLECTORS-AMBER (4) MID/FRONT 3"
- 1 REFLECTORS-RED (4) RR/RR SI 3"
- 1 ELECTRICAL-ROOF ESCAPE HATCH POS 3
- 1 HANDLES-W/S SERVICE, BLACK
- 1 KIT,FIRST AID 24 UNIT OKLAHOMA
- 1 KIT,BODY FLUID CLEAN UP OKLAHOMA
- 1 SWITCH-ROCKER CROSSING ARM DEACTIVATION
- 1 LABEL-PASS ADVISOR INSTRUCTION
- 1 LOC-O/H STOR LS 10 UNIT B.F.C
- 1 LOCATION-OVERHEAD STORAGE RIGHT SIDE 5LB. FIRE EXTINGUISHER
- 1 CUTTER-SEAT BELT W/HAND GRIP
- 1 TRIANGLES-REFL. 3 W/BOX
- 1 MOTOR-XING ARM ELEC.SPECIALTY
- 1 BRACKET-XING ARM STOWAGE 1/4" BUMP
- 1 OPEN VIEW - ES, HEATED, REMOTE
- 1 MIRROR-B EXTERIOR CROSSVIEW HEATED BLACK BRACKET
- 1 MIRROR-INTERIOR 6"X30" WITH RUBBER EDGE
- 1 LABEL-VEHICLE CERTIFICATION
- 1 FRONT BUMP MT CROSS ARM W/DEACTIVATION SWITCH-ELECTRIC
- 1 DOMICILED USA-EXCLUDING CALIFORNIA AND CARB OPT-IN STATES

Attachment B – RFB 23016
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 2

DOORS

- 1 STEP-RS ALUM.ENT.DR W/HTR 8.75"RISER
- 1 HANDLE-INT RR DR BLACK
- 1 HANDLE-EXTERIOR REAR DOOR WITH RECESS
- 1 LATCH-DOOR INTERIOR STORAGE OVER WINDSHIELD
- 1 VANDALOCK-REAR DOOR W/BOLT
- 1 DOOR-ENT AG2 TINT TEMP LOCK
- 1 POWER SYSTEM-AG2 AIR ENTRANCE DOOR
- 1 ELEC-AG2 AIR OPERATED ENTRANCE DOOR
- 1 VANDALOCK-ALUM.ENT.DR.CYLINDER W/KEY
- 1 PULL-ENTRANCE DOOR, EXTERNAL ALUMINUM
- 1 SWITCH-PAD. ENT.DOOR AIR.(3 POSITION)
- 1 KEY-VANDALOCK REAR DOOR NONE
- 1 TRIM-ENTRANCE DOOR INTERIOR
- 1 PAD-DR HEADER, RR EMER 36"W
- 1 TRIM-STEPWELL HORIZONTAL WITH RIBBED NOSE
- 1 RAIL-ASSIST FRONT ENTRANCE DOOR RIGHT SIDE 1"OD

ELECTRICAL - BODY

- 1 FAN-CIRC MID W/S HDR BLACK
- 1 ELEC-FAN MID W/S HDR
- 1 FAN-CIRC DRV'S WDO HDR BLACK
- 1 ELECTRICAL-FAN DRIVER'S WINDOW HEADER
- 1 RADIO-AM/FM DEA700 W/PAGE
- 1 OPER-AUTOMATIC FAST IDLE
- 1 ELEC-ZONAR STANDARD MONITORING
- 1 ELEC-PWR CELL PHONE OUTLET LS
- 1 OPER-DOOR AIR ENT.W/ BAT.3 POS.
- 1 MONITOR-LAMPS WARNING/STOP/TAIL/TURN
- 1 LAMPS-DOME OVER DRIVER
- 1 ELEC-PASS DOME LPS W/REAR MOST (6)
- 1 SWITCH-RKR DOME LPS FRT/RR
- 1 MODULE-PWR.DIST.ELEC.SYS.
- 1 SWITCH-ROCKER PANEL LAMPS DIMMER
- 1 ELEC-LPS EXT AFT OF ENT DOOR
- 1 OPER-STPWLL LPSW/PARKLPS&ENT DR.
- 1 LPS-STP/TAIL/DIR AMBER/REV LED
- 1 ELEC-LPS STOP/TAIL/TURN/REV
- 1 ADVISORY-PASSENGER HORN ACTIVATION, WITH SWITCH
- 1 OPER-PASS ADV IGN/WARN/HORN/HEADLAMPS
- 1 LPS-PILOT VANDALOCK STATUS RED
- 1 ELEC-PWR, GND, NETWORK, BUZZ
- 1 LAMPS-PILOT POST TRIP INSPECTION RED
- 1 LPS-SI DIR AMBER FRT. LED PIN
- 1 ELEC-LPS SI FRT DIRECTIONAL ONLY
- 1 LPS-WARNING LED (8)
- 1 OPER-LPS WARNING (8) PKG 2
- 1 OPERATION-LAMPS REVERSE WITH REAR EMERGENCY DOOR OPEN
- 1 LPS-ID AMB/RED LED
- 1 LPS-MKR ROOF FRT/RR LED PIN
- 1 LPS-MKR ROOF MID LED PIN
- 1 LPS- STOP/TAIL 4" FLS.MT L.E.D.
- 1 SWITCH-ROCKER FAN DEFROST WINDSHIELD
- 1 SWITCH-ROCKER NOISE SUPPRESSION ON/OFF
- 1 LAMPS-PILOT WARNING LIGHTS RED

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 3**

- 1 LAMPS-PILOT WARNING LIGHTS AMBER
- 1 ELEC-CABLE PRIM PWR & GND-CUSTOMER ACCESS
- 1 OPERATION-LAMPS SIDE DIRECT.OONLY
- 1 BLOCK-FUSE CUSTOMER ACCESS
- 1 LPS-DOME REAR MOST
- 1 OPER-PRE-TRIP INSPECTION
- 1 ELEC-SEAT BELT PILOT LAMP
- 1 OPER-SEAT BELT PILOT LAMP
- 1 LAYOUT-ROCKER SWITCH STANDARD
- 1 CIRCUITRY-MULTIPLEX PRESENT
- 1 ELEC-FUEL INTLOCK, CNG RS/LS
- 1 ELEC-ELECTRIC STOP SIGN 1ST WINDOW POSITION
- 1 SPEAKERS-INT. 30 WAT.(6) 341T
- 1 ELEC- (6) INT SPEAKERS 341T
- 1 SWITCH-RKR HTR BOOST PUMP
- 1 ELEC-HTR ENT DOOR STEPWELL
- 1 112DB BACKUP ALARM

EXTERIOR

- 1 FLAPS-MUD, REAR 22.5"W
- 1 FLAPS-MUD, FRONT 16"W X 12"H
- 1 STEPS-EXT W/S SERVICE
- 1 BODY ADJ-FTL, CNG RS/LS CTR
- 1 REINFORCEMENT-FRAME STD 24" BATTERY BOX DOOR
- 1 CAP-ENTRANCE DOOR STANDARD
- 1 FLOOR-NON ADA
- 1 BUMPER-RR 2 BRACES NO EXH HOLE
- 1 CAP-FRT ROOF VENT W/WARN.LPS.
- 1 CAP-REAR ROOF W/WARN.LPS.
- 1 GUSSET-21"H LWR SIDE SHEET
- 1 SHEET-LWR, L MID 20G,21"
- 1 SHEET-LWR,L RR 20G,21"
- 1 SHEET-LWR,R MID 20G,21"
- 1 SHEET-LWR,R RR 20G,21"
- 1 DOOR-U/B L BATTERY 24"
- 1 DOOR-FUEL FILL RS/LS CNG
- 1 FENDERETTE-STL 21" SKIRT
- 1 LATCH-BATT DOOR NON-LOCKING
- 1 LATCH-FUEL FILL ACCESS (THUMB)
- 1 VENT-STATIC PRESENT
- 1 PILASTER - 341T, 900
- 1 RAIL-SNOW RAIL PRESENT
- 1 HARDWARE-MOUNTING CLIPS CNG
- 1 EXHAUST-LS TURNDWN, BELOW BMPR
- 1 PIPING-VENT TUBE AT BODY CNG

HVAC

- 1 AIR COND - NONE
- 1 HTR-U/S LS 84,000 BTU LOC 3
- 1 HTR-U/S LS 84,000 BTU LOC 11
- 1 HOSE-HTR BLUSTRIP W/ W/H POS 11
- 1 HEATER-ENTRANCE DOOR STEPWELL
- 1 CLAMPS-PLUMBING HEATER CONSTANT TORQUE
- 1 CLAMPS-UNDERSEAT HEATER CONSTANT TORQUE
- 1 CONN-HTR(1) CONST TORQ/BLUSTRIP
- 1 NO AIR CONDITIONING COMPRESSOR

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 4**

INTERIOR

- 1 VISOR-WINDSHIELD SUN 6"X30" TINTED
- 1 DOOR-STORAGE BOX W/O GLASS
- 1 TRIM-LOWER REAR HEATER NO A/C
- 1 DOOR-ACC SOLID PANEL
- 1 LATCH-DR INT STOR OVR DRVRSHDR
- 1 COVER-TRIM DRVS HDR W/STORAGE
- 1 COVER-TRIM FRT END W/S HEADER
- 1 COVER-TRIM FRT ENT.ALUM.DR HDR.AIR.OP.
- 1 FLR-BLK VINYL W/13" CTR AISLE 341T
- 1 FLR-BLK WHEELHOUSE AND HEATER
- 1 FLOOR-PLYWOOD 1/2" 341T
- 1 CVR-FUELSND INSP RS FRONT
- 1 LINING-SI INT.W/RS FRT FUEL
- 1 INSULATION-FRT BULKHEAD W/ACRSY 2"POLY
- 1 H/L-1ST WDO SEC ACOUS GRY 341T
- 1 INSULATION - URETHANE
- 1 IN DASH STORAGE BIN

MISC

- 1 PDI IDENTIFIER-DEALER PERFORMED
- 1 MANUAL-DRVR'S/MAINT.ENGLISH
- 1 APPLICATION - SCHOOL
- 1 Adjustment-Body Equipment CNG
- 1 NO COOLANT HEATER - GAS/DIESEL
- 1 UP TO 15 DIESEL GALLON EQUIVALENT CHARGE
- 1 NO A/C PLUMBING - MAIN
- 1 70 MPH ROAD SPEED LIMIT
- 1 SAF-T-LINER C2

PAINT/LETTERING

- 1 DECAL-UNITED AUTO WORKERS
- 4 LABEL-P/O WDO EMER EXIT 2" BLACK
- 1 LABEL-ENGLISH AG2.AIR.ENT DR
- 1 LETTER - OVERHEAD STORAGE BOX "SAFETY EQUIP"
- 1 DECAL-BACKING ALARM
- 1 LABEL-RR DR EMERGENCY DOOR DO NOT BLOCK
- 1 DECAL-ENTRANCE DOOR VANDALOCK ENGLISH
- 1 LOGO-SAF-T-LINER C2 CNG
- 1 LABEL-RR EMERGENCY DOOR INSTRUCTION
- 1 LABEL- DEF NONE
- 1 LABEL-MANUAL SHUT-OFF VALVE CNG
- 1 LABEL-CNG TANK INSPECTION LOG
- 1 PAINT-EXT HNDLE(S) BLACK
- 1 DECAL-REFL FRT CAP "SCHOOL BUS"
- 1 DECAL-REFL RR CAP "SCHOOL BUS"
- 1 DECAL-"CNG ONLY" RS/LS
- 1 PAINT-EXTERIOR ROOF WHITE 341T
- 1 PAINT-EXT WINDOW AREA BLACK
- 1 PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 PAINT-EXT BUMPER REAR BLACK
- 1 PAINT-BLACK TRIM-FRONT/REAR ROOF CAPS
- 1 PAINT-SOLID COLOR YELLOW

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 5**

- 1 LABEL-CNG
- 1 DECAL-CNG FUEL SYSTEM
- 1 DECAL-APPROVED FUEL TYPE
- 1 HEADLINING-VESTIBULE ACOUSTIC, GRAY, DRIVER LAMP
- 1 PAINT:ONE SOLID COLOR,BASE/CLEARCOAT
- 1 CAB COLOR A:L5898EB SCHOOL BUS YELLOW ELITE BC
- 1 CAB COLOR B - NONE
- 1 CAB COLOR C: NONE
- 1 GRILLE: SILVER N3388H IMRON 5000

SEATS

- 1 OFF-SET LS BARRIER 4"
- 1 2014 SEATING ALERT
- 1 SEAT BELT - DRIVERS SEAT
- 1 39" BARR-VERT,WALL MT 45"H RS 2009
- 1 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 2 PROFORM EDO GRAY UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 RAIL-ASSIST FRT ENT DR 39"W
- 1 BACK-NATIONAL DRV'S SEAT
- 1 ARMREST NATIONAL DRVR'S ST. NONE
- 1 UPH DR.ST.PRO BLK NATIONAL
- 1 PEDASTAL-DR ST MECH TYPE
- 1 COVER PEDASTAL NATIONAL NONE
- 1 SLIDE STOP NATIONAL DR.ST. NONE
- 1 RETAINER NATIONAL DR.ST.BELT
- 1 POUCH-DR.ST.STORAGE NONE
- 1 KICKPLATE-MOD.PANEL RS 39"
- 1 RISER-DRIVERS SEAT, NATIONAL
- 1 Haptics-Not Present
- 13 S3B 39"RS WALL MT RESTRAINING/NO BELT
- 1 S3B 26" LS WALL MT RESTRAINING/NO BELT
- 12 S3B 39"LS WALL MT RESTRAINING/NO BELT
- 26 FIREBLOCK GRAY UPHOLSTERY - S3B SEAT
- 26 S3B WALL MT HARDWARE-RESTRAINT

WARRANTY

- 1 BODY WARRANTY-5YEAR 100K MILES-C2

WINDOWS/GLASS

- 1 GLASS-WINDSHIELD ONE PIECE WITH TINTED BAND
- 1 GLASS-RS FRT STAT TNT TEMP
- 1 GLASS-LS FRT STAT TNT TEMP
- 1 GLASS-REAR STAT TINTED TEMP
- 1 GLASS-RR SIDE STAT TINTED TEMP
- 1 FRAME-WDO SPLIT
- 16 FRAME-WDO SPLIT 30"W
- 2 FRAME-WDO SPLIT 40"W
- 2 FRAME-WDO P/O VERT TEMP TNT LS
- 2 WDO P/O VERT TEMP TNT RS
- 16 GLASS-WDO TINT TEMP 30"
- 2 GLASS-WDO TINT TEMP 40"
- 1 STOPS-WDO 12"
- 1 GLS-LWR RR DR TEMP TNT BONDED
- 1 GLS-UPR RR DR TEMP TNT BONDED
- 1 WDO-DRIVER'S TEMP TINT

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 6**

OTHER

- 1 2019 CUMMINS ENGINE TARIFF
- 1 ADJUSTMENT-PRICING, CATALYST MATERIALS
- 1 SURCHARGE-RAW MATERIAL (STEEL)
- 1 LOGO-FRT RS & RR
- 1 LOGO-THOMAS DECALS YELLOW
- 1 HATCH-RF ESC SPEC ADVANTAGE H1976-015-131 ENGLISH GRAY (2)
- 1 ELEC-RF ESC HATCH POS 9
- 1 ARM ASSEMBLY-WINDSHIELD WIPER (2)
- 1 ELECTRICAL-ROOF HATCH OR P/O WINDOW (DASH)
- 1 OPER-FAN W/S HDR
- 1 OPER-FAN DRV'S WDO HDR
- 1 OPER-ALARM BACKING W/REV.
- 1 OPER-RF HATCH BUZZER
- 1 LOCATION-OVERHEAD STORAGE CENTER 24 F.A.K.
- 1 AC DUCT-NOT PRESENT NO SIDE EVAP
- 1 CONDENSER ALERT - NONE
- 1 EVAPORATOR QTY - NONE
- 1 OPER-XING ARM DEACTIVATION
- 1 ANTENNA - RADIO SWIVEL BASE
- 1 ELEC-ANTENNA RADIO COAXIAL
- 1 KIT-RADIO ANTENNA MOUNTING @ DRIVER'S HEADER
- 1 ALERT-CONDENSER NONE
- 1 341T30_N
- 1 TRIM-A POST
- 1 FENDER-QUARTER 24" BATTERY BOX DOOR
- 1 WHEELHOUSES-REAR L&R
- 1 STRINGER-ROOF 341T
- 1 FRONT END FRAME
- 1 FRT END FRAME MTG KIT
- 1 REAR END FRAME-28.68"DEEP
- 1 FLOOR-GALVALUME STEEL MID BODY
- 1 LOC-40" RAF SP 11TH 341T
- 1 RS TANK ALERT - NONE
- 1 DOOR ALERT - LS ENT NONE
- 1 TRIM-REAR DOOR
- 1 HINGES-REAR DOOR PIN TYPE
- 1 LATCH-SINGLE-POINT, REAR EMERGENCY DOOR
- 1 STOP-DOOR REAR EMERGENCY, 1-POS
- 1 OPERATION-VANDLOCK ENTRANCE/EMGENCY DOOR(S) WITH PILOT LAMPS
- 1 OPER-DR.RR.EMG.W/BUZ
- 1 ELEC-SIDE EMERGENCY DOOR(S)
- 1 DOOR-LS ENT RS EXIT -NONE REQD
- 1 INT COLOR -RR DOOR GRAY
- 1 VANDALOCK-NONE REQUIRED RS
- 1 VANDALOCK-NONE REQUIRED LS
- 1 DOOR ALERT - RS EXIT NONE
- 1 DOOR, REAR EMERGENCY
- 1 THRESHOLD REAR EMGERGENCY DOOR
- 1 OPERATION-MONITOR WARNING/STOP/TAIL/TURN
- 1 ELEC-DRIVER'S DOME LPS
- 1 LPS-DOME PASS MIN (6) 341T
- 1 OPERATION-SWITCH, PANEL LAMPS DIMMER
- 1 LPS-EXT AFT OF ENT DOOR
- 1 LPS-STPWLL LED (1)

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 7**

- 1 ELEC-PASSENGER ADVISORY 341T
- 1 SWITCH-RKR FAN DEFROST L.S.
- 1 BUZZER-SWITCH PANEL 1 TONE
- 1 OPERATION-NOISE SUPPRESSION
- 1 ELECTRICAL-LAMPS WARNING,8 LAMPS 341T
- 1 OPER-LPS, DOME STANDARD
- 1 OPER-LPS BODY TAIL W/PARK SW.
- 1 LAMPS-LICENSE PLATE ILLUMINATION
- 1 ELECTRICAL-LAMPS ID/MARKER PARK/SWITCH 341T
- 1 SWITCH-ROCKER DOME LAMPS DRIVER ON/OFF
- 1 OPER-DRVR'S DOME LPS ON/OFF
- 1 OPER-HTR BOOSTER PUMP OPER WITH SWITCH
- 1 OPERATION-LAMPS INTERIOR/EXTERIOR RIGHT FRONT ENTRANCE DOOR
- 1 OPER-LPS SERVICE BRAKE
- 1 OPERATION-SWITCH ID/MARKER LAMPS WITH PARK
- 1 OPER-LPS DOME (2)ON/OFF
- 1 OPER-LPS REVERSE
- 1 ELEC-(3) SWITCH BANKS
- 1 SWITCH-WARN.LPS ON/AMB ACT.
- 1 ELEC-HARNESS COMP ASM 341T
- 1 ELEC-ELECTRONIC COMP ASM
- 1 OPER-LPS DIR./HAZ.
- 1 SWITCH-RKR MIRROR HTR.
- 1 ELEC-MIR A HTD & RC
- 1 SIGN-STOP, ELEC FRT #SC2-610-10C-CP
- 1 RAIL-EXTERIOR GUARD @ WINDOW,SEAT,FLOOR,SKIRT
- 1 RAIL-EXT GRD @ SEAT FRT END LS
- 1 RAIL-EXT GRD@ FLOOR, NONE
- 1 TRIM-FRT CAP RS/LS
- 1 SKIRT FORWARD STEPWELL EXPORT
- 1 PANELS-EXTERIOR REAR
- 1 SHEET-DRIVERS EXTERIOR 20 GA.
- 1 SHEET-UPPER SIDE EXTERIOR
- 1 OPER-MIRRORS EXT HTD.
- 1 UNDERCOATING-ASPHALT EMULSION
- 1 HEADERS-WINDOW INTERIOR 341T
- 1 PAINT-EXT ENT DOOR NONE
- 1 PANELS-EXTERIOR REAR SIDE LONG W/STATIONARY GLASS
- 1 LS STORAGE BOX 1 - NONE
- 1 LS STORAGE BOX 2 - NONE
- 1 ROOF SHEETS-(2)HATCH - 341T
- 1 RS STORAGE BOX 1 - NONE
- 1 RS STORAGE BOX 2 - NONE
- 1 RS STORAGE BOX ROH - NONE
- 1 LS STORAGE BOX ROH - NONE
- 1 DECAL-CNG FAST & SLOW FILL CENTER
- 1 PANELS-REAR END INTERIOR REAR GALVALUME
- 1 PANELS-RR END INT SI LONG W/ST
- 1 BULKHEAD-RR END INT.GRY
- 1 PANELS-ACCESS RR GRAY PASS ADVISORY
- 1 COVER-HARNESS ACCESS@HDR
- 1 COVER-ACCESS RR END HARNESS
- 1 COVER-ACCESS FRT END HARNESS
- 1 H/L-RR LONG SMOOTH GRAY W/LPS
- 1 STRIPS - AISLE, SNAP-IN BLACK

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 8**

- 1 MOLDING-SHOE 341T
- 1 SWITCH-ROCKER HEATER STEPWELL
- 1 LUGGAGE RACK ALERT - NONE
- 1 SWITCH-ROCKER HEATER LEFT 1ST
- 1 SWITCH-ROCKER HEATER LEFT 2ND
- 1 ELEC-HTR U/ SEAT POS 3
- 1 ELEC-HTR U/ SEAT POS 11
- 1 RAIL-SEAT
- 1 LAYOUT-SEAT RAIL HOLES RS
- 1 LAYOUT-SEAT RAIL HOLES LS
- 1 CABINET-SW, FWD
- 1 CABINET-SWITCH, LOWER WITHOUT POCKET
- 1 CABINET-SWITCH, UPPER
- 1 CABINET-TOP PLATE (3 BANK)
- 1 TREAD-STEP ALUMINUM ENTRANCE DOOR BLACK
- 1 OPER-HTR U/ SEAT LS FWD
- 1 PANEL-ACCESSORY MOUNTING SAFTEY EQUIPMENT
- 1 OPER-HTR STEPWELL
- 1 INSULATION-VEST HEADLINING 2"
- 1 INSULATION-SIDELINING 2" POLY
- 1 INSULATION-RR BULKHEAD 2" POLY
- 1 OPER-HTR U/ SEAT LS AFT
- 1 HEADERS-WINDOW EXTERIOR 341T
- 1 HARNESS COVER COLOR - GRAY
- 1 SPEAKER ALERT - PRESENT
- 1 DOME LPS - MINIMUM
- 1 HEADLINING COLOR - GREY
- 1 HDLINING TYPE-1ST WDO ACOUSTIC
- 1 MAT, FLOOR VESTIBULE
- 1 TRIM-INTERIOR DASH FORWARD
- 1 INSTALLATION-PARK BRAKE NONE
- 1 INSULATION-INT LONG REAR WDO
- 1 LUGGAGE RACK ALERT - NONE
- 1 PLATE-ACCELERATOR
- 1 LABEL-QR CODE
- 1 OPER-WDO P/O
- 1 LN 12V 320 AMP 4962PGH PAD MOUNT ALTERNATOR
- 1 NO AIR INTAKE WARMER
- 1 VANDALOCK,STARTER DISABLE W/ANY LOCKED EMER DR(S),LH PT LAMP
- 1 LOWER RADIATOR GUARD
- 1 FUEL TANK MOUNTED BETWEEN RAILS, AFT OF REAR AXLE, WITH CAGE
- 1 REMOTE-MOUNTED SURGE TANK
- 1 BASIC WIRING SCHEMATIC,UNMOUNTED,12-VOLT NEGATIVE GROUND SYS
- 1 PAINTED BATTERY PANEL COVER
- 1 BATTERY BOX FRAME MOUNTED
- 1 BATT ENABLED 3 AMBER INBOARD ID LAMPS,2 AMBER OUTBOARD MARKE
- 1 LED WARNING SYSTEM LAMPS
- 1 STANDARD BODY VISUAL WARNING,LOWER RR,REV LAMPS ON DR/OPEN
- 1 DRIVER'S IGNITION OPERATED DOME LP WITH ON/OFF SW
- 1 PASSENGER COMPARTMENT DOME LAMPS, IGNITION ACTIVATED
- 1 PASSENGER COMPARTMENT DOME LPS, DUAL ON/OFF SWITCH
- 1 STEPWELL LAMP ON WITH DOOR OPEN AND MARKER LAMPS ON
- 1 EIGHT LAMP WARNING SYSTEM,LH DASH SWITCH(S), PACKAGE 2
- 1 SHIFT LEVER, CABLE LINKAGE, AUTOMATIC TRANSMISSION
- 1 DRIVELINE GUARD

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 9**

- 1 BENDIX ADB22X AIR DISC FRONT BRAKES
- 1 NON-ASBESTOS FRONT BRAKE LININGS
- 1 FRONT SHOCK ABSORBERS
- 1 CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS
- 1 BENDIX ADB22X AIR DISC REAR BRAKES
- 1 NON-ASBESTOS REAR BRAKE LININGS
- 1 NO DRIVELINE PARKING BRAKE
- 1 REAR OIL SEALS
- 1 CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS
- 1 MAXION 91262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 MAXION 91262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 NO POLISHED FRONT WHEELS
- 1 NO POLISHED REAR WHEELS
- 1 TWO QUART SEE THRU POWER STEERING RESERVOIR
- 1 STD FITTINGS POWER STEERING GEAR
- 1 POWER STEERING PUMP
- 1 ZINC-PLATED HEXHEAD CHASSIS FASTENERS
- 1 3975MM (155") REAR FRAME OVERHANG
- 1 SQUARE END OF FRAME
- 1 COMBINATION S/T/T/R LAMPS, LED
- 1 REAR EMERGENCY DOOR,IGNITION CONTROL,BUZZER ON W/DOOR OPEN
- 1 CAB MOUNTING FOR HOOD AND COWL CHASSIS
- 1 MANUAL ENT DOOR LOCK/BUZZER ON W/EMERGENCY DOORS UNLATCHED
- 1 ONE GALLON WINDSHIELD WASHER RESERVOIR
- 1 BLACK HOOD MOUNTED AIR INTAKE GRILLE
- 1 SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W/DELAY
- 1 GRAY/CHARCOAL FLAT DASH
- 1 NO FCCC SUPPLIED AC COMPONENTS ON COMPLETED VEHICLE
- 1 STANDARD TUNNEL/FIREWALL LINER
- 1 NO AIR CONDITIONER CONDENSER
- 1 HEATER AND DEFROSTER
- 1 STANDARD HVAC DUCTING
- 1 MAIN HVAC CONTROLS WITHOUT RECIRCULATION SWITCH,& NOISE SUPP
- 1 WINDSHIELD FAN,(1) HEADER MOUNTED
- 1 DRIVER'S FAN,(1) MOUNTED ABOVE SIDE WINDOW
- 1 AUX BODY HEATER,UNDER SEAT,FWD
- 1 AUXILIARY BODY HEATER, UNDER SEAT, AFT
- 1 GRAY INSTRUMENT PANEL-DRIVER
- 1 BODY SUPPLIED HEATED MIRRORS
- 1 ROOF MOUNTED VENT/ESCAPE HATCH
- 1 PUSH OUT BODY SIDE WINDOWS, BUZZER WITH WINDOW UNLATCHED
- 1 PROVISION FOR EVIR ZONAR
- 1 WARNING/REAR LAMP MONITOR
- 1 SEPARATE PANEL LAMP DIMMER,LH DRIVER'S SWITCH PANEL
- 1 CHASSIS COWL AND HOOD ONLY
- 1 NO TCU-TRANSMISSION OPTIMIZED(NO FUEL SENSE)
- 1 STANDARD BRAKE WIRING
- 1 BUMPER: BLACK
- 1 NO SPARE WHEEL PAINT
- 1 CHASSIS: VENDOR BLACK
- 1 J1939 ELECTRICAL ARCHITECTURE
- 1 EXPECTED GROSS VEHICLE WEIGHT CAPACITY
- 1 EXPECTED FRONT AXLE(S) LOAD
- 1 EXPECTED REAR DRIVE AXLE(S) LOAD
- 1 SCHOOL BUS SERVICE

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 10**

- 1 COWL CHASSIS CONFIGURATION COMPLIES WITH SBMTC
- 1 BUS BODY WITH WHEELWELL
- 1 PASSENGER COMMODITY
- 1 100% ON-HIGHWAY (CITY) TERRAIN
- 1 DOMICILED OKLAHOMA
- 1 THOMAS BUILT SCHOOL BUS 341T

CHASSIS

AXLES AND SUSPENSIONS

- 1 ALIGNMENT-4-WHEEL SAF-T-LINER C2
- 1 SPL100 DANA SPICER MAIN DRIVELINE
- 1 DA-F-10-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
- 1 FRONT OIL SEALS
- 1 SYNTHETIC 75W-90 FRONT AXLE LUBE
- 1 SYNTHETIC 75W-90 REAR AXLE LUBE
- 1 DA-RS-23-4 23,000# R-SRS SINGLE REAR AXLE
- 1 5.22 AXLE RATIO
- 1 IRON REAR AXLE CARRIER HOUSING
- 1 REAR SHOCK ABSORBERS - ONE AXLE
- 1 10,000 LB. TAPERLEAF FRONT SUSPENSION
- 1 AIRLINER 23,000 LB. REAR SUSPENSION
- 1 COMFORT-TEC SUSPENSION
- 1 DUAL AIR REAR SUSPENSION LEVELING

BRAKES

- 1 ALERT-ENHANCED STABILITY CONTROL
- 1 AIR BRAKE PACKAGE
- 1 AIR DISC LONGSTROKE CENTER PORT FRONT BRAKE CHAMBERS
- 1 FRONT AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 DISC BRAKE FRONT ROTORS FOR HYDRAULIC BRAKES
- 1 AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
- 1 REAR AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 REAR DISC BRAKE ROTORS
- 1 STEEL AIR BRAKE RESERVOIRS INSIDE FRAME RAILS
- 1 BW DV-2 AUTO DRN VLV W/HTR ON WET TANK, PETCOCK OTHER
- 1 BENDIX AD-9 AIR DRYER WITH HEATER
- 1 WABCO 4S/4M ABS W/TRACTION CONTROL
- 1 ONE-VALVE PARKING BRAKE SYSTEM WITH WARNING

CHASSIS EQUIPMENT

- 1 ANTI-FREEZE, OAT -34 DEGREE
- 1 WINTERFRONT-CHASSIS GRILLE YELLOW
- 1 B2 106 CONVENTIONAL CHASSIS
- 1 SET-BACK AXLE - TRUCK
- 1 DELCO 12V 29MT STARTER WITH INTEGRATED M
- 1 NO CLUTCH PEDAL WITH NON-ADJUSTABLE
- 1 ENGINE COMPARTMENT MOUNTED AIR RESTRICTION INDICATOR W/LIGHT
- 1 HORIZ TAILPIPE, EXIT LH REAR
- 1 NO DEF TANK
- 1 MAGNETIC ENGINE DRAIN, REAR AXLE DRAIN & FILL PLUG
- 1 EXHAUST MITIGATION DEVICE FTL 4" ID SLIP
- 1 STEMCO HUBODOMETER MOUNTED ON RH FRONT DRIVE AXLE
- 1 NO TRACTION STABILIZER
- 1 700 CUBIC INCH MINIMUM AUXILIARY AIR
- 1 ADJUSTABLE STEERING COLUMN
- 1 TRW THP-60 POWER STEERING
- 1 7075MM (279") WHEELBASE

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 11**

- 1 5/16" X 3" X 10-1/8" STEEL FRAME 120,000 PSI YIELD
- 1 ONE-PIECE 14" PAINTED STL 1/4" HD BUMPER
- 1 FRONT FRAME-MOUNTED TOW HOOKS
- 1 NO LICENSE PLATE MOUNTING
- 1 NO AUTO TRACTION CHAINS
- 1 REAR TOW HOOKS
- 1 STANDARD DUTY HOOD MOUNTING
- 1 FIBERGLASS HOOD
- 1 PAINTED PLASTIC GRILLE
- 1 YELLOW WINTERFRONT
- 1 ALL LOCKS KEYED THE SAME
- 1 (2) CUPHOLDERS, LEFT HAND AND RIGHT HAND DASH
- 1 REINFORCED NYLON, FABRIC AND WIRE BRAID CHASSIS AIR LINES

ELECTRICAL - CHASSIS

- 1 PROG RPM CTRL W A/C OR 12.75V LOW VOLT AUTO HI IDLE, DASH SW
- 1 CRUISE CONTROL-ELEC ENG,W/SWITCHES IN LH SWITCH PANEL
- 1 STARTER CONTROL-FUEL FILL DOOR STARTER
- 1 IGNITION SWITCH CONTROLLED ENGINE STOP
- 1 WARNER ELECTRIC ELECTRO-MAGNETIC ON/OFF
- 1 12VOLT POWER SUPPLY LH PANEL
- 1 SOLID STATE CIRCUIT PROTECTION, PDMS WIT
- 1 (3) ALLI MODEL 1131, GROUP 31, 12V 2850CCA STUD BATTERIES
- 1 COLE HERSEE BATTERY CUT-OFF SWITCH, BATTERY BOX MOUNTED
- 1 SELF CANCEL TURN SIGNAL SWITCH W/DIM/WASH&HAZZARD IN HANDLE
- 1 STANDARD FRONT TURN SIGNAL LIGHTS
- 1 PARK LMP SW INTGRAL W/HL SWITCH, ID/MARKER/CLEARANCE/PARK ON
- 1 NO FENDER MTD TURN/MARK COMBO LPS
- 1 AMBER LED MIDSHIP TURN SIGNALS
- 1 DAYTIME RUNNING LIGHTS SET @ 85%
- 1 INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH ALARM WITH IGNITION
- 1 NO UTILITY/ADVERTISING LIGHT
- 1 STOP SIGN PRESENT
- 1 NO BAGGAGE COMPARTMENT LAMP
- 1 NO BODY MTD INT SPOT/WORK LAMP
- 1 ELECTRONIC STABILITY CONTROL
- 1 AIR OPERATED BATTERY CONTROLLED RH FRONT ENTRANCE DOOR
- 1 BATT POWERED 3-POS INTERNAL DOOR CONTROL SWITCH
- 1 DUAL ELEC HORNS W/PASS ADV;HORN&FLASHING HDLTS&SWITCH DEACTI
- 1 NO OBSTACLE DETECTION SYSTEM
- 1 NO CAMERA/VIDEO/IMAGING SYSTEM
- 1 C/F J1939 RADIO W/PA
- 1 FASTEN SEAT BELT INDICATOR FOR CUSTOMER SUPPLIED SEAT BELT
- 1 LOCATING SYSTEM WITH VEHICLE MONITORING
- 1 ELECTRONIC SPEEDOMETER WITH SECONDARY KPH SCALE, NO ODOMETER
- 1 ICU3S, 132x48 Display w/Diagnostics, 28 LED Warn Lamps
- 1 PRE/POST TRIP SYSTEM TEST
- 1 ENGINE AND HOUR METERS INTEGRAL WITH DRIVER DISPLAY
- 1 DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
- 1 PRIMARY AND SECONDARY AIR PRESSURE GAUGES
- 1 ELECTRIC FUEL GAUGE
- 1 ELECTRIC ENGINE OIL PRESSURE GAUGE
- 1 ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
- 1 TRANSMISSION OIL TEMPERATURE GAUGE

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 12**

ENGINE AND EQUIPMENT

- 1 CUMMINS B6.7N 220HP @ 2400 RPM, 2600 GOVERNED
- 1 ANTI-FREEZE TO -34F, OAT (NITRITE AND SILICATE FREE)EXT LIFE
- 1 ENGINE-MOUNTED OIL CHECK AND FILL
- 1 CUMMINS 18.7 CFM COMPRESSOR
- 1 CUMMINS SUPPLIED FLEETGUARD COALESCING FILTER
- 1 STANDARD ENGINE OIL
- 1 FULL FLOW OIL FILTER
- 1 NO FUEL/WATER SEPARATOR
- 1 EXHAUST BRAKE NONE
- 1 ALUMINUM FLYWHEEL HOUSING
- 1 PHILLIPS 750 WATT/115 VOLT BLOCK HEATER
- 1 ENGINE HEATER RECEPTACLE MOUNTED FACE OF BUMPER, LEFT SIDE
- 1 ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION
- 1 ADDL AUX LINES W/MANIFOLD PLUMBING AND COMBINED SHUTOFF
- 1 GATES BLUE STRIPE COOLANT HOSES
- 1 CONSTANT TORQUE BREEZE CLAMPS ON 1" IN DIA GREATER, SS C
- 1 PLASTIC BOOSTER PUMP
- 1 30,600 BTU STEPWELL HEATER, RH FRONT ENTRANCE DOOR
- 1 DONALDSON ONE-STAGE AIR CLEANER
- 1 15.9X83.1 INCH CYLINDRICAL ALUMINUM
- 1 RH CNG NGV1 STD+LH Slow Fill
- 1 15.9X83.1 INCH CYLINDRICAL ALUMINUM
- 1 FUEL TANK AFT OF FRONT AXLE
- 1 FUEL TANK AFT OF FRONT AXLE
- 1 SGL CNG FUEL LINE W/IN-LINE SOLENOID
- 1 CNG FUEL HEATING SYSTEM
- 1 (2) 15.9X83.1 INCH CYLINDRICAL ALUMINUM
- 1 750 SQUARE INCH DOWN FLOW RADIATOR
- 1 ENGINE AFTERTREATMNT WIRING, OXYGEN SENSOR
- 1 CNG) COMPRESSED NATURAL GAS FUEL
- 1 NO IDLE SHUTDOWN CONFIGURATION
- 1 ELECTRONIC TACHOMETER 3000 RPM

TRANSMISSION AND EQUIPMENT

- 1 ALLISON 2500 PTS AUTOMATIC TRANSMISSION
- 1 ALLISON VOCATIONAL PACKAGE 354 - FIFTH GEN
- 1 TRANSMISSION OIL CHECK AND FILL
- 1 SYNTHETIC 50W TRANSMISSION LUBE (TES-295 COMPLIANT)
- 1 WATER TO OIL TRANSMISSION COOLER - IN RADIATOR END TANK
- 1 NO TCU-LBSS VAC
- 1 NO MODE SWITCH

WHEELS AND TIRES

- 1 RADIAL FRONT TIRE, MICHELIN XZE2,11R22.5 14 PLY
- 1 RADIAL REAR TIRE, MICHELIN XZE2,11R22.5 14 PLY
- 1 NO TIRE PRESSURE CONTROL/SENSOR
- 1 TIRE/WHEEL BALANCING-LEAD FREE WEIGHTS
- 1 ACCURIDE PK-BLACK21 POWDER BLACK WHEEL (N0001H)- FRONT
- 1 ACCURIDE PKBLK21 POWDER BLACK WHEEL (N0001H) - REAR

OTHER TYPE

GEARS

- 1 PRIMARY MODE GEARS, 5 FORWA

**ATTACHMENT B RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C 77 SEAT SCHOOL BUS – Page 13**

**DEALER ADD On's
EQUIPMENT**

- 1 Lettering
- 1 OSI
- 1 Seon camera system
- 1 Three sets keys/route changer
- 1 Two-way radio

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS PAGE 1**

Product Type:	School Transportation
Year:	2024
Chassis Model:	B2 106
Chassis MFG:	FLNER
GVWR:	GVWR
Passenger Capacity:	42
Headroom:	
Wheelbase:	219
Brake Type:	AIR
Engine Type:	CUMMINS 6.7N CNG, 6 Cyl, 220 HP, 2600 RPM
Fuel Type:	CNG
Fuel Tank Capacity:	4
Transmission Type:	Automatic
Axle, Front:	10000-lb Capacity
Axle, Rear:	17500-lb Capacity
Tires, Front :	FRONT MICHELIN XZE 255/70R22.5, (H) 16 PLY
Tires, Rear:	REAR MICHELIN XZE 255/70R22.5, (H) 16 PLY
Suspension Front :	[FRONT SUSPENSION]
Suspension Rear:	[REAR SUSPENSION]

MEETS ALL FMVSS REQUIREMENTS IN EFFECT AT THE TIME OF MANUFACTURE

BODY

ACCESSORIES

- 1 LOCKS-KEYED ALIKE #CH545

CERTIFICATION/SAFETY

- 1 REFLECTTAPE-RR END YEL 2"
- 4 REFLECTTAPE-P/O WDO YEL
- 1 REFLECTTAPE-SIDE LIFT DOOR NONE
- 1 REFLECTIVE TAPE-EMERGENCY DOOR REAR YELLOW
- 1 REFLECTTAPE-SIDE 2" @ FLR YEL
- 1 FIRE EXTINGUISHER-5 3A-40BC
- 1 REFLECTORS-AMBER (4) MID/FRONT 3"
- 1 REFLECTORS-RED (4) RR/RR SI 3"
- 1 HANDLES-W/S SERVICE, BLACK
- 1 KIT,FIRST AID 24 UNIT OKLAHOMA
- 1 KIT,BODY FLUID CLEAN UP OKLAHOMA
- 1 SWITCH-ROCKER CROSSING ARM DEACTIVATION
- 1 LABEL-PASS ADVISOR INSTRUCTION
- 1 LOC-VEST.FLR.PLT.LEFT 5LB F.E. & BOX
- 1 CUTTER-SEAT BELT W/HAND GRIP
- 1 BLANKET-EMER "EVAC TRANSPORTER"
- 1 TRIANGLES-REFL. 3 W/BOX
- 1 MOTOR-XING ARM ELEC.SPECIALTY
- 1 BRACKET-XING ARM STOWAGE 1/4" BUMP
- 1 LOC-EMER BLANKET STREETSIDE REAR
- 1 OPEN VIEW - ES, HEATED, REMOTE
- 1 MIRROR-B EXTERIOR CROSSVIEW HEATED BLACK BRACKET
- 1 MIRROR-INTERIOR 6"X30" WITH RUBBER EDGE
- 1 LABEL-VEHICLE CERTIFICATION
- 1 FRONT BUMP MT CROSS ARM W/DEACTIVATION SWITCH-ELECTRIC
- 1 DOMICILED USA-EXCLUDING CALIFORNIA AND CARB OPT-IN STATES

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS PAGE 2**

DOORS

- 1 STEP-RS ALUM.ENT.DR W/HTR 8.75"RISER
- 1 HANDLE-INT RR DR BLACK
- 1 HANDLE-EXTERIOR REAR DOOR WITH RECESS
- 1 VANDALOCK-REAR DOOR W/BOLT
- 1 DOOR-ENT AG2 TINT TEMP LOCK
- 1 POWER SYSTEM-AG2 AIR ENTRANCE DOOR
- 1 ELEC-AG2 AIR OPERATED ENTRANCE DOOR
- 1 VANDALOCK-ALUM.ENT.DR.CYLINDER W/KEY
- 1 PULL-ENTRANCE DOOR, EXTERNAL ALUMINUM
- 1 DOOR-SI LIFT RS RR 50" OPG
- 1 VANDALOCK-SI DR W/BOLT 50"
- 1 SWITCH-PAD. ENT.DOOR AIR.(3 POSITION)
- 1 THRESHOLD 50" LIFT DOOR
- 1 KEY-VANDALOCK REAR DOOR NONE
- 1 HEADER-50" REAR LIFT DOOR NON-ADA
- 1 PAD-DR HEADER, SI EMER 50"W
- 1 PAD-DR HEADER, RR EMER 36"W
- 1 TRIM-STEPWELL HORIZONTAL WITH RIBBED NOSE
- 1 RAIL-ASSIST FRONT ENTRANCE DOOR RIGHT SIDE 1"OD

ELECTRICAL - BODY

- 1 FAN-CIRC MID W/S HDR BLACK
- 1 ELEC-FAN MID W/S HDR
- 1 FAN-CIRC DRV'S WDO HDR BLACK
- 1 ELECTRICAL-FAN DRIVER'S WINDOW HEADER
- 1 RADIO-AM/FM DEA700 W/PAGE
- 1 OPER-AUTOMATIC FAST IDLE
- 1 ELEC-ZONAR STANDARD MONITORING
- 1 ELEC-PWR CELL PHONE OUTLET LS
- 1 OPER-DOOR AIR ENT.W/ BAT.3 POS.
- 1 ELEC-EMERG/EXIT DOORS FMVSS COMPLIANT LIFT
- 1 MONITOR-LAMPS WARNING/STOP/TAIL/TURN
- 1 LAMPS-DOME OVER DRIVER
- 1 SWITCH-RKR DOME LPS FRT/RR
- 1 MODULE-PWR.DIST.ELEC.SYS.
- 1 SWITCH-ROCKER PANEL LAMPS DIMMER
- 1 ELEC-LPS EXT AFT OF ENT DOOR
- 1 OPER-STPWLL LPSW/PARKLPS&ENT DR.
- 1 LPS-STP/TAIL/DIR AMBER/REV LED
- 1 ELEC-LPS STOP/TAIL/TURN/REV
- 1 ADVISORY-PASSENGER HORN ACTIVATION, WITH SWITCH
- 1 OPER-PASS ADV IGN/WARN/HORN/HEADLAMPS
- 1 LPS-PILOT VANDALOCK STATUS RED
- 1 ELEC-PWR, GND, NETWORK, BUZZ
- 1 LPS-PILOT W/C LIFT POWER GRN

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 3**

- 1 LAMPS-PILOT POST TRIP INSPECTION RED
- 1 LPS-SI DIR AMBER FRT. LED PIN
- 1 ELEC-LPS SI FRT DIRECTIONAL ONLY
- 1 LPS-WARNING LED (8)
- 1 OPER-LPS WARNING (8) PKG 2
- 1 OPERATION-LAMPS REVERSE WITH REAR EMERGENCY DOOR OPEN
- 1 LPS-ID AMB/RED LED
- 1 LPS-MKR ROOF FRT/RR LED PIN
- 1 LPS-MKR ROOF MID LED PIN
- 1 LPS- STOP/TAIL 4" FLS.MT L.E.D.
- 1 SWITCH-ROCKER FAN DEFROST WINDSHIELD
- 1 SWITCH-ROCKER NOISE SUPPRESSION ON/OFF
- 1 OPER-LIFT SPCL NEEDS BATT/IGN CONTR
- 1 LAMPS-PILOT WARNING LIGHTS RED
- 1 LAMPS-PILOT WARNING LIGHTS AMBER
- 1 SWITCH-ROCKER A/C FAN SPEED
- 1 ELEC-CABLE PRIM PWR & GND-CUSTOMER ACCESS
- 1 ELEC-HARN. LIQUID LINE SOL. KR 4
- 1 OPERATION-LAMPS SIDE DIRECT.ONLY
- 1 BLOCK-FUSE CUSTOMER ACCESS
- 1 ELEC-CONDENSER ROOF MOUNT
- 1 OPER-PRE-TRIP INSPECTION
- 1 ELEC-SEAT BELT PILOT LAMP
- 1 OPER-SEAT BELT PILOT LAMP
- 1 LAYOUT-ROCKER SWITCH STANDARD
- 1 CIRCUITRY-MULTIPLEX PRESENT
- 1 ELEC-FUEL INTLOCK, CNG RS/LS
- 1 ELEC-ELECTRIC STOP SIGN 1ST WINDOW POSITION
- 1 SPEAKERS-INT. 30 WAT.(6) 251T
- 1 ELEC- (6) INT SPEAKERS 251T
- 1 SWITCH-RKR HTR BOOST PUMP
- 1 ELEC-HTR U/ SEAT POS.17
- 1 ELEC-HTR ENT DOOR STEPWELL
- 1 112DB BACKUP ALARM

EXTERIOR

- 1 FLAPS-MUD, FRONT 16"W X 12"H
- 1 STEPS-EXT W/S SERVICE
- 1 BODY ADJ-FTL, CNG RS/LS CTR
- 1 CAP-ENTRANCE DOOR STANDARD
- 1 FLOOR-NON ADA
- 1 BUMPER-RR 2 BRACES NO EXH HOLE
- 1 CAP-FRT ROOF VENT W/WARN.LPS.
- 1 CAP-REAR ROOF W/WARN.LPS.
- 1 GUSSET-21"H LWR SIDE SHEET
- 1 SHEET-LWR, L MID 20G,21"
- 1 SHEET-LWR,L RR 20G,21"
- 1 SHEET-LWR,R MID 20G,21"
- 1 SHEET-LWR,R RR 20G,21"
- 1 DOOR-U/B L BATTERY 24"
- 1 DOOR-FUEL FILL RS/LS CNG
- 1 FENDERETTE-STL FLAT FLR 21"
- 1 LATCH-BATT DOOR NON-LOCKING
- 1 LATCH-FUEL FILL ACCESS (THUMB)
- 1 ROOF SHEETS-(1) HATCH-251T KR4
- 1 VENT-STATIC PRESENT
- 1 PILASTER - 251T, 405

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 4**

- 1 RAIL-SNOW RAIL PRESENT
- 1 HARDWARE-MOUNTING CLIPS CNG
- 1 EXHAUST-LS TURNDWN, BELOW BMPR
- 1 PIPING-VENT TUBE AT BODY CNG

HVAC

- 1 AC-126K BTU-FREE BLOW BULKHEAD
- 1 AIR CONDITIONING CONTROLS-STANDARD
- 1 CONDENSER-KR430 ROOF 30" 3FAN
- 1 EVAP - IW10 RR, IW4 FRONT, KR4
- 1 EVAP TRIM-INT(2) IW10, IW4
- 1 PLUMB.-AC COMP TM21 DUAL ISB KR4
- 1 AC CTL.BD.STD.TIE IN SGL.LP.KR4
- 1 CONDENSER ALERT - ROOF
- 1 DOOR-ACC NONE
- 1 CABLE-EVAP 2 FRT BULKHEAD
- 1 HOSE-HTR BLUSTRIP NO W/H POS 17
- 1 HEATER-ENTRANCE DOOR STEPWELL
- 1 CLAMPS-PLUMBING HEATER CONSTANT TORQUE
- 1 CLAMPS-UNDERSEAT HEATER CONSTANT TORQUE
- 1 LOCATION-EVAP NO2 FRONT BULKHEAD
- 1 HTR-RS 84,000 BTU RR FLR.
- 1 DUAL TM21 AC COMPRESSORS
- 1 HEATER, DEFROSTER,AND AIR COND
- 1 BODY PLUMBING-A/C COMPRESS,FRONT EVAPORATOR, ROOF CONDENSER

INTERIOR

- 1 VISOR-WINDSHIELD SUN 6"X30" TINTED
- 1 DOOR-STORAGE BOX W/O GLASS
- 1 TRIM-LOWER KR4 W/ REAR HEATER
- 1 WHEELHOUSES-REAR L&R OMIT
- 1 REINF-SIDE DOOR JAMB AT REAR END
- 1 REINF-RR END A/C EVAP. IW10
- 1 REINF-FRONT A/C EVAP.
- 1 LATCH-DR INT STOR OVR W/S NONE
- 1 LATCH-DR INT STOR OVR DRVRSHDR
- 1 BULKHEAD-RR END INT.W-A/C IW10
- 1 COVER-ACCESS RR END HARNESS NONE
- 1 COVER-TRIM DRVS HDR W/STORAGE
- 1 COVER-TRIM FRT END W/S HEADER A/C
- 1 FLR-BLK VINYL W/13" CTR AISLE 251T
- 1 FLR-PLYWOOD 5/8" 251T
- 1 CVR-FUELSND INSP RS FRONT
- 1 LINING-SI.INT.W/ FLT FLR&RS FRT FUEL
- 1 INSULATION-FRT BULKHEAD W/ACRSY 2"POLY
- 1 H/L-1ST WDO SEC ACOUS GRY 251T
- 1 INSULATION - URETHANE
- 1 ROUTING-PLYWOOD FLOOR WITH LIFT DOOR
- 1 IN DASH STORAGE BIN

MISC

- 1 PDI IDENTIFIER-DEALER PERFORMED
- 1 MANUAL-DRVR'S/MAINT.ENGLISH
- 1 APPLICATION - SCHOOL
- 1 Adjustment-Body Equipment CNG
- 1 NO COOLANT HEATER - GAS/DIESEL
- 1 UP TO 15 DIESEL GALLON EQUIVALENT CHARGE
- 1 70 MPH ROAD SPEED LIMIT

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 5**

PAINT/LETTERING

- 1 DECAL-UNITED AUTO WORKERS
- 4 LABEL-P/O WDO EMER EXIT 2" BLACK
- 1 LABEL-ENGLISH AG2.AIR.ENT DR
- 1 DECAL-BACKING ALARM
- 1 LABEL-RR DR EMERGENCY DOOR DO NOT BLOCK
- 1 DECAL-ENTRANCE DOOR VANDALOCK ENGLISH
- 1 LOGO-SAF-T-LINER C2 CNG
- 1 LABEL-RR EMERGENCY DOOR INSTRUCTION
- 1 LABEL- DEF NONE
- 1 LABEL-MANUAL SHUT-OFF VALVE CNG
- 1 LABEL-CNG TANK INSPECTION LOG
- 1 HANDLE-INT SI DR BLACK
- 1 HANDLE-EXTERIOR SIDE DOOR WITH RECESS
- 1 PAINT-EXT HNDLE(S) BLACK
- 1 DECAL-REFL FRT CAP "SCHOOL BUS"
- 1 DECAL-REFL RR CAP "SCHOOL BUS"
- 1 DECAL-"CNG ONLY" RS/LS
- 1 PAINT-EXTERIOR ROOF WHITE 251T
- 1 PAINT-EXT WINDOW AREA BLACK
- 1 PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 PAINT-EXT BUMPER REAR BLACK
- 1 PAINT-BLACK TRIM-FRONT/REAR ROOF CAPS
- 1 PAINT-SOLID COLOR YELLOW
- 1 LABEL-CNG
- 1 DECAL-CNG FUEL SYSTEM
- 1 DECAL-APPROVED FUEL TYPE
- 1 HEADLINING-VESTIBULE ACOUSTIC, GRAY, DRIVER LAMP
- 1 PAINT:ONE SOLID COLOR,BASE/CLEARCOAT
- 1 CAB COLOR A:L5898EB SCHOOL BUS YELLOW ELITE BC
- 1 CAB COLOR B - NONE
- 1 CAB COLOR C: NONE
- 1 GRILLE: SILVER N3388H IMRON 5000

SEATS

- 1 OFF-SET LS BARRIER 4"
- 1 ALERT-S.T.A.R.S. PRESENT
- 1 SEAT BELT - DRIVERS SEAT
- 1 39" BARR-VERT,WALL MT 45"H RS 2009
- 1 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 2 PROFORM EDO BROWN UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 RAIL-ASSIST FRT ENT DR 39"W
- 1 BACK-NATIONAL DRV'S SEAT
- 1 ARMREST NATIONAL DRVR'S ST. NONE
- 1 UPH DR.ST.PRO BLK NATIONAL
- 1 PEDASTAL-DR ST MECH TYPE
- 1 COVER PEDASTAL NATIONAL NONE
- 1 SLIDE STOP NATIONAL DR.ST. NONE
- 1 RETAINER NATIONAL DR.ST.BELT
- 1 POUCH-DR.ST.STORAGE NONE
- 1 KICKPLATE-MOD.PANEL RS 39" IW4
- 1 RISER-DRIVERS SEAT, NATIONAL
- 1 Haptics-Not Present
- 14 FIREBLOCK BROWN UPH - S3C SEAT
- 8 S3C 39"LS FLEXIBLE 3/2 WALL MOUNT
- 6 S3C 39"RS 3/2 FLEXIBLE WALL MOUNT
- 14 S3C WALL MOUNT HARDWARE - C2

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 6**

SPECIAL NEEDS EQUIPMENT

- 1 SYMBOL-HAND LIFT DR
- 1 SYMBOL-HAND FRONT BUMPER LS
- 1 SYMBOL-HAND RR BUMPER LS
- 1 LIFT-WHEELCHAIR BRAUN NL919IB-2 (U.S.)
- 4 TRACK-OVERHEAD 10" LENGTH LS
- 3 TRACK-OVERHEAD 10" LENGTH RS
- 4 POUCH-STORAGE VINYL QSTRAINT
- 7 S.T.A.R.S. ANCHOR POCKETS-(5) COVERED PARA-8306-L2
- 4 RESTRAINT SYS-QSTRAINT 8100A1L
- 1 RETAINER-50"W SI DR CHN & HOOK
- 14 STARS MOUNTING SYSTEM - SYNTEC SEAT HARDWARE - C2, MINOTOUR

WARRANTY

- 1 BODY WARRANTY-5YEAR 100K MILES-C2

WINDOWS/GLASS

- 1 GLASS-WINDSHIELD ONE PIECE WITH TINTED BAND
- 1 GLASS-RS FRT STAT TNT TEMP
- 1 GLASS-LS FRT STAT TNT TEMP
- 1 GLASS-REAR STAT TINTED TEMP
- 1 GLASS-RR SIDE STAT TINTED TEMP
- 1 FRAME-WDO SPLIT
- 1 FRAME-WDO SPLIT 20"W
- 9 FRAME-WDO SPLIT 30"W
- 1 FRAME-WDO SPLIT 40"W
- 2 FRAME-WDO P/O VERT TEMP TNT LS
- 2 WDO P/O VERT TEMP TNT RS
- 1 GLASS-WDO TINT TEMP 20"
- 9 GLASS-WDO TINT TEMP 30"
- 1 GLASS-WDO TINT TEMP 40"
- 1 STOPS-WDO 12"
- 1 GLS-LWR RR DR TEMP TNT BONDED
- 1 GLS-UPR RR DR TEMP TNT BONDED
- 1 WDO-DRIVER'S TEMP TINT
- 1 GLASS- 50"W SI DR TEMP TNT

OTHER

- 1 2019 CUMMINS ENGINE TARIFF
- 1 ADJUSTMENT-PRICING, CATALYST MATERIALS
- 1 SURCHARGE-RAW MATERIAL (STEEL)
- 1 LOGO-FRT RS & RR
- 1 LOGO-THOMAS DECALS YELLOW
- 1 HATCH-RF ESC SPEC ADVANTAGE H1976-015-131 ENGLISH GRAY (1)
- 1 ELEC-RF ESC HATCH POS 5
- 1 ARM ASSEMBLY-WINDSHIELD WIPER (2)
- 1 ELECTRICAL-ROOF HATCH OR P/O WINDOW (DASH)
- 1 OPER-FAN W/S HDR
- 1 OPER-FAN DRV'S WDO HDR
- 1 OPER-ALARM BACKING W/REV.
- 1 OPER-RF HATCH BUZZER
- 1 PLUMBING-IW10, IW4, KR4
- 1 OPERATION-A/C CONTROL-STANDARD DIGITAL
- 1 LOCATION-VESTIBULE FLOOR PLATE CENTER 24 FAK
- 1 LOC-VEST.FLR.PLT.FWD. 10 BFC

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 7**

- 1 LOCATION-VESTIBULE FLOOR PLATE AFT REFLECTIVE TRIANGLE
- 1 AC DUCT-NOT PRESENT NO SIDE EVAP
- 1 EVAPORATOR QTY - NONE
- 2 OPER-XING ARM DEACTIVATION
- 1 ANTENNA - RADIO SWIVEL BASE
- 1 ELEC-ANTENNA RADIO COAXIAL
- 1 KIT-RADIO ANTENNA MOUNTING @ DRIVER'S HEADER
- 1 ALERT-6.7N CONDENSER ROOF
- 1 251T30_RH-5-1B
- 1 TRIM-A POST
- 1 FENDER-QUARTER 24" BATTERY BOX DOOR
- 1 STRINGER-ROOF 251T
- 1 FRONT END FRAME
- 1 FRT END FRAME MTG KIT
- 1 REAR END FRAME-28.68"DEEP
- 1 FLOOR-GALVALUME STEEL MID BODY
- 1 LOC-40" RAF SP 8TH 251T
- 1 RS TANK ALERT - NONE
- 1 DOOR ALERT - LS ENT NONE
- 1 TRIM-REAR DOOR
- 1 HINGES-REAR DOOR PIN TYPE
- 1 LATCH-SINGLE-POINT, REAR EMERGENCY DOOR
- 1 STOP-DOOR REAR EMERGENCY, 1-POS
- 1 OPERATION-VANDLOCK ENTRANCE/EMGENCY DOOR(S) WITH PILOT LAMPS
- 1 HINGES-50"W SI DR PIN TYPE
- 1 LATCH-SGL-POINT,50"W SI DR
- 1 OPER-DR.RR.EMG.W/BUZ
- 1 TRIM-50" SIDE DOOR 40"OPG AFT
- 1 DOOR-LS ENT RS EXIT -NONE REQD
- 1 INT COLOR -50" SI DR GREY
- 1 INT COLOR -RR DOOR GRAY
- 1 VANDALOCK-NONE REQUIRED RS
- 1 VANDALOCK-NONE REQUIRED LS
- 1 DOOR ALERT - RS EXIT NONE
- 1 OPERATION-DOOR LIFT WITH BUZZER
- 1 DOOR, REAR EMERGENCY
- 1 THRESHOLD REAR EMGERGENCY DOOR
- 1 OPERATION-MONITOR WARNING/STOP/TAIL/TURN
- 1 ELEC-DRIVER'S DOME LPS
- 1 LPS-DOME PASS MIN (4) 251T
- 1 ELEC-PASS DOME LPS MIN (4)
- 1 OPERATION-SWITCH, PANEL LAMPS DIMMER
- 1 LPS-EXT AFT OF ENT DOOR
- 1 LPS-STPWLL LED (1)
- 1 ELEC-PASSENGER ADVISORY 251T
- 1 SWITCH-RKR FAN DEFROST L.S.
- 1 BUZZER-SWITCH PANEL 1 TONE
- 1 OPERATION-NOISE SUPPRESSION
- 1 ELEC-LPS WARNING,8 LPS 251T
- 1 OPER-LPS, DOME STANDARD
- 1 OPER-LPS BODY TAIL W/PARK SW.
- 1 LAMPS-LICENSE PLATE ILLUMINATION
- 1 ELEC-LPS ID/MKR PARK/SW.251T
- 1 SWITCH-ROCKER DOME LAMPS DRIVER ON/OFF
- 1 OPER-DRVR'S DOME LPS ON/OFF
- 1 OPER-HTR BOOSTER PUMP OPER WITH SWITCH

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 8**

- 1 OPERATION-LAMPS INTERIOR/EXTERIOR RIGHT FRONT ENTRANCE DOOR
- 1 OPER-LPS SERVICE BRAKE
- 1 OPERATION-SWITCH ID/MARKER LAMPS WITH PARK
- 1 OPER-LPS DOME (2)ON/OFF
- 1 OPER-LPS REVERSE
- 1 ELEC-(3) SWITCH BANKS
- 1 SWITCH-RKR W/C LIFT POWER
- 1 SWITCH-WARN.LPS ON/AMB ACT.
- 1 CABLE-EVAPORATOR 1 POWER SUPPLY STANDARD
- 1 SWITCH-ROCKER A/C ON
- 1 ELEC-HARNESS COMP ASM 251T
- 1 ELEC-ELECTRONIC COMP ASM
- 1 OPER-LPS DIR./HAZ.
- 1 SWITCH-RKR MIRROR HTR.
- 1 ELEC-MIR A HTD & RC
- 1 SIGN-STOP, ELEC FRT #SC2-610-10C-CP
- 1 RAIL-EXTERIOR GUARD @ WINDOW,SEAT,FLOOR,SKIRT
- 1 RAIL-EXT GRD @ SEAT FRT END LS
- 1 RAIL-EXT GRD@ FLOOR, NONE
- 1 TRIM-FRT CAP RS/LS
- 1 SKIRT FORWARD STEPWELL EXPORT
- 1 PANELS-EXTERIOR REAR
- 1 SHEET-DRIVERS EXTERIOR 20 GA.
- 1 SHEET-UPPER SIDE EXTERIOR
- 1 OPER-MIRRORS EXT HTD.
- 1 UNDERCOATING-ASPHALT EMULSION
- 1 HEADERS-WINDOW INTERIOR 251T
- 1 PAINT-EXT ENT DOOR NONE
- 1 PANELS-EXTERIOR REAR SIDE LONG W/STATIONARY GLASS
- 1 LS STORAGE BOX 1 - NONE
- 1 LS STORAGE BOX 2 - NONE
- 1 RS STORAGE BOX 1 - NONE
- 1 RS STORAGE BOX 2 - NONE
- 1 RS STORAGE BOX ROH - NONE
- 1 LS STORAGE BOX ROH - NONE
- 1 DECAL-CNG FAST & SLOW FILL CENTER
- 1 PANELS-REAR END INTERIOR REAR GALVALUME
- 1 PANELS-RR END INT SI LONG W/ST
- 1 PANELS-ACCESS RR GRAY PASS ADVISORY
- 1 COVER-HARNESS ACCESS@HDR
- 1 COVER-ACCESS FRT END HARNESS
- 1 COVER-TRIM FRT ENT.ALUM.DR HDR.AIR.OP.
- 1 HEADLINING-REAR LONG SMOOTH, GRAY
- 1 STRIPS - AISLE, SNAP-IN BLACK
- 1 FLOOR-BLACK WHEELHOUSE OMIT
- 1 MOLDING-SHOE NO WHEELHOUSE
- 1 SWITCH-ROCKER HEATER STEPWELL
- 1 LUGGAGE RACK ALERT - NONE
- 1 SWITCH-ROCKER HEATER REAR WALL
- 1 RAIL-SEAT
- 1 LAYOUT-SEAT RAIL HOLES RS
- 1 LAYOUT-SEAT RAIL HOLES LS
- 1 CABINET-SW, FWD
- 1 CABINET-SWITCH, LOWER WITHOUT POCKET
- 1 CABINET-SWITCH, UPPER
- 1 CABINET-TOP PLATE (3 BANK)
- 1 TREAD-STEP ALUMINUM ENTRANCE DOOR BLACK

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 9**

- 1 OPER-HTR STEPWELL
- 1 INSULATION-VEST HEADLINING 2"
- 1 INSULATION-SIDELINING 2" POLY
- 1 INSULATION-RR BULKHEAD 2" POLY
- 1 OPERATION-HTR REAR WALL/R.S.RR.FLR.
- 1 HEADERS-WINDOW EXTERIOR 251T
- 1 LOCATION-EVAPORATOR NO1 REAR BULKHEAD
- 1 HARNESS COVER COLOR - GRAY
- 1 SPEAKER ALERT - PRESENT
- 1 DOME LPS - MINIMUM
- 1 HEADLINING COLOR - GREY
- 1 HDLINING TYPE-1ST WDO ACOUSTIC
- 1 MAT, FLOOR VESTIBULE
- 1 TRIM-INTERIOR DASH FORWARD
- 1 INSTALLATION-PARK BRAKE NONE
- 1 INSULATION-INT LONG REAR WDO
- 1 LUGGAGE RACK ALERT - NONE
- 1 PLATE-ACCELERATOR
- 1 LABEL-QR CODE
- 1 OPER-WDO P/O
- 1 LN 12V 320 AMP 4962PGH PAD MOUNT ALTERNATOR
- 1 NO AIR INTAKE WARMER
- 1 VANDALOCK,STARTER DISABLE W/ANY LOCKED EMER DR(S),LH PT LAMP
- 1 LOWER RADIATOR GUARD
- 1 FUEL TANK MOUNTED BETWEEN RAILS, AFT OF REAR AXLE, WITH CAGE
- 1 REMOTE-MOUNTED SURGE TANK
- 1 BASIC WIRING SCHEMATIC,UNMOUNTED,12-VOLT NEGATIVE GROUND SYS
- 1 PAINTED BATTERY PANEL COVER
- 1 BATTERY BOX FRAME MOUNTED
- 1 BATT ENABLED 3 AMBER INBOARD ID LAMPS,2 AMBER OUTBOARD MARKE
- 1 LED WARNING SYSTEM LAMPS
- 1 STANDARD BODY VISUAL WARNING,LOWER RR,REV LAMPS ON DR/OPEN
- 1 DRIVER'S IGNITION OPERATED DOME LP WITH ON/OFF SW
- 1 PASSENGER COMPARTMENT DOME LAMPS, IGNITION ACTIVATED
- 1 PASSENGER COMPARTMENT DOME LPS, DUAL ON/OFF SWITCH
- 1 OVER DOOR LAMP, RH EMERGENCY/LIFT DOOR
- 1 STEPWELL LAMP ON WITH DOOR OPEN AND MARKER LAMPS ON
- 1 EIGHT LAMP WARNING SYSTEM,LH DASH SWITCH(S), PACKAGE 2
- 1 SHIFT LEVER, CABLE LINKAGE, AUTOMATIC TRANSMISSION
- 1 DRIVELINE GUARD
- 1 BENDIX ADB22X AIR DISC FRONT BRAKES
- 1 NON-ASBESTOS FRONT BRAKE LININGS
- 1 FRONT SHOCK ABSORBERS
- 1 CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS
- 1 BENDIX ADB22X AIR DISC REAR BRAKES
- 1 NON-ASBESTOS REAR BRAKE LININGS
- 1 NO DRIVELINE PARKING BRAKE
- 1 REAR OIL SEALS
- 1 CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS
- 1 MAXION 91262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 MAXION 91262 22.5 X 8.25 10 HOLE HUB PILOT 5-HAND
- 1 NO POLISHED FRONT WHEELS
- 1 NO POLISHED REAR WHEELS

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 10**

- 1 TWO QUART SEE THRU POWER STEERING RESERVOIR
- 1 STD FITTINGS POWER STEERING GEAR
- 1 POWER STEERING PUMP
- 1 ZINC-PLATED HEXHEAD CHASSIS FASTENERS
- 1 3175MM (125") REAR FRAME OVERHANG
- 1 SQUARE END OF FRAME
- 1 COMBINATION S/T/T/R LAMPS, LED
- 1 REAR EMERGENCY DOOR,IGNITION CONTROL,BUZZER ON W/DOOR OPEN
- 1 CAB MOUNTING FOR HOOD AND COWL CHASSIS
- 1 MANUAL ENT DOOR LOCK/BUZZER ON W/EMERGENCY DOORS UNLATCHED
- 1 ONE GALLON WINDSHIELD WASHER RESERVOIR
- 1 BLACK HOOD MOUNTED AIR INTAKE GRILLE
- 1 SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W/DELAY
- 1 GRAY/CHARCOAL FLAT DASH
- 1 A/C PLMBG,IW10,IW4,KR430,126K,B6.7N,219+,B2
- 1 AUXILIARY BODY HEATER,UNDER SEAT,REAR WALL
- 1 STANDARD TUNNEL/FIREWALL LINER
- 1 NO AIR CONDITIONER CONDENSER
- 1 STANDARD HVAC DUCTING
- 1 MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH,& NOISE SUPPRES
- 1 WINDSHIELD FAN,(1) HEADER MOUNTED
- 1 DRIVER'S FAN,(1) MOUNTED ABOVE SIDE WINDOW
- 1 DIGITAL AUXILIARY BODY MOUNTED AC CONTROL
- 1 GRAY INSTRUMENT PANEL-DRIVER
- 1 BODY SUPPLIED HEATED MIRRORS
- 1 ROOF MOUNTED VENT/ESCAPE HATCH
- 1 PUSH OUT BODY SIDE WINDOWS, BUZZER WITH WINDOW UNLATCHED
- 1 PROVISION FOR EVIR ZONAR
- 1 WARNING/REAR LAMP MONITOR
- 1 SEPARATE PANEL LAMP DIMMER,LH DRIVER'S SWITCH PANEL
- 1 CHASSIS COWL AND HOOD ONLY
- 1 NO TCU-TRANSMISSION OPTIMIZED(NO FUEL SENSE)
- 1 STANDARD BRAKE WIRING
- 1 BUMPER: BLACK
- 1 NO SPARE WHEEL PAINT
- 1 CHASSIS: VENDOR BLACK
- 1 J1939 ELECTRICAL ARCHITECTURE
- 1 EXPECTED GROSS VEHICLE WEIGHT CAPACITY
- 1 EXPECTED FRONT AXLE(S) LOAD
- 1 EXPECTED REAR DRIVE AXLE(S) LOAD
- 1 SCHOOL BUS SERVICE
- 1 COWL CHASSIS CONFIGURATION COMPLIES WITH SBMTC
- 1 BUS BODY WITHOUT WHEELWELL
- 1 PASSENGER COMMODITY
- 1 100% ON-HIGHWAY (CITY) TERRAIN
- 1 DOMICILED OKLAHOMA
- 1 THOMAS BUILT SCHOOL BUS 251T
- 1 NO 3RD A/C EVAPORATOR

CHASSIS

AXLES AND SUSPENSIONS

- 1 ALIGNMENT-4-WHEEL SAF-T-LINER C2
- 1 SPL100 DANA SPICER MAIN DRIVELINE
- 1 DA-F-10-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
- 1 FRONT OIL SEALS
- 1 SYNTHETIC 75W-90 FRONT AXLE LUBE

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 11**

- 1 SYNTHETIC 75W-90 REAR AXLE LUBE
- 1 DA-RS-17.5-4 17.5K R-SERIES SINGLE REAR AXLE
- 1 5.22 AXLE RATIO
- 1 IRON REAR AXLE CARRIER HOUSING
- 1 REAR SHOCK ABSORBERS - ONE AXLE
- 1 10,000 LB. TAPERLEAF FRONT SUSPENSION
- 1 AIRLINER 23,000 LB. REAR SUSPENSION
- 1 COMFORT-TEC SUSPENSION
- 1 DUAL AIR REAR SUSPENSION LEVELING

BRAKES

- 1 ALERT-ENHANCED STABILITY CONTROL
- 1 AIR BRAKE PACKAGE
- 1 AIR DISC LONGSTROKE CENTER PORT FRONT BRAKE CHAMBERS
- 1 FRONT AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 DISC BRAKE FRONT ROTORS FOR HYDRAULIC BRAKES
- 1 AIR DISC LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
- 1 REAR AIR DISC BRAKE INTERNAL ADJUSTERS
- 1 REAR DISC BRAKE ROTORS
- 1 STEEL AIR BRAKE RESERVOIRS INSIDE FRAME RAILS
- 1 BW DV-2 AUTO DRN VLV W/HTR ON WET TANK, PETCOCK OTHER
- 1 BENDIX AD-9 AIR DRYER WITH HEATER
- 1 WABCO 4S/4M ABS W/TRACTION CONTROL
- 1 ONE-VALVE PARKING BRAKE SYSTEM WITH WARNING

CHASSIS EQUIPMENT

- 1 ANTI-FREEZE, OAT -34 DEGREE
- 1 WINTERFRONT-CHASSIS GRILLE YELLOW
- 1 B2 106 CONVENTIONAL CHASSIS
- 1 SET-BACK AXLE - TRUCK
- 1 DELCO 12V 29MT STARTER WITH INTEGRATED M
- 1 NO CLUTCH PEDAL WITH NON-ADJUSTABLE
- 1 ENGINE COMPARTMENT MOUNTED AIR RESTRICTION INDICATOR W/LIGHT
- 1 HORIZ TAILPIPE, EXIT LH REAR
- 1 NO DEF TANK
- 1 MAGNETIC ENGINE DRAIN, REAR AXLE DRAIN & FILL PLUG
- 1 EXHAUST MITIGATION DEVICE FTL 4" ID SLIP
- 1 STEMCO HUBODOMETER MOUNTED ON RH FRONT DRIVE AXLE
- 1 NO TRACTION STABILIZER
- 1 700 CUBIC INCH MINIMUM AUXILIARY AIR
- 1 ADJUSTABLE STEERING COLUMN
- 1 TRW THP-60 POWER STEERING
- 1 5550MM (219") WHEELBASE
- 1 5/16" X 3" X 10-1/8" STEEL FRAME 120,000 PSI YIELD
- 1 ONE-PIECE 14" PAINTED STL 1/4" HD BUMPER
- 1 FRONT FRAME-MOUNTED TOW HOOKS
- 1 NO LICENSE PLATE MOUNTING
- 1 NO AUTO TRACTION CHAINS
- 1 REAR TOW HOOKS
- 1 STANDARD DUTY HOOD MOUNTING
- 1 FIBERGLASS HOOD
- 1 PAINTED PLASTIC GRILLE
- 1 YELLOW WINTERFRONT
- 1 ALL LOCKS KEYED THE SAME
- 1 (2) CUPHOLDERS, LEFT HAND AND RIGHT HAND DASH
- 1 REINFORCED NYLON, FABRIC AND WIRE BRAID CHASSIS AIR LINES

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 12**

ELECTRICAL - CHASSIS

- 1 PROG RPM CTRL W A/C OR 12.75V LOW VOLT AUTO HI IDLE, DASH SW
- 1 CRUISE CONTROL-ELEC ENG,W/SWITCHES IN LH SWITCH PANEL
- 1 STARTER CONTROL-FUEL FILL DOOR STARTER
- 1 IGNITION SWITCH CONTROLLED ENGINE STOP
- 1 WARNER ELECTRIC ELECTRO-MAGNETIC ON/OFF
- 1 12VOLT POWER SUPPLY LH PANEL
- 1 SOLID STATE CIRCUIT PROTECTION, PDMS WIT
- 1 (3) ALLI MODEL 1131, GROUP 31, 12V 2850CCA STUD BATTERIES
- 1 COLE HERSEE BATTERY CUT-OFF SWITCH, BATTERY BOX MOUNTED
- 1 SELF CANCEL TURN SIGNAL SWITCH W/DIM/WASH&HAZZARD IN HANDLE
- 1 STANDARD FRONT TURN SIGNAL LIGHTS
- 1 PARK LMP SW INTGRAL W/HL SWITCH, ID/MARKER/CLEARANCE/PARK ON
- 1 NO FENDER MTD TURN/MARK COMBO LPS
- 1 AMBER LED MIDSHIP TURN SIGNALS
- 1 DAYTIME RUNNING LIGHTS SET @ 85%
- 1 INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH ALARM WITH IGNITION
- 1 NO UTILITY/ADVERTISING LIGHT
- 1 STOP SIGN PRESENT
- 1 NO BAGGAGE COMPARTNENT LAMP
- 1 NO BODY MTD INT SPOT/WORK LAMP
- 1 ELECTRONIC STABILITY CONTROL
- 1 RH LIFT DOOR,BATTERY/IGNITION CONTROL,BUZZER OFF @ FULL OPEN
- 1 AIR OPERATED BATTERY CONTROLLED RH FRONT ENTRANCE DOOR
- 1 BATT POWERED 3-POS INTERNAL DOOR CONTROL SWITCH
- 1 DUAL ELEC HORNS W/PASS ADV;HORN&FLASHING HDLTS&SWITCH DEACTI
- 1 NO OBSTACLE DETECTION SYSTEM
- 1 NO CAMERA/VIDEO/IMAGING SYSTEM
- 1 C/F J1939 RADIO W/PA
- 1 FASTEN SEAT BELT INDICATOR FOR CUSTOMER SUPPLIED SEAT BELT
- 1 LOCATING SYSTEM WITH VEHICLE MONITORING
- 1 ELECTRONIC SPEEDOMETER WITH SECONDARY KPH SCALE, NO ODOMETER
- 1 ICU3S, 132x48 Display w/Diagnostics, 28 LED Warn Lamps
- 1 PRE/POST TRIP SYSTEM TEST
- 1 ENGINE AND HOUR METERS INTEGRAL WITH DRIVER DISPLAY
- 1 DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
- 1 PRIMARY AND SECONDARY AIR PRESSURE GAUGES
- 1 ELECTRIC FUEL GAUGE
- 1 ELECTRIC ENGINE OIL PRESSURE GAUGE
- 1 ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
- 1 TRANSMISSION OIL TEMPERATURE GAUGE

ENGINE AND EQUIPMENT

- 1 CUMMINS B6.7N 220HP @ 2400 RPM, 2600 GOVERNED
- 1 ANTI-FREEZE TO -34F, OAT (NITRITE AND SILICATE FREE)EXT LIFE
- 1 ENGINE-MOUNTED OIL CHECK AND FILL
- 1 CUMMINS 18.7 CFM COMPRESSOR
- 1 CUMMINS SUPPLIED FLEETGUARD COALESCING FILTER
- 1 STANDARD ENGINE OIL
- 1 FULL FLOW OIL FILTER
- 1 NO FUEL/WATER SEPARATOR
- 1 EXHAUST BRAKE NONE
- 1 ALUMINUM FLYWHEEL HOUSING
- 1 PHILLIPS 750 WATT/115 VOLT BLOCK HEATER
- 1 ENGINE HEATER RECEPTACLE MOUNTED FACE OF BUMPER, LEFT SIDE

**ATTACHMENT C RFB 23016 –
EQUIPMENT CHECK LIST FOR CNG TYPE C SPECIAL NEEDS SCHOOL BUS – Page 13**

- 1 ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION
- 1 ADDL AUX LINES W/MANIFOLD PLUMBING AND COMBINED SHUTOFF
- 1 GATES BLUE STRIPE COOLANT HOSES
- 1 CONSTANT TORQUE BREEZE CLAMPS ON 1" IN DIA GREATER, SS C
- 1 PLASTIC BOOSTER PUMP
- 1 30,600 BTU STEPWELL HEATER, RH FRONT ENTRANCE DOOR
- 1 DONALDSON ONE-STAGE AIR CLEANER
- 1 15.9X64.0 INCH CYLINDRICAL ALUMINUM
- 1 RH CNG NGV1 STD+LH Slow Fill
- 1 15.9X83.1 INCH CYLINDRICAL ALUMINUM
- 1 FUEL TANK AFT OF FRONT AXLE
- 1 FUEL TANK AFT OF FRONT AXLE
- 1 SGL CNG FUEL LINE W/IN-LINE SOLENOID
- 1 CNG FUEL HEATING SYSTEM
- 1 (2) 15.9X64.0 INCH CYLINDRICAL ALUMINUM
- 1 750 SQUARE INCH DOWN FLOW RADIATOR
- 1 ENGINE AFTERTREATMNT WIRING, OXYGEN SENSOR
- 1 CNG) COMPRESSED NATURAL GAS FUEL
- 1 NO IDLE SHUTDOWN CONFIGURATION
- 1 ELECTRONIC TACHOMETER 3000 RPM

TRANSMISSION AND EQUIPMENT

- 1 ALLISON 2500 PTS AUTOMATIC TRANSMISSION
- 1 ALLISON VOCATIONAL PACKAGE 354 - FIFTH GEN
- 1 TRANSMISSION OIL CHECK AND FILL
- 1 SYNTHETIC 50W TRANSMISSION LUBE (TES-295 COMPLIANT)
- 1 WATER TO OIL TRANSMISSION COOLER - IN RADIATOR END TANK
- 1 NO TCU-LBSS VAC

WHEELS AND TIRES

- 1 FRONT MICHELIN XZE 255/70R22.5,(H) 16 PLY
- 1 REAR MICHELIN XZE 255/70R22.5,(H) 16 PLY
- 1 NO TIRE PRESSURE CONTROL/SENSOR
- 1 TIRE/WHEEL BALANCING-LEAD FREE WEIGHTS
- 1 ACCURIDE PK-BLACK21 POWDER BLACK WHEEL (N0001H)- FRONT
- 1 ACCURIDE PKBLK21 POWDER BLACK WHEEL (N0001H) - REAR

OTHER TYPE

GEARS

- 1 PRIMARY MODE GEARS, 5 FORWARD

DEALER ADD On's

EQUIPMENT

- 1 Lettering
- 1 OSI
- 1 Seon camera system
- 1 Three sets keys/route changer
- 1 Two-way radio

ATTACHMENT D RFB 23016
EQUIPMENT CHECK LIST FOR CNG TYPE D REAR ENGINE SCHOOL BUS – Page 1

Model Profile:

YEAR: 2023(NEW)

PASSENGER CAPACITY: 84 TO 87

WHEELBASE: 277 INCHES

BRAKE TYPE: AIR

ENGINE TYPE: CUMMINS ISGL 280 CNG, C CYL, 280 HP, 2200 RPM

FUEL TYPE: CNG

TRANSMISSION: ALLISON 3000 PTS

AXLE CAPACITY: FRONT 13200 LB, REAR 23000 LB.

TIRES: GOODYEAR 11R22.5 661 16(H) PLY

Meets all FMVSS requirements in effect at the time of manufacture.

CERTIFICATION/SAFETY

- 1 FIRE EXTINGUISHER - 5 LB.
- 1 KIT - FIRST AID, 24 UNIT, COMPLIES WITH OKLAHOMA STATE SPECS
- 1 KIT - BODY FLUID CLEAN-UP, COMPLIES WITH OKLAHOMA STATE SPEC
- 1 REFLECTORIZED TRIANGLES - 3 BENEATH FIRST SEAT ON LEFT SIDE
- 1 HDX ACCUSTYLE, HEATED & REMOTE REAR-VIEW MIRRORS
- 1 HDX EYE-MAX LP HEATED CROSS VIEW MIRROR
- 2 AIR CLUSTER LED STOP SIGNAL
- 1 ROOF ESCAPE HATCH - TRANSPEC, LOW PROFILE ECONO, WHITE (2)
- 1 LABEL - U.S. CERTIFICATION
- 1 APPLICATION – SCHOOL
- 1 LABEL-GHG CERTIFICATION ENGLISH

DOORS

- 1 EXTERIOR DOOR HANDLE
- 1 VANDALOCK - AIR-OPERATED OUTWARD OPENING ENTRANCE DOOR
- 1 VANDALOCK - SIDE EMERGENCY DOOR WITH INTERLOCK & BARREL BOLT
- 1 VANDALOCK - REAR PUSHOUT WINDOW, WITH DAVENPORT SHELF
- 1 STRAP HINGES - SIDE EMERGENCY DOOR, LEFT SIDE (B5155)
- 1 STEPWELL GUARD (HDX)

ELECTRICAL – BODY

- 1 PASSENGER ADVISORY SYSTEM - BUZZER ACTIVATION
- 1 DEFROSTER FAN MOUNTED OVER WINDSHIELD, CENTER
- 1 DEFROSTER FAN - MOUNTED OVER DRIVER'S WINDOW

EXTERIOR

- 1 MUD FLAPS - FRONT, RUBBER, 19.5" W WITH LOGO
- 1 REAR RUBBER MUD FLAPS 22.5W W/LOGO
- 2 ROUTE PLAQUE SIGNS
LED LIGHTING

HVAC

- 1 HEATER 15,000 BTU - DRIVER'S COMPARTMENT
- 1 HEATER SHUT-OFF VALVES - BALL TYPE - ENGINE COMPARTMENT
- 1 84,000 BTU HEATER - 4TH SECTION LEFT SIDE
- 1 84,000 BTU HEATER - AGAINST REAR WALL, RIGHT SIDE
- 1 SERIES HEATER CONNECTION - REAR HEATERS TWO (2)
- 1 SERIES HEATER CONNECTION - REAR HEATER ONE (1)
- 1 HEATER HOSE – SINGLE-PLY, RIGHT SIDE, REAR HEATER

ATTACHMENT D RFB 23016
EQUIPMENT CHECK LIST FOR CNG TYPE D REAR ENGINE SCHOOL BUS – Page 2

INTERIOR

- 1 FLOOR STEP NOSING
- 1 ALUMINUM AISLE STRIPS
- 1 BLACK KOROSEAL FLOOR COVERING WITH 13" CENTER AISLE
- 1 PLYWOOD FLOOR - 5/8" THICKNESS
- 1 78" HEADROOM
- 1 SPECIAL URETHANE FOAM INSULATION
- 1 ACOUSTIC HEADLINING - VESTIBULE WITH POLYESTER INSULATION
- 1 BODY ADJUSTMENT - DAVENPORT SHELF

MISC

- 1 BODY ADJUSTMENT - STANDARD BATTERY BOX RIGHT SIDE
- 1 IDLE SHUT OFF

PAINT/LETTERING

- 1 YELLOW REFLEXITE - 2", PERIMETER OF REAR BUS BODY
Signage ("Excellence and High Expectations with a Commitment to All")
- 1 YELLOW "SCHOOL BUS" SIGN - FRONT HOOD
- 1 YELLOW "SCHOOL BUS" SIGN - REAR HOOD
- 4 YELLOW REFLEXITE-PERIMETER OF PUSHOUT SASH (28.5" HIGH SASH)
- 1 YELLOW REFLEXITE - PERIMETER OF EMERG DOOR, 24" W (78" HR)
- 1 YELLOW REFLEXITE - PERIMETER OF REAR PUSHOUT WINDOW
- 1 YELLOW REFLEXITE - 2", FLOOR LINE - BOTH SIDES OF BUS BODY
- 1 LOGO-SAF-T-LINER CNG
- 1 PAINT-EXTERIOR ROOF WHITE 6"
- 1 PAINT-EXT WDO AREA SAME AS BODY
- 1 PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 PAINT-SOLID COLOR YELLOW

SEATS

- 1 2011 SEATING ALERT
- 1 SEAT BELT CUTTER - TIE TECH
- 1 KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER, RT SIDE
- 1 FOUR LEG SEAT IN LIEU OF WALL MOUNT SEAT, FMVSS REST SEAT
- 1 39" BARR-VERT, WALL MT 45"H RS 2009
- 1 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 26 39" FMVSS HIGH BACK RESTR SEAT 2011
- 1 90" FMVSS HIGH BACK RESTRAINING DAVENPORT SEAT
- 1 45"H REST FLIP ST-FWD FACE-39" 2011
- 26 PROFORM EDO BROWN UPHOLSTERY-45" HIGH FMVSS SEAT
- 2 PROFORM EDO BROWN UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 PROFORM EDO BROWN UPHOLSTERY-45"HIGH FORWARD-FACING FLIP SEAT
- 1 PROFORM EDO BROWN UPHOLSTERY-45" HIGH FMVSS DAVENPORT SEAT
- 1 BACK-NATIONAL DRV'S SEAT AIR ADJUSTABLE
- 1 ARMREST NATIONAL DRVR'S ST. NONE
- 1 UPH DR.ST.WOLF BLK NATIONAL
- 1 PEDASTAL-DR ST MECH TYPE

ATTACHMENT D RFB 23016
EQUIPMENT CHECK LIST FOR CNG TYPE D REAR ENGINE SCHOOL BUS – Page 3

- 1 COVER PEDASTAL NATIONAL NONE
- 1 RETAINER NATIONAL DR.ST.BELT NONE
- 1 POUCH-DR.ST.STORAGE NONE
- 1 RISER-DRIVERS SEAT, NATIONAL NONE

WINDOWS/GLASS

- 1 STANDARD SASH MILL FINISH
- 1 TINTED TEMPERED GLASS - COMPLETE (28.5" HIGH ALUM SPLT SASH)
- 1 TINTED WINDSHIEDL WITH 5" BAND FOR MVP-ER, ER TRANSIT
- 2 TINTED TEMPERED PUSHOUT SASH-LEFT SIDE (28.5" HIGH SPL SASH) TINTED PASSENGERWINDOWS
- 2 TINTED TEMPERED PUSHOUT SASH-RIGHT SIDE (28.5" HI SPLT SASH) TINTED PASSENGER WINDOWS
- 1 TINT TEMP GLASS-COMP (28.5")
- 1 WINDOW STOPS (12")

CHASSIS

AXLES AND SUSPENSIONS

- 1 AXLE - REAR, DANA 22060S, 4.88 RATIO
- 1 HENDRICKSON "COMFORT AIR" SINGLE AXLE AIR SUSPENSION-23K AXL

BRAKES

- 1 ANTILOCK BRAKES - MERITOR/WABCO (HDX)
- 1 DUST SHIELDS - 6" FRONT BRAKES FOR AIR BRAKES - MERITOR
- 1 DUST SHIELDS - 8 5/8" REAR BRAKES FOR AIR BRAKES - MERITOR

CHASSIS EQUIPMENT

- 1 AUTO AIR TANK DRAIN HEATED (4) – HDX
- 1 AIR DRYER - BENDIX AD9 WITH HEATER - CUMMINS ISLG
- 1 OIL LUBRICATION SEALS
- 1 LEFT & RIGHT SIDES OR FRONT FUEL FILL - CNG MODEL
- 1 CNG 5 FUEL TANK PACKAGE - 277" WHEELBASE
- 1 CHASSIS FRAME RAIL - REG. STRENGTH (50KSI) HDX (277"WB)
- 1 TOW HOOKS, FRONT - TWO (2)

ELECTRICAL – CHASSIS

- 1 300 AMP ALTERNATOR- PAD MOUNTED-CUM ISLG
- 1 DUAL 12-VOLT 8D BATTERIES - CUMMINS ISLG
- 1 CIRCUIT BREAKERS-MANUAL RESET
- 1 SOLID STATE ELECTRONIC FLASHER FOR HAZARD LIGHTS
- 1 AUDIBLE ALARM-HEADLIGHTS/ MARKER LIGHTS ON

ENGINE AND EQUIPMENT

- 1 EXHAUST BRAKE NONE
- 1 CRUISE CONTROL - (CUM ISLG)
- 1 VEHICLE SPEED LIMITING (70 MILES PER HOUR SETTING)
- 1 CUMMINS ISLG-280 ENGINE - 2007 EPA EMISSIONS
- 1 MULTI-FUNCTION GAUGE-REAR PANEL

TRANSMISSION AND EQUIPMENT

- 1 ALLISON 3000 PTS TRANSMISSION - CUMMINS ISLG - 280 (HDX)
TRANSMISSION COOLER

ATTACHMENT D RFB 23016
EQUIPMENT CHECK LIST FOR CNG TYPE D REAR ENGINE SCHOOL BUS – Page 4

WHEELS AND TIRES

- 6 GOODYEAR 11R22.5 661 16(H) PLY
- 6 DISC WHEEL - 8.25 X 22.5, 5H (BLACK)
- 1 HUB-PILOTED WHEELS - 23K (HDX)22.5

HUB METERS

DEALER ADD ON'S

EQUIPMENT

- BELTLINE LETTERING AND BUS NUMBERS
- CAMERA SYSTEM: SEON TROOPER TL4,4 (FOUR) CHANNEL DVR RECORDER WITH 3 (THREE) SQ8 IR DOME CAMERAS WITH 2.9mm LENSES
- TWO WAY RADIO SYSTEM: MOTOROLA XPR4550 UGH, 25 WATT 2-WAY RADIO WITH LOW PROFILE ANTENNAS
- CNG FILL NOZZLE ON BOTH SIDES OF BUS
- SET OF DIAGNOSTIC SOFTWARE, PARTS DISC, SERVICE MANUAL, FREE PRODUCT TRAINING THAT'S AVAILABLE

ATTACHEMENT E REFERENCES

Provide a listing of at least three (3) references of large volume sales within the last two (2) years.

Customer (1)

Customer Name:
Telephone:
Contact Name:
Title:
Address:
Email Address:

Customer (2)

Customer Name:
Telephone:
Contact Name:
Title:
Address:
Email Address:

Customer (3)

Customer Name:
Telephone:
Contact Name:
Title:
Address:
Email Address:

Attachment G

VALIDATION

Note: Bids must be manually signed on this form in the space provided below.

Has the offeror, any officer of the offeror, or any employee of the offeror who has a proprietary interest in the bid, ever been disqualified, debarred, removed, or otherwise prevented from participating, or completing a federal, state, or local government project because of a violation of law or a safety regulation?

Yes _____

No _____

If the answer is Yes, please explain the circumstances in the following space:

Offeror, in compliance with this RFB, has examined the specifications, and is familiar with all of the conditions and requirements. Vendor meets all of the standards and requirements necessary to perform the services/provide the products and is able to furnish the services/products in the time frame specified and at the rates set forth in this bid. The undersigned, on behalf of the offeror, certifies that this offer is made without previous understanding, agreement or connection with any person, firm, or corporation making a bid on the same project and is in all respects fair and without collusion or fraud.

I have read the terms and conditions of this RFB, truthfully answered the above question, and submit for consideration the enclosed offer and accessory data which will become part of any agreement. The undersigned has the authority to bind vendor and certifies that all statements contained in the bid are true and correct. If accepted by the District, this bid is guaranteed as written and amended and will be implemented as stated.

Please indicate if this business is: _____ Minority-owned or _____ Female-owned.

Company Name

Signature of Representative

Company Address

Typed Name of Representative

City, State, Zip

Title

Fax Number

Telephone Number

Date

Email