

===== MSDS  
Safety Information  
=====

[TOP](#)

FSC: 6810

MSDS Date: 05/21/1993

MSDS Num: BBLWD

Submitter: F BT

LIIN: 00F002851

Tech Review: 05/28/1993

Status CD: C

Product ID: 10707 PAINT THINNER

MFN: 01

Article: N

Kit Part: N

Responsible Party

Cage: 01PD6

Name: GLIDDEN COMPANY

Address: 925 EUCLID AVENUE

Box: N/K

City: CLEVELAND

State: OH

Zip: 44115

Country: US

Info Phone Number: 216-344-8000

Emergency Phone Number: 800-545-2643

Preparer's Name: N/P

Proprietary Ind: N

Review Ind: Y

Published: Y

Special Project CD: N

===== Preparer  
Co. when other than Responsible Party Co.  
=====

[TOP](#)

Cage: 01PD6

Assigned Ind: N

Name: GLIDDEN PAINT, ICI PAINTS NORTH AMERICA

Address: 925 EUCLID AVE

Box:

City: CLEVELAND

State: OH

Zip: 44115

===== Contractor  
Summary  
=====

[TOP](#)

Cage:72818

Name:GLIDDEN CO MEMBER OF ICI WORLD PAINTS

Address:925 EUCLID AVE

Box:15049

City:CLEVELAND

State:OH

Zip:44115

Country:US

Phone:216-344-8000

Cage:01PD6

Name:GLIDDEN PAINT, ICI PAINTS NORTH AMERICA

Address:925 EUCLID AVE

City:CLEVELAND

State:OH

Zip:44115

Country:US

Phone:800-545-2643/216-344-8207

===== Ingredients  
=====

[TOP](#)

Cas: 8052-41-3

Code: M

RTECS #: WJ8925000

Code: M

Name: STODDARD SOLVENT (PETROLEUM DISTILLATE), MINERAL SPIRITS

% Text: 80-90

Environmental Wt:

Other REC Limits: 350 MG/CUM

OSHA PEL: 500 PPM Code: M OSHA STEL: Code:  
ACGIH TLV: 100 PPM; 9293 Code: M ACGIH N/P STEL: Code:  
EPA Rpt Qty: DOT Rpt Qty:

Ozone Depleting Chemical: N

---

Cas: 64742-95-6 Code: M RTECS #: WF3400000 Code: M  
Name: SOLVENT NAPHTHA, PETROLEUM, LIGHT AROMATIC, HIGH FLASH AROMATIC NAPHTHA  
% Text: 1-5 Environmental Wt:  
Other REC Limits: N/K  
OSHA PEL: N/K Code: M OSHA STEL: Code:  
ACGIH TLV: N/K Code: M ACGIH N/P STEL: Code:  
EPA Rpt Qty: DOT Rpt Qty:

Ozone Depleting Chemical: N

---

Cas: 71-43-2 Code: M RTECS #: CY1400000 Code: M  
Name: BENZENE (HUMAN CARCINOGEN BY ACGIH, IARC, OSHA, NTP) INTENDED CHANGE = IC  
% Text: 0.01-.1 Environmental Wt:  
Other REC Limits: 16 MG/CUM  
OSHA PEL: 1 PPM (8 HR TWA) Code: M OSHA STEL: Code:  
ACGIH TLV: 0.3 MG/CUM (A2) Code: M ACGIH N/P STEL: Code:  
EPA Rpt Qty: 10 LBS DOT Rpt Qty: 10 LBS

Ozone Depleting Chemical: N

---

Cas: 25551-13-7 Code: M RTECS #: DC3220000 Code: M  
Name: TRIMETHYL BENZENE  
% Text: 1-5 Environmental Wt:  
Other REC Limits: 25 PPM  
OSHA PEL: 25 PPM Code: M OSHA STEL: Code:  
ACGIH TLV: 123 MG/CUM Code: M ACGIH N/P STEL: Code:  
EPA Rpt Qty: DOT Rpt Qty:

Ozone Depleting Chemical: N

---

Cas: 95-63-6 Code: M RTECS #: DC3325000 Code: M  
Name: 1,2,4-TRIMETHYLBENZENE  
% Text: 1-5 Environmental Wt:  
Other REC Limits: N/K  
OSHA PEL: N/K Code: M OSHA STEL: Code:  
ACGIH TLV: 25 PPM Code: M ACGIH N/P STEL: Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical: N

Cas: Code: X RTECS #: 9999999WG Code: M

Name: WEIGHT PER GALLON IN POUNDS: 6.50

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL: N/K Code: M OSHA STEL: Code:

ACGIH TLV: N/K Code: M ACGIH N/P STEL: Code:

EPA Rpt Qty: DOT Rpt Qty:

Ozone Depleting Chemical:

Cas: Code: X RTECS #: Code: X

Name: MINERAL SPIRITS

% Text: 1-5

Environmental Wt:

Other REC Limits: N/K

OSHA PEL: N/K Code: M OSHA STEL: Code:

ACGIH TLV: N/K Code: M ACGIH N/P STEL: Code:

EPA Rpt Qty: DOT Rpt Qty:

Ozone Depleting Chemical:

Hazards Data

Health

TOP

LD50 LC50 Mixture N/K

Route Of Entry Inds – Inhalation: YES Skin: YES Ingestion: YES

Carcinogenicity Inds – NTP: YES IARC: YES OSHA: YES

Health Hazards Acute And Chronic

INHALATION: RESPIRATORY TRACT IRRITATION. FATIGUE/DROWSINESS/DIZZINESS/LIGHTHEADEDNESS/HEADACHE/UNCOORDINATION/NAUSEA/VOMITING/CNS DEPRESSION/ANESTHETIC EFFECT/NARCOSIS/UNCONSCIOUSNESS/ASPHYXIATION/DEATH. EYES: IRRITATION/BLURRED VISION/TEARING/REDNESS. INGESTION: LUNG INFLAMMATION & DAMAGE DUE TO ASPIRATION. SEE SUPP.

Explanation Of Carcinogenicity

SEE INGREDIENTS

Signs And Symptoms Of Overexposure

INHALATION: TOXICITY TO LIVER, KIDNEY. PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE. SKIN: DERMATITIS, DEFATTING, IRRITATION.

Medical Cond Aggravated By Exposure

EYE, SKIN, RESPIRATORY, LUNG DISORDERS & ASTHMA-LIKE CONDITIONS.

First Aid

INHALATION: REMOVE TO FRESH AIR. RESTORE & SUPPORT CONTINUED BREATHING. HAVE TRAINED PERSON GIVE OXYGEN IF NECESSARY. SKIN: FLUSH W/WATER, THEN WASH W/SOAP & WATER. EYES:

FLUSH W/PLENTY OF WATER FOR A T LEAST 15 MINS. INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASES.

#### Spill Release Procedures

ELIMINATE IGNITION SOURCES. VENTILATE AREA. COLLECT SPILLS W/ABSORBENT MATERIALS. EVACUATE AREA. LARGE SPILLS: SHUT OFF LEAK, SAFELY. DIKE/CONTAIN. PUMP TO STORAGE/SALVAGE VESSELS. USE ABSORBENT TO PI CK UP EXCESS RESIDUE.

#### Neutralizing Agent

N/K

#### Waste Disposal Methods

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS. AVOID DISCHARGE TO NATURAL WATERS. KEEP SALVAGEABLE MATERIAL & RINSE WATER OUT OF SEWERS & WATER COURSES.

#### Handling And Storage Precautions

STORE BELOW 100F. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. USE ONLY W/ADEQUATE VENTILATION. DON'T TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

#### Other Precautions

AVOID CONTACT W/SKIN/EYES & BREATHING OF VAPORS. KEEP CONTAINERS TIGHTLY CLOSED/UPRIGHT WHEN NOT IN USE. EMPTY CONTAINERS MAY CONTAIN HAZARDOUS RESIDUES. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATI NG/INHALING VAPORS CAN BE HARMFUL/FATAL.

### Explosion Hazard Information Fire and

[TOP](#)

Flash Point Method: N/P

Flash Point:

Flash Point Text: 100F

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: 0.7%

Upper Limits: N/K

#### Extinguishing Media

DRY CHEMICAL OR FOAM

#### Fire Fighting Procedures

USE WATER TO COOL & PROTECT EXPOSED CONTAINERS.

#### Unusual Fire/Explosion Hazard

CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT OR FIRE. VAPORS CAN FORM EXPLOSIVE MIXTURES IN AIR AT ELEVATED TEMPS.

### Measures Control

[TOP](#)

#### Respiratory Protection

WHERE RESPIRATORY PROTECTION IS REQUIRED, USE ONLY NIOSH/MSHA APPROVED RESPIRATORS.

#### Ventilation

PROVIDE DILUTION VENTILATION OR LOCAL EXHAUST TO PREVENT BUILD UP OF VAPORS.

#### Protective Gloves

IMPERVIOUS

Eye Protection

SAFETY GLASSES OR GOGGLES

Other Protective Equipment

EYE WASH, SAFETY SHOWER, IMPERVIOUS CLOTHING, BOOTS, APRON.

Work Hygienic Practices

REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. DISPOSE OF CONTAMINATED LEATHER ITEMS SUCH AS SHOES & BELTS.

Supplemental Safety and Health

INGESTION CON'T: FATIGUE, DROWSINESS, DIZZINESS &/OR LIGHTHEADEDNESS, UNCOORDINATION, NAUSEA, VOMITING, DIARRHEA, GASTROINTESTINAL DISTURBANCES, CNS DEPRESSION, ANESTHETIC EFFECT OR NARCOSIS. WASH HAN DS THOROUGHLY AFTER HANDLING, ESPECIALLY BEFORE EATING OR SMOKING.

Physical/Chemical Properties

TOP

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: 310-400F

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: N/K

Vapor Pres: 2

Vapor Density: N/K

Volatile Org Content %:

Spec Gravity: 0.780

VOC Pounds/Gallon:

PH: N/K

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: N/K

Solubility in Water: N/K

Appearance and Odor: CLEAR LIQUID

Percent Volatiles by Volume: 99.9%

Corrosion Rate: N/K

Data Reactivity

TOP

Stability Indicator: YES

Stability Condition To Avoid: ELEVATED TEMPERATURES, EXTREME HEAT

Materials To Avoid: OXIDIZERS, ACIDS, BASES, AMINES

Hazardous Decomposition Products: CO, CO2

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization N/K

:

Toxicological Information

TOP

Toxicological Information:N/P

=====  
Information Ecological  
=====

[TOP](#)

Ecological: N/P

=====  
Transport Information MSDS  
=====

[TOP](#)

Transport Information: N/P

=====  
Information Regulatory  
=====

[TOP](#)

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

=====  
Information Other  
=====

[TOP](#)

Other Information: N/P

=====  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.