

===== MSDS  
Safety Information  
=====

[TOP](#)

FSC: 7930 MSDS Date: 01/18/1993 MSDS Num: CBLBR

Submitter: N EN LIIN: 00N070053 Tech Review: 03/18/1996 Status CD: C

Product ID: PRO LINK DUST MOP TREATMENT, 875 MFN: 01

Article: N Kit Part: N

Cage: Responsible Party  
PREFE

Name: PREFERRED DISTRIBUTORS INC

Address: 16607 BLANCHO RD SUITE 101  
City: SAN ANTONIO State: TX Zip: 78232

Country: US

Info Phone Number: 512-493-1191

Emergency Phone Number: 800-228-5635

Radioactive Ind: N

Preparer's Name: PHILIP T MILLER

Proprietary Ind: N Review Ind: N

Published: Y Special Project CD: N

===== Contractor  
Summary =====

[TOP](#)

Cage: PREFE Name: PREFERRED DISTRIBUTORS INC

Address: 8301 BROADWAY, SUITE 301  
City: SAN ANTONIO State: TX Zip: 78209  
Country: US Phone: 210-930-1191

Cage: PREFE Name: PREFERRED DISTRIBUTORS INC

Address:

Box:

UNKNOWN  
City:

UNKNOWN  
State: Zip:

UNKNOWN  
Country:

Phone: NK 00000

NK UNKNOWN



Cas: 64741-65-7 M X

Code: RTECS #: Code:

Name: NAPHTHA, HEAVY ALKYLATE; (HEAVY ALKYLATE NAPHTHA). LD50:(ORAL,RAT) >25 ML/KG

% Text: 75-80 Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

300 PPM

Code: M OSHA STEL: Code:

ACGIH TLV: 300 PPM

Code: M ACGIH N/P STEL: Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical:

N

Cas: 8042-47-5 M PY8047000 M

Code: RTECS #: Code:

Name: MINERAL OIL, WHITE; (LIGHT MINERAL OIL)

% Text: 5-10 Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

N/K (FP N)

Code: M OSHA STEL: Code:

ACGIH TLV: N/K (FP N)

Code: M ACGIH N/P STEL: Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical:

N

Cas: 68476-85-7

M

SE7545000

M

Code:

RTECS #:

Code:

Name: PETROLEUM GAS (LIQUEFIED); (LIQUEFIED PETROLEUM GAS)

% Text: 15-20

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

1000 PPM

Code: M OSHA STEL:

Code:

ACGIH TLV: 1000 PPM

Code: M ACGIH N/P STEL:

Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical:

N

Cas:

X

9999999ZZ

M

Code:

RTECS #:

Code:

Name: HYGIENE PRACT:SHOULD BE I/A/W 29 CFR 1910.132 AND CFR 1910.133.

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

NOT APPLICABLE

Code: M OSHA STEL:

Code:

ACGIH TLV: NOT APPLICABLE

Code: M ACGIH N/P STEL:

Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical:

Cas:

X

9999999ZZ

M

Code:

RTECS #:

Code:

Name: SUPDAT:LAVAGE USING A CUFFED ENDOTRACHEAL TUBE SHOULD BE CONSIDERED.

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

NOT APPLICABLE

Code: M

Code:

OSHA  
STEL:

ACGIH TLV: NOT APPLICABLE

Code: M ACGIH N/P  
STEL:

Code:

EPA Rpt Qty:

DOT  
Rpt  
Qty:

Ozone Depleting Chemical:

===== Health  
Hazards Data ===== [TOP](#)

LD50 LC50 Mixture

SEE INGREDIENT 1

Route Of Entry Inds – Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds – NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

ACUTE: INHALATION MAY CAUSE DIZZINESS AND DROWSINESS. EYE CONTACT MAY BE IRRITATING. SKIN CONTACT MAY CAUSE REDNESS OR IRRITATION. INGESTION OF AEROSOLS IS NOT A LIKELY ROUTE HOWEVER, INGESTION OF THE LIQUID MAY RESULT IN VOMITING WHICH COULD CAUSE ASPIRATION PNEUMONITIS. CHRONIC: NONE LISTED BY MANUFACTURER.

Explanation Of Carcinogenicity

NOT RELEVANT.

Signs And Symptoms Of Overexposure

SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure

PREEXISTING SKIN OR EYE DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid

EYE: FLUSH W/PLENTY OF WATER FOR @ LEAST 15 MINS WHILE HOLDING EYELIDS OPEN. GET MED ATTN IF IRRIT PERSISTS. SKIN: REMOVE CONTAMD CLTHG. FLUSH W/WATER, FOLLOW BY WASHING W/SOAP & WATER. IF IRRIT OCCURS, GET MED ATTN. DO NOT REUSE CLTHG UNTIL CLEANED. INHAL: REMOVE VICTIM TO FRESH AIR & PROVIDE OXYG IF BRTHG IS DFCLT. GIVE ARTF RESP IF NOT BRTHG. GET MED ATTN. INGEST: GET MED ATTN. NOTE TO (SUPDAT)

Spill Release Procedures

REMOVE ALL SOURCES OF IGNIT & VENTILATE AREA. SOAK UP W/INERT ABSORB & PLACE INTO DESIGNATED DISP CNTNR. CONSULT LOCAL REGULATORY AGENCY FOR PROPER DISPOSITION OF MATERIAL.

### Neutralizing Agent

NONE SPECIFIED BY MANUFACTURER.

### Waste Disposal Methods

DO NOT PUNCTURE OR INCINERATE CONTAINERS. WHEN CONTENTS ARE DEPLETED CONTINUE TO DEPRESS BUTTON UNTIL ALL GAS IS EXPELLED. DISPOSE OF CONTAINER IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS .

### Handling And Storage Precautions

AVOID BRTHG VAP. KEEP AWAY FROM HEAT & FLAME. USE W/ADEQ VENT. DO NOT PUNCTURE/INCINERATE CONTAINERS. STORE @ LEVEL 3 AEROSOL (NFPA 30B).

### Other Precautions

DO NOT EXPOSE TO DIRECT SUNLIGHT/STORE @ TEMPS >130F(54C). PLEASE READ & FOLLOW DIRECTIONS ON PROD LABEL; THEY ARE YOUR BEST GUIDE TO USING THIS PROD IN THE MOST EFTIVE WAY, AND GIVE THE NECESSARY SAF ETY PRECAUTIONS TO PROTECT YOUR HEALTH.

## Explosion Hazard Information Fire and [TOP](#)

Flash Point Method:

N/P

Flash Point:

Flash Point Text: N/K

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: 1.8%

Upper Limits: 9.2%

### Extinguishing Media

CARBON DIOXIDE, FOAM AND/OR DRY CHEMICAL MAY BE USED.

### Fire Fighting Procedures

USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). CONTAINERS SHOULD BE COOLED WITH WATER TO PREVENT VAPOR PRESSURE BUILD UP.

### Unusual Fire/Explosion Hazard

AT ELEVATED TEMPS (>54C-130F) CNTNRS EXPOSED TO DIRECT FLAME/HEAT CONT SHOULD BE COOLED W/WATER TO PVNT WEAKENING OF CNTNR STRUCTURE. THIS PROD IS (SUPDAT)

## Control Measures [TOP](#)

### Respiratory Protection

NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED. IF EXPOSURE EXCEEDS OCCUPATIONAL EXPOSURE LIMITS (INGREDS), USE NIOSH/MSHA APPRVD RESPIRATOR TO PREVENT OVEREXPOSURE.

### Ventilation

LOCAL EXHAUST IS ADEQUATE UNDER NORMAL CONDITIONS, MECHANICAL VENTILATION IS OPTIONAL.

### Protective Gloves

CHEMICAL RESISTANT GLOVES.

### Eye Protection

ANSI APPRVD CHEM WORKERS GOGGLES (FP N).

### Other Protective Equipment

WEAR IMPERVIOUS CLOTHING TO PVNT SKIN CONTACT. ANSI APPRVD EMERGENCY EYE WASH DELUGE SHOWER (FP N).

### Work Hygienic Practices

ENSURE STRICT SANITARY CNDTNS ARE CONFORMED TO WHEN WORKING AROUND CHEMICALS. PROTECTIVE CLOTHING EQUIPMENT (ING 4)

### Supplemental Safety and Health

EXPLO HAZ:CONSIDERED TO BE EXTREMELY FLAMM AS DESCRIBED IN 16CFR 1500.45. FIRST AID PROC:PHYS:PROD CNTNS APPROX 80% PETRO DISTIL. IF >2.0 ML PER KG HAS BEEN INGESTED & VOMIT HAS NOT OCCURRED, EMESIS S HOULD BE INDUCED W/SUPERVISION. IF SYMPS SUCH AS LOSS OF GAG REFLEX, CONVLS/UNCON OCCUR BEFORE EMESIS, GASTRIC (ING 5)

### Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: N/A

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: N/K

Vapor Pres: 115 PSIG

Vapor Density: >1

Volatile Org Content %:  
VOC Pounds/Gallon:

Spec Gravity: <1 (H\*2O =1)

PH: N/K

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference:

Solubility in Water: NEGLIGIBLE

Appearance and Odor: MISTY SPRAY/COLORLESS LIQUID.

Percent Volatiles by Volume: N/K

Corrosion Rate: N/K

=====  
Reactivity Data  
=====

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: DO NOT STORE >54C-130F. KEEP AWAY FROM HEAT, DIRECT SUNLIGHT, OPEN FLAMES/SPARKS. DROPPING OF CNTNRS MAY CAUSE BURSTING.

Materials To Avoid: AVOID HEAT, FLAME AND OXIDIZING AGENTS.

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE AND ADDITIONAL TOXIC CHEMICALS MAY BE FORMED IN SMALL AMOUNTS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization NOT RELEVANT.

=====  
Toxicological Information  
=====

[TOP](#)

Toxicological Information:

N/P

=====  
Ecological Information  
=====

[TOP](#)

Ecological:

N/P

=====  
MSDS Transport Information  
=====

[TOP](#)

Transport Information:

N/P

=====  
Regulatory Information  
=====

[TOP](#)

**Sara Title III Information:**

N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

[TOP](#)

**Other Information:**

N/P

HMIS

HAZCOM Label

[TOP](#)

[Print Labels](#)

**Product ID:**

**PRO LINK DUST MOP TREATMENT, 875**

Cage: PREFE

Assigned IND: N

**Company Name:**

PREFERRED DISTRIBUTORS INC

Street: 8301 BROADWAY, SUITE 301

PO Box:

City:

SAN ANTONIO

State: TX

Zipcode: 78209

Country: US

**Health Emergency Phone:**

800-228-5635

**Label Required IND:**

Y

Date Of Label Review: 03/18/1996

Status Code: C

MFG Label NO:

Label Date: 03/18/1996

Year Procured:

**Origination Code:**

G

Chronic Hazard IND: N

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: DANGER

Respiratory Protection YES  
IND:

**Health Hazard:**

Moderate



Contact Hazard: Slight

Fire Hazard:

Severe

Reactivity Hazard: None

**Hazard And Precautions**

EXTREMELY FLAMMABLE. ACUTE:INHALATION MAY CAUSE DIZZINESS AND DROWSINESS. EYE CONTACT MAY BE IRRITATING. SKIN CONTACT MAY CAUSE REDNESS OR IRRITATION. INGESTION OF AEROSOLS IS NOT A LIKELY ROUTE HOWE V ER, INGESTION OF THE LIQUID MAY RESULT IN VOMITING WHICH COULD CAUSE ASPIRATION PNEUMONITIS. CHRONIC:NONE LISTED BY MANUFACTURER.

=====  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.