

Technical Report

prepared for:

Turner Environmental, LLC

68 Ridge Hill Rd.

Oakdale CT, 06357

Attention: David Turner

Report Date: 03/08/2023

Client Project ID: TE 23-007 Region 18 Middle School

York Project (SDG) No.: 23C0188

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE
www.YORKLAB.com

STRATFORD, CT 06615
(203) 325-1371

132-02 89th AVENUE
FAX (203) 357-0166

RICHMOND HILL, NY 11418
ClientServices@yorklab.com

Turner Environmental, LLC
68 Ridge Hill Rd.
Oakdale CT, 06357
Attention: David Turner

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on March 03, 2023 and listed below. The project was identified as your project: **TE 23-007 Region 18 Middle School**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
23C0188-01	24111 Middle School Sub Slab Cafeteria	Soil Vapor	02/03/2023	03/03/2023

General Notes for York Project (SDG) No.: 23C0188

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

Approved By: 

Cassie L. Mosher
Laboratory Manager

Date: 03/08/2023





Sample Information

Client Sample ID: 24111 Middle School Sub Slab Cafeteria

York Sample ID: 23C0188-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
23C0188	TE 23-007 Region 18 Middle School	Soil Vapor	February 3, 2023 8:15 pm	03/03/2023

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes: TO-VAC

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications:	03/03/2023 12:00	03/07/2023 00:29	AC
71-55-6	1,1,1-Trichloroethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
79-34-5	1,1,2,2-Tetrachloroethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
79-00-5	1,1,2-Trichloroethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
75-34-3	1,1-Dichloroethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
75-35-4	1,1-Dichloroethylene	ND		ppbv	0.037	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
120-82-1	1,2,4-Trichlorobenzene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
95-63-6	1,2,4-Trimethylbenzene	0.18		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
106-93-4	1,2-Dibromoethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
95-50-1	1,2-Dichlorobenzene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
107-06-2	1,2-Dichloroethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
78-87-5	1,2-Dichloropropane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
108-67-8	1,3,5-Trimethylbenzene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
106-99-0	1,3-Butadiene	ND		ppbv	0.44	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
541-73-1	1,3-Dichlorobenzene	0.15		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
142-28-9	1,3-Dichloropropane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications:	03/03/2023 12:00	03/07/2023 00:29	AC



Sample Information

Client Sample ID: 24111 Middle School Sub Slab Cafeteria

York Sample ID: 23C0188-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23C0188

TE 23-007 Region 18 Middle School

Soil Vapor

February 3, 2023 8:15 pm

03/03/2023

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes: TO-VAC

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-46-7	1,4-Dichlorobenzene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
123-91-1	1,4-Dioxane	ND		ppbv	0.30	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
78-93-3	2-Butanone	5.1		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
591-78-6	2-Hexanone	1.5		ppbv	0.30	1.477	EPA TO-15 Certifications:	03/03/2023 12:00	03/07/2023 00:29	AC
107-05-1	3-Chloropropene	ND		ppbv	0.74	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
108-10-1	4-Methyl-2-pentanone	0.21		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
67-64-1	Acetone	13		ppbv	0.30	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
107-13-1	Acrylonitrile	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
71-43-2	Benzene	0.16		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
100-44-7	Benzyl chloride	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
75-27-4	Bromodichloromethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
75-25-2	Bromoform	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
74-83-9	Bromomethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
75-15-0	Carbon disulfide	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
56-23-5	Carbon tetrachloride	ND		ppbv	0.037	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
108-90-7	Chlorobenzene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
75-00-3	Chloroethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
67-66-3	Chloroform	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
74-87-3	Chloromethane	0.25		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC



Sample Information

Client Sample ID: 24111 Middle School Sub Slab Cafeteria

York Sample ID: 23C0188-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23C0188

TE 23-007 Region 18 Middle School

Soil Vapor

February 3, 2023 8:15 pm

03/03/2023

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes: TO-VAC

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-59-2	cis-1,2-Dichloroethylene	ND		ppbv	0.037	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
10061-01-5	cis-1,3-Dichloropropylene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
110-82-7	Cyclohexane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
124-48-1	Dibromochloromethane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
75-71-8	Dichlorodifluoromethane	0.49		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
141-78-6	Ethyl acetate	ND		ppbv	0.30	1.477	EPA TO-15 Certifications:	03/03/2023 12:00	03/07/2023 00:29	AC
100-41-4	Ethyl Benzene	0.18		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
87-68-3	Hexachlorobutadiene	ND	CAL-E, TO-CC V, TO-LCS -L	ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
67-63-0	Isopropanol	2.6		ppbv	0.30	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
80-62-6	Methyl Methacrylate	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
75-09-2	Methylene chloride	12		ppbv	0.30	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
142-82-5	n-Heptane	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
110-54-3	n-Hexane	3.8		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
95-47-6	o-Xylene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
179601-23-1	p- & m- Xylenes	0.38		ppbv	0.30	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
622-96-8	p-Ethyltoluene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications:	03/03/2023 12:00	03/07/2023 00:29	AC
115-07-1	Propylene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications:	03/03/2023 12:00	03/07/2023 00:29	AC
100-42-5	Styrene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC



Sample Information

Client Sample ID: 24111 Middle School Sub Slab Cafeteria

York Sample ID: 23C0188-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23C0188

TE 23-007 Region 18 Middle School

Soil Vapor

February 3, 2023 8:15 pm

03/03/2023


Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes: TO-VAC

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
127-18-4	Tetrachloroethylene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
109-99-9	Tetrahydrofuran	ND		ppbv	0.30	1.477	EPA TO-15 Certifications:	03/03/2023 12:00	03/07/2023 00:29	AC
108-88-3	Toluene	0.53		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
156-60-5	trans-1,2-Dichloroethylene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
10061-02-6	trans-1,3-Dichloropropylene	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
79-01-6	Trichloroethylene	0.074		ppbv	0.037	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
75-69-4	Trichlorofluoromethane (Freon 11)	0.21		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
108-05-4	Vinyl acetate	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
593-60-2	Vinyl bromide	ND		ppbv	0.15	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC
75-01-4	Vinyl Chloride	ND		ppbv	0.074	1.477	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	03/03/2023 12:00	03/07/2023 00:29	AC





Sample and Data Qualifiers Relating to This Work Order

TO-VAC	The final vacuum in the canister was less than -2 inches Hg vacuum. The time integrated sampling may be affected and not reflect proper sampling over the time period. The data user should take note.
TO-LCS-L	The result reported for this compound may be biased low due to its behavior in the analysis batch LCS where it recovered less 70% of the expected value.
TO-CCV	The value reported is ESTIMATED for this compound due to its behavior during continuing calibration verification (>30% Difference from initial calibration).
CAL-E	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%)

Definitions and Other Explanations


*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon current NELAC/TNI Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.



Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.



York Analytical Laboratories, Inc.
120 Research Drive
Stratford, CT 06615
clientservices@yorklab.com
www.yorklab.com



Field Chain-of-Custody Record - AIR

YORK Project No.
2300188

This document serves as your written authorization for YORK to proceed with the analyses requested below. Your signature binds you to YORK's Standard Terms & Conditions.

Page 1 of 1

YOUR Information Company: Turner Environmental Address: P.O. Box 561 East Lyme CT Phone: 860 705-8704 Contact: D. Turner E-mail: turnerenviro@aol.com		Report To: Company: SAME Address: Phone: Contact: E-mail:		Invoice To: Company: SAME Address: Phone: Contact: E-mail:		YOUR Project Number TE 23-007 YOUR Project Name Region 18 Middle School		Turn-Around Time <input type="checkbox"/> RUSH - Next Day <input type="checkbox"/> RUSH - Two Day <input type="checkbox"/> RUSH - Three Day <input checked="" type="checkbox"/> Standard (5-7 Day)	
DAVID TURNER Samples Collected by: (print your name above and sign below) 		Report / EDD Type (circle selections) <input checked="" type="radio"/> CT RCP <input type="radio"/> CT RCP DQA/DUE <input type="radio"/> NJDEP Reduced Deliv. <input type="radio"/> NJDEP SRP HazSite		Standard Excel EDD EQUIS (Standard) NYSDEC EQUIS		YORK Reg. Comp. Compared to the following Regulation(s): (please fill in) Res Vol 30		Reporting Units: ug/m ³ <input checked="" type="checkbox"/> ppbv <input type="checkbox"/> ppmv <input type="checkbox"/>	
Please enter the following REQUIRED Field Data									
Air Matrix Codes AI - Indoor Ambient Air AO - Outdoor Amb. Air AE - Vapor Extraction Well/Process Gas/Effluent AS - Soil Vapor/Sub-Slab		Samples From <input type="checkbox"/> New York <input type="checkbox"/> New Jersey <input checked="" type="checkbox"/> Connecticut <input type="checkbox"/> Pennsylvania <input type="checkbox"/> Other:		Summary Report QA Report NY ASP A Package NY ASP B Package Other:		Canister ID 24111		Flow Cont. ID TO15	
Certified Canisters: Batch _____ Individual _____		Canister Vacuum Before Sampling (in Hg) -28		Canister Vacuum After Sampling (in Hg) 0		Canister ID 24111		Analysis Requested	
Sample Identification 24111 Middle School Sub Slab Cafeteria		Date/Time Sampled 2/3/23 20:15		Canister Vacuum Before Sampling (in Hg) -28		Canister ID 24111		Flow Cont. ID TO15	
Comments: Region 18 is tax exempt sample from beneath cafeteria floor middle school									
Samples Relinquished by / Company David Turner TURNER ENVIRO		Samples Received by / Company MAADWEH / NIKK		Samples Relinquished by / Company MAADWEH / NIKK		Samples Received by / Company MAADWEH / NIKK		Detection Limits Required ≤ 1 ug/m ³ <input type="checkbox"/> NYSDEC V1 Limits Routine Survey <input type="checkbox"/> Other <input checked="" type="checkbox"/> RCP	
Date/Time 3/9/23 8:00		Date/Time 3/3/23 10:57		Date/Time 3-9-23 @ 3:20		Date/Time 3/13/23 15:20		Date/Time 3/14/23 14:00	
REC - Victor D. York 3/13/23 20:40 REL - Victor D. York 3/13/23									