


8/1/22



Newport-Mesa
Unified School District

NEWPORT MESA UNIFIED SCHOOL DISTRICT

BID NO. 100-23

WAREHOUSE DELIVERY TRUCKS

DATE ISSUED:

JULY 18, 2022

DATE DUE:

AUGUST 1, 2022 BY 2:00 P.M.

BUYER:

JONATHAN GEISZLER

NEWPORT MESA UNIFIED SCHOOL DISTRICT

BID FORM

BID NO. 100-23

WAREHOUSE DELVIERY TRUCKS

1. Pursuant to and in compliance with this bid, and all other documents relating thereto, the undersigned bidder, having familiarized himself with the terms of the contract, the local conditions affecting the performance of the contract and the cost of the work at the place where the work is to be done, hereby proposes and agrees to perform, within the time stipulated, the contract, including all of its component parts, and everything required to be performed and to provide and furnish any and all of the labor, materials, tools, equipment, and all utility and transportation services necessary to perform the contract and complete in a workmanlike manner all of the work required in connection with this contract.

All in strict conformity with the specifications and other contract documents including any addendums for the amounts as set forth below.

2. It is understood that this bid, once approved by the Newport Mesa Unified School Dist. Board of Education, is contract to provide goods and/or services the District per this bid for a period of one year from the Board approval date. Any extension beyond the initial year must be Board approved.
3. Bidder must adhere to the delivery schedule included in the bid documents, unless otherwise changed in writing by the District and provide all necessary insurance certificates as required in the bid documentation.
4. It is understood that the District reserves the right to reject this bid as specified in the Instructions For bidders and that the bid shall remain open and not be withdrawn for a period of sixty (60) days.

Date: 7/20/22

UAG Cerritos I, LLC
dba Penske Chevrolet

Proper Name of Bidder

John F. Slavin

By _____

Fleet Account Manager

(805)570-1567



Signature of Bidder

Note: If a bidder is corporation, the legal name of the corporation shall be set forth above together with the signature of authorized officers or agents; if a bidder is a partnership, the true name of the firm shall be set forth above together with the signature of the partner or partners authorized to sign contracts on behalf of the partnership; and if a bidder is an individual, his full signature shall be placed above.

NEWPORT MESA UNIFIED SCHOOL DISTRICT

NOTICE TO BIDDERS

BID NO. 100-23

WAREHOUSE DELIVERY TRUCKS

In accordance with Public Contract Code 20111, notice is hereby given that the Newport Mesa Unified School District, will receive up to, but no later than 2:00 p.m., on August 1, 2022, at the District Education Center, 2985 Bear St. Bldg. A, Costa Mesa, CA 92626, sealed bids for the award of a contract for the purchase of WAREHOUSE DELIVERY TRUCKS.

Bids shall be opened and publicly read aloud at the above stated date, time, and place. Each bid must conform and be responsive to the bid documents, copies of which may be obtained on the district's PlanetBids web portal at;
<https://pbsystem.planetbids.com/portal/46422/portal-home>

No bidder may withdraw his bid for a period of sixty (60) days after the date set for opening of bids.

All bids shall be made and presented on a form furnished by the District

The District reserves the right to waive any irregularities, accept or reject any or all bids and to accept or reject any items thereon.

NEWPORT MESA UNIFIED SCHOOL DISTRICT

Jonathan Geiszler
Director of Purchasing & Warehouse

Published: Orange County Register
July 18, 2022
July 25, 2022

NEWPORT MESA UNIFIED SCHOOL DISTRICT

INSTRUCTIONS FOR BIDDERS

BID NO. 100-23

WAREHOUSE DELIVERY TRUCKS

1. **PREPARATION OF BID FORM:** The Newport Mesa Unified School District, hereinafter referred to as District, invites bids on the forms enclosed to be submitted no later than **MONDAY, AUGUST 1, 2022, AT 2:00 P.M.** All blanks on the bid form must be appropriately filled in. Each bid must be submitted in a separate sealed envelope bearing on the outside the bid number and closing date. It is the sole responsibility of the bidder to ensure that their bid is received at the location specified in paragraph 2 below, no later than the time and date specified. Any bids received after the scheduled closing time for receipt of bids will be returned to the bidder unopened.

2. **BID SUBMISSION ADDRESS:** Bids shall be submitted to the Purchasing Department of the District. If bids are hand delivered or delivered by a delivery service (i.e., UPS, Federal Express, U.S. Mail, or private courier) they shall be delivered to the **District Education Center**, located at **2985 Bear St., Bldg. A, Costa Mesa, CA, 92626.**

TO BE CONSIDERED, ALL BIDS MUST BE RECEIVED IN THE PURCHASING DEPARTMENT BY THE TIME AND DATE OF CLOSING. (NOTE: BIDDERS WHO MAIL THEIR BIDS SHOULD ALLOW SUFFICIENT TIME FOR THE INTERNAL DISTRIBUTION OF MAIL WITHIN THE DISTRICT.)

BIDS RECEIVED IN THE PURCHASING DEPARTMENT AFTER DATE AND TIME INDICATED HEREIN WILL NOT BE ACCEPTED.

3. **BID OPENING READING:** All bids shall be publicly opened and read aloud at the time and date indicated above, at the **District Education Center, located at 2985 Bear St., Bldg. A, Costa Mesa, CA, 92626.**
4. **SIGNATURE:** All bids must be signed in the name of the bidder and must bear the signature in longhand of the person or persons duly authorized to sign the bid. Unsigned bids will be considered non-responsive, thus resulting in rejection of the bid.
5. **MODIFICATIONS:** Changes in or additions to the bid form, alternate bids, or any other modifications of the bid form which are not specifically called for in the bid documents may result in District's rejection of the bid as not being responsive to this invitation to bid. Oral, telephone, telegraphic, or facsimile bids or modifications will not be considered.
6. **ERASURES:** The bid submitted must not contain any erasures, interlineations, or other corrections unless each such correction is initialed in the margin immediately opposite the correction by the person or persons signing the bid.
7. **WITHDRAWAL OF BID:** Any bidder may withdraw his bid personally or by written request, to the Director of Purchasing & Warehouse, at any time prior to the scheduled

closing time for receipt of bids. Any request for withdrawal received after the hour set for the opening of the bids will not be honored.

8. INTERPRETATION OF BID DOCUMENTS: Bidders who find discrepancies in or omissions from the bid documents, may submit to the Director of Purchasing & Warehouse, a written request for clarification or correction thereof. A copy of all requests for clarification and the response thereto will be posted on the District's PlanetBids with the bid documents. Corrections will be made by addenda published on the District's PlanetBids web Portal. The District will not be responsible for oral interpretations. All addenda issued during the time of bidding shall be incorporated into the bid automatically. Questions regarding the bid may also be asked on the District's PlanetBids web portal.
9. AWARD OF A CONTRACT: The District reserves the right to reject any or all bids, or to waive any irregularities or informalities in any bids or the bidding, and to make its selection of items awarded based upon its best judgment as to which items substantially comply with the specifications, or which are most economical and/or best suited for the purpose for which they are intended.

It is the District's intent to award the contract to one vendor. Please submit prices on each item. Cash discounts offered shall not be considered in determining low bid in accordance with Paragraph 36, DISCOUNTS of these Instructions for Bidders. In the event of equal bids, the award shall be made to the lowest responsive responsible bidder located within the State of California and the County of Orange in the order named. All bids shall remain open and valid and subject to acceptance for sixty (60) days after the bid opening date.

10. PRICES: Bid each item separately. Prices must be stated in units specified or trade standard. The right is reserved to waive any informality in bids, to reject any or all bids, and to accept or reject any item or combination of items. In case of a discrepancy between the unit price and the extension, the unit price will be considered correct. Quote prices net including trade discounts, F.O.B. DESTINATION, FRT. PREPAID.
11. SCOPE: This specification establishes the minimum requirements for the Newport Mesa Unified School District Fleet Vehicles. These vehicles will be used on highways, city/county roads and shall be designed to operate under typical ambient temperatures (which can range from 10° to 120° F).
12. SPECIFICATIONS AND STANDARDS: Specifications and standards referenced in this document in effect on the opening of the Bid form a part of this specification where referenced. Each vehicle delivered shall be fully compliant with all Federal and State regulations for vehicles in effect as of the date of manufacture.
13. SAFETY: Each vehicle delivered shall conform to the Federal Motor Vehicle Safety Standards (FMVSS) and the California Vehicle Code (CVC) requirements in effect as of the date of manufacture.
14. EMISSION CONTROL: The engine shall be California Air Resource Board (CARB) certified to operate on- highway in the State of California at the time of manufacture. Any motor vehicle rated at 8,500 pounds GVWR or less which has a vehicle curb weight of 6,000

pounds or less shall meet or exceed California's Ultra-Low Emission Vehicle II (ULEV II) standards for exhaust emissions (13 CCR 1961).

15. REQUIREMENTS: Each vehicle shall be new (unused), current production as specified in the solicitation at the line-item description. Vehicles bid must meet or exceed the requirements in the Bid line-item description. Each vehicle shall be supplied with all equipment and accessories indicated as standard equipment in the manufacturer's published literature (or web site). Optional equipment necessary to meet the minimum requirements of this specification shall be included.
16. FUEL TYPES: Specific fuel requirements for each vehicle are found at the line-item description in the bid and may include any of the following types:
 - Gasoline (87 octane)
 - Gasoline/Hybrid-Electric
 - Electric
 - Diesel
17. WARRANTY: Warranty period shall be manufacturer's standard, but not less than 36 months or 36,000 miles. Warranty shall cover defects in materials and workmanship from date the unit is placed in service or within sixty (60) days from date of acceptance by the Board, whichever occurs first. Contractor will be notified in writing when unit is placed in service. Minor repair parts and labor during the warranty period may be supplied by the District at vendor's expense upon mutual agreement prior to start of work. Any warranty adjustment referred to the vendor must be completed within 72 hours.
18. VEHICLE CODE: All vehicles shall conform to the California Vehicle Code and all other governing requirements.
19. GVWR: All vehicles shall meet the Federal GVWR rating, and all components shall have corresponding GVWR ratings. Any vehicles that require a larger wheel and tire size on the rear axle shall have an equal size wheel and tire on the front axle, unless otherwise specified. GVWR cannot exceed the State of California limits for a Class C License.
20. MANUALS: Price to include a complete Technical Service Manual and Parts Book for models supplied and one (1) Owner's Manual. ***See Note Below**
21. KEYS: All vehicles purchased under this contract will be provided to the District with (4) four sets of keys and or key FOBs.
22. DEALER SERVICE: The equipment furnished under this contract shall be completely serviced locally by the vendor prior to delivery. It shall be ready for operation when delivered. Any further servicing by the vendor will not be required except in connection with repairs or adjustments covered by the manufacturers or dealer's warranty.
23. VEHICLE REGISTRATION: Dealer shall be responsible for submission of all DMV paperwork; the District is exempt from the payment of California vehicle registration fees.

***All manuals are now only online. Subscriptions for major fleets are no charge.**

24. FEDERAL EXCISE TAX: The Newport Mesa Unified School District is exempt from payment of Federal Excise Taxes and will furnish vendor with a Tax Exemption Certificate. DO NOT INCLUDE ANY FEDERAL EXCISE TAXES IN YOUR BID.
25. DELIVERY POINT: Prices quoted shall include all delivery and unloading charges to the Newport Mesa Unified School District, 2985 Bear St., Costa Mesa, California 92626.
26. BRANDS: Brand names are included for descriptive purposes to indicate the quality, design, and utility desired by the District, but the specifications are not intended to restrict competition. Brands of equal make or type to those specified will be considered unless otherwise so indicated in the bid. Each bidder shall indicate the manufacturer's name and model number of the brand(s) being bid (even if indicated in the specification) and may require testing in accordance with the INSPECTION AND ACCEPTANCE provision of this bid.
27. EVIDENCE OF RESPONSIBILITY: Upon request of the District, a bidder whose bid is under consideration for award shall promptly submit satisfactory evidence showing their financial resources. The District may also request the names of at least three (3) references for whom similar supplies or equipment were provided during the previous year. The bidder must furnish this list within three (3) days after request. Failure to do so will be sufficient cause for default and the District may declare the successful bidder as nonresponsive to this solicitation and re-issue a notice of intent to award a contract to the next lowest responsive and responsible bidder or may call for new bids.
28. DEVIATION FROM SPECIFICATIONS: These specifications are to describe the construction, design, size, and quality of equipment (materials) desired, and are not intended to be restrictive to any particular brand. Bids will be considered for brands deviating from the specifications if such brands comply substantially with the specifications. Each deviation from the specification must be stated in a letter, attached to bidder's proposal. Submit complete illustrative and technical data on items bid on. Failure to do so may nullify bid.
29. DEFAULT: In the event the bidder to whom a contract is awarded fails to perform in accordance with the terms and conditions of the bid or the contract, the District may terminate their orders, in a whole or in part, in accordance with the TERMINATION FOR DEFAULT provision of this bid.
30. VENDOR NOT OFFICER, EMPLOYEE, OR AGENT OF DISTRICT: While engaged in a carrying out the terms and conditions of the contract, the successful bidder is an independent contractor and not an office, employee, or agent of the District.
31. ANTI-DISCRIMINATION: It is the policy of the Newport Mesa Unified Board of Education that in connection with all services performed for the District, there be no discrimination against any prospective or active employee engaged in the work because of race, color, ancestry, national origin, religious creed, sex, age or marital status, and therefore, the bidder agrees to comply with applicable Federal and California State laws including, but not limited to, the California Fair Employment Practice Act beginning with Labor Code Sections 1410 and 1735. In addition, the bidder agrees to require like compliance by all subcontractors employed by him.

32. INSPECTION AND ACCEPTANCE: All items provided under the contract shall meet or exceed the bid specifications and shall comply with all Federal and California State laws governing their production, handling, processing, and labeling. Inspection and acceptance of all items shall be at DESTINATION. Items found to be defective or not in accordance with the bid specifications shall be replaced by the successful bidder at no cost to the District. Failure to replace said items shall be considered sufficient cause for default action under the DEFAULT provision of this bid.
33. INSPECTION OF BIDDER'S FACILITY: The District reserves the right to inspect the facilities of the bidder prior to award of the contract, and, if representatives of the District determine after such inspection that the bidder is not capable of performing satisfactorily to the District, his bid will be ruled nonresponsive. Additionally, the District reserves the right to inspect the successful bidder's facility during the contract period.
34. INDEMNIFICATION: Bidder agrees to defend, indemnify, save, and hold harmless the District and any of their governing bodies, the individuals, thereof, and all officers, agents, employees, representatives, and volunteers from all loss, cost, and expense (including, but not by way of limitation, attorneys' fees and other related legal costs) arising out of any liability or claim of liability for injury, damage, or loss sustained or claimed to have been sustained arising out of, or occurring as a result of the Bidder's performance or failure to perform services under this Bid, or resulting from or in any way directly or indirectly connected with the performance or nonperformance of the District, pertaining to this bid. Bidder further agrees to waive all rights of subrogation against the District and shall pay for any and all injury, damage, or loss to the District. The provisions of this indemnification clause shall not be limited to the availability or collectability of insurance coverage, nor do these provisions apply to any injury, damage or loss caused solely by the negligence of the District.
35. PROTESTS AFTER AWARD: Any protest against the award of a contract pursuant to this bid must be received within five (5) calendar days after receipt of a written notice of the District's intent to award to another bidder. The District shall not be obligated to consider protests received after the above-specified deadlines. All protests must be in writing and submitted to the Director of Purchasing & Warehouse.
36. DISCOUNTS: Cash discounts shall not be considered in determining low bid.
37. CAL-OSHA: Bidders certify, by submitting their signed bid, that all items being bid meet or exceed all applicable CAL-OSHA Codes.
38. PERMITS AND LICENSES: The Contractor and all of his employees or agents shall secure and maintain in force such licenses and permits as are required by law in connection with the furnishing of items herein listed. All operations and materials shall be in accordance with law. Failure to do so may result in termination of the contract under the default provision of the bid.
39. EMPLOYEE BACKGROUND CHECKS: At the time of contract award and during the entire term of the contract, the successful bidder, including all subcontractors, shall fully comply with the provisions of Education Code Sections 45125.1 and 45125.2 when District determines that the successful bidder's employees and employees of subcontractors will have

more than limited contact with pupils in the performance of the work. In addition, it shall be the District's responsibility to take appropriate steps to protect the safety of any pupils that may come in contact with the successful bidder.

40. DRUG AND ALCOHOL-FREE WORKPLACE The successful bidder hereby certifies, under penalty of perjury, under the laws of the State of California that under the contract he will comply with the requirements of the Drug-Free Workplace Act of 1988 (Government Code Section 8350 et. seq.) and the Newport Mesa Unified Board of Education's Policy. Therefore, the work site shall be kept drug and alcohol free at all times
41. TOBACCO-FREE WORKPLACE The successful bidder hereby agrees, under the contract, he will comply with the Newport Mesa Unified Board of Education's Policy which states: "The Governing Board recognizes the health hazards associated with tobacco products, including the breathing of secondhand smoke and desires to provide a healthy environment for students and staff." Therefore, the work site shall be kept tobacco free and smoke-free at all times.
42. BID DOCUMENTS: The complete bid includes the following documents:
- Notice Calling For Bids
 - Instructions For Bidders
 - **Bid Form**
 - **Non-collusion Affidavit**

Any of these shall be interpreted to include all the provisions of the other documents as though fully set out therein. The bidder should fully acquaint him/herself with the terms and conditions affecting the performance of the contract. Submission of a bid shall be taken as prima facie evidence of compliance with this provision.

NONCOLLUSION DECLARATION TO BE EXECUTED BY
BIDDER AND SUBMITTED WITH BID
(Public Contract Code section 7106)

The undersigned declares:

I am the Fleet Acct. Mgr. of UAG Cerritos I, LLC
dba penske Chevrolet, the party making the foregoing bid.

The bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation. The bid is genuine and not collusive or sham. The bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid. The bidder has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or to refrain from bidding. The bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder. All statements contained in the bid are true. The bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof, to effectuate a collusive or sham bid, and has not paid, and will not pay, any person or entity for such purpose.

Any person executing this declaration on behalf of a bidder that is a corporation, partnership, joint venture, limited liability company, limited liability partnership, or any other entity, hereby represents that he or she has full power to execute, and does execute, this declaration on behalf of the bidder.

I declare under penalty of perjury under the laws of the State of California that the foregoing is true and correct and that this declaration is executed on 7/20/22 [date], at Cerritos, Ca [city],
7/20/22 [state].



John F. Slavin
Fleet Account Manager

2023/2024 Model Year Delivery Truck Specifications

(Like or equal proposals will be accepted, vendor is responsible for providing all necessary backup documentation at the time of bid submissions to prove submitted replacements meet like or equal requirement)

- 2023/2024 MY Isuzu NPR-HD or Chevrolet LCF 4500-HD
- Low Cab Forward (LCF) **Required no substitutions**
- Standard Cab
- Diesel Engine
- Automatic Transmission with overdrive
- Cruise Control
- Power Mirrors
- Power Door locks
- Tilt/telescopic steering wheel
- ABS Disc Brakes
- Audio system with integrated Bluetooth
- Integrated backup camera
- Driver assistance systems if available, Forward Collision Warning, Pedestrian Collision Warning, Lane Departure Warning, Headway Monitoring and Warning
- Suspension Seats, if available
- Backup Alarm
- Fire Extinguisher and Reflector Kit
- (4) Four Complete Key Sets
- White Exterior/Gray/Black Interior
- Morgan Gold Star Dry Freight Body
 - Model GVSD97
 - 20Ft Length
 - Standard Aluminum Body
 - Standard Rear Overhead Rollup Door
 - Recessed E-Trak on Side and front walls, 3 Rows
 - LED Lighting
 - Reinforced Front End
 - Threshold Plate
 - Integrated Floor D-Rings
 - Translucent Roof
- Palfinger ILK33 Liftgate
 - Standard Features plus;
 - 94" Width x 84" Length
 - Aluminum Platform
 - Cart Stops
 - Removable side rails

As Specified

Marathon Equivalent

Bid No. #100-23

Firm Name UAG Cerritos I, LLC dba Penske Chevrolet
BID FORM
WAREHOUSE DELIVERY TRUCKS

Contact Line Item #	DESCRIPTION	MAKE	MODEL	VEHICLE UNIT PRICE	Tire Fees	Documentation Fees	CA Sales Tax	Total Cost
1	20ft LCF Box truck per Specification	Chev. LCF 4500HD 2024 Model	CT34003	\$90,785.00*	10.50	Inc.	7,035.84	\$97,831.34

***Options:**

1. For Morgan Body per Specs, add \$3,860 + sales tax
2. For Chevrolet LCF 5500HD (Recoended due to higher GVWR) add
\$2,350.00 + sales tax



Newport mesa USD
Bid 100-23



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Price Summary

PRICE SUMMARY

	MSRP	Invoice
Base Price	\$59,715.00	\$47,712.29
Total Options	\$4,715.00	\$3,967.65
Vehicle Subtotal	\$64,430.00	\$51,679.94
Dealer Advertising Adjustment	\$0.00	\$0.00
Destination Charge	\$1,575.00	\$1,575.00
Grand Total	\$66,005.00	\$53,254.94

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Weight Ratings

WEIGHT RATINGS

Front Gross Axle Weight Rating:	5360 lbs
Rear Gross Axle Weight Rating:	9880 lbs
Gross Vehicle Weight Rating:	14500.00 lbs

Selected Model and Options

MODEL

CODE	MODEL	MSRP	Invoice
CT34003	2023 Chevrolet 4500HD LCF Diesel 2WD Reg Cab 176"	\$59,715.00	\$47,712.29

COLORS

CODE	DESCRIPTION
16U	Arc White

REQUIRED OPTION

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
R9J	Ocean Freight Surcharge (Required on all models until further notice.)	0.00 lbs	0.00 lbs	\$675.00	\$695.25

ENGINE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
I1B	Engine, Diesel 5.2L 4 cylinder 215 hp [160.3 kW] @2500 rpm, 452 lb-ft of torque [612.8 Nm] @ 1850-2750 rpm (Governed). 16 valve, four cycle, chain-driven dual overhead camshaft valve train, a cast iron cylinder block, and a cast aluminum cylinder head. Turbocharged, inter-cooled, water cooled EGR, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and a protection system that will reduce fueling if excessive coolant temperature is detected (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

TRANSMISSION

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
IR7	Transmission, 6-speed automatic Aisin A465 transmission with fifth and sixth gear overdrive with lock up in 2nd, 3rd, 4th, 5th and 6th, PTO capability automatic torque converter lockup in stationary PTO mode. (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

AXLE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
005	Rear axle, 4.56 ratio	0.00 lbs	0.00 lbs	\$0.00	\$0.00

PREFERRED EQUIPMENT GROUP

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
1WT	Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00	\$0.00

FRONT TIRES

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
2TA	Tires, front, LT215/85R16 E 115/112 L BW ALS VAR1 (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

REAR TIRES

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
3TA	Tires, rear, LT215/85R16 E 115/112 L BW ALS VAR1 (STD)	0.00 lbs	0.00 lbs	\$0.00	\$0.00

PAINT

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
16U	Arc White	0.00 lbs	0.00 lbs	\$0.00	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

SEAT TYPE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
A1G	PIO, Seat, high back driver only torsion-bar with foam pads suspension system and fixed passenger seat (Port Installed Option) (Not available with (9W8) protective seat-cover.)	0.00 lbs	0.00 lbs	\$975.00	\$789.75

SEAT TRIM

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
H72	Medium Ash Gray, Cloth Seat Trim	0.00 lbs	0.00 lbs	\$0.00	\$0.00

RADIO

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
IO8	PIO, Audio System, Enhanced audio system with 7" diagonal color touchscreen, AM/FM stereo with seek-and-scan and digital clock. Additional features for compatible phones include: Bluetooth audio streaming, SiriusXM Radio with customer subscription, Apple CarPlay, Android Auto capable, navigation using Apple Carplay or Android Auto and Rear Vision Camera. (Port Installed Option) (Includes (UVC) Rear Vision Camera, PIO.).	0.00 lbs	0.00 lbs	\$1,465.00	\$1,186.65

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
PCJ	Driver's Safety Enhancement Package includes (KSG) Adaptive Cruise Control, (UGN) Automatic Emergency Braking, (UFL) Lane Departure Warning and (UEU) Forward Collision Alert (Not available with (Y65) PIO, Forward Collision Alert and Lane Departure Warning (Mobileye).)	0.00 lbs	0.00 lbs	\$1,600.00	\$1,296.00

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
KSG	Adaptive Cruise Control (Included and only available with (PCJ) Driver's Safety Enhancement Package.)	0.00 lbs	0.00 lbs	Inc.	Inc.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

ADDITIONAL EQUIPMENT - SAFETY-MECHANICAL

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
UEU	Forward Collision Alert (Included and only available with (PCJ) Driver's Safety Enhancement Package.)	0.00 lbs	0.00 lbs	Inc.	Inc.
UFL	Lane Departure Warning (Included and only available with (PCJ) Driver's Safety Enhancement Package.)	0.00 lbs	0.00 lbs	Inc.	Inc.
UGN	Automatic Emergency Braking (Included and only available with (PCJ) Driver's Safety Enhancement Package.)	0.00 lbs	0.00 lbs	Inc.	Inc.

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
UVC	PIO, Rear Vision Camera (Port Installed Option) (Included and only available with (IO8) Enhanced audio system with 7" diagonal color touchscreen.(Shipped loose in cab).)	0.00 lbs	0.00 lbs	Inc.	Inc.

ADDITIONAL EQUIPMENT - OTHER

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	Invoice
VQ2	Fleet processing option	0.00 lbs	0.00 lbs	\$0.00	\$0.00
	Options Total	0.00 lbs	0.00 lbs	\$4,715.00	\$3,967.65
	As Specified Curb Weight	4123.00 lbs	2027.00 lbs		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	IR7
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	3.742
Second Gear Ratio (:1)	2.003	Third Gear Ratio (:1)	1.343
Fourth Gear Ratio (:1)	1.000	Fifth Gear Ratio (:1)	0.773
Sixth Gear Ratio (:1)	0.634	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Power Take Off	N/A	Second Reverse Gear Ratio (:1)	N/A
Third Reverse Gear Ratio (:1)	N/A	Fourth Reverse Gear Ratio (:1)	N/A
Fifth Reverse Gear Ratio (:1)	N/A	Sixth Reverse Gear Ratio (:1)	N/A
Transmission Manufacturer	Aisin A465	Transmission Type	N/A

Engine

Engine Order Code	I1B	Engine Type	Turbocharged Diesel I4
Displacement	5.2L/317	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	215 @ 2500	SAE Net Torque @ RPM	452 @ 1850-2750
Engine Oil Cooler	N/A	Governed Engine Speed (RPM)	N/A
Engine Series	4HK1-TC		

Electrical

Cold Cranking Amps @ 0° F (Primary)	750	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	140

Cooling System

Total Cooling System Capacity	20.8 qts
-------------------------------	----------

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Vehicle

Vehicle

Axle Ratio - Low Rear (:1)	N/A	As Spec Curb Weight - Front	4123.00 lbs
As Spec Curb Weight - Rear	2027.00 lbs		

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Total Weight	9500.00 lbs	Gross Axle Wt Rating - Front	5360 lbs
Gross Axle Wt Rating - Rear	9880 lbs	Curb Weight - Front	4123 lbs
Curb Weight - Rear	2027 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	776.77 lbs
Reserve Axle Capacity - Rear	5313.23 lbs	As Spec'd Curb Weight	6150.00 lbs
As Spec'd Payload	8350.00 lbs	Gross Combined Wt Rating	20500 lbs
Cargo Weight	0.00 lbs	Gross Vehicle Weight	9500.00 lbs
Axle Weight	N/A	Gross Axle Weight Rating	15240.00 lbs
Curb Weight	6150.00 lbs	Reserve Axle Capacity	6090.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0.00 lbs
Payload Weight Rear	0.00 lbs	Maximum Axle Rating Front	2680.00 lbs
Maximum Axle Rating Rear	2470.00 lbs	Maximum Axle Rating Total	5150.00 lbs
Gross Vehicle Weight Rating	14500.00 lbs	Front PayLoad	N/A
Rear Payload	N/A	Total Payload Weight (Cargo + Driver + Body)	3350.00 lbs

Frame

Frame Type	Ladder-Type C-Section	Sect Modulus Rails Only	7.20 in ³
Frame RBM	316800	Frame Strength	44000 lbs
Frame Thickness	8.50 x 2.76 x 0.24 in		

Suspension

Suspension Type - Front	Independent	Suspension Type - Rear	Independent
-------------------------	-------------	------------------------	-------------

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Chassis

Suspension

	w/Tapered Leaf Springs		w/Multi-Leaf Springs
Spring Capacity - Front	6830 lbs	Spring Capacity - Rear	9880 lbs
Axle Type - Front	I-Beam	Axle Type - Rear	Full-Floating
Axle Capacity - Front	6830 lbs	Axle Capacity - Rear	11020 lbs
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	4.555
Shock Absorber Diameter - Front	42.0 mm	Shock Absorber Diameter - Rear	42.0 mm
Stabilizer Bar Diameter - Front	1.65 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	2TA	Rear Tire Order Code	3TA
Spare Tire Order Code	N/A	Front Tire Size	LT215/85R16
Rear Tire Size	LT215/85R16	Spare Tire Size	N/A
Front Tire Capacity	2680 lbs	Rear Tire Capacity	2470 lbs
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	682.9
Revolutions/Mile @ 45 mph - Rear	682.9	Revolutions/Mile @ 45 mph - Spare	N/A
Tire Rating Total	5150.00		

Wheels

Front Wheel Size	16 x 6 in	Rear Wheel Size	16 x 6 in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Front Bolt Pattern	6 Hole JIS 8.75"	Rear Bolt Pattern	6 Hole JIS 8.75"
Spare Bolt Pattern	N/A		

Steering

Steering Type	Pwr	Steering Ratio (:1), On Center	18.8-20.9
Steering Ratio (:1), At Lock	18.8-20.9	Turning Diameter - Curb to Curb	51.2 ft
Turning Diameter - Wall to Wall	56.4 ft		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Chassis

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	N/A	Front Brake Rotor Diam x Thickness	11.5 x -TBD- in
Rear Brake Rotor Diam x Thickness	N/A	Drum - Front (Yes or)	N/A
Front Drum Diam x Width	N/A	Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	12.6 x 3.94 in		

Fuel Tank

Fuel Tank Capacity, Approx	30.0 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	Frame Rail	Aux Fuel Tank Location	N/A

Trailer

Trailer Weight	0.0 lbs
----------------	---------

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	38.4 in
Front Leg Room	29.5 in	Front Shoulder Room	70.7 in
Front Hip Room	67.7 in		

Exterior Dimensions

Wheelbase	176.0 in	Length, Overall w/o rear bumper	267.5 in
Length, Overall	N/A	Width, Max w/o mirrors	81.3 in
Height, Overall	90.8 in	Overhang, Front	48.4 in
Overhang, Rear w/o bumper	43.1 in	Front Bumper to Back of Cab	70.9 in
Cab to Axle	153.5 in	Cab to End of Frame	196.6 in
Ground to Top of Load Floor	N/A	Ground to Top of Frame	31.1 in
Frame Width, Rear	33.5 in	Ground Clearance, Front	7.5 in
Ground Clearance, Rear	7.5 in	Body Length	20.0 ft
Cab to Body	0.0 in	Frontal Area	0.00 ft²

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Medium Duty

Medium Duty Performance

Front Axle %	N/A	Rear Axle %	N/A
Driver Weight	350.0 lbs	Front Ground Load	N/A
Rear Ground Load	N/A	1st gear High Speed (High Axle Gear)	N/A
2nd gear High Speed (High Axle Gear)	N/A	3rd gear High Speed (High Axle Gear)	N/A
4th gear High Speed (High Axle Gear)	N/A	5th gear High Speed (High Axle Gear)	N/A
6th gear High Speed (High Axle Gear)	N/A	1st gear Low Speed (High Axle Gear)	9.54 MPH
2nd gear Low Speed (High Axle Gear)	17.82 MPH	3rd gear Low Speed (High Axle Gear)	26.57 MPH
4th gear Low Speed (High Axle Gear)	35.68 MPH	5th gear Low Speed (High Axle Gear)	46.16 MPH
6th gear Low Speed (High Axle Gear)	56.28 MPH	1st gear High Speed (Low Axle Gear)	N/A
2nd gear High Speed (Low Axle Gear)	N/A	3rd gear High Speed (Low Axle Gear)	N/A
4th gear High Speed (Low Axle Gear)	N/A	5th gear High Speed (Low Axle Gear)	N/A
6th gear High Speed (Low Axle Gear)	N/A	1st gear Low Speed (Low Axle Gear)	N/A
2nd gear Low Speed (Low Axle Gear)	N/A	3rd gear Low Speed (Low Axle Gear)	N/A
4th gear Low Speed (Low Axle Gear)	N/A	5th gear Low Speed (Low Axle Gear)	N/A
6th gear Low Speed (Low Axle Gear)	N/A	Reduction	30.07
Torque @ Clutch Engage	N/A	Starting Grade Index	N/A
1st Gear Tractive Effort (High Axle Gear)	5471.68	2nd Gear Tractive Effort (High Axle Gear)	2928.86
3rd Gear Tractive Effort (High Axle Gear)	1963.78	4th Gear Tractive Effort (High Axle Gear)	1462.24
5th Gear Tractive Effort (High Axle Gear)	1130.31	6th Gear Tractive Effort (High Axle Gear)	927.06
1st Gear Tractive Effort (Low Axle Gear)	N/A	2nd Gear Tractive Effort (Low Axle Gear)	N/A
3rd Gear Tractive Effort (Low Axle Gear)	N/A	4th Gear Tractive Effort (Low Axle Gear)	N/A
5th Gear Tractive Effort (Low Axle Gear)	N/A	6th Gear Tractive Effort (Low Axle Gear)	N/A
1st Gear Gradeability (High Axle Gear)	N/A	2nd Gear Gradeability (High Axle Gear)	N/A
3rd Gear Gradeability (High Axle Gear)	N/A	4th Gear Gradeability (High Axle Gear)	N/A
5th Gear Gradeability (High Axle Gear)	N/A	6th Gear Gradeability (High Axle Gear)	N/A
1st Gear Gradeability (Low Axle Gear)	51.89	2nd Gear Gradeability (Low Axle Gear)	27.24
3rd Gear Gradeability (Low Axle Gear)	17.58	4th Gear Gradeability (Low Axle Gear)	12.20
5th Gear Gradeability (Low Axle Gear)	8.16	6th Gear Gradeability (Low Axle Gear)	5.20
Geared Road Speed	0.00 MPH	Actual Loaded Speed	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" ( Complete)

Medium Duty

Medium Duty Performance

Grade (%)	2.0	Maximum Speed Gradeability	N/A
Torque Converter	1.7639	Maximum Capacity @ 0° F	750.00
% of Body on Front Axle	15.34	% of Body on Rear Axle	84.66
Body Weight Front	460.23 lbs	Body Weight Rear	2539.77 lbs
Actual Loaded Speed (First Part, MPH)	N/A	Actual Loaded Speed (Second Part, RPM)	
Actual Loaded Speed (Third Part, Gear)		Road Type	Concrete
Body Weight	3000.0 lbs	Driver Weight Front	N/A
Driver Weight Rear	N/A	Medium Duty Body Type	None
Front Total Load	4583.23 lbs	Rear Total Load	4566.77 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.




Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Weight Distribution

SPECIFICATION SUMMARY

Model #	CT34003
Truck/Tractor	
Wheelbase (WB)	176.0 in
Cab to Axle (CA)	153.5 in
Cab to Body/Swing Clear (BOC)	0.0 in
Body Length	20.0 ft
Body Weight	3000.0 lbs
Cargo Weight	0.00 lbs
Front GAWR	5360 lbs
Rear GAWR	9880 lbs
GVWR	14500.00 lbs



CA: 153.5 in
BOC: 0.0 in
WB: 176.0 in

Fr%: N/A	Rr%: N/A
Front Wt: 4583.23 lbs	Rear Wt: 4566.77 lbs

GAWR/GVWR	GVW	Remaining Payload Wt
14500.00 lbs	9500.00 lbs	5,000.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Weight Distribution

SPECIFICATION DETAILS

	Front Axle	Rear Axle	Total
Actual			
Chassis	4123.00 lbs	2027.00 lbs	6150.00 lbs
Body	460.23 lbs	2539.77 lbs	3000.0 lbs
Payload	0.00 lbs	0.00 lbs	0.00 lbs
Trailer			0.0 lbs
Totals	4583.23 lbs	4566.77 lbs	9500.00 lbs
Capacity			
Axle	5360 lbs	9880 lbs	15240.00 lbs
Suspension	6830 lbs	9880 lbs	16,710.00 lbs
Tire	2680 lbs	2470 lbs	5150.00
Total Axle Rating	2680.00 lbs	2470.00 lbs	5150.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Standard Equipment

Mechanical

Emissions, 50 state certification

Engine, Diesel 5.2L 4 cylinder 215 hp [160.3 kW] @2500 rpm, 452 lb-ft of torque [612.8 Nm] @ 1850-2750 rpm (Governed). 16 valve, four cycle, chain-driven dual overhead camshaft valve train, a cast iron cylinder block, and a cast aluminum cylinder head. Turbocharged, inter-cooled, water cooled EGR, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and a protection system that will reduce fueling if excessive coolant temperature is detected (STD)

Transmission, 6-speed automatic Aisin A465 transmission with fifth and sixth gear overdrive with lock up in 2nd, 3rd, 4th, 5th and 6th, PTO capability automatic torque converter lockup in stationary PTO mode. (STD)

Rear axle, 4.56 ratio

Air cleaner, heavy-duty, 11" diameter dry paper single element. Air cleaner canister standard with air restriction gauge. Back of cab location.

Drivetrain, rear-wheel drive

Battery, dual 750 cold-cranking amps, 12 volt, maintenance free

Alternator, 140 amps

Frame, ladder-type channel frame. Full C section straight frame 33.5" (85.1 cm) wide. Yield strength 44,000 psi, section modulus 7.20 cu.in. and RBM 316,800 lb-ft/in per rail.

Incomplete vehicle certification

Wheelbase, 176" (447.0 cm)

GVWR, 14,500 lbs. (6577 kg)

Front suspension, 6,830 lbs. (3098 kg) tapered leaf, semi-elliptical steel alloy. Includes shock absorbers and stabilizer bar.

Rear Suspension, 9,880 lbs. (4481kg), multi-leaf, semi-elliptical steel alloy. Includes shock absorbers

Front axle, 6,830 lbs. (3098 kg), reverse Elliot "I"-beam includes integral hydraulic power steering. ratio 18.8-20.9:1

Rear axle, 11,020 lbs. (4998 kg) R050, full-floating single-speed with oil lubricated rear wheel-bearings

Vehicle Application Truck

Brakes, 4-wheel antilock, front and rear disc with traction control and stability control

Exhaust brake

Fuel tank, 30 Gallon, (113L), stainless steel includes 2 auxiliary fuel ports

Exhaust, single horizontal outlet

Exterior

Tires, front, LT215/85R16 E 115/112 L BW ALS VAR1 (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Exterior

Tires, rear, LT215/85R16 E 115/112 L BW ALS VAR1 (STD)

Wheels, 16" x 6, K. steel

Grille, Silver

Assist steps

Glass, tinted

LED Headlamps

Mirror, outside left-hand and right hand dual cab-mounted with integral convex mirror

Windshield wiper, pulse, wet arm

Entertainment

Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD)

Audio system feature, 2 speakers

Interior

Seat, front high back bucket driver and passenger tricoat cloth covered reclining high back driver seat with single two occupant fold down passenger seat (STD)

Seat trim, Cloth

Cup holders

Floor mats

Steering wheel, urethane

Steering wheel, tilt and telescopic

Driver Information Center, (DIC) (monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. The DIC provides fuel economy reporting by average, instant, and trip.)

Air conditioning, single-zone manual, integral in-dash mounted

Windows, power

Door locks, power

Cruise control, electronic, automatic

Windshield washer bottle access on passenger side dash when passenger-side door is open

Storage, door pockets

Lighting, interior dome

Storage, seatback pockets

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Safety-Mechanical

Brake, parking, cable actuated, internal expanding drum type, transmission-mounted

Safety-Exterior

Daytime Running Lamps

WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty >>>

Basic Years: 3

Basic Miles/km: Unlimited

Drivetrain Years: 3

Drivetrain Miles/km: Unlimited

Corrosion Years: 4

Corrosion Miles/km: Unlimited

Rear Axle Years: 3

Rear Axle Miles/km: Unlimited

Frame Rail Years: 3

Frame Rail Miles/km: Unlimited

Frame Rail Note: 3 years/Unlimited Miles (no charge) AND up to 5 years/Unlimited miles (50% charge)

Roadside Assistance Years: 3

Roadside Assistance Miles/km: Unlimited

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.




Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Geared Road Speed

SPECIFICATION SUMMARY


Model #	CT34003
Engine Order Code	I1B
Model Manufacturer	4HK1-TC
Type	Turbocharged Diesel I4
Displacement	5.2L/317
Horsepower	215 @ 2500
Starting Torque	N/A
Transmission Order Code	IR7
Model Manufacturer	Aisin A465
Type	6-Speed Automatic
Rear Axle Order Code	
Model Manufacturer	N/A
Weight Rating	9880 lbs
Ratio:1	4.555
Rear Tires	LT215/85R16
Revolutions/Mile Front	682.9
Revolutions/Mile Rear	682.9
Surface Type	Concrete
Desired Grade	2%

Geared Road Speed



0% Grade in gear

Actual Loaded Speed



2% Grade in gear

Note: Simulated speedometer appearance may not correspond with selected equipment.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.




Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)

Gradeability Chart

SPECIFICATION SUMMARY

Model #	CT34003
Engine Order Code	I1B
Model Manufacturer	4HK1-TC
Type	Turbocharged Diesel I4
Displacement	5.2L/317
Horsepower	215 @ 2500
Starting Torque	N/A
Transmission Order Code	IR7
Model Manufacturer	Aisin A465
Type	6-Speed Automatic
Rear Axle Order Code	
Model Manufacturer	N/A
Weight Rating	9880 lbs
Ratio:1	4.555
Rear Tires	LT215/85R16
Revolutions/Mile Front	682.9
Revolutions/Mile Rear	682.9
Surface Type	Concrete
Desired Grade	2%



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" (Complete)


Turning Circle

SPECIFICATION SUMMARY

Model #	CT34003
Front Axle Order Code	
Capacity (lbs)	6830 lbs
Wheelbase Order Code	
Wheelbase (in)	176.0 in
Front Wheel Order Code	
Size/Type (in)	16 x 6 in
Front Tire Order Code	2TA
Size/Type	LT215/85R16

Wall to Wall (ft): 56.4 ft

Wall to Wall diameter is measured from the outermost part of the cab.




Curb to Curb (ft): 51.2 ft

Curb to Curb diameter is measured from the outside of the front tire.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.



Vehicle: [Fleet] 2023 Chevrolet 4500HD LCF Diesel (CT34003) 2WD Reg Cab 176" ( Complete)



Note:Photo may not represent exact vehicle or selected equipment.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16977. Data Updated: Jul 18, 2022 6:50:00 PM PDT.