

Specticle® Herbicide

 Version 1 / AUS
 Revision Date: 14.06.2016

 102000023686
 Print Date: 14.06.2016

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Specticle® Herbicide

Product code (UVP) 79930208

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Pty Ltd.

ABN 87 000 226 022 Level 1, 8 Redfern Road 3123 Hawthorn East

Victoria Australia

Telephone (03) 9248 6888 **Telefax** (03) 9248 6800

Responsible Department 1800 804 479 Technical Information Service **Website** www.environmentalscience.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Australia. GHS Hazardous Chemical Information List (Hazardous Substances Information System (HSIS)

Specific target organ toxicity - repeated exposure: Category 2

H373 May cause damage to organs through prolonged or repeated exposure if

swallowed.

Acute aquatic toxicity: Category 1 H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Indaziflam

Signal word: Warning

Precautionary statements

P260 Do not breathe mist.

P314 Get medical advice/ attention if you feel unwell.



Specticle® Herbicide

 Version 1 / AUS
 Revision Date: 14.06.2016

 102000023686
 Print Date: 14.06.2016

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Indaziflam 200 g/L

Chemical nature Suspension concentrate (=flowable concentrate)(SC)

Chemical Name	CAS-No.	Concentration [%]
Indaziflam	950782-86-2	19.05
Ethoxylated polyarylphenol	99734-09-5	>= 1.00 - <= 25.00
1,2-Propanediol	57-55-6	>= 5.00 - <= 10.00
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. In case of respiratory arrest induce breathing with a

respiratory device. Seek medical advice. Call a physician or poison

control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Do NOT induce vomiting. Call a physician or poison control center

immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed



Specticle® Herbicide

 Version 1 / AUS
 Revision Date: 14.06.2016

 102000023686
 Print Date: 14.06.2016

Treatment Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO),

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Collect contaminated fire extinguishing water separately. This must not

be discharged into drains.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



Specticle® Herbicide

 Version 1 / AUS
 Revision Date: 14.06.2016

 102000023686
 Print Date: 14.06.2016

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

personal protection see section 8.

Advice on protection

against fire and explosion

No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly

before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized

persons only. Protect from frost. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Indaziflam	950782-86-2	0.14 mg/m3 (TWA)		OES BCS*
1,2-Propanediol (Total vapour and particulates.)	57-55-6	474 mg/m3/150 ppm (TWA)	12 2011	AU NOEL
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m3 (TWA)	12 2011	AU NOEL

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment - End user

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Use respiratory protection for organic vapours.

Hand protection Impervious gloves

Eye protection Goggles

Skin and body protection Long-sleeved shirt and long pants

Engineering Controls

personal protection see section 8.



Specticle® Herbicide

Version 1/AUS Revision Date: 14.06.2016 102000023686 Print Date: 14.06.2016

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension

Colour white

Odour characteristic

pН 7.0 - 8.5 at 1 % (23 ℃) (deionized water)

>100 ℃ Flash point

Not relevant; aqueous solution

ca. 1.05 g/cm³ at 20 ℃ **Density**

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of No hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) >= 5,000 mg/kgAcute inhalation toxicity LC50 (Rabbit) > 3.624 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kgSkin irritation No skin irritation (Rabbit) Eve irritation No eye irritation (Rabbit) Sensitisation

Non-sensitizing. (Guinea pig)

OECD Test Guideline 406, Buehler test

Assessment mutagenicity



6/9

Specticle® Herbicide

Version 1/AUS 102000023686 Revision Date: 14.06.2016 Print Date: 14.06.2016

Indaziflam was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Indaziflam was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Indaziflam was not a primary reproductive toxicant in a two-generation study in rats.

Assessment developmental toxicity

Indaziflam did not cause developmental toxicity in rats and rabbits.

Assessment repeated dose toxicity

Indaziflam caused neurobehavioral effects and/or neuropathological changes in subchronic studies in rats and dogs.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Caution!

Harmful if swallowed, inhaled or absorbed through the skin., Avoid contact with skin, eyes and clothing., Avoid breathing spray mist.

Harmful if inhaled.

Harmful if absorbed through skin.

Harmful if swallowed.

Eye contact, Inhalation, Skin Absorption, Ingestion

Toxic to fish and aquatic invertebrates., This product may cause adverse effects on non-target plants.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 149 mg/l

invertebrates Exposure time: 48 h



Specticle® Herbicide

 Version 1 / AUS
 Revision Date: 14.06.2016

 102000023686
 Print Date: 14.06.2016

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.75 mg/l

Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Indaziflam:

Not rapidly biodegradable

Koc Indaziflam: Koc: 496

12.3 Bioaccumulative potential

Bioaccumulation Indaziflam: Bioconcentration factor (BCF) 66

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Indaziflam: Moderately mobile in soils

12.5 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Metal drums and plastic containers:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SECTION 14. TRANSPORT INFORMATION

ADG

UN number 3082
Transport hazard class(es) 9
Subsidiary Risk None
Packaging group III

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(INDAZIFLAM SOLUTION)

Hazchem Code •3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

IMDG

UN number 3082
Transport hazard class(es) 9
Subsidiary Risk None
Packaging group III



Specticle® Herbicide

 Version 1 / AUS
 Revision Date: 14.06.2016

 102000023686
 Print Date: 14.06.2016

Marine pollutant YES

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(INDAZIFLAM SOLUTION)

IATA

UN number 3082
Transport hazard class(es) 9
Subsidiary Risk None
Packaging group III
Environm. Hazardous Mark YES

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(INDAZIFLAM SOLUTION)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994 Australian Pesticides and Veterinary Medicines Authority approval number: 64673

Hazardous Classification

Hazardous (National Occupational Health and Safety Commission - NOHSC)

SUSMP classification (Poison Schedule)

Schedule 6 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Specticle® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

AU OEL Australia. OELs. (Adopted National Exposure Standards for Atmospheric

Contaminants in the Occupational Environment)

CAS-Nr. Chemical Abstracts Service number



9/9

Specticle® Herbicide

 Version 1 / AUS
 Revision Date: 14.06.2016

 102000023686
 Print Date: 14.06.2016

CEILING Ceiling Limit Value Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

OES BCS OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration

of a particular substance determined over the shortest analytically practicable period of

time which does not exceed 15 minutes.

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SK-SEN Skin sensitiser

SKIN_DES: Skin notation: Absorption through the skin may be a significant source of

exposure.

STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA

exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the

STEL.

TWA: Exposure standard - time-weighted average (TWA): The average airborne

concentration of a particular substance when calculated over a normal eight-hour

working day, for a five-day working week.

TWA Time weighted average

UN United Nations

WHO World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS