

Lakewood City Schools Community Recreation and Education Department

Child Information Form

Camp-Can-Do/S.T.O.P.

Children will NOT be accepted at camp without a completed CHILD INFORMATION FORM on file.

PARTICIPANT INFORMAT	TON (PLEASE	PRINT)		
NAME				SEX: M F
ADDRESS:				
ADDRESS: How	use #	Street	City	Zip
HOME PHONE NUMBER:				
-			CURRENT	
BIRTHDATE:		AGE:	GRADE:	SCHOOL:
Please state any additional	funding for can	np (ie MR	DD, School District) and amount:	
Funding Source:			Amount:	
Please circle which camp ye	our child will att	end:		
Camp-Can-Do (Ages 5-13))		S.T.O.P (Ages 14-22)	
Please circle which session	(s) your child w	ill attend:		
Session 1 CCD			Session 1 S.T.O.P	
Session 2 CCD			Session 2 S.T.O.P	
Session 3 CCD		Session 3 S.T.O.P		
Session 4 CCD			Session 4 S.T.O.P	
My Child's T-shirt size is (pl				
	S	ECTION	I: EMERGENCY CONTACTS	
EMERGENCY PHONE NUI	MBERS			
Mother/Guardian Name:			Father/Guardian Name:	
Mother/Guardian Cell/Pager: Father/Guardian Cell/Pager:				
Mother/Guardian Work:			Father/Guardian Work:	
emergency or illness if the	parent/guardian it one person lis	cannot b	cal persons who you want to be contacted be reached. Persons listed should be able be able to take responsibility for the child	e to assist in locating the
Name:			Name:	
City, State, Zip Code:			City, State, Zip Code:	
Telephone Number:			Telephone Number:	
Relationship to Child:			Relationship to Child:	

SECTION 2: CHILD'S MEDICAL INFORMATION

Name of Physician/Clinic Hospital:	Physician Phone:	
Name of Dentist: Dentist Phone:		
Hospitalization Insurance:		
Name and dosage of any medication taken on a regular basis*:		
	name	dosage
*Please complete separate permission to administe Camp-Can-Do/		eet if medication is needed during
Allergies (food, medication, & environmental) and precautions, reactions		
Allergies (1000, medication, & environmental) and precaditoris, reaction	ons, and treatment.	
Medications, food supplements, modified diet currently being adminis	tered:	
Please note any special needs your child has or services he/she requ	uires (i.e. AD/HD, Autis	m, Diabetes, sun sensitivity, etc.)
Chronic Physical Problems:		_
Any additional health or enrollment information you feel we should kn	ow about your child:	
SECTION 3: EMERGEN	NCY ALITHORIZATION	
I give the Lakewood Board of Education, Lakewood Community Rec transported to (Hospital or Clinic) for emergency medical care or to available source of assistance.	(Dentist, if applicable)	
YES	_ NO	
OFOTION 4 AUTHORIZ	4TION FOR RE! E40	_
SECTION 4: AUTHORIZ		
I hereby authorize the Lakewood Community Recreation and Educa all individuals listed in Section 1: Emergency Contacts and to the folloa photo identification will be requested for verification purposes.		
Name:	Name:	
Relationship:	Relationship:	
Telephone Number:	Telephone Number:	
Denial of Authorization for Release		
Name:	Name:	
Relationship:	Relationship:	
I HEREBY authorize the Lakewood Community Recreation and Educ Do/S.T.O.P. activities including but not limited to field trips, swimming		
I HEREBY acknowledge that I am responsible for understanding the Department Camp-Can-Do or S.T.O.P. Parent Handbook as they recomply with all procedures, policies, and conditions contained in the in termination of my child's participation in the program. Copies of the online at www.lakewoodrecreation.com.	elate to my child's enr Parent Handbook, and	ollment in the program. I HEREBY agree to I understand that my failure do so may result
By registering for any Lakewood Community Recreation and Education Schools Community Recreation and Education Department Progra available at the Lakewood Community Recreation and Education Deat www.lakewoodrecreation.com.	m Registration Wavie	r & Consent Policy. A copy of the policy is
PARENT/GUARDIAN SIGNATURE		Date

CAMPER CARE QUESTIONNAIRE

ALL INFORMATION MUST BE COMPLETED. PLEASE USE ADDITIONAL PAPER IF NEEDED.

Camper's Name	Nick Name			
Гуре of Disability				
ANY SPECIAL CONCERNS/F	RESTRICTIONS?			
For transportation, does your cam	nper use a wheelchair? YES NO			
Does camper need 1:1 supervisio	n? If so, please explain			
Uses sign language Has difficulty speaking Understands verbal instruction Please describe special words and techniques	Use Communication Board Has difficulty being understood No Communication Needs d phrases used at home, if campers use eyes for yes/no, or other			
camper does not currently or rout	Wheelchair/ManualNeeds assistance pushing wheelchairWalkerEyeglasses of appliances. Please do not send appliances to camp if the			
PERSONAL CARE: Please and Uses toilet independently YES_Dresses Independently YES_Needs lifted onto toilet YES_Needs help with menstrual cycle	NO Wears diapers YESNONO			

****PLEASE BE SURE TO PROVIDE ENOUGH DIAPERS/DEPENDS AND UNDERGARMENTS. WE WILL NOT PROVIDE THESE ITEMS!

EATING HABITS : Please check al	1 that apply	
Needs to be fedNeeds help drinkingI	Difficulty swallowing	
Special equipment (explain how t	to use)	
Egod allergies (what food)		
Special diet, food restrictions, etc		
Other		
SOCIAL CONCERNS: Please com		
frustration, group participation, peer	relations, does camper hit, bite, etc.)
SPECIAL INTERESTS AND SKII	LLS:	
Camper's Favorite Food:	Camper's Favorite Snac	k:
Camper's Favorite Sport:	Camper's Favorite TV s	how:
Camper's Favorite Movie:	Camper's Favorite Book	
Camper's Favorite Song:		
Camper is happiest when:		
Camper gets angry when:		
When the camper has done something	g good, a great reward would be:	· · · · · · · · · · · · · · · · · · ·
ADDITIONAL INFORMATION: or interests that the Camp-Can-Do or COMMENTS:	S.T.O.P. staff should know about y	our camper:
PLEASE READ CAREFULLY: I Camp-Can-Do or STOP, with any res		pate in the activities of
Signature of Parent/Guardian	Printed Name	Date

Camper Care Questionnaire



Lakewood Community Recreation and Education Department

Physicians' Questionnaire

Name of Child:	Date:
Address:	Age:
Phone:	
instructional activities such as developmenta	ng in a special education program which consists of all skills, simple games and swimming, In order for the factivitiy within the needs, capabilities and limitations of active to the questions listed below.
Description of child's medical condition:	
Will water activities be of any harm to the app	licant?
What restrictions in terms of physical activity s	should be observed for this child?
In my opinion, the above named boy/girl can predical condition and restrictions described a	participate in this program in accordance with his/her above.
	Signature of Physician
	Address of Physician
	Phone Number

Please return this form to the Lakewood Community Recreation and Education Department by June 1st.



PARENT REQUEST AND AUTHORIZATION TO ADMINISTER A PRESCRIBED AND NON-PRESCRIBED MEDICATION/DRUG OR TREATMENT

To the Parent:

Nan	ne of Student	Address
Sch	ool	Grade
A.	I am requesting permission for my child	d named above to: (Check all that apply)
	use or receive prescribed	medication
		ibed (over-the-counter) medication drug requires only a parent signature.
	Medication:	
		Time to be administered:
	receive prescribed treatm	
		d medication(s) in my presence or that of an authorized
	in accordance with the authorized pres	cription.
B.	medication/drug must be received by	fe delivery of the medication/drug to school. (The the District (i.e., the person authorized to administer the n which it was dispensed by the prescriber or a licensed
C.	prescribed treatment. (You must subn	ere is any change in the use of the medication/drug or the nit to the District a revised licensed prescriber's statement, information contained in the statement changes.)
D.		of Education, its officials, and its employees harmless from nforeseeable for damages or injury resulting directly or
Sigr	nature of Parent*	Date
Hon	ne Telephone	Work Telephone

^{*}Parent, guardian, or other person having care or charge of the student.



LICENSED PRESCRIBER'S STATEMENT

To the Prescriber:

TO the Frescriber.	
The School District requires that all of the following informedication or treatment to the student.	rmation be provided before it will administer
Name of Student	Address
School	Class/Grade
I am a licensed health professional authorized to prescrib medication to the above named student (specify the name	of the drug)
Date the administration of the drug is to begin	
Date the administration of the drug is to cease	
Specify the dosage of the drug to be administered, and the drug is to be administered	
Specify any special instructions for administration of the o	drug, including sterile conditions and storage
Report the following side effects (i.e., severe adverse reac	tions) to my office immediately
Prescriber's Signature	Telephone
Printed/Typed Name	Date
<u>AUTHORIZATION FO</u>	R STAFF
The following staff members are authorized medication(s)/treatment(s):	to administer the above-prescribed
_	



Asthma Action Plan for Home & School

lame: sthma Severity: Intermittent Mild Persistent Moderate Persistent Severe Persistent					
,	vere asthma attacks/exacerbations				
Green Zone Have the child take these me	edicines every day, even when the child feels well.				
Always use a spacer with inhalers as directed. Controller Medicine(s):					
Rescue Medicine: Albuterol/Levalbuterol	puffs every four hours as needed puffs 15 minutes before activity as needed				
Yellow Zone Begin the sick treatment plan child take all of these medicine.	if the child has a cough, wheeze, shortness of breath, or tight chest. Have the nes when sick.				
Controller Medicine(s):	Rescue Medicine: Albuterol/Levalbuterol puffs every 4 hours as needed Controller Medicine(s): Continue Green Zone medicines:				
Change: If the child is in the yellow zone more than 24 hour	☐ Change:				
Red Zone If breathing is hard and fast,	ribs sticking out, trouble walking, talking, or sleeping. Get Help Now				
Take rescue medicine(s) now Rescue Medicine: Albuterol/Levalbuterol puffs every Take:					
	child is not better right away, call 911 e doctor any time the child is in the red zone.				
Asthma Triggers: (List)					
School Staff: Follow the Yellow and Red Zone plans for reso	cue medicines according to asthma symptoms. red in school are those listed as "given in school" in the green zone.				
☐ Both the asthma provider and the parent feel that the chil☐ School nurse agrees with student self-administering the inl	ld <u>may carry and self-administer their inhalers</u>				
Asthma Provider Printed Name and Contact Information: Asthma Provider Signature:					
	Date:				
	ations listed in the action plan to be administered in school by the nurse or other school een the prescribing health care provider/clinic, the school nurse, the school medical advisor ma management and administration of this medication.				
Parent/guardian signature: School Nurse Reviewed:					
Date:	Date:				



FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN


Name:	D.O.B.:	PLACE PICTURE HERE
Weight:lbs. Asthma: Yes (higher risk for a severe reaction) No		
NOTE: Do not depend on antihistamines or inhalers (bronchodilate	ors) to treat a severe reaction. USE EPINEPHRI	NE.
THEREFORE:		
☐ If checked, give epinephrine immediately if the allergen was LIKELY ea☐ If checked, give epinephrine immediately if the allergen was DEFINITEL		ıt.
FOR ANY OF THE FOLLOWING: SEVERE SYMPTOMS	MILD SYMPTOI	MS
LUNG HEART THROAT MOUTH Shortness of Pale or bluish breath, wheezing, skin, faintness, throat, trouble Swelling of the	NOSE MOUTH SKIN Itchy or Itchy mouth A few hives mild itch sneezing	GUT s, Mild nausea or discomfort
repetitive cough weak pulse, breathing or tongue or lips dizziness swallowing	FOR MILD SYMPTOMS FROM MOR System area, give epinep	
SKIN Many hives over body, widespread redness The strict of the strict	FOR MILD SYMPTOMS FROM A SIN AREA, FOLLOW THE DIRECTION 1. Antihistamines may be given, if order healthcare provider. 2. Stay with the person; alert emergen 3. Watch closely for changes. If symptogive epinephrine.	S BELOW: ered by a
Call 911. Tell emergency dispatcher the person is having anaphylaxis and may need epinephrine when emergency responders	MEDICATIONS/DO	SES
 Consider giving additional medications following epinephrine: Antihistamine Inhaler (bronchodilator) if wheezing Lay the person flat, raise legs and keep warm. If breathing is difficult or they are verifing, let them sit up or lie on their side. 	Epinephrine Brand or Generic: Epinephrine Dose: 0.1 mg IM 0.15 mg Antihistamine Brand or Generic:	IM 🛚 0.3 mg IM
 difficult or they are vomiting, let them sit up or lie on their side. If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose. Alert emergency contacts. 	Antihistamine Dose: Other (e.g., inhaler-bronchodilator if wheezing): _	
Transport patient to ER, even if symptoms resolve. Patient should remain in ER for at least 4 hours because symptoms may return.		



FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN


HOW TO USE AUVI-Q® (EPINEPHRINE INJECTION, USP), KALEO

- Remove Auvi-Q from the outer case. Pull off red safety guard.
- Place black end of Auvi-Q against the middle of the outer thigh.
- 3. Press firmly until you hear a click and hiss sound, and hold in place for 2 seconds.
- Call 911 and get emergency medical help right away.



HOW TO USE EPIPEN®, EPIPEN JR® (EPINEPHRINE) AUTO-INJECTOR AND EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF EPIPEN®), USP AUTO-INJECTOR, MYLAN AUTO-INJECTOR, MYLAN

- Remove the EpiPen® or EpiPen Jr® Auto-Injector from the clear carrier tube.
- Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward. With your other hand, remove the blue safety release by pulling straight up.
- Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- Remove and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.



HOW TO USE IMPAX EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF ADRENACLICK®), USP AUTO-INJECTOR. AMNEAL PHARMACEUTICALS

- Remove epinephrine auto-injector from its protective carrying case.
- 2. Pull off both blue end caps: you will now see a red tip. Grasp the auto-injector in your fist with the red tip pointing downward.
- Put the red tip against the middle of the outer thigh at a 90-degree angle, perpendicular to the thigh. Press down hard and hold firmly against the thigh for approximately 10 seconds.
- Remove and massage the area for 10 seconds. Call 911 and get emergency medical help right away.

HOW TO USE TEVA'S GENERIC EPIPEN® (EPINEPHRINE INJECTION, USP) AUTO-INJECTOR, TEVA PHARMACEUTICAL INDUSTRIES

- Quickly twist the yellow or green cap off of the auto-injector in the direction of the "twist arrow" to remove it.
- Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward. With your other hand, pull off the blue safety release.
- 3. Place the orange tip against the middle of the outer thigh at a right angle to the thigh.
- Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- Remove and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.

HOW TO USE SYMJEPI™ (EPINEPHRINE INJECTION, USP)

- When ready to inject, pull off cap to expose needle. Do not put finger on top of the device.
- Hold SYMJEPI by finger grips only and slowly insert the needle into the thigh. SYMJEPI can be injected through clothing if necessary.
- After needle is in thigh, push the plunger all the way down until it clicks and hold for 2 seconds.
- Remove the syringe and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.
- Once the injection has been administered, using one hand with fingers behind the needle slide safety guard over needle.

ADMINISTRATION AND SAFETY INFORMATION FOR ALL AUTO-INJECTORS:

- Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than mid-outer thigh. In case of accidental injection, go immediately to the nearest emergency room.
- If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries.
- 3. Epinephrine can be injected through clothing if needed.
- Call 911 immediately after injection.

OTHER DIRECTIONS/INFORMATION (may self-carry epinephrine, may self-administer epinephrine, etc.):

OTHER EMERGENCY CONTACTS EMERGENCY CONTACTS — CALL 911 NAME/RELATIONSHIP: RESCUE SQUAD:

Treat the person before calling emergency contacts. The first signs of a reaction can be mild, but symptoms can worsen quickly.

3			
		411 1	2 secon
	(-	000	15

DOCTOR:	PHONE:	NAME/RELATIONSHIP:	PHONE:		
PARENT/GUARDIAN:	PHONE:	NAME/RELATIONSHIP:	PHONE:		
FORM PROVIDED COURTESY OF FOOD ALLERGY RESEARCH & EDUCATION (FARE) (FOODALLERGY.ORG) 5/2020					