

# Parents' Guide to Immunizations Required for Pre-Kindergarten (Child Care)



Parents must show their child's Immunization Record as proof of immunizations (shots) before starting pre-kindergarten (child care) and at each age checkpoint after entry:

Age at Entry/checkpoint	Required Doses
2-3 Months	1 Polio 1 DTaP 1 Hep B 1 Hib
4-5 Months	2 Polio 2 DTaP 2 Hep B 2 Hib
6-14 Months	2 Polio 3 DTaP 2 Hep B 2 Hib
15-17 Months	3 Polio 3 DTaP 2 Hep B 1 Hib* (on or after 1st birthday) 1 Varicella 1 MMR (on or after 1st birthday)
18 Months-5 Years	3 Polio 4 DTaP 3 Hep B 1 Hib* (on or after 1st birthday) 1 Varicella 1 MMR (on or after 1st birthday)

\* One Hib dose must be given on or after the 1st birthday regardless of previous doses. Required only for children younger than 5 years old.

DTaP = [diphtheria toxoid](#), [tetanus toxoid](#), and acellular [pertussis](#) vaccine

Hep B = [hepatitis B](#) vaccine

Varicella = [chickenpox](#) vaccine

Hib = [Haemophilus influenzae, type B](#) vaccine

MMR = [measles](#), [mumps](#), and [rubella](#) vaccine

# Guía Para Padres Sobre Las Vacunas

## Requeridas Para Pre-Kínder (Guardería)



Los padres deben proporcionar el Comprobante de Inmunización del niño\ña como prueba de vacunación antes de empezar el pre-kínder (guardería) y durante cada punto de control de edad después de ingresar.

Edad al ingresar/ punto de control	Dosis requeridas
2–3 meses	<b>1 Polio</b> <b>1 DTaP</b> <b>1 Hep B</b> <b>1 Hib</b>
4–5 meses	<b>2 Polio</b> <b>2 DTaP</b> <b>2 Hep B</b> <b>2 Hib</b>
6–14 meses	<b>2 Polio</b> <b>3 DTaP</b> <b>2 Hep B</b> <b>2 Hib</b>
15–17 meses	<b>3 Polio</b> <b>3 DTaP</b> <b>2 Hep B</b> <b>1 Hib*</b> (al cumplir el 1 <sup>er</sup> año de edad o después) <b>1 Varicela</b> <b>1 MMR</b> (al cumplir el 1 <sup>er</sup> año de edad o después)
18 meses–5 años	<b>3 Polio</b> <b>4 DTaP</b> <b>3 Hep B</b> <b>1 Hib*</b> (al cumplir el 1 <sup>er</sup> año de edad o después) <b>1 Varicela</b> <b>1 MMR</b> (al cumplir el 1 <sup>er</sup> año de edad o después)

\*Una dosis contra el Hib se debe aplicar al cumplir el 1<sup>er</sup> año de edad o después, independientemente de las dosis anteriores.

Se requiere sólo para niños menores de 5 años de edad.

DTaP= vacuna contra la difteria, el tétanos y la tos ferina acelular

Hep B= vacuna contra la hepatitis B

Hib= vacuna contra haemophilus influenzae tipo B

MMR= vacuna contra el sarampión, las paperas y la rubéola.