

# Annual Statement

Beaverton School District certifies the following:

## 1. Responsible Persons

The person responsible for implementing and administering the Healthy and Safe Schools (HASS) Plan is:

Name: Karl Granlund

Position Title: Administrator for Risk Management

Phone Number: 503-356-4560

Mailing Address: 1260 NW Waterhouse Ave., Beaverton, OR 97006

The person who is the designated Integrated Pest Management (IPM) Coordinator is:

Name: Scott Loggins and Justin Freeman

Position Title: Integrated Pest Management Coordinators

Phone Number: 503-356-4450

Mailing Address: 16550 SW Merlo Road, Beaverton OR 97003

The person responsible for Asbestos Hazard Emergency Response Act (AHERA) information is:

Name: Sandy Galati

Position Title: Project Coordinator/Local Education Agencies (LEA) Designated Person

Phone Number: 503-356-4450

Mailing Address: 16550 SW Merlo Road, Beaverton OR 97003

## 2. Copies of the Healthy and Safe Schools Plan

Copies of the plan are available at each of the following locations:

- Beaverton School District Administration Office address located at 1260 NW Waterhouse Ave., Beaverton, OR 97006
- Beaverton School District's website at <https://www.beaverton.k12.or.us/>.
  - Click on Departments > Risk Management > Healthy and Safe Schools Plan.

## 3. Testing Certification

Beaverton School District certifies that it is in compliance with plan components.

## 4. Testing Results

Beaverton School District is current with all required testing as of the date of this document. Test results can be found on the website at <https://www.beaverton.k12.or.us/>. Beaverton School District will also use current district email lists or communications programs to provide final test results to staff, students, parents of minor students, and other members of their community. This includes providing actual final test results or providing direct access to final test results through links in the communications. Please contact [community\\_involvement@beaverton.k12.or.us](mailto:community_involvement@beaverton.k12.or.us) to be added to current

district email lists and programs. Specific test results can be found as follows:

- Lead in Water: <https://www.beaverton.k12.or.us/departments/risk-management/healthy-and-safe-schools>
- Radon: <https://www.beaverton.k12.or.us/departments/risk-management/healthy-and-safe-schools>

## 5. Website Link Maintenance

Beaverton School District certifies that all website links for plan information and test results are current and functional.

## 6. Major Exposure Reduction Activities

Beaverton School District has completed the following major activities, which resulted in reduced risk of exposure to hazardous materials:

Facility Name	Building Identification Number (BIN)	Activity resulting in reduced risk of exposure to hazardous materials	Type of hazard addressed	Date of activity	Estimated cost of remediation
Chehalem	22430600	Remove Asbestos	Asbestos	Jul 2022	\$15,333
Chehalem	22430600	Re-pipe	Lead in Water	Jul 2022	\$371,830
Elmonica	22430900	Remove Asbestos	Asbestos	Jul 2022	\$15,333
Elmonica	22430900	Re-pipe	Lead in Water	Jul 2022	\$371,830
McKinley	22431700	Remove Asbestos	Asbestos	Jul 2022	\$15,333
McKinley	22431700	Re-pipe	Lead in Water	Jul 2022	\$371,830
McKay	22431600	Remove Asbestos	Asbestos	Jul 2022	\$38,761
McKay	22431600	Major Remodel	Lead in Paint	Jul 2022	\$5,540
Montclair	22431800	Major Remodel	Asbestos	Aug 2022	\$19,269
Aloha High School	22436000	Remove Asbestos	Asbestos	Mar 2023	\$6,070
Sunset High School	22436500	Remove Asbestos	Asbestos	Sep 2022	\$13,270
Sunset High School	22436500	Remove Asbestos	Asbestos	Jul 2022	\$6,214
Whitford Middle School	22425200	Remove Asbestos	Asbestos	Jan 2022	\$2,586
District Auxiliary Facility	22430000	Major Remodel	Asbestos	Oct 2022	\$21,178

I certify that the above information is true and accurate to the best of my knowledge.

Karl Granlund	Administrator for Risk Management	5/9/2023
<b>Electronic signature of Authorized Representative</b>	<b>Title</b>	<b>Date of Annual Certification</b>