

NORTHSHORE SCHOOL DISTRICT
IFB# 2023-05-25 Maintenance Vehicle Replacement
Due Date: 5/25/2023 at 10:00 am



NORTHSHORE SCHOOL DISTRICT No. 417
3330 Monte Villa Parkway
Bothell, Washington 98021

INVITATION FOR BID

MAINTENANCE VEHICLE REPLACEMENT
IFB# 2023-05-25
for
Northshore School District

Proposals Due: MAY 25, 2023 at 10 AM PST

NORTHSHORE SCHOOL DISTRICT
IFB# 2023-05-25 Maintenance Vehicle Replacement
Due Date: 5/25/2023 at 10:00 am

Notice is hereby given that Northshore School District (District) is advertising Invitation for Bids (IFB) to comply with competitive solicitation guidelines, in order to replace aging Maintenance Vehicles, as permitted through RCW 28A.320.330 School District Funds, Section (2) Capital Funds for the purchase of maintenance vehicles during the 2021-2023 fiscal biennium.

- Total estimated value of IFB: \$2 million (dependent on vehicle availability, numbers could vary)
- Vehicle replacement includes (but not limited to) pick-up trucks and cargo vans

Detailed specifications shall be provided for each type of vehicle requiring replacement. Multiple awards are anticipated in order to fulfill volume and delivery timeline of August 31, 2023.

Each bid shall be in accordance with the Request for Proposals Document. The Northshore School District reserves the right to reject any or all proposals, and to waive any informalities or irregularities in the RFP process. The Request for Proposals document(s) is available at <https://www.nsd.org/our-district/departments/business-services/purchasing/business>. Small Businesses and Minority and Women-Owned Businesses are encouraged to apply.

Publication: Seattle Daily Journal of Commerce
May 10, 2023 May 17, 2023

*Northshore School District prohibits discrimination on the basis of age, sex, marital status, sexual orientation including gender expression or identity, race, creed, religion, color, national origin, honorably discharged veteran or military status, or the presence of any sensory, mental, or physical disability or the use of a trained dog guide or service animal by a person with a disability. The following employee(s) have been designated to handle questions and complaints of alleged unlawful discrimination: Director of Human Resources **Abel Ghirmai** (Title IX, ADA and Civil Rights Compliance), Director of Student Services **Rick Ferrell** (Section 504), 3330 Monte Villa Parkway, Bothell, WA 98021, 425-408-6000.*

NORTHSHORE SCHOOL DISTRICT
IFB# 2023-05-25 Maintenance Vehicle Replacement
Due Date: 5/25/2023 at 10:00 am

TABLE of CONTENTS

| <u>Section</u> | | <u>Page Numbers</u> | |
|----------------|--|---------------------|----------|
| Part 1 | Instructions to Bidders | 4-7 | |
| Part 2 | Specifications and Scope of Work | 7 | |
| Part 3 | Content, Form, and Evaluation of Proposals | 7-8 | |
| Exhibit I | General Terms and Conditions | 9-10 | |
| Attachment I | Bid Certification | 11 | REQUIRED |
| Attachment II | Cost Sheet Proposal Form | 12 | REQUIRED |
| Exhibits A - L | Specifications per Vehicle | 13..... | |

NORTHSHORE SCHOOL DISTRICT
 IFB# 2023-05-25 Maintenance Vehicle Replacement
 Due Date: 5/25/2023 at 10:00 am

PART 1 – INSTRUCTIONS TO BIDDERS

1.01 GENERAL INSTRUCTIONS TO BIDDERS:

- A. District is requesting quotes from qualified bidders to replace identified vehicles per specifications attached and incorporated herein and to have delivered/on site at District prior to August 31, 2023.
- B. Bidder shall submit one (1) clearly marked original, and (1) electronic copy of the proposal in PDF format with Cost Proposal Form in MS Excel format, on a flash drive or CD-ROM. Proposals are to be submitted in a sealed envelope/box addressed to Joy Kuhlmann, Contracts and Procurement Manager, Northshore School District, 3330 Monte Villa Parkway, Bothell, WA 98021. The envelope/box shall contain the following information on its face: the name of the Bidder, Bidder’s address, and the title “IFB# 2023-05-25 Maintenance Vehicle Replacement.” It is the sole responsibility of the Bidder to see that its proposal is received at the designated location by the designated time. Proposals shall be hand-delivered or sent via certified mail to ensure that they are received by the due date and time. Electronically transmitted or faxed proposals will not be accepted.
- C. District intends to award contract(s) to the lowest, responsive, most responsible Bidder(s) whose quote offers the best price to the District in accordance with RCW 28A.335.190 and RCW 39.26. and that can meet District delivery deadline of August 31, 2023. It is anticipated there may be multiple awards, dependent on availability of vehicles and delivery timelines.
- D. Purchase Orders for Board Approved awarded contracts will be issued after June 12, 2023 and no later than June 30, 2023. The Bidder’s acceptance of PO in conjunction to the Bidder’s response, and the Bidder’s signed Certification, will serve as the binding Contract.
- E. Distribution of this IFB or receipt of any proposal shall not constitute a commitment by the District to any Bidders. If it is determined that the submitted proposals are not economically beneficial to the District or for other business reasons, the District may, at its sole discretion, reject all proposals or waive informalities in the request for proposal process.
- F. The following is a draft schedule of activities related to this IFB:

| <u>Date</u> | <u>Activity</u> |
|------------------------------|---|
| May 8, 2023 | Board Consent to Bid |
| May 10, 2023 | Date of First Advertisement |
| May 17, 2023 | Date of Second Advertisement |
| May 25 , 2023 at 10am | Bid/Quote Due Date, Public Bid Opening at District Administrative Office 10am |

NORTHSHORE SCHOOL DISTRICT
 IFB# 2023-05-25 Maintenance Vehicle Replacement
 Due Date: 5/25/2023 at 10:00 am

| | |
|------------------------|--|
| June 1, 2023 | Board Docs Submitted, Notice of Intent to Award (All Bidders Notified) |
| | |
| June 12, 2023 | Board Approval |
| June 13, 2023 | Purchase Orders created before End of June |
| August 31, 2023 | VEHICLES MUST BE ONSITE AT NSD |

1.02 PREPARATION OF BID

- A. Bidder must fill in all spaces provided on the proposal forms. All costs in submitting a bid, responding to inquiries, and demonstration of products and services shall be borne in full by the Bidder.

1.03 SIGNATURES

- A. The bid cover letter and all required forms must be signed in the name of the Bidder and must bear the title and signature of the person duly authorized to sign the bid.

1.04 WITHDRAWAL OF PROPOSAL

- A. Any Bidder may withdraw its proposal, either personally or by written request, at any time prior to the scheduled closing time for receipt of proposals.

1.05 EXAMINATION OF IFB REQUIREMENTS, QUESTIONS

- A. Bidders shall thoroughly examine and be familiar with all instructions, conditions, and/or specifications. The failure of a Bidder to receive or examine any form, attachment, clarification, addendum, or other document, or visit to the site when required in order to acquaint the Bidder with existing conditions, shall in no way relieve the Bidder from obligations concerning the proposal or the contract. The submission of a proposal shall be taken as prima facie evidence of compliance with this section.

- B. If any person contemplating submitting a proposal for the proposed contract is in doubt as to the true meaning of any part of the proposal request, or finds discrepancies in, or omissions from the specifications, they may email to District a written request for an interpretation or correction thereof. The Bidder submitting the request will be responsible for its prompt delivery and it must be received by District at least four business days prior to the date proposals are due. Questions or requests for interpretation of specifications must be emailed to Joy Kuhlmann, Contracts and Procurement Manager, at jkuhlmann@nsd.org, referencing the title of this IFB in the subject line. Interpretations and answers to questions shall be communicated by a formal Clarification document that will be made available to all Bidders. Any Addendum or Clarification issued will be posted to the District website (<https://www.nsd.org/our-district/departments/business-services/purchasing/business>). It is the responsibility of the Bidder to check the District website regularly for updates. No oral interpretation of any provision in the proposal documents will be made to any Bidder.

- C. During the time-period that this IFB is active beginning with the date of first advertisement and ending with the date of contract award, no Bidder shall have any communication with any

NORTHSHORE SCHOOL DISTRICT
IFB# 2023-05-25 Maintenance Vehicle Replacement
Due Date: 5/25/2023 at 10:00 am

employee or contractor of District about this IFB except for Joy Kuhlmann, Contracts and Procurement Manager. Violations of this requirement may result in disqualification of Bidder.

1.06 “OR EQUAL” CLAUSE

Unless otherwise stated in the proposal documents, whenever a process, equipment or material is specified by giving a manufacturer's name, brand, or number, it is understood that the words “or equal” follow thereafter. Where the phrase “Or Equal” applies or occurs in the proposal documents, do not assume that a process, equipment, or material is approved by the Applicant unless the item had been specially approved for their work by the Applicant. The decision of the District is final.

1.07 CONTRACT

- A. Bidder shall be prepared to process District Purchase Order (PO) once Board Approval of award(s) is obtained. The Bidder’s response to this IFB and acceptance of the PO shall become record of the binding agreement. If Bidder would like to request revisions to the General Contract terms included in this IFB, Bidder shall submit a statement in the Appendix of its proposal indicating any terms that it would like to negotiate. These terms should be clearly identified by reference to the Section number of the IFB where the terms can be found. Bidder shall clearly indicate the suggested revisions to terms. District reserves the right to decline or negotiate these contract terms with the selected Bidder.
- B. Prior to issuing a Purchase Order, there must be an acceptance of the vendor's offer by the School Board. The Bidder’s response to this IFB and their acceptance of the NSD issued PO shall become record of the binding agreement.

1.08 DELIVERY

- A. **Delivery of products and services must occur during District-agreed upon hours and prior to August 31, 2023.**

1.09 TAXES

- A. Proposals must include sales tax. Tax rate will be based on delivery location of Northshore School District, Transportation Department located at:
 - Northshore SD Transportation
21325 20th Ave SE
Bothell, WA 98021

1.10 PUBLIC INFORMATION/CONFIDENTIALITY

- A. The District understands that Bidders may include within their proposal information that which is deemed confidential in the opinion of the Bidder. The Bidder must understand that the District is subject to clear legislation governing open records and public information requests within the State of Washington. Bidders must clearly mark portions of their proposal that they feel are exempt from disclosure pursuant to RCW 42.56 or any other state and federal statute and include an explanation as to why they believe the indicated documents are exempt. The District will not be bound by any blanket confidentiality agreements, and the District makes no assurances that confidential materials will be held in confidence if they are not deemed qualified for exemption.

NORTHSHORE SCHOOL DISTRICT
IFB# 2023-05-25 Maintenance Vehicle Replacement
Due Date: 5/25/2023 at 10:00 am

1.11 PROTEST PROCEDURE

- A. District's Protest Procedure can be found on the website at <https://www.nsd.org/our-district/departments/business-services/purchasing/business>.

PART 2 – SPECIFICATIONS AND SCOPE OF WORK

2.01 OVERVIEW

The District currently has aging Maintenance Fleet of vehicles that require replacement in order to maintain efficient delivery and support services within the District. Minimum specifications are provided for pickup trucks and vans from multiple manufacturers in Exhibits A-L included herein. The District may choose to award multiple vendors and/or select variety of vehicles based on availability and delivery schedules.

2.02 MINIMUM SPECIFICATIONS

- A. REQUESTED VEHICLES MAKE/MODEL MINIMUM SPECS FOUND IN EXHIBIT(S)
 - a. Make, Model, and type.
 - b. Delivery, installation
 - c. Warranties.
- B. SEE COST PROPOSAL FORM

2.03 ALTERNATE PRODUCTS AND SERVICES

Bidder shall provide information and pricing for solutions that will meet the following requirements. District reserves the right to purchase the proposed solution at District's sole discretion.

- A. Alternate USED Products may be considered from Bidder, that meet basic minimum requirements in specifications attached, including used vehicles/trucks not exceeding 5 years old, with odometer reading of 100,000 miles or less.
 - a. Make, Model, and type.
 - b. Delivery, installation
 - c. Warranties.
- B. SEE COST PROPOSAL FORM to submit costs, alternate vehicles.

2.04 COMBINATION of PRODUCTS

Any combination of available vehicles may be proposed by bidder and selected by District.

2.05 DELIVERY, INSTALLATION

District must receive vehicle(s) On-site prior to August 31, 2023.

2.06 WARRANTIES

- a. Warranties for vehicles must be included in proposal(s)

PART 3 – CONTENT, FORM, AND EVALUATION OF PROPOSALS

3.01 CONTENT

- A. At a minimum, each proposal must include the following items:

NORTHSHORE SCHOOL DISTRICT
IFB# 2023-05-25 Maintenance Vehicle Replacement
Due Date: 5/25/2023 at 10:00 am

- a. Bid Certification (Attachment A)
- b. Cost Proposal

3.02 EVALUATION CRITERIA

A. Products and Equipment Proposed

Products proposed should meet or exceed the specifications outlined in EXHIBIT(S) for each vehicle. This response should address all required products and equipment available for purchase. Proposals should demonstrate an understanding of the needs of District and propose a solution to meet those needs.

B. Warranties

- a. Warranty to support NEW vehicle(s) proposed.
- b. Warranty to support USED vehicle(s) proposed.

C. Pricing

Pricing should include all applicable costs to the District for the equipment, products and services requested for the delivery and receiving of requested vehicles.

3.03 EVALUATION OF PROPOSALS

A. Once received, Proposals will be evaluated for responsiveness. A Proposal will be considered responsive as follows:

- a. Bidder must be authorized to conduct business within WA State
- b. All required forms have signatures of authorized person.
- c. Bidder must provide all proposed equipment, products, and services within specified timeline.
- d. Any other criteria which may be relevant to this determination.

B. EVALUATIONS

District may select responsive Bidders with the capacity to deliver to District as required at the best price, meeting the needs of the District.

- a. Price
- b. Deliverability
- c. The District reserves the right to contact Bidders to clarify proposals and/or ask for additional information.
- d. The District reserves the right to waive any irregularity in any proposal, to accept or decline any and/or all of the proposals, to take no action whatsoever, and/or to request the submittal of new proposals. All proposals submitted become the property of the District and will not be returned.

EXHIBIT 1

GENERAL TERMS AND CONDITIONS

1. Send/EMAIL invoices to the address listed, email: accountspayable@nsd.org
2. Packing slips must be included in each package.
3. Any change affecting quantity, price, or delivery must be approved by the purchasing office.
4. Purchase orders may be accepted only on the terms and conditions listed below and as outlined in the Invitation for Bid incorporated herein.
5. Please refer any inquiries regarding Purchase Order to email: purchasing@nsd.org
Please refer any accounts payable inquiries to email: accountspayable@nsd.org

TERMS AND CONDITIONS:

1. **Entire Agreement:** This purchase order, when properly signed and bearing a purchase order number, is the only form which will be recognized by Purchaser as authority for charging merchandise or services to its account and supersedes all prior negotiations and dealings between the parties. Seller has satisfied himself as to the nature of the work, the character, quality and quantity of materials and equipment which will be required, and all matters which can in any way affect performance hereunder. The Seller, without written consent of the Purchasing office, shall not make any changes, alterations or variations in the terms of the purchase order. Any work performed or other action taken under this purchase order in accordance with instructions of any individual other than the Purchaser shall be at Seller's risk and without recourse to claim for reimbursement, unless such individual had been authorized during negotiations. Time is of the essence of this order.
2. **Invoice:** . All purchase orders will be F.O.B. destination unless otherwise authorized. If not sold F.O.B. destination prepay shipping charges, if any, and add to invoice. Packing list must be enclosed with each shipment. Goods other than those specified on this purchase order must not be substituted without prior authorization from Purchaser. No C.O.D. shipments will be accepted. All items shall be packaged for ease of handling and in such a manner as to insure their protection during shipment and storage unless otherwise specified on the face of this order. Prices set forth in this order include all charges for packaging and transportation to F.O.B. point.
3. **Payments:** The purchase order number must appear on all invoices and correspondence. This order is subject to Washington State sales tax, although Purchaser is exempt from all federal excise tax.
4. **Inspection:** All merchandise is subject to Purchaser's inspection within a reasonable time after arrival at the ultimate destination. If, upon inspection, any merchandise is found to be unsatisfactory, defective or of inferior quality or workmanship, or fails to meet the specification or any other requirements of this order, Purchaser may return such merchandise to Seller at Seller's expense. Payment for merchandise prior to inspection shall not be construed to be an acceptance of unsatisfactory or defective merchandise. Upon the return of any unsatisfactory or defective merchandise, Seller shall reimburse Purchaser for any amounts paid by Purchaser on account of the purchase price of such returned merchandise and any costs incurred by Purchaser in connection with the delivery or return of such merchandise.
5. **Warranty:** Seller warrants that all articles furnished hereunder shall be free from all defects in material and workmanship and shall conform to any applicable specifications and for the purpose for which they are sold. Said warranties shall remain in effect for a period of one year after it is accepted at destination. This warranty is in addition to any standard warranty or service guarantees given by the Seller to the Purchaser, and Purchaser may, at its discretion, accept Seller's standard warranty for such articles in lieu of the warranty provisions set forth herein. Seller, upon notice from Purchaser, shall at Purchaser's discretion, either repair or replace the defective article or merchandise or agree to an equitable adjustment in the order price.
6. **Warranty Price:** Seller warrants that the prices of the items set forth herein do not exceed those charged by Seller to any other customer purchasing the same items in like or similar quantities.
7. **Title:** Seller warrants that the merchandise it is selling to Purchaser is free and clear of all liens and encumbrances and that Seller has a good marketable title to same. The Purchaser is the sole judge of quality. Goods not conforming to order requirements will be returned for credit to the Seller at Seller's expense.
8. **Assignment and Subcontracting:** Seller may not assign this order without Purchaser's prior consent. Seller shall not subcontract, without Purchaser's written consent, any portion of the work to be performed under this order other than the amount and of the nature indicated on Seller's quotation.
9. **Nondiscrimination:** Auburn School District is an equal opportunity employer. The Seller agrees that it and its subcontractors will comply with all local, state and federal laws prohibiting discrimination with regard to race, creed, color, sexual orientation, national origin, sex, marital status, age or the presence of any sensory, mental or physical handicap. The Seller understands that discrimination in public accommodation based solely on disability is prohibited. The Seller understands and agrees that its own compliance with nondiscrimination laws is a condition precedent to its right under this purchase order and that violation of said laws may result in cancellation of this order.
10. **Default:** Purchaser may, by written notice of default to Seller, terminate this order or any part thereof if Seller (1) fails to deliver the articles or perform the services in accordance with the delivery schedule specified herein, or any extension thereof; or (2) fails to comply with any of the provisions of this order and does not cure such failure within a period of ten (10) days after receipt of notice from Purchaser specifying such failure. In the event of termination due to default and failure to cure, Purchaser may purchase similar articles or services elsewhere. Seller may be liable to Purchaser for any excess cost to Purchaser, provided however, that Seller shall not be liable for such excess cost when the delay of Seller in making deliveries is due to causes beyond the control and without the fault or negligence of the Seller. Such causes may include, but are not restricted to acts of God, acts of the Government in its sovereign capacity, fires, floods, epidemics,

EXHIBIT 1

quarantine restrictions, strikes, freight embargoes, and unusually severe weather. No cause shall constitute a basis for excusable delay unless Seller has notified Buyer in writing of the existence of such cause within ten (10) days from the event.

11. Applicable Law: This agreement shall be governed by the laws of the State of Washington.

12. Material Safety Data Sheets: Seller must provide MSDS documentation for any hazardous materials. Seller will mail MSDA sheets to Auburn School District, Attn: District Safety Officer, 1302 4th St SW. Auburn, Washington 98001.

13. Indemnification: Any and all claims which hereafter arise on the part of any and all persons as a direct or indirect result of Seller or its employee's(s') or agent's(s') performance or failure to perform duties pursuant to this agreement/purchase order, shall be the Seller's/Contractor's sole obligation and the Seller/Contractor shall indemnify and hold harmless Auburn School District in full for any and all such acts or failures to act on the part of the Seller/Contractor or its employee(s) or agent(s).

14. Safety Conditions: All materials or equipment furnished will be required to satisfy any applicable requirements of the Occupational Safety and Health Act ("OSHA") and/or the Washington Industrial Safety and Health Act ("WISHA") in effect at the time of delivery. It shall be the responsibility of the Seller to comply with this requirement insofar as compliance is within its control.

15. Crimes against Children - Contractor employees - Termination of Contract -Contractor to prohibit any employee of the contractor from working at a public school who has contact with children at a public school during his or her employment and who has pled guilty to or been convicted of crimes as listed in RCW 28A.400.330 Failure to comply with this section shall be grounds for immediate termination of contract

ATTACHMENT I

BID CERTIFICATION

Pursuant to and in compliance with this Request for Proposal and all documents relating thereto, the undersigned hereby offers to furnish and deliver any or all of the articles enumerated at the prices quoted herein.

The Undersigned further declares that this Proposal/Quote is, in all respects, fair and without fraud, that it is made without collusion with any representative of the District, and that the Bid is made without any connection or collusion with any person submitting another Bid on this Project.

Authorized Signature: _____ **Date:** _____

Printed Name & Title: _____

Legal Company Name: _____

Telephone: _____

Email Address: _____

UBI Number: _____

DUNS Number: _____

Acknowledge receipt of addendum # _____ through _____.

IFB# 2023-05-25 MAINTENANCE VEHICLE REPLACEMENT

IMPORTANT: District is searching for newest, lowest price, available inventory vehicles to replace aging trucks and vans.

TOTAL # PICK-UP TRUCKS REQUIRED: 8 (eight)

TOTAL # CARGO VANS REQUIRED: 3 (three)

- * Any combination of available vehicles may be proposed by bidder and selected by District.
- * Proposed vehicle(s) should align with minimum specifications as provided within Attachments A-L.
- * This may be a combination of new/used and may include a combination of make/model.
- * **Used** vehicles shall not exceed 5 years, odometer reading must be less than 100,000 miles.
- * EXCEL VERSION OF COST PROPOSAL AVAILABLE UPON REQUEST.

IFB# 2023-05-25 Attachment II - Cost Sheet

| REQUESTED ITEM (or Equal) | YEAR | Description of Item | Qty Available | MAKE/MODEL | YEAR | NEW OR USED | Description | MSRP Cost | Unit of Measure | Bid Cost per UOM | WARRANTY INFO | Quantity Discount Break? | Delivery Lead-time | Shipping/Delivery Fees |
|--|------|--|---------------|------------|------|-------------|-------------|-----------|-----------------|------------------|---------------|--------------------------|--------------------|------------------------|
| 1 CHEVROLET SILVERADO - 1500 PICKUP TRUCK | 2022 | 1500 Pickup Truck 2WD-4WD | | | | | | | ea | | | | | |
| 2 CHEVROLET SILVERADO - 2500 PICKUP TRUCK | 2022 | 2500 Pickup Truck 2WD - 4WD | | | | | | | ea | | | | | |
| 3 CHEVROLET SILVERADO - 3500 PICKUP TRUCK | 2022 | 3500 Pickup Truck 4WD | | | | | | | ea | | | | | |
| 4 CHEVROLET EXPRESS CARGO VAN 2500/3500 | 2022 | 2500/3500 Cargo and Passenger Vans | | | | | | | ea | | | | | |
| 5 DODGE RAM 1500 CLASSIC PICKUP TRUCK | 2023 | 1500 Pickup Truck 2WD/4WD | | | | | | | ea | | | | | |
| 6 DODGE RAM 2500 PICKUP TRUCK | 2023 | 2500 Pickup Truck 2WD/4WD | | | | | | | ea | | | | | |
| 7 DODGE RAM 3500 4WD PICKUP TRUCK | 2023 | 3500 Pickup Truck 4WD | | | | | | | ea | | | | | |
| 8 FORD F150 2WD PICKUP TRUCK | 2023 | F150 Pickup Truck 2WD | | | | | | | ea | | | | | |
| 9 FORD F250 2WD PICKUP TRUCK | 2023 | F250 Pickup Truck 2WD | | | | | | | ea | | | | | |
| 10 FORD F350 2WD PICKUP TRUCK | 2023 | F350 Pickup Truck 2WD | | | | | | | ea | | | | | |
| 11 FORD E-TRANSIT FULL SIZE CARGO VAN ELECTRIC (BEV) | 2023 | E-Transit Cargo Van Battery Electric Vehicle (BEV) | | | | | | | ea | | | | | |
| 12 FORD E-TRANSIT FULL SIZE CARGO VAN GAS | 2023 | E-Transit Cargo Van GAS | | | | | | | ea | | | | | |
| 13 ALTERNATE PICKUP TRUCK | | F150-F350 OR EQUAL | | | | | | | ea | | | | | |
| 14 ALTERNATE CARGO VAN | | Transit Cargo Van | | | | | | | ea | | | | | |
| <i>(please add additional lines as needed)</i> | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

ADDITIONAL INFORMATION
 Has documentation been provided to support equal or alternate make/model? (Y or N):

Please provide other surcharges and fees:
 WA State Sales Tax/Use Tax: _____ DELIVERY: NSD Transportation, 21325 20th Ave SE, Bothell, WA 98021
 Other Fees or surcharges: _____

Authorized Bidder Signature: _____
 (required)
 Bidder Company Name: _____

Vehicle: 2022 Chevrolet Silverado 1500 2WD 2022-0806-001**Pick-up Trucks (2WD - 4W****Vehicle Standard Specifications And Additional Information**

| Specification Description | Specification |
|---|----------------------|
| 2022 Chevrolet Silverado 1500 2WD Regular Cab 140" WB WT(CC18903) | STANDARD |
| ***Information Only***Base WT model, no power doors, windows, mirrors, or keyless entry until convenience package is selected. Base motor (L3B) Engine, 2.7L Turbo (310 hp [231 kW] @ 5600 rpm, 348 lb-ft of torque | STANDARD |
| GVWR, 6800 lbs. (3084 kg) (Requires 2WD model with (LV3) 4.3L EcoTec3 V6 engine or (L3B) 2.7L Turbo engine or Double Cab or Regular Cab 2WD model and (L82) 5.3L EcoTec3 V8 engine.) | STANDARD |
| EPA Fuel Economy Est - Hwy 21 (2020) MPG Cruising Range - City 452.80 mi EPA Fuel Economy Est - City 16 (2020) MPG Fuel Economy Est-Combined 17 (2020) MPG | STANDARD |
| Door locks, manual (Requires Regular Cab model.) | STANDARD |
| Windows, manual (Requires Regular Cab model.) | STANDARD |
| Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.) | STANDARD |
| Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD) Tires, 255/70R17 all-season, blackwall (STD) | STANDARD |
| Tires, 255/70R17 all-season, blackwall (STD) | STANDARD |
| Passenger Capacity: 3 | STANDARD |
| Seats, front 40/20/40 split-bench with covered armrest storage (STD) | STANDARD |
| Seat trim, Vinyl | STANDARD |
| Floor covering, rubberized-vinyl (Not available with LPO floor liners.) | STANDARD |
| Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.) | STANDARD |
| Alternator, 170 amps | STANDARD |
| Fuel Tank Capacity, Approx 28.3 GAL | STANDARD |
| Rear axle, 3.42 ratio | STANDARD |
| Rear wheel drive | STANDARD |
| Ground clearance: 8.22in | STANDARD |
| Skid Plates - orderable option | STANDARD |
| Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly | STANDARD |

| | |
|--|----------|
| secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.) | |
| Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD) | STANDARD |
| Bluetooth for phone, connectivity to vehicle infotainment system | STANDARD |
| USB ports, 2 (first row) located on instrument panel | STANDARD |
| Air conditioning, single-zone | STANDARD |
| Daytime Running Lamps with automatic exterior lamp control | STANDARD |
| Rear Vision Camera (Deleted with (ZW9) pickup bed delete.) | STANDARD |
| Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors | STANDARD |
| Steering, Electric Power Steering (EPS) assist, rack-and-pinion | STANDARD |
| 120 days from order to delivery - Valid once the vehicle goes into production | STANDARD |

Vehicle: 2022 Chevrolet 2500 Silverado 2WD 2022-0812-001
Pick-up Trucks (2WD - 4WD)
Vehicle Standard Specifications And Additional Information

| Specification Description | Specification |
|--|---------------|
| 2022 Chevrolet Silverado 2500 4WD(CK20903) Reg Cab Work Truck 142" WB, 55.2" CA, Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD), Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.), GVWR, 9,900 lbs. (4490 kg) | standard |
| (Continued) (STD) (Included and only available with CC20903 model and (L8T) 6.6L V8 gas engine with 17" wheels.), Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.) | standard |
| Windows, manual (Requires Regular Cab model.) Double Cab and Crew Cab standard with power | standard |
| Door locks, manual (Requires Regular Cab model.) Double Cab and Crew Cab standard with power | standard |
| Wheels, 17" (43.2 cm) painted steel, Silver (STD)Tires, LT245/75R17E all-season, blackwall (STD)Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QH) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QH) LT245/75R17E all-season, blackwall tires are ordered)Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.) | standard |
| Seats, front 40/20/40 split-bench with upper covered armrest storage (STD)Vinyl seat trimSeat adjuster, driver 4-way manualSeat adjuster, passenger 4-way manualFloor covering, rubberized-vinyl (Not available with LPO floor liners.) | standard |
| Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section | standard |
| Ground Clearance, Front - 10.19 in | standard |
| Ground Clearance, Rear - 10.19 in | standard |
| Skid Plates - Orderable option/not standard | standard |
| Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)Audio system feature, 2-speakers (Requires Regular Cab model.)Bluetooth for phone connectivity to vehicle infotainment system | standard |
| USB ports, 2 (first row) located on instrument panelPower outlet, front auxiliary, 12-voltAir conditioning, single-zoneMirror, inside rearview, manual tiltAssist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted | standard |
| StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist | standard |
| Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear | |

| | |
|--|----------|
| outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. | standard |
| (Continued) See the Owner's Manual for more information.)Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.) | standard |
| Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressureDriver Information Center, 3.5" diagonal monochromatic displayExterior Temperature Display located in radio display | standard |
| Air filter, heavy-dutyAir filtration monitoringAuto-locking rear differentialRear wheel driveCooling, external engine oil coolerCooling, auxiliary external transmission oil cooler | standard |
| Suspension PackageSteering, Recirculating Ball with smart flow power steering systemBrakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotorsBrake lining wear indicatorCapless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.) | standard |
| TIMEFRAME - 120 DAYS FROM ORDER TO DELIVERY | Standard |
| UPFITS - ADD AN ADDITIONAL 90 DAYS FROM ORDER TO DELIVERY WHEN UPFIT WILL BE INSTALLED | Standard |

Vehicle: 2022 Chevrolet Silverado 3500 4WD (CK30903) Work Truck 2022-0818-001

Pick-up Trucks (2WD - 4WD)

Vehicle Standard Specifications And Additional Information

| Specification Description | Specification |
|--|----------------------|
| Seats, front 40/20/40 split-bench with upper covered armrest storage (STD) | STANDARD |
| Seat adjuster, driver 4-way manual/Seat adjuster, passenger 4-way manual | STANDARD |
| Floor covering, rubberized-vinyl (Not available with LPO floor liners.) | STANDARD |
| Vinyl seat trim | STANDARD |
| GVWR, 11,100 lbs. (5035 kg) with single rear wheels (STD) (Included and only available with CC30953 or CK30903 model with (L8T) 6.6L V8 gas engine. Requires single rear wheels.) | STANDARD |
| Air filter, high-capacity/Air filtration monitoring | STANDARD |
| Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.) | STANDARD |
| Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.) | STANDARD |
| Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.) | STANDARD |
| Auto-locking rear differential/Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.) | STANDARD |
| Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors/Brake lining wear indicator | STANDARD |
| Headlamps, halogen reflector with halogen Daytime Running Lamps | STANDARD |
| Audio system, Chevrolet Infotainment 3 system, 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD) | STANDARD |
| Audio system feature, 2-speakers (Requires Regular Cab model.) | STANDARD |
| Bluetooth for phone connectivity to vehicle infotainment system | STANDARD |
| Steering column, Tilt-Wheel, manual with wheel locking security feature | STANDARD |
| USB port, located on instrument panel | STANDARD |
| Air conditioning, single-zone | STANDARD |
| Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.) | STANDARD |
| Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire) | STANDARD |
| Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black | STANDARD |

| | |
|---|----------|
| 3 year or 36k mile comprehensive facotry warranty with GM | STANDARD |
| 5 year or 100k mile powertrain warranty with GM | STANDARD |
| 90-120 days from order to delivery(once production has begun)End of January/early February 2021 | STANDARD |
| 60-90 additional days from order to deliver when adding any upfits | STANDARD |

Vehicle: 2022 Chevy Express Cargo Van 2500/3500 2022-0422-001

Vans - Cargo & Passenger (Mini, Regular & Extended)

Vehicle Standard Specifications And Additional Information

| Specification Description | Specification |
|---|----------------------|
| 2022 Chevrolet Express 2500 C/V (CG23405) 135"WB w/4.3LV6 motor(LV1)8-spd auto transmission(M5U) | Standard |
| Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction | Standard |
| 276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (STD) | Standard |
| EPA Fuel Economy Est | N/A |
| Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode, includes Cruise Grade Braking and Powertrain Grade Braking (STD) | Standard |
| Door locks, power with lock-out protection (Included with (ZQ2) Power Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.) | Orderable Upgrade |
| Windows, power (Included with (ZQ2) Power Convenience Package.) | Orderable Upgrade |
| Door, swing-out passenger-side, 60/40 split (STD) | Standard |
| Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare | Standard |
| Tire, spare LT245/75R16E all-season, blackwall located at rear underbody of vehicle (STD) | Standard |
| Tires, front LT245/75R16E all-season, blackwall/Tires, rear LT245/75R16E all-season, blackwall | Standard |
| Passenger Capacity-2 | Standard |
| Floor covering, full-length Black rubberized-vinyl (Not available with (RFM) rear floor covering delete, (5BV) Upfitter electrical or (PCH) Hotel Shuttle Package.) | Standard |
| Alternator, 105 amps (Not available with (Y3H) Paratransit Package, (C69) rear air conditioning, (9L7) Wiring junction block equipment accessory, (5BV) Upfitter electrical provisions or (LWN) 2.8L Duramax Turbo-Diesel engine.) | Standard |
| Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power | Standard |
| Fuel Tank Capacity, Approx - 31.0 gal | Standard |
| Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.) | Standard |
| Airbags, frontal, driver and front passenger (Includes passenger-side airbag deactivation switch. Included with (ZX2) driver and front passenger high-back bucket seats or (ZP6) 5-passenger Express Crew Van Package. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal airbag. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.) | Standard |
| Airbag deactivation switch, frontal passenger-side (Not available with (AJ3) driver only airbag. | |

| | |
|--|----------|
| Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.) | Standard |
| Airbags, driver and right-front passenger, seat-mounted side-impact and roof-rail side-impact (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.) | Standard |
| Rear Vision Camera display integrated into rearview mirror (Display included with (DRJ) inside rearview mirror.) | Standard |
| Tire Pressure Monitoring System (does not apply to spare tire) | Standard |
| Daytime Running Lamps | Standard |
| Hill Start Assist/ StabiliTrak, traction assistance and vehicle stability enhancement system | Standard |
| Brake/transmission shift interlock, for automatic transmissions | Standard |
| Headliner, cloth, over driver and passenger | Standard |
| Power outlets, 2 auxiliary on engine console cover with covers, 12-volt | Standard |
| Defogger, side windows | Standard |
| Theft-deterrent system, vehicle, PASS-Key III | Standard |
| Warning tones, headlamp on and key-in-ignition | Standard |
| Oil life monitor | Standard |
| Air conditioning, single-zone manual (STD) (Not available with (R6G) air conditioning delete.) | Standard |
| Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (STD) (Requires (**W) interior trim. Includes (DAA) driver and front passenger vinyl visors.) | Standard |
| Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (STD) (Not available with (U2K) SiriusXM Radio, (5BV) Upfitter electrical provisions or (WP9) Communications Package.) | Standard |
| Wipers, front intermittent wet-arm with pulse washers | Standard |
| Exhaust, aluminized stainless-steel muffler and tailpipe | Standard |
| Brakes, 4-wheel antilock, 4-wheel disc | Standard |
| Steering, power includes EPS electronic power steering | Standard |
| GVWR, 8600 lbs. | Standard |
| Rear wheel drive | Standard |
| Transmission oil cooler, external (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.) | Standard |
| Lighting, interior with 4 dome lights 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches | Standard |
| 90-120 days from order to delivery once in production, if additional upfits requires expect an additional up to 60 days for delivery | Standard |
| All Factory Standard Equipment (Indicate any Fleet Deviations from Retail)- NONE | Standard |

Vehicle: 2023 Dodge Ram 1500 Classic 2WD 2023-0840-0001

Pick-up Trucks (2WD - 4WD)

Vehicle Standard Specifications And Additional Information

| Specification Description | Specification |
|---|----------------------|
| 2023 Dodge Ram 1500 Classic 2WD -- (DS1L62) (29B) | Standard |
| Tradesman Trim Level, Regular Cab, 8ft Box, 140.5 inch WB | Standard |
| 3.6L V6 24V VVT | Standard |
| Horsepower/Torque: 305 hp, 269 lb ft torque | Standard |
| GVWR: 6,600 lbs | Standard |
| Estimated Fuel Economy: City 17, Hwy 25 | Standard |
| 8-Spd Auto 850RE | Standard |
| Manual Door Locks, Manual Windows, 4Keys, and NO Remotes | Standard |
| Full Size Temporary Use Spare Tire, 17inch Steel Spare Wheel | Standard |
| P265/70R17 BSW All-Season, 17X7.0 Steel Wheels | Standard |
| Tire Chain/Traction Devise Compatible. Describe: Yes | Standard |
| HD Vinyl 40/20/40 Split Bench Seat, Manual Adjust Seats and NO Lumbar Adjust | Standard |
| Black Vinyl Floor Covering | Standard |
| 730 Amp Maintenance Free Battery/160 Amp Alternator | Standard |
| Fuel Tank Capacity Gallons: 26 | Standard |
| Rear Axle Ratio: 3.21 | Standard |
| Ground Clearance: 8.1 | Standard |
| Skid Plates: Not standard equipment. | Standard |
| Advanced Multistage Front Air Bags, Supplemental Frt Seat Side Air Bags, Supplemental Side Air Bags, Supp Side Curtain Front Air Bags | Standard |
| Fleet deviations from retail: none | Standard |
| BED LENGTH: 8ft pickup box | Standard |
| Air Conditioning | Standard |
| Manual Door Locks and Windows | Standard |
| Uconnect 3 with 5inch Touchscreen Display | Standard |
| ParkView Rear Backup Camera | Standard |
| Tilt Steering Column | Standard |
| Var Intermittent Windshield Wipers | Standard |
| | |

| | |
|--|----------|
| Rear Dome Light | Standard |
| Audio Jack Input for Mobile Devices | Standard |
| 12V Auxiliary Power Outlet | Standard |
| Media Hub (USB, Aux) | Standard |
| Behind the Seat Storage/Bin | Standard |
| Locking Tailgate | Standard |
| Exterior Mirrors, Manual 6 X 9 Black Mirrors | Standard |
| Tinted Glass Windows | Standard |
| Tinted Windshield Glass | Standard |
| Power Rack and Pinion Steering | Standard |
| Anti-Lock 4-Wheel Disc Brakes | Standard |
| Electronic Stability Control | Standard |
| Front Stabilizer Bar | Standard |
| Black Rear Step Bumper | Standard |
| Auxiliary Transmission Oil Cooler | Standard |
| Engine Oil Cooler | Standard |
| Front Heavy Duty Shock Absorbers | Standard |
| Halogen Quad Headlamps | Standard |
| Integrated Voice command with Bluetooth | Standard |
| Overhead Console | Standard |
| Rear Fixed Window | Standard |
| Rear Heavy Duty Shock Absorbers | Standard |
| Speed Control | Standard |
| Temperature and Compass Gauge | Standard |

**Vehicle: 2023 Dodge Ram 2500 2WD 2023-0828-0001 Pick-
Pick-up Trucks (2WD - 4WD)
Vehicle Standard Specifications And Additional Information**

| Specification Description | Specification |
|---|---------------|
| 2023 Dodge Ram 2500 2WD - (DJ2L62) (2GA) | Standard |
| Tradesman Trim Level, Regular Cab, 8ft box, 140 inch WB | Standard |
| 6.4L Heavy Duty V8 HEMI with MDS | Standard |
| 410 hp, 429 lbs/ft torque | Standard |
| GVWR: 10,000lbs | Standard |
| Average MFG (US Dept of Energy): EPA Estimated MPG as equipped above -- N/A | Standard |
| 8-Speed Auto 8HP75-LCV | Standard |
| Manual Door Locks and Manual Windows. Base key needed to unlock truck (4 keys). Fob needed for Pushbutton Start but it is NOT remote keyless entry. | Standard |
| Full Size Spare Tire, 17inch Steel Spare Wheel | Standard |
| LT245/70R17E BSW All Season Tires, 17X7.5 Steel Styled Wheels | Standard |
| Tire Chain/Traction Devise Compatible. Describe: Yes | Standard |
| 40/20/40 HD Vinyl Split Bench Seat | Standard |
| Black Vinyl Floor Covering | Standard |
| 730 Amp Maintenance Free Battery/180 Amp Alternator | Standard |
| Fuel Tank Capacity Gallons: 32 | Standard |
| Rear Axle Ratio: 3.73 | Standard |
| Ground Clearance: 8.5 inches | Standard |
| Skid Plates: N/A | Standard |
| Advanced Multistage Front Air Bags, Supplemental Side Air Bags, Supplemental Front Seat Side Air Bags, Supplemental Side Curtain Front Air Bags | Standard |
| Fleet deviations from retail: none | Standard |
| Regular Cab, 8 ft Box | Standard |
| Locking Tailgate | Standard |
| Air Conditioning | Standard |
| Pushbutton Start | Standard |
| Tilt Steering Column | Standard |
| Speed Control | Standard |
| Var Intermittent Windshield Wipers | Standard |

| | |
|--|----------|
| Class V Receiver Hitch | Standard |
| 4- and 7- Pin Wiring Harness | Standard |
| Manual Shift-On-The-Fly Transfer Case | Standard |
| Conventional Differential Frt Axle | Standard |
| Conventional Differential Rear Axle | Standard |
| 12V Auxiliary Power Outlet | Standard |
| Uconnect 3 with 5inch Touchscreen Display | Standard |
| Integrated Voice command w/Bluetooth | Standard |
| Rear View Day/Night Mirror | Standard |
| ParkView Rear Backup Camera | Standard |
| Media Hub-2 USB, Full Funct, Aux | Standard |
| Map/Courtesy Lamp | Standard |
| Rear Dome Lamp | Standard |
| Black Front and Rear Bumper | Standard |
| Daytime Running Headlamps, Low Beam | Standard |
| Electronic Stability Control | Standard |
| Front Heavy Duty Shock Absorbers | Standard |
| Front Stabilizer Bar | Standard |
| Rear Heavy Duty Shock Absorbers | Standard |
| Heavy Duty Suspension | Standard |
| Anti-Lock 4-Wheel Disc Brakes | Standard |
| Ready Alert Braking | Standard |
| Traction Control | Standard |
| Hill Start Assist | Standard |
| Rear Fixed Window | Standard |
| Tinted Winshield Glass | Standard |
| Factory Warranty: 3 Yr/36,000 and 5 Yr/100,000 | Standard |

Vehicle: 2023 Dodge Ram 3500 4WD 2023-0857-0001

Pick-up Trucks (2WD - 4WD)

Vehicle Standard Specifications And Additional Information

| Specification Description | Specification |
|---|----------------------|
| 2023 Dodge Ram 3500 4WD -- (D28L62) (2GA) | Standard |
| Tradesman Trim Level, Regular Cab, 8ft box, 140 inch WB | Standard |
| Single Rear Wheels | Standard |
| 6.4L Heavy Duty V8 HEMI with MDS | Standard |
| 410 hp, 429 lbs/ft torque | Standard |
| GVWR: 11,000 lbs | Standard |
| Average MFG (US Dept of Energy): EPA Estimated MPG as equipped above -- N/A | Standard |
| 8-Speed Auto 8HP75-LCV | Standard |
| Manual Door Locks and Manual Windows. Base key needed to unlock truck (4). Fob needed for Pushbutton Start but it is NOT remote keyless entry. | Standard |
| Full Size Spare Tire, 18 inch Steel Spare Wheel | Standard |
| LT275/70R18E BSW All Season Tires, 18X8.0 Steel Wheels | Standard |
| Tire Chain/Traction Devise Compatible. Describe: Yes | Standard |
| 40/20/40 HD Vinyl Split Bench Seat, 4-Way Manual Adjust Driver and Front Pass Seats | Standard |
| Flooring material: Vinyl Black | Standard |
| 730 Amp Maintenance Free Battery, 220 Amp Alternator | Standard |
| Fuel Tank Capacity Gallons: 32 | Standard |
| Rear Axle Ratio: 3.73 | Standard |
| Ground Clearance: 8.5 inches | Standard |
| Skid Plates: Not standard, but available as an extra cost option. | Standard |
| Advanced Multistage Front Air Bags, Supplemental Side Air Bags, Supplemental Front Seat Side Air Bags, Supplemental Side Curtain Front Air Bags | Standard |
| Fleet deviations from retail: none | Standard |
| Manual Shift-On-The-Fly Transfer Case | Standard |
| Single Rear Wheels | Standard |
| Regular Cab, 8ft Box | Standard |
| Locking Tailgate | Standard |
| Air Conditioning | Standard |
| Pushbutton Start | Standard |

| | |
|--|----------|
| Tilt Steering Column | Standard |
| Speed Control | Standard |
| Var Intermittent Windshield Wipers | Standard |
| Class V Receiver Hitch | Standard |
| 4- and 7-Pin Wiring Harness | Standard |
| Front Tow Hooks | Standard |
| Manual Trailer Tow Mirrors | Standard |
| Anti-Spin Differential Rear Axle | Standard |
| Conventional Differential Frt Axle | Standard |
| Audio Jack Input for Mobile Devices | Standard |
| 12V Auxiliary Power Outlet | Standard |
| Uconnect 3 with 5 inch Touchscreen Display | Standard |
| Integrated Voice Command w/Bluetooth | Standard |
| Rear View Day/Night Mirror | Standard |
| ParkView Rear Backup Camera | Standard |
| Temperature and Compass Gauge | Standard |
| Media Hub-2 USB, Full Funct, Aux | Standard |
| Map/Courtesy Lamp | Standard |
| Rear Dome Lamp | Standard |
| Black Front Bumper | Standard |
| Black Rear Bumper | Standard |
| Cargo and CHMSL Lamp | Standard |
| Daytime Running Headlamps, Low Beam | Standard |
| Automatic Headlamps | Standard |
| Electronic Stability Control | Standard |
| Front Heavy Duty Shock Absorbers | Standard |
| Rear Heavy Duty Shock Absorbers | Standard |
| Front Stabilizer Bar | Standard |
| Anti-Lock 4-Wheel Disc Brakes | Standard |
| Ready Alert Braking | Standard |
| Traction Control | Standard |
| Hill Start Assist | Standard |
| Trailer Sway Damping | Standard |
| | |

| | |
|-------------------------------------|----------|
| Rear Fixed Window | Standard |
| Tinted Glass Windshield and Windows | Standard |

Vehicle: 2023 Ford F150 2WD 2023-0829-001

Pick-up Trucks (2WD - 4WD)

Vehicle Standard Specifications And Additional Information

| Specification Description | Specification |
|--|----------------------|
| 2023 Ford F150 2WD | F1C |
| XL Trim Level, Regular Cab, 2WD, 122in Wheelbase, 6.5ft Bed | 101A/122WB |
| 3.3L V6 PFDI (FFV Capability) (23MY: Auto Start-Stop Technology deleted - commodity constraint) | 99B/52X |
| Horsepower/Torque: HP 290 @ 6500; TQ 265 @4000 (22MY) | STANDARD |
| GVWR: 6010# GVWR, 1990# Payload | STANDARD |
| Average MPG (US Dept of Energy): (22MY: 19/24/21 MPG) | INFO |
| Electronic Ten-Speed Automatic transmission w/ selectable drive modes | 44G |
| NEW: Power Door Locks w/ Remote Keyless Entry, includes (4) flip keys w/ integrated key fob | STD/DLR |
| Full-size spare tire, spare tire carrier, rear under frame | STANDARD |
| Tires & Wheels: 245/70R x17 BSW All-Season, 17in Silver Steel Wheels | STANDARD |
| Tire Chain/Traction Devise Compatible. Describe: Yes | INFO |
| Seating configuration: Vinyl 40/20/40 front, 2-way manual | TTAS |
| Flooring material: black vinyl | STANDARD |
| Battery/Charging system: 70-AH 610CCA Battery; 200-Amp Alternator | STANDARD |
| Fuel Tank Capacity Gallons: 23 Gallon | STANDARD |
| Rear Axle Ratio: 3.55 RAR | STANDARD |
| Ground Clearance: 8.8 inches | STANDARD |
| Skid Plates: NO | STANDARD |
| Air Bags: driver and passenger front airbags and seat-mounted side airbags, 1st and 2nd row Safety Canopy side-curtain airbags | STANDARD |
| Fleet deviations from retail: None | STANDARD |
| Ford Co-Pilot360 Technology [Includes Auto On/Off Headlamps, auto high beams, Lane-Keeping System, Pre-Collision Assist w/ Automatic Emergency Braking (AEB), Pedestrian Detection, Forward Collision Warning, Dynamic Brake Support, Rearview Camera w/ Dynamic Hitch Assist, Post-Collision Braking, Reverse Sensing System] | STANDARD |
| FordPass Connect: 4G LTE Wi-Fi Hotspot connects up to 10 devices (complimentary trial subscription of 3 months or 3 gigabytes); locate parked vehicle; check vehicle status; Also includes Ford Telematics and Data Services Prep which provides vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts, enables telematics services through Ford or authorized providers. | STANDARD |
| AM/FM Stereo with (4) speakers | STANDARD |

| | |
|---|----------|
| 4in productivity screen in instrument cluster; 8in center-stack screen w/ audio controls; auxiliary audio input jack; compass display in instrument cluster; outside temperature display | STANDARD |
| SYNC4 (Includes 8in LCD capacitive touchscreen w/ swipe capability, wireless phone connection, Cloud connected, AppLink w/ App Catalog, 911 Assist, Apple CarPlay and Android Auto compatability, digital owners manual | STANDARD |
| NEW: two (2) USB charging ports and two (2) USB data charging ports | STANDARD |
| NEW: Cruise Control | STANDARD |
| 4-wheel disc brakes with Anti-Locking Braking System (ABS) | STANDARD |
| HD gas shock absorbers (front/rear), outboard mounted (rear) | STANDARD |
| Front coil springs, rear leaf springs, front stabilizer bar | STANDARD |
| Bumpers and front grille, black | STANDARD |
| Center high-mounted stop lamp (CHMSL)(includes integrated cargo lamp) | STANDARD |
| Daytime running lights (DRL)(On/Off Cluster Controllable) | STANDARD |
| Fully boxed steel frame | STANDARD |
| Pickup box tie-downs (4) | STANDARD |
| NEW: Sideview Mirrors - manual-folding w/ power heated glass | STANDARD |
| NEW: Power Windows | STANDARD |
| NEW: Power Tailgate Lock | STANDARD |
| Trailer Sway Control, 4-pin wiring with ball mounting provisions in rear bumper | STANDARD |
| Windshield wipers with intermittent speed | STANDARD |
| Air-conditioning, manual, single-zone | STANDARD |
| Dome light | STANDARD |
| Gauges: fuel, oil pressure, transmission temp and engine coolant temp | STANDARD |
| Powerpoint, 12V, front | STANDARD |
| Rear window with fixed glass and solar tint | STANDARD |
| Rearview mirror, day/night | STANDARD |
| Manual tilt/telescoping steering wheel | STANDARD |
| AdvanceTrac with Roll Stability Control (RSC) | STANDARD |
| Auto On/Off Headlamps: halogen, rainlamp wiper activated | STANDARD |
| Seat belts: Active Restraint System (ARS), three-point manual lap/shoulder belts with height adjusters, pretensioners and energy management retractors on outside front positions | STANDARD |
| SecuriLock Passive Anti-Theft System (PATS) | STANDARD |
| SOS Post-Crash Alert System | STANDARD |
| Tire Pressure Monitoring System (TPMS) | STANDARD |
| Warranty: 3/36 Bumper-to-Bumper, 5/60 Powertrain | STANDARD |

| | |
|---|-----------------|
| <p>Exterior Paint (RPO No-Charge)(M=Metallic): Oxford White, Iconic Silver M, Race Red, Stone Gray M, Agate Black M, Antimatter Blue M, Carbonized Gray M, Atlas Blue M, Area 51 Blue (XLT) and Avalanche (XLT)</p> | <p>STANDARD</p> |
| <p>VSO Extra-Cost Paint (N/A with Hybrid or XLT 301A): Vermillion Red, School Bus Yellow, Yellow and Green</p> | <p>Optional</p> |

Vehicle: 2023 Ford F250 Pickup 2WD 2023-0820-0001

Pick-up Trucks (2WD - 4WD)

Vehicle Standard Specifications And Additional Information

| Specification Description | Specification |
|---|----------------------|
| 2023 Ford F250 2WD | F2A |
| Regular Cab, 142in Wheelbase, 8-foot box, XL Trim Level | 600A/142WB |
| NEW: 6.8L 2V DEVCT NA PFI V8 Gas Engine | 99A |
| NEW: TorqShift-G Ten-Speed Automatic Transmission w/ Selectable Drive Modes | 44F |
| NEW: Engine Idle Shutdown - Programmable | STANDARD |
| Horsepower/Torque: 23MY TBD | INFO |
| GVWR and Payloads TBD 23MY | STANDARD |
| Full-size spare tire (underbody mounted), 3-ton mechanical jack | STANDARD |
| LT245/75Rx17E BSW All-Season Tires; 17in argent painted steel wheels/painted hub covers | TD8/64A |
| Tire Chain/Traction Devise Compatible - YES | INFO |
| NEW: 160-Amp Alternator, 750 CCA 78-AH Battery | STANDARD |
| Seats: Vinyl Front 40/20/40 split bench with center armrest (includes driver side manual lumbar) | STD/TTAS |
| Black vinyl flooring | STANDARD |
| 34-gallon fuel tank | STANDARD |
| 3.73 Rear Axle Ratio | X37 |
| Ground Clearance: 8.7 inches (2019MY) | INFO |
| Skid Plates: NO | INFO |
| Airbags: driver and passenger frontal and side airbag curtain | STANDARD |
| Fleet deviations from retail: none | INFO |
| NEW: Power Equipment Group (power windows, power door locks, power tailgate lock); Remote Keyless Entry w/ (4) Fobs | STANDARD |
| NEW: SYNC4 (Includes 8in LCD capacitive touchscreen w/ swipe capability, wireless phone connection, Cloud connected, AppLink w/ App Catalog, 911 Assist, Apple CarPlay and Android Auto compatibility, Digital Owners Manual) | STANDARD |
| NEW: FordPass Connect (5G) (Inc. 5G WiFi hotspot connects up to 10 devices; remotely start, lock and unlock vehicle; schedule specific times to remotely start vehicle; locate parked vehicle; check vehicle status) (Telematics Solutions are available for fleet customers) | STANDARD |
| NEW: Trailer Brake Controller | STANDARD |
| NEW: Manually telescoping/folding trailer tow mirrors with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals | STANDARD |
| | |

| | |
|---|----------|
| NEW: Daytime Running Lamps | STANDARD |
| NEW: Cruise Control (steering wheel mounted) | STANDARD |
| Rearview Camera (display in center stack screen) (camera located in tailgate) | STANDARD |
| Brakes: Four-wheel power disc with anti-locking braking system (ABS) | STANDARD |
| Solar tinted glass (not privacy glass) | STANDARD |
| Individual Tire Pressure Monitoring System (TPMS) | STANDARD |
| Removable tailgate with key lock | STANDARD |
| Pickup box tie-down hooks (4) | STANDARD |
| Front Tow Hooks (2) | STANDARD |
| Powerpoints: (2) in instrument panel | STANDARD |
| Door Trim: molded with armrest/grab handle and reflector | STANDARD |
| Headliner: color-coordinated cloth | STANDARD |
| Dome lamp, dual map lights | STANDARD |
| Power Steering, Steering Damper | STANDARD |
| Intermittent Windshield Wipers | STANDARD |
| AdvanceTrac with Roll Stability Control (RSC) | STANDARD |
| Center high-mounted stop lamp (CHMSL) | STANDARD |
| Stationary Elevated Idle Control (SEIC) | STANDARD |
| HD gas shock absorbers, Front stabilizer bar | STANDARD |
| Trailer Tow Package: 7-wire harness with relays and 7/4 pin connector, 2.5in trailer hitch receiver | STANDARD |
| Black front/rear bumpers, grille and door handles | STANDARD |
| Quad beam halogen jewel effect headlamps, auto on/off | STANDARD |
| Manual single-zone air-conditioning | STANDARD |
| AM/FM stereo with (4) speakers | STANDARD |
| Outside temperature display | STANDARD |
| Height Adjustable Seatbelts (front outboard seating positions only) | STANDARD |
| Manual tilt/telescoping steering wheel/column | STANDARD |
| Dual color-coordinated sun visors, driver w/ pocket, passenger w/uncovered mirror | STANDARD |
| Trailer Sway Control and Hill Start Assist | STANDARD |
| SecuriLock Passive Anti-Theft System (PATS) | STANDARD |
| Warranty: 3/36 Bumper to Bumper, 5/60 Powertrain | STANDARD |
| Exterior Paint Colors (M=Metallic): Oxford White, Iconic Silver M, Race Red, Agate Black M, Stone Grey M, Antimatter Blue M, Carbonized Gray M (XLT Only) | STANDARD |
| Extra Cost Exterior Paint Colors: School Bus Yellow, Vermillion Red, Green, (XLT Only) Rapid | OPTIONAL |

| | |
|-------------------|--|
| Red Tinted CC Met | |
|-------------------|--|

Vehicle: 2023 Ford F350 Pickup, 2WD 2023-0822-0001

Pick-up Trucks (2WD - 4WD)

Vehicle Standard Specifications And Additional Information

| Specification Description | Specification |
|---|----------------------|
| 2023 Ford F350 2WD | F3A |
| Regular Cab, 142in Wheelbase, 8-foot box, XL Trim Level | 610A/142WB |
| NEW: 6.8L 2V DEVCT NA PFI V8 Gas Engine | 99A |
| NEW: TorqShift-G Ten-Speed Automatic Transmission w/ Selectable Drive Modes | 44F |
| NEW: Engine Idle Shutdown - Programmable | STANDARD |
| Horsepower/Torque: 23MY TBD | INFO |
| GVWR and Payloads TBD 23MY | STANDARD |
| Full-size spare tire (underbody mounted), 3-ton mechanical jack | STANDARD |
| NEW: LT275/65Rx18E BSW All-Season Tires; 18in argent painted steel wheels/painted hub covers | TCH/64F |
| Tire Chain/Traction Devise Compatible - YES | INFO |
| NEW: 160-Amp Alternator, 750 CCA 78-AH Battery | STANDARD |
| Seats: Vinyl Front 40/20/40 split bench with center armrest (includes driver side manual lumbar) | STD/TTAS |
| Black vinyl flooring | STANDARD |
| 34-gallon fuel tank | STANDARD |
| 3.73 Rear Axle Ratio | X37 |
| Ground Clearance: 8.7 inches (2019MY) | INFO |
| Skid Plates: NO | INFO |
| Airbags: driver and passenger frontal and side airbag curtain | STANDARD |
| Fleet deviations from retail: none | INFO |
| NEW: Power Equipment Group (power windows, power door locks, power tailgate lock); Remote Keyless Entry w/ (4) Fobs | STANDARD |
| NEW: SYNC4 (Includes 8in LCD capacitive touchscreen w/ swipe capability, wireless phone connection, Cloud connected, AppLink w/ App Catalog, 911 Assist, Apple CarPlay and Android Auto compatibility, Digital Owners Manual) | STANDARD |
| NEW: FordPass Connect (5G) (Inc. 5G WiFi hotspot connects up to 10 devices; remotely start, lock and unlock vehicle; schedule specific times to remotely start vehicle; locate parked vehicle; check vehicle status) (Telematics Solutions are available for fleet customers) | STANDARD |
| NEW: Trailer Brake Controller | STANDARD |
| NEW: Daytime Running Lamps | STANDARD |
| | |

| | |
|---|----------|
| NEW: Manually telescoping/folding trailer tow mirrors with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals | STANDARD |
| NEW: Cruise Control (steering wheel mounted) | STANDARD |
| Rearview Camera (display in center stack screen) (camera located in tailgate) | STANDARD |
| Brakes: Four-wheel power disc with anti-locking braking system (ABS) | STANDARD |
| Solar tinted glass (not privacy glass) | STANDARD |
| Individual Tire Pressure Monitoring System (TPMS) | STANDARD |
| Removable tailgate with key lock | STANDARD |
| Pickup box tie-down hooks (4) | STANDARD |
| Front Tow Hooks (2) | STANDARD |
| Powerpoints: (2) in instrument panel | STANDARD |
| Door Trim: molded with armrest/grab handle and reflector | STANDARD |
| Headliner: color-coordinated cloth | STANDARD |
| Dome lamp, dual map lights | STANDARD |
| Power Steering, Steering Damper | STANDARD |
| Intermittent Windshield Wipers | STANDARD |
| AdvanceTrac with Roll Stability Control (RSC) | STANDARD |
| Center high-mounted stop lamp (CHMSL) | STANDARD |
| Stationary Elevated Idle Control (SEIC) | STANDARD |
| HD gas shock absorbers, Front stabilizer bar | STANDARD |
| Trailer Tow Package: 7-wire harness with relays and 7/4 pin connector, 2.5in trailer hitch receiver | STANDARD |
| Black front/rear bumpers, grille and door handles | STANDARD |
| Quad beam halogen jewel effect headlamps, auto on/off | STANDARD |
| Manual single-zone air-conditioning | STANDARD |
| AM/FM stereo with (4) speakers | STANDARD |
| Outside temperature display | STANDARD |
| Height Adjustable Seatbelts (front outboard seating positions only) | STANDARD |
| Manual tilt/telescoping steering wheel/column | STANDARD |
| Dual color-coordinated sun visors, driver w/ pocket, passenger w/uncovered mirror | STANDARD |
| Trailer Sway Control and Hill Start Assist | STANDARD |
| SecuriLock Passive Anti-Theft System (PATS) | STANDARD |
| Warranty: 3/36 Bumper to Bumper, 5/60 Powertrain | STANDARD |
| Exterior Paint Colors (M=Metallic): Oxford White, Iconic Silver M, Race Red, Agate Black M, Stone Grey M, Antimatter Blue M, Carbonized Gray M (XLT Only) | STANDARD |

| | |
|--|----------|
| Extra Cost Exterior Paint Colors: School Bus Yellow, Vermillion Red, Green, (XLT Only) Rapid Red Tinted CC Met | OPTIONAL |
| NEW: LT275/65Rx18E BSW All-Season Tires; 18in argent painted steel wheels/painted hub covers | TCH/64F |

Vehicle: 2023 Ford E-Transit Full-Size Cargo Van -- Battery Electric Vehicle (BEV) 2023-0430-001
Vans - Cargo & Passenger (Mini, Regular & Extended)
Vehicle Standard Specifications And Additional Information

| Specification Description | Specification |
|---|----------------------|
| 2023 Ford E-Transit Full-Size Cargo Van - Battery Electric Vehicle (BEV) | W1Y |
| XL Trim Level, Single Rear Wheel (SRW), Rear-Wheel Drive (RWD) | 101A |
| Electric Motor, Performance: 198 kW/266 HP, 317 lb-ft Torque | 99K/STD |
| Single-Speed Transmission | 44A/STD |
| T350 Low Roof, 130-Inch Wheelbase, 9500# GVWR, 22MY - 3,330-3,880# Payload | STANDARD |
| Targeted Range: 126 miles (Low Roof), 116 miles (Medium Roof), 108 miles (High Roof) (22MY) | STANDARD |
| 68kWH Usable Energy High-Voltage Lithium-Ion Battery | STANDARD |
| Mobile Charger w/ switchable cord end (120V/240V) to allow charge functionality with 120V (NEMA 5-15) up to 15 Amps or 240V (NEMA 14-50) up to 32 Amps | STANDARD |
| Instrumentation: Battery Level, Power Gauge and Power Availability | STANDARD |
| Remote Keyless Entry System (4 Fobs w/ Integrated Keys) (86F) | 86F |
| Full-size spare tire, 3-ton jack and tool kit (51D) | 51D/STD |
| 235/65R x 16C 121/119 BSW All-Season Tires, Steel Wheels w/ Full Silver Wheel Covers (TC8/64H) | TC8/64H/STD |
| Seating configuration: Front Vinyl Buckets, Manual Fore/Aft/Recline, Adjustable Headrests, Driver Side Inboard Armrest | 21G/TTVK/STD |
| Vinyl Floor Covering, Front Only | 16C/STD |
| 610CCA 70 Amp Battery - Single Absorbed Glass Mat | STANDARD |
| Air Bags: Driver/Passenger Front Airbags, Side Curtain Airbags. | STANDARD |
| Fleet deviations from retail: None | STANDARD |
| Dimensions: Low Roof, Regular Length: 130in Wheelbase, 219.9 in Overall Length, 82.2 in Overall Height, (22MY) | 130WB |
| Rear Overhang, 49.7 inches (22MY) | STANDARD |
| Rear Cargo Door Opening Height, 49.5 inches (22MY) | STANDARD |
| Cargo Height 56.9 inches, Cargo Length at Floor 126 inches (22MY) | STANDARD |
| FordPass Connect / Telematics Modem (4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts) Device enables telematics services through Ford or authorized providers. | STANDARD |
| Ford Co-Pilot 360 Technology (Forward Collision Warning, Hill Start Assist, Post-Collision Braking, Side Wind Stabilization, Pre-Collision Assist w/ Automatic Emergency Braking (AEB), | |

| | |
|--|----------|
| Lane-Keeping System with Lane-Keeping Alert and Driver Alert, Auto High-Beam Headlamps, Rear View Camera with Trailer Hitch Assist (medium/high roof models include high mount), High Resolution Digital Camera, Automatic Rain-Sensing Windshield Wipers) | STANDARD |
| Sliding Passenger-Side Cargo Door (no glass) | STANDARD |
| 50/50 Hinged Rear Doors, 180-degree opening (no glass) | STANDARD |
| Power Locks and Windows | STANDARD |
| Sideview Mirrors: short-arm, power adjusting, manual folding | 541/STD |
| Front Air-Conditioning | STANDARD |
| SYNC4 with 12in multi-function display, AM/FM stereo, Bluetooth, dual USB ports, Embedded Voice Recognition and Connected (subscription) Navigation | 58B/STD |
| Locking Glove Box | STANDARD |
| Medium Center Console (includes integrated rotary gear shift dial and cup holder) | STANDARD |
| Front dome lamp with map lights | STANDARD |
| (2) 12V Powerpoints (instrument panel, center console) | STANDARD |
| Partial Rear Compartment Lighting [includes two (2) LEDs at C-Pillar] (complete lighting package now optional) | STANDARD |
| Tilt/Telescoping Steering Wheel | STANDARD |
| Halogen Headlamps w/ Autolamp | STANDARD |
| Electric Power Assisted Steering (EPAS) | STANDARD |
| Front Independent MacPherson-strut, stabilizer bar | STANDARD |
| Rear independent suspension with coil springs, semi-trailing arm (STA) and stabilizer bar | STANDARD |
| Three-bar front grille with dynamic blue center bars and chrome surround | STANDARD |
| Black Bumpers, Black Bodyside Moldings | STANDARD |
| Rear Cargo Door - Interior Exit Handle and Exterior Key Lock Cylinder | STANDARD |
| AdvanceTrac with Roll Stability Control (RSC) | STANDARD |
| Tire Pressure Monitoring System (TPMS) | STANDARD |
| SOS Post-Crash Alert System (automatically flashes the hazard lights and intermittently sounds horn when the airbag deploys) | STANDARD |
| Rear Recovery Tow Hook | STANDARD |
| Warranty: 3 years/36,000 miles (Bumper-to-Bumper) | STANDARD |
| Warranty: 8 years/100,000 miles (Electric Vehicle Components) | STANDARD |
| No-Charge Exterior Paints: Oxford White, Race Red, School Bus Yellow | STANDARD |
| Extra Cost Metallic Paints: Ingot Silver, Agate Black, Carbonized Gray, Avalanche Gray, Abyss Gray, Blue, Blue Mist | Optional |

**Vehicle: 2023 Ford Transit Full-Size Cargo Van 2023-0418-001 Vans -
Cargo & Passenger (Mini, Regular & Extended)**

Vehicle Standard Specifications And Additional Information

| Specification Description | Specification |
|---|----------------------|
| 2023 Ford Transit Full-Size Cargo Van | E1Y |
| Trim Level: XL Trim Level | 101A |
| Engine: 3.5L PFDi V6 (includes port injection and E-85 Flex-Fuel Capability) | 998/STD |
| Horsepower/Torque: 275 HP @ 6250 RPM; 260 Lb-Ft Torque @ 4000 RPM | STANDARD |
| GVWR: 8670# GVWR, 3600# Max Payload | STANDARD |
| Average MPG (US Dept of Energy): Not Rated | INFO |
| Transmission: 10-Speed Automatic Overdrive with SelectShift (Auxiliary Transmission Oil Cooler is standard) | 44U/STD |
| Remote Keyless Entry System (4 Fobs w/ Integrated Keys) (86F) | 86F |
| Full-size spare tire, 3-ton jack and tool kit (51D) | 51D/STD |
| 235/65R x 16C 121/119 BSW All-Season Tires, Full-Size Spare Tire, Steel Wheels w/ Hubcaps (TC8) | TC8/STD |
| Tire Chain/Traction Devise Compatible. Describe: 2022MY: Only use snow chains of 10 millimeters or smaller. | INFO |
| Seating configuration: Front Vinyl Buckets, Manual Fore/Aft/Recline, Adjustable Headrests, Driver and Passenger Side Inboard Armrest | 21G/TTVK/STD |
| Vinyl Floor Covering, Front Only | 16C/STD |
| Battery/Charging system: 250-Amp Alternator, 70 Amp AGM Battery | STANDARD |
| Fuel Tank Capacity Gallons: 25-Gallon Fuel Tank with Auxiliary Fuel Port | STANDARD |
| Rear Axle Ratio: 3.73 (X73) | X73/STANDARD |
| Air Bags: Driver/Passenger Front Airbags, Side Curtain Airbags | STANDARD |
| Fleet deviations from retail: None | STANDARD |
| Dimensions: Low Roof, Regular Length: 130in Wheelbase, 220in Overall Length, 82in Overall Height, 53in Interior Height | 130WB |
| Rear Overhang, 49.7 inches | STANDARD |
| Rear Cargo Door Opening Height, 49.5 inches | STANDARD |
| Cargo Height 56.9 inches, Cargo Length at Floor 126 inches | STANDARD |
| FordPass Connect / Telematics Modem (4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnostics and maintenance alerts. Device enables telematics services through Ford or authorized providers. | STANDARD |

| | |
|---|----------|
| Forward Collision Warning, Post-Collision Braking, Pre-Collision Assist w/ Automatic Emergency Braking (AEB), Lane-Keeping System | STANDARD |
| Sliding Passenger-Side Cargo Door (no glass) | STANDARD |
| 50/50 Hinged Rear Doors, 180-degree opening (no glass) | STANDARD |
| Power Locks and Windows | STANDARD |
| Mirrors, Short-Arm Power Adjusting, Manual Folding | 541/STD |
| Rearview Camera with Trailer Hitch Assist (medium/high roof models include high mount) | STANDARD |
| Front Air-Conditioning | STANDARD |
| AM/FM stereo, Bluetooth, dual USB ports and 4in multi-function display | 58U/STD |
| Locking Glove Box | STANDARD |
| Medium Center Console (includes integrated shifter and dual cup holder) | STANDARD |
| Gauges: Fuel, Tachometer, Coolant Temperature | STANDARD |
| Front Dome Lamp with map lights | STANDARD |
| (2) 12V Powerpoints (instrument panel, center console) | STANDARD |
| Partial Rear Compartment Lighting (includes two (2) LEDs at C-Pillar) (complete lighting package now optional) | STANDARD |
| Tilt/Telescoping Steering Wheel | STANDARD |
| Halogen Headlamps | STANDARD |
| Electric Power Assisted Steering | STANDARD |
| Front Stabilizer Bar, Rear Leaf Springs, HD Shock Absorbers | STANDARD |
| Black Bumpers, Black Bodyside Moldings | STANDARD |
| Windshield Wipers, Variable Intermittent, Automatic Rain-Sensing Feature | STANDARD |
| Rear Cargo Door - Interior Exit Handle and Exterior Key Lock Cylinder | STANDARD |
| Side Wind Stabilization | STANDARD |
| Hill Start Assist | STANDARD |
| AdvanceTrac with Roll Stability Control (RSC) | STANDARD |
| Tire Pressure Monitoring System (TPMS) | STANDARD |
| SOS Post-Crash Alert System (distress call w/ airbag deployment) | STANDARD |
| Warranty: 3/36 Bumper-to-Bumper, 5/60 Powertrain | STANDARD |
| No-Charge Exterior Paints: Oxford White, Race Red, School Bus Yellow | STANDARD |
| Extra Cost Metallic Paints: Ingot Silver, Agate Black, Carbonized Gray, Avalanche Gray, Abyss Gray, Blue Metallic, Blue Mist | Optional |