

School Radon Testing Reporting Form

According to Minnesota Statute 123B.571 subd. 3, a school district that has tested its school buildings for the presence of radon shall report the results of its tests to the Department of Health. Please use this form to submit information about the most recent round or cycle of testing conducted for each building.

Instructions

1. Complete one form for each building tested. In this case, a building is defined as an occupied facility with a unique address. This includes administrative buildings.
2. Include this form, raw data (e.g. laboratory report) and a building map.
3. Submit this form when all work is completed for a round of testing. This includes reporting to the school board, and follow-up testing and post-mitigation testing, if applicable.
4. Email information to health.indoorair@state.mn.us.

Contact Information

Name: <i>Wendy German</i>	
Mailing Address: <i>7362 East Point Douglas Rd S. Cottage Grove, MN 55016</i>	
Phone: <i>651-425-6277</i>	Email: <i>wgerman@sowashco.org</i>

Initial Radon Testing Information

School Building Name: <i>East Ridge High School</i>	
School District & District Number: <i>South Washington County Schools - District 833</i>	
Building Address: <i>4200 Pioneer Drive, Woodbury, MN 55129</i>	
Test Kit Manufacturer: <i>Air Chek</i>	Device Name: <i>Pro chek</i>
Date of Kit Retrieval (DD/MM/YY): <i>27/02/20</i>	Length of Test (days): <i>3</i>
How many rooms were tested? <i>44</i>	
Does the test period include weekends? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Does the test period include school breaks or holidays? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	

SCHOOL RADON TESTING REPORTING FORM

Were all frequently-occupied ground contact rooms tested? ¹ <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If no, did you attempt to test all frequently occupied ground contact rooms, meaning test kits were placed in all these rooms? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
How many rooms had results ≥ 4 pCi/L?: 0
Were the results reported at a school board meeting? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Follow-up Testing, Mitigation, & Post-Mitigation Testing

If one or more rooms tested ≥ 4 pCi/L, please answer the questions below:

How many rooms had follow-up testing?:		
Number of rooms with follow-up results	≥ 4 pCi/L:	< 4 pCi/L:
Of the rooms that had test results ≥ 4 pCi/L, how many rooms were:		
mitigated by HVAC balancing or operational changes? :		
mitigated by installation of active soil depressurization:		
addressed through other corrective measures? ² :		
What was the cost of the installation and/or HVAC service work, to mitigate radon? \$		
What is the known or anticipated annual operating cost of mitigation (estimate)? \$		
After radon mitigation, how many rooms were retested?:		
Post mitigation results (# of rooms)	≥ 4 pCi/L:	< 4 pCi/L:

¹ This includes classrooms, offices, break rooms, laboratories, cafeterias, libraries, auditoriums, gymnasiums, etc. It includes rooms on grade and rooms above unoccupied spaces that are in contact with the ground, such as rooms above storage rooms, crawl spaces, tunnels, and boiler rooms. If only a sample or portion of rooms were tested, then respond with 'no'.

² 'Other corrective measures' could include moving staff out of a room and making a room unoccupied or trying to seal radon entry points.

March 5, 2020

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
SOWASHCO
EAST RIDGE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9393633	1002	2020-02-24 @ 5:00 pm	2020-02-27 @ 3:00 pm	0.7 ± 0.4	2020-03-03
9393634	1003	2020-02-24 @ 5:00 pm	2020-02-27 @ 3:00 pm	0.7 ± 0.4	2020-03-03
9393611	1004	2020-02-24 @ 5:00 pm	2020-02-27 @ 3:00 pm	0.5 ± 0.4	2020-03-03
9393612	1007	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393621	1008	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.7 ± 0.4	2020-03-03
9393622	1009	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	1.3 ± 0.4	2020-03-03
9393625	1010	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.8 ± 0.4	2020-03-03
9393624	1011	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	1.2 ± 0.4	2020-03-03
9393623	1012	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.9 ± 0.4	2020-03-03
9393620	1013	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.8 ± 0.4	2020-03-03
9393619	1014	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.8 ± 0.4	2020-03-03
9393618	1017	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.9 ± 0.4	2020-03-03
9393617	1017	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.7 ± 0.4	2020-03-03
9393608	1018	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393604	1019	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.5 ± 0.4	2020-03-03
9393603	1020	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393626	1021	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.5 ± 0.4	2020-03-03
9393601	1022	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393602	1023	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393605	1024	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.5 ± 0.4	2020-03-03
9393606	1025	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.7 ± 0.4	2020-03-03
9393607	1026	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393609	1027	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.5 ± 0.4	2020-03-03
9393579	1028	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393615	1029	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393820	1030	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.7 ± 0.4	2020-03-03
9393614	1031	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393610	1032	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.8 ± 0.4	2020-03-03
9393613	1033	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.6 ± 0.4	2020-03-03
9393600	1034	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.5 ± 0.4	2020-03-03
9393599	1035	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393616	1036	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393575	1037	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	1.1 ± 0.4	2020-03-03
9393588	1038	2020-02-24 @ 6:00 pm	2020-02-27 @ 4:00 pm	0.8 ± 0.4	2020-03-03
9393577	1039	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	1.4 ± 0.4	2020-03-03
9393576	1040	2020-02-24 @ 5:00 pm	2020-02-27 @ 4:00 pm	0.8 ± 0.3	2020-03-03
9393591	1045	2020-02-24 @ 6:00 pm	2020-02-27 @ 4:00 pm	0.7 ± 0.4	2020-03-03

March 5, 2020

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

**SOWASHCO
EAST RIDGE**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9393595	1046	2020-02-24 @ 6:00 pm	2020-02-27 @ 4:00 pm	< 0.3	2020-03-03
9393578	1056	2020-02-24 @ 6:00 pm	2020-02-27 @ 4:00 pm	2.2 ± 0.4	2020-03-03
9393800	50	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393545	51	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393551	52	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393793	53	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393794	54	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393795	55	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393796	56	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393799	57	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393592	58	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393593	59	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393594	60	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393596	61	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393597	62	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393598	63	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393525	64	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393897	65	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393898	66	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	0.5 ± 0.4	2020-03-03
9393895	67	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393805	68	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393821	69	2020-02-26 @ 9:00 am	2020-02-28 @ 9:00 am	< 0.3	2020-03-03
9393632	MOTOR ROOM	2020-02-24 @ 5:00 pm	2020-02-27 @ 3:00 pm	0.6 ± 0.4	2020-03-03
9393631	NURSEE	2020-02-24 @ 5:00 pm	2020-02-27 @ 3:00 pm	0.7 ± 0.4	2020-03-03
9393627	OFFICE 1	2020-02-24 @ 4:00 pm	2020-02-27 @ 3:00 pm	< 0.3	2020-03-03
9393628	OFFICE 2	2020-02-24 @ 4:00 pm	2020-02-27 @ 3:00 pm	< 0.3	2020-03-03
9393629	OFFICE 3	2020-02-24 @ 4:00 pm	2020-02-27 @ 3:00 pm	< 0.3	2020-03-03
9393630	OFFICE 4	2020-02-24 @ 4:00 pm	2020-02-27 @ 3:00 pm	< 0.3	2020-03-03