



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Ben Franklin Elementary
School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE694496	2127981 Ben Franklin Elem 17 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:06 PM	8:16 PM	<0.9 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
2)	AE694487	2128011 Ben Franklin Elem 18 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:07 PM	8:15 PM	0.8 pCi/L
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
3)	AE694477	2127982 Ben Franklin Elem 19 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:08 PM	8:17 PM	0.5 pCi/L
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
4)	AE694492	2127983 Ben Franklin Elem 27 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:10 PM	8:18 PM	<0.7 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
5)	AE694511	2127984 Ben Franklin Elem 20 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:12 PM	8:19 PM	<0.7 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
6)	AE694512	2127980 Ben Franklin Elem 26 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:15 PM	8:20 PM	<0.7 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
7)	AE694508	2128032 Ben Franklin Elem 22 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:20 PM	8:22 PM	1.3 pCi/L
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
8)	AE694509	2128000 Ben Franklin Elem 21 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:22 PM	8:23 PM	1.3 pCi/L
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 3/12/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Ben Franklin Elementary
School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE694505	2128010 Ben Franklin Elem 28 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:26 PM	8:26 PM	<0.6 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
10)	AE694510	2128012 Ben Franklin Elem 28 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:26 PM	8:26 PM	<0.7 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
11)	AE694464	2128019 Ben Franklin Elem 16 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:28 PM	8:25 PM	<0.7 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
12)	AE694500	2128017 Ben Franklin Elem 25 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:30 PM	8:27 PM	<1.0 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
13)	AE694502	2128013 Ben Franklin Elem 24 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:32 PM	8:29 PM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
14)	AE694506	2128014 Ben Franklin Elem 23 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:34 PM	8:30 PM	0.9 pCi/L
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
15)	AE694479	2128026 Ben Franklin Elem Lounge Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:39 PM	8:33 PM	<0.9 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
16)	AE692157	2128015 Ben Franklin Elem Teachers Work Room Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	6:46 PM	8:32 PM	1.0 pCi/L
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 3/12/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Ben Franklin Elementary
School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17) AE692163	2128028	Ben Franklin Elem Vestibule Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	6:48 PM 3/2/2020	8:47 PM 3/4/2020	<0.8 pCi/L *
18) AE692143	2128029	Ben Franklin Elem 11 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	6:57 PM 3/2/2020	8:51 PM 3/4/2020	0.8 pCi/L
19) AE692148	2128024	Ben Franklin Elem 11 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	6:57 PM 3/2/2020	8:51 PM 3/4/2020	<1.1 pCi/L *
20) AE692139	2127995	Ben Franklin Elem 10 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:00 PM 3/2/2020	8:54 PM 3/4/2020	0.9 pCi/L
21) AE692147	2128022	Ben Franklin Elem 10 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:00 PM 3/2/2020	8:54 PM 3/4/2020	1.9 pCi/L
22) AE692156	2128023	Ben Franklin Elem 9 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:02 PM 3/2/2020	8:55 PM 3/4/2020	<1.0 pCi/L *
23) AE692155	2128027	Ben Franklin Elem 8 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:03 PM 3/2/2020	8:56 PM 3/4/2020	<0.6 pCi/L *
24) AE692158	2128009	Ben Franklin Elem Media Center Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:06 PM 3/2/2020	9:03 PM 3/4/2020	1.2 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 3/12/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Ben Franklin Elementary
School 03 10

Date Received: 3/10/2020


Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE692141	2128020	Ben Franklin Elem Media Center Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:08 PM 3/2/2020	9:01 PM 3/4/2020	0.8 pCi/L
26) AE692140	2128033	Ben Franklin Elem Small Slassroom Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:10 PM 3/2/2020	9:04 PM 3/4/2020	1.9 pCi/L
27) AE692144	2127992	Ben Franklin Elem Music Stage Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:12 PM 3/2/2020	9:06 PM 3/4/2020	2.3 pCi/L
28) AE692165	2127991	Ben Franklin Elem Pe Office Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:14 PM 3/2/2020	9:07 PM 3/4/2020	2.5 pCi/L
29) AE692164	2128031	Ben Franklin Elem 12 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:20 PM 3/2/2020	9:26 PM 3/4/2020	<0.6 pCi/L *
30) AE692166	2128025	Ben Franklin Elem 13 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:23 PM 3/2/2020	9:27 PM 3/4/2020	<0.8 pCi/L *
31) AE692172	2128006	Ben Franklin Elem 14 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:25 PM 3/2/2020	9:47 PM 3/4/2020	<0.5 pCi/L *
32) AE692173	2128007	Ben Franklin Elem Lunch Room Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:26 PM 3/2/2020	9:30 PM 3/4/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director  NJ MES: 11306 Date 3/12/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Ben Franklin Elementary
School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33) AE692171	2127989	Ben Franklin Elem Lunch Room Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:30 PM 3/2/2020	9:31 PM 3/4/2020	2.3 pCi/L
34) AE692180	2127990	Ben Franklin Elem Kitchen Office Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:32 PM 3/2/2020	9:32 PM 3/4/2020	<0.8 pCi/L *
35) AE692179	2128008	Ben Franklin Elem Kitchen Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:34 PM 3/2/2020	9:37 PM 3/4/2020	<0.6 pCi/L *
36) AE692187	2128018	Ben Franklin Elem 15 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:37 PM 3/2/2020	9:35 PM 3/4/2020	<0.4 pCi/L *
37) AE692195	2127994	Ben Franklin Elem 15 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:37 PM 3/2/2020	9:35 PM 3/4/2020	<0.8 pCi/L *
38) AE692174	2128001	Ben Franklin Elem Copy Room Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:40 PM 3/2/2020	9:56 PM 3/4/2020	0.9 pCi/L
39) AE692142	2127999	Ben Franklin Elem Mian Office Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:45 PM 3/2/2020	10:00 PM 3/4/2020	0.9 pCi/L
40) AE692150	2128004	Ben Franklin Elem Main Office Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:45 PM 3/2/2020	10:00 PM 3/4/2020	1.1 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 3/12/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Ben Franklin Elementary
School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
41) AE692181	2127997	Ben Franklin Elem Principal Office Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:50 PM 3/2/2020	9:57 PM 3/4/2020	1.0 pCi/L
42) AE692188	2128005	Ben Franklin Elem 3 A Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:52 PM 3/2/2020	10:04 PM 3/4/2020	1.5 pCi/L
43) AE692197	2128002	Ben Franklin Elem Counselor Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:54 PM 3/2/2020	10:07 PM 3/4/2020	1.3 pCi/L
44) AE692146	2127977	Ben Franklin Elem 4 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:56 PM 3/2/2020	10:08 PM 3/4/2020	1.4 pCi/L
45) AE692196	2127998	Ben Franklin Elem 5 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:57 PM 3/2/2020	10:09 PM 3/4/2020	1.4 pCi/L
46) AE692204	2128034	Ben Franklin Elem Gym Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:02 PM 3/2/2020	9:06 PM 3/4/2020	2.2 pCi/L
47) AE692189	2127993	Ben Franklin Elem Gym Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:02 PM 3/2/2020	9:06 PM 3/4/2020	1.9 pCi/L
48) AE692205	2128003	Ben Franklin Elem Workroom Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:05 PM 3/2/2020	9:02 PM 3/4/2020	2.7 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 3/12/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Ben Franklin Elementary
School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49) AE692213	2127996	Ben Franklin Elem Media Center Office Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:07 PM 3/2/2020	9:03 PM 3/4/2020	1.7 pCi/L
50) AE692206	2127987	Ben Franklin Elem 6 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:10 PM 3/2/2020	10:12 PM 3/4/2020	1.3 pCi/L
51) AE692214	2127988	Ben Franklin Elem 6 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:10 PM 3/2/2020	10:12 PM 3/4/2020	1.5 pCi/L
52) AE692149	2127985	Ben Franklin Elem 7 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:13 PM 3/2/2020	10:14 PM 3/4/2020	1.1 pCi/L
53) AE692212	2127978	Ben Franklin Elem 3 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:16 PM 3/2/2020	10:16 PM 3/4/2020	1.3 pCi/L
54) AE692198	2127979	Ben Franklin Elem 2 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:19 PM 3/2/2020	10:17 PM 3/4/2020	1.3 pCi/L
55) AE692182	2128030	Ben Franklin Elem 1 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:22 PM 3/2/2020	10:19 PM 3/4/2020	<1.0 pCi/L *
56) AE692215	2128021	Ben Franklin Elem 1 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:22 PM 3/2/2020	10:19 PM 3/4/2020	1.3 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 3/12/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Ben Franklin Elementary
School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
57) AE692190	2128016	Ben Franklin Elem	Not Provided	Slab	Yes	8:29 PM	10:21 PM	<0.8 pCi/L *
		1a Grand Forks, ND 58203 USA	Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
58) AE692221	2127986	Ben Franklin Elem	Not Provided	Slab	Yes	8:29 PM	10:21 PM	0.7 pCi/L
		1a Grand Forks, ND 58203 USA	Not Provided	Personal Knowledge		3/2/2020	3/4/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 3/12/2020