ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 10
Carrollton, TX 7500
(800) 324-592
www.DrHomeAir.com

Attachment 2
D = Duplicates B = Blanks
Test Location Recommended Retesting

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE748819	2129322	800 32nd Ave S Grand Forks, ND 58201 USA	Copy Room Not Provided	Slab Personal Knowledge	Yes	3:27 PM 3/3/2020	7:36 PM 3/5/2020	**1.3 pCi/L**
2)	AE748803	2129331	800 32nd Ave S Grand Forks, ND 58201 USA	Main Office Not Provided	Slab Personal Knowledge	Yes	3:29 PM 3/3/2020	7:53 PM 3/5/2020	**1.1 pCi/L**
3)	AE748820	2129321	800 32nd Ave S Grand Forks, ND 58201 USA	Associate Principal Not Provided	Slab Personal Knowledge	Yes	3:30 PM 3/3/2020	7:55 PM 3/5/2020	**<0.7 pCi/L** *
4)	AE748841	2129335	800 32nd Ave S Grand Forks, ND 58201 USA	Principal Not Provided	Slab Personal Knowledge	Yes	3:31 PM 3/3/2020	7:58 PM 3/5/2020	**0.8 pCi/L**
5)	AE748849	2129330	800 32nd Ave S Grand Forks, ND 58201 USA	Main Office Not Provided	Slab Personal Knowledge	Yes	3:32 PM 3/3/2020	7:58 PM 3/5/2020	**<0.7 pCi/L** *
6)	AE748834	2129339	800 32nd Ave S Grand Forks, ND 58201 USA	105 Not Provided	Slab Personal Knowledge	Yes	3:35 PM 3/3/2020	5:54 PM 3/5/2020	**<0.9 pCi/L** *
7)	AE748850	2129298	800 32nd Ave S Grand Forks, ND 58201 USA	106 Not Provided	Slab Personal Knowledge	Yes	3:37 PM 3/3/2020	5:53 PM 3/5/2020	**1.2 pCi/L**
8)	AE748842	2129341	800 32nd Ave S Grand Forks, ND 58201 USA	107 Not Provided	Slab Personal Knowledge	Yes	3:38 PM 3/3/2020	5:53 PM 3/5/2020	**<1.0 pCi/L** *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.
*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE748857	2129313	800 32nd Ave S Grand Forks, ND 58201 USA	110 Not Provided	Slab Personal Knowledge	Yes	3:40 PM 3/3/2020	6:00 PM 3/5/2020	**1.0 pCi/L**
10)	AE748835	2129348	800 32nd Ave S Grand Forks, ND 58201 USA	News Room Not Provided	Slab Personal Knowledge	Yes	3:42 PM 3/3/2020	6:11 PM 3/5/2020	**<1.1 pCi/L** *
11)	AE748848	2129349	800 32nd Ave S Grand Forks, ND 58201 USA	Library Office Not Provided	Slab Personal Knowledge	Yes	3:44 PM 3/3/2020	6:12 PM 3/5/2020	**<0.8 pCi/L** *
12)	AE748851	2129316	800 32nd Ave S Grand Forks, ND 58201 USA	Library Not Provided	Slab Personal Knowledge	Yes	3:50 PM 3/3/2020	6:08 PM 3/5/2020	**<0.9 pCi/L** *
13)	AE748858	2129346	800 32nd Ave S Grand Forks, ND 58201 USA	Library Not Provided	Slab Personal Knowledge	Yes	3:50 PM 3/3/2020	6:08 PM 3/5/2020	**<0.7 pCi/L** *
14)	AE748860	2129351	800 32nd Ave S Grand Forks, ND 58201 USA	109 Not Provided	Slab Personal Knowledge	Yes	3:52 PM 3/3/2020	6:10 PM 3/5/2020	**<0.7 pCi/L** *
15)	AE748847	2129295	800 32nd Ave S Grand Forks, ND 58201 USA	Library Not Provided	Slab Personal Knowledge	Yes	3:58 PM 3/3/2020	6:09 PM 3/5/2020	**1.1 pCi/L**
16)	AE748859	2129352	800 32nd Ave S Grand Forks, ND 58201 USA	117 Not Provided	Slab Personal Knowledge	Yes	4:00 PM 3/3/2020	6:15 PM 3/5/2020	**1.1 pCi/L**

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE748854	2129312	800 32nd Ave S Grand Forks, ND 58201 USA	116 Not Provided	Slab Personal Knowledge	Yes	4:02 PM 3/3/2020	5:50 PM 3/5/2020	**<1.1 pCi/L** *
18)	AE748853	2129317	800 32nd Ave S Grand Forks, ND 58201 USA	Office 116 Not Provided	Slab Personal Knowledge	Yes	4:04 PM 3/3/2020	5:49 PM 3/5/2020	**<0.8 pCi/L** *
19)	AE748814	2129311	800 32nd Ave S Grand Forks, ND 58201 USA	Office 116 Not Provided	Slab Personal Knowledge	Yes	4:04 PM 3/3/2020	5:47 PM 3/5/2020	**<1.1 pCi/L** *
20)	AE748837	2129315	800 32nd Ave S Grand Forks, ND 58201 USA	115 Not Provided	Slab Personal Knowledge	Yes	4:13 PM 3/3/2020	5:49 PM 3/5/2020	**<0.7 pCi/L** *
21)	AE748855	2129342	800 32nd Ave S Grand Forks, ND 58201 USA	111 Not Provided	Slab Personal Knowledge	Yes	4:15 PM 3/3/2020	6:19 PM 3/5/2020	**0.5 pCi/L**
22)	AE748856	2129350	800 32nd Ave S Grand Forks, ND 58201 USA	111 Not Provided	Slab Personal Knowledge	Yes	4:15 PM 3/3/2020	6:19 PM 3/5/2020	**<1.0 pCi/L** *
23)	AE748846	2129343	800 32nd Ave S Grand Forks, ND 58201 USA	112 Not Provided	Slab Personal Knowledge	Yes	4:17 PM 3/3/2020	6:23 PM 3/5/2020	**<0.7 pCi/L** *
24)	AE748845	2129357	800 32nd Ave S Grand Forks, ND 58201 USA	613 Not Provided	Slab Personal Knowledge	Yes	4:20 PM 3/3/2020	5:21 PM 3/5/2020	**<0.7 pCi/L** *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25)	AE748827	2129340	800 32nd Ave S Grand Forks, ND 58201 USA	602 Not Provided	Slab Personal Knowledge	Yes	4:24 PM 3/3/2020	5:39 PM 3/5/2020	**1.8 pCi/L**
26)	AE748830	2129310	800 32nd Ave S Grand Forks, ND 58201 USA	604 Not Provided	Slab Personal Knowledge	Yes	4:25 PM 3/3/2020	5:38 PM 3/5/2020	**1.7 pCi/L**
27)	AE748828	2129338	800 32nd Ave S Grand Forks, ND 58201 USA	603 Not Provided	Slab Personal Knowledge	Yes	4:26 PM 3/3/2020	5:40 PM 3/5/2020	**1.5 pCi/L**
28)	AE748838	2129319	800 32nd Ave S Grand Forks, ND 58201 USA	603 Not Provided	Slab Personal Knowledge	Yes	4:26 PM 3/3/2020	5:40 PM 3/5/2020	**1.8 pCi/L**
29)	AE748822	2129291	800 32nd Ave S Grand Forks, ND 58201 USA	601 Not Provided	Slab Personal Knowledge	Yes	4:25 PM 3/3/2020	5:42 PM 3/5/2020	**1.5 pCi/L**
30)	AE748832	2129296	800 32nd Ave S Grand Forks, ND 58201 USA	612 Not Provided	Slab Personal Knowledge	Yes	4:34 PM 3/3/2020	5:22 PM 3/5/2020	**<0.7 pCi/L** *
31)	AE748844	2129305	800 32nd Ave S Grand Forks, ND 58201 USA	611 Not Provided	Slab Personal Knowledge	Yes	4:37 PM 3/3/2020	5:23 PM 3/5/2020	**1.0 pCi/L**
32)	AE748840	2129297	800 32nd Ave S Grand Forks, ND 58201 USA	610 Not Provided	Slab Personal Knowledge	Yes	4:39 PM 3/3/2020	5:25 PM 3/5/2020	**<1.2 pCi/L** *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director R. J. Flores NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33)	AE748839	2129306	800 32nd Ave S Grand Forks, ND 58201 USA	610 Not Provided	Slab Personal Knowledge	Yes	4:39 PM 3/3/2020	5:25 PM 3/5/2020	**0.7 pCi/L**
34)	AE748852	2129344	800 32nd Ave S Grand Forks, ND 58201 USA	609 Not Provided	Slab Personal Knowledge	Yes	4:40 PM 3/3/2020	5:28 PM 3/5/2020	**<1.1 pCi/L** *
35)	AE748843	2129345	800 32nd Ave S Grand Forks, ND 58201 USA	608 Not Provided	Slab Personal Knowledge	Yes	4:42 PM 3/3/2020	5:31 PM 3/5/2020	**<1.1 pCi/L** *
36)	AE748836	2129307	800 32nd Ave S Grand Forks, ND 58201 USA	607 Not Provided	Slab Personal Knowledge	Yes	4:44 PM 3/3/2020	5:26 PM 3/5/2020	**<0.7 pCi/L** *
37)	AE750075	2129328	800 32nd Ave S Grand Forks, ND 58201 USA	605 Not Provided	Slab Personal Knowledge	Yes	4:55 PM 3/3/2020	5:35 PM 3/5/2020	**<1.1 pCi/L** *
38)	AE750086	2129309	800 32nd Ave S Grand Forks, ND 58201 USA	605 Not Provided	Slab Personal Knowledge	Yes	4:55 PM 3/3/2020	5:35 PM 3/5/2020	**1.2 pCi/L**
39)	AE750093	2129356	800 32nd Ave S Grand Forks, ND 58201 USA	606 Not Provided	Slab Personal Knowledge	Yes	4:57 PM 3/3/2020	5:32 PM 3/5/2020	**1.7 pCi/L**
40)	AE750094	2129387	800 32nd Ave S Grand Forks, ND 58201 USA	Lunch Room Not Provided	Slab Personal Knowledge	Yes	5:02 PM 3/3/2020	5:15 PM 3/5/2020	**<0.8 pCi/L** *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
41)	AE750102	2129359	800 32nd Ave S Grand Forks, ND 58201 USA	~~701~~ Kitchen Office Not Provided	Slab Personal Knowledge	Yes	5:07 PM 3/3/2020	5:17 PM 3/5/2020	**<0.8 pCi/L** *
42)	AE750082	2129353	800 32nd Ave S Grand Forks, ND 58201 USA	~~701 Office~~ Lunch room Not Provided	Slab Personal Knowledge	Yes	5:08 PM 3/3/2020	5:18 PM 3/5/2020	**<0.9 pCi/L** *
43)	AE750103	2129347	800 32nd Ave S Grand Forks, ND 58201 USA	702 1 Not Provided	Slab Personal Knowledge	Yes	5:10 PM 3/3/2020	6:27 PM 3/5/2020	**1.3 pCi/L**
44)	AE750110	2129290	800 32nd Ave S Grand Forks, ND 58201 USA	701 Office Not Provided	Slab Personal Knowledge	Yes	5:12 PM 3/3/2020	6:28 PM 3/5/2020	**<0.9 pCi/L** *
45)	AE750111	2129289	800 32nd Ave S Grand Forks, ND 58201 USA	~~701~~ 702 Not Provided	Slab Personal Knowledge	Yes	5:14 PM 3/3/2020	7:38 PM 3/5/2020	**0.9 pCi/L**
46)	AE750097	2129369	800 32nd Ave S Grand Forks, ND 58201 USA	703 Not Provided	Slab Personal Knowledge	Yes	5:19 PM 3/3/2020	6:28 PM 3/5/2020	**<1.3 pCi/L** *
47)	AE750098	2129276	800 32nd Ave S Grand Forks, ND 58201 USA	705 Not Provided	Slab Personal Knowledge	Yes	5:20 PM 3/3/2020	6:31 PM 3/5/2020	**<1.2 pCi/L** *
48)	AE750087	2129273	800 32nd Ave S Grand Forks, ND 58201 USA	704 Not Provided	Slab Personal Knowledge	Yes	5:22 PM 3/3/2020	6:32 PM 3/5/2020	**1.3 pCi/L**

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [signature] NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49)	AE750091	2129274	800 32nd Ave S Grand Forks, ND 58201 USA	704 Not Provided	Slab Personal Knowledge	Yes	5:22 PM 3/3/2020	6:32 PM 3/5/2020	1.0 pCi/L
50)	AE750079	2129355	800 32nd Ave S Grand Forks, ND 58201 USA	707 Not Provided	Slab Personal Knowledge	Yes	5:24 PM 3/3/2020	6:36 PM 3/5/2020	1.2 pCi/L
51)	AE750118	2129354	800 32nd Ave S Grand Forks, ND 58201 USA	707 Not Provided	Slab Personal Knowledge	Yes	5:24 PM 3/3/2020	6:36 PM 3/5/2020	<1.2 pCi/L *
52)	AE750119	2129320	800 32nd Ave S Grand Forks, ND 58201 USA	706 Not Provided	Slab Personal Knowledge	Yes	5:26 PM 3/3/2020	7:43 PM 3/5/2020	<0.7 pCi/L *
53)	AE750126	2129318	800 32nd Ave S Grand Forks, ND 58201 USA	706 Not Provided	Slab Personal Knowledge	Yes	5:26 PM 3/3/2020	7:43 PM 3/5/2020	<1.0 pCi/L *
54)	AE750134	2129275	800 32nd Ave S Grand Forks, ND 58201 USA	708 Not Provided	Slab Personal Knowledge	Yes	5:28 PM 3/3/2020	6:38 PM 3/5/2020	1.2 pCi/L
55)	AE750127	2129372	800 32nd Ave S Grand Forks, ND 58201 USA	708 Snack Rm Not Provided	Slab Personal Knowledge	Yes	5:29 PM 3/3/2020	6:40 PM 3/5/2020	0.7 pCi/L
56)	AE750142	2129375	800 32nd Ave S Grand Forks, ND 58201 USA	708 Office Not Provided	Slab Personal Knowledge	Yes	5:31 PM 3/3/2020	6:40 PM 3/5/2020	<0.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
57)	AE750135	2129373	800 32nd Ave S Grand Forks, ND 58201 USA	709 Not Provided	Slab Personal Knowledge	Yes	5:34 PM 3/3/2020	6:40 PM 3/5/2020	<1.0 pCi/L *
58)	AE750143	2129388	800 32nd Ave S Grand Forks, ND 58201 USA	709 Not Provided	Slab Personal Knowledge	Yes	5:34 PM 3/3/2020	6:40 PM 3/5/2020	<0.9 pCi/L *
59)	AE750122	2129277	800 32nd Ave S Grand Forks, ND 58201 USA	710 Not Provided	Slab Personal Knowledge	Yes	5:39 PM 3/3/2020	7:46 PM 3/5/2020	1.0 pCi/L
60)	AE750115	2129283	800 32nd Ave S Grand Forks, ND 58201 USA	710 Not Provided	Slab Personal Knowledge	Yes	5:39 PM 3/3/2020	7:46 PM 3/5/2020	1.2 pCi/L
61)	AE750130	2129368	800 32nd Ave S Grand Forks, ND 58201 USA	711 Not Provided	Slab Personal Knowledge	Yes	5:48 PM 3/3/2020	6:44 PM 3/5/2020	0.8 pCi/L
62)	AE750131	2129288	800 32nd Ave S Grand Forks, ND 58201 USA	712 Not Provided	Slab Personal Knowledge	Yes	5:50 PM 3/3/2020	7:35 PM 3/5/2020	1.2 pCi/L
63)	AE750106	2129326	800 32nd Ave S Grand Forks, ND 58201 USA	Staff Room Not Provided	Slab Personal Knowledge	Yes	5:52 PM 3/3/2020	6:46 PM 3/5/2020	<0.9 pCi/L *
64)	AE750099	2129384	800 32nd Ave S Grand Forks, ND 58201 USA	Wood Shop Not Provided	Slab Personal Knowledge	Yes	5:54 PM 3/3/2020	6:56 PM 3/5/2020	<1.2 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
65)	AE750104	2129300	800 32nd Ave S Grand Forks, ND 58201 USA	Room 124 Te Not Provided	Slab Personal Knowledge	Yes	6:02 PM 3/3/2020	6:49 PM 3/5/2020	**<0.7 pCi/L** *
66)	AE750114	2129301	800 32nd Ave S Grand Forks, ND 58201 USA	Manufacturing Not Provided	Slab Personal Knowledge	Yes	6:04 PM 3/3/2020	6:50 PM 3/5/2020	**<0.9 pCi/L** *
67)	AE750138	2129327	800 32nd Ave S Grand Forks, ND 58201 USA	Office Te Not Provided	Slab Personal Knowledge	Yes	6:06 PM 3/3/2020	6:47 PM 3/5/2020	**1.1 pCi/L**
68)	AE750107	2129385	800 32nd Ave S Grand Forks, ND 58201 USA	Room 125 Te Not Provided	Slab Personal Knowledge	Yes	6:10 PM 3/3/2020	6:59 PM 3/5/2020	**<0.8 pCi/L** *
69)	AE750085	2129337	800 32nd Ave S Grand Forks, ND 58201 USA	Room 126 Art Not Provided	Slab Personal Knowledge	Yes	6:12 PM 3/3/2020	7:00 PM 3/5/2020	**<0.9 pCi/L** *
70)	AE750151	2129314	800 32nd Ave S Grand Forks, ND 58201 USA	812 Not Provided	Slab Personal Knowledge	Yes	6:15 PM 3/3/2020	7:02 PM 3/5/2020	**<1.0 pCi/L** *
71)	AE750158	2129304	800 32nd Ave S Grand Forks, ND 58201 USA	811 Not Provided	Slab Personal Knowledge	Yes	6:18 PM 3/3/2020	7:04 PM 3/5/2020	**<0.8 pCi/L** *
72)	AE750077	2129272	800 32nd Ave S Grand Forks, ND 58201 USA	805 Not Provided	Slab Personal Knowledge	Yes	6:21 PM 3/3/2020	7:03 PM 3/5/2020	**<1.1 pCi/L** *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
73)	AE750073	2129383	800 32nd Ave S Grand Forks, ND 58201 USA	810 Not Provided	Slab Personal Knowledge	Yes	6:24 PM 3/3/2020	7:06 PM 3/5/2020	**<1.0 pCi/L** *
74)	AE750150	2129302	800 32nd Ave S Grand Forks, ND 58201 USA	806 Not Provided	Slab Personal Knowledge	Yes	6:26 PM 3/3/2020	7:07 PM 3/5/2020	**<0.5 pCi/L** *
75)	AE750078	2129376	800 32nd Ave S Grand Forks, ND 58201 USA	809 Not Provided	Slab Personal Knowledge	Yes	6:30 PM 3/3/2020	7:10 PM 3/5/2020	**<0.8 pCi/L** *
76)	AE750166	2129280	800 32nd Ave S Grand Forks, ND 58201 USA	809 Chemical Rm Not Provided	Slab Personal Knowledge	Yes	6:31 PM 3/3/2020	7:10 PM 3/5/2020	**<0.9 pCi/L** *
77)	AE750147	2129303	800 32nd Ave S Grand Forks, ND 58201 USA	809 Office Not Provided	Slab Personal Knowledge	Yes	6:33 PM 3/3/2020	7:10 PM 3/5/2020	**<0.9 pCi/L** *
78)	AE750154	2129281	800 32nd Ave S Grand Forks, ND 58201 USA	808 Not Provided	Slab Personal Knowledge	Yes	6:35 PM 3/3/2020	7:11 PM 3/5/2020	**<0.8 pCi/L** *
79)	AE750090	2129292	800 32nd Ave S Grand Forks, ND 58201 USA	807 Not Provided	Slab Personal Knowledge	Yes	6:37 PM 3/3/2020	7:19 PM 3/5/2020	**<1.1 pCi/L** *
80)	AE750074	2129308	800 32nd Ave S Grand Forks, ND 58201 USA	807 Not Provided	Slab Personal Knowledge	Yes	6:37 PM 3/3/2020	7:19 PM 3/5/2020	**<1.2 pCi/L** *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [signature] NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
81)	AE750146	2129386	800 32nd Ave S Grand Forks, ND 58201 USA	804 Not Provided	Slab Personal Knowledge	Yes	6:39 PM 3/3/2020	7:25 PM 3/5/2020	<1.1 pCi/L *
82)	AE750081	2129294	800 32nd Ave S Grand Forks, ND 58201 USA	804 Not Provided	Slab Personal Knowledge	Yes	6:39 PM 3/3/2020	7:25 PM 3/5/2020	**<0.7 pCi/L** *
83)	AE750139	2129332	800 32nd Ave S Grand Forks, ND 58201 USA	802 Not Provided	Slab Personal Knowledge	Yes	6:42 PM 3/3/2020	7:27 PM 3/5/2020	**<0.7 pCi/L** *
84)	AE750112	2129282	800 32nd Ave S Grand Forks, ND 58201 USA	803 Not Provided	Slab Personal Knowledge	Yes	6:46 PM 3/3/2020	7:28 PM 3/5/2020	**<1.0 pCi/L** *
85)	AE750132	2129299	800 32nd Ave S Grand Forks, ND 58201 USA	801 Office Not Provided	Slab Personal Knowledge	Yes	6:50 PM 3/3/2020	7:31 PM 3/5/2020	**<0.6 pCi/L** *
86)	AE750116	2129323	800 32nd Ave S Grand Forks, ND 58201 USA	Girl Locker Office Not Provided	Slab Personal Knowledge	Yes	7:00 PM 3/3/2020	8:43 PM 3/5/2020	**<0.8 pCi/L** *
87)	AE750108	2129374	800 32nd Ave S Grand Forks, ND 58201 USA	Boy Coach Office Not Provided	Slab Personal Knowledge	Yes	7:02 PM 3/3/2020	8:45 PM 3/5/2020	**0.6 pCi/L**
88)	AE750076	2129336	800 32nd Ave S Grand Forks, ND 58201 USA	Boy Coach Office 2 Not Provided	Slab Personal Knowledge	Yes	7:05 PM 3/3/2020	8:42 PM 3/5/2020	**0.8 pCi/L**

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.
*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
89)	AE750105	2129364	800 32nd Ave S Grand Forks, ND 58201 USA	Small Gym Not Provided	Slab Personal Knowledge	Yes	7:07 PM 3/3/2020	8:48 PM 3/5/2020	**<1.0 pCi/L** *
90)	AE750120	2129293	800 32nd Ave S Grand Forks, ND 58201 USA	801 Not Provided	Slab Personal Knowledge	Yes	6:48 PM 3/3/2020	7:30 PM 3/5/2020	**<0.7 pCi/L** *
91)	AE750083	2129333	800 32nd Ave S Grand Forks, ND 58201 USA	Small Gym Not Provided	Slab Personal Knowledge	Yes	7:09 PM 3/3/2020	8:50 PM 3/5/2020	**<1.3 pCi/L** *
92)	AE750096	2129370	800 32nd Ave S Grand Forks, ND 58201 USA	101 Not Provided	Slab Personal Knowledge	Yes	7:16 PM 3/3/2020	8:55 PM 3/5/2020	**2.4 pCi/L**
93)	AE750084	2129279	800 32nd Ave S Grand Forks, ND 58201 USA	101 Not Provided	Slab Personal Knowledge	Yes	7:16 PM 3/3/2020	8:55 PM 3/5/2020	**1.9 pCi/L**
94)	AE750109	2129286	800 32nd Ave S Grand Forks, ND 58201 USA	101 Not Provided	Slab Personal Knowledge	Yes	7:18 PM 3/3/2020	9:00 PM 3/5/2020	**2.0 pCi/L**
95)	AE750128	2129334	800 32nd Ave S Grand Forks, ND 58201 USA	Office A Not Provided	Slab Personal Knowledge	Yes	7:20 PM 3/3/2020	9:01 PM 3/5/2020	**2.8 pCi/L**
96)	AE750113	2129287	800 32nd Ave S Grand Forks, ND 58201 USA	Office B Not Provided	Slab Personal Knowledge	Yes	7:21 PM 3/3/2020	9:02 PM 3/5/2020	**1.5 pCi/L**

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
97)	AE750117	2129367	800 32nd Ave S Grand Forks, ND 58201 USA	Office C Not Provided	Slab Personal Knowledge	Yes	7:22 PM 3/3/2020	9:03 PM 3/5/2020	**2.5 pCi/L**
98)	AE750121	2129324	800 32nd Ave S Grand Forks, ND 58201 USA	Practice 1 Not Provided	Slab Personal Knowledge	Yes	7:23 PM 3/3/2020	8:52 PM 3/5/2020	**2.9 pCi/L**
99)	AE750137	2129278	800 32nd Ave S Grand Forks, ND 58201 USA	Practice 2 Not Provided	Slab Personal Knowledge	Yes	7:24 PM 3/3/2020	8:53 PM 3/5/2020	**1.4 pCi/L**
100)	AE750140	2129325	800 32nd Ave S Grand Forks, ND 58201 USA	Practice 3 Not Provided	Slab Personal Knowledge	Yes	7:25 PM 3/3/2020	8:54 PM 3/5/2020	**2.2 pCi/L**
101)	AE750100	2129285	800 32nd Ave S Grand Forks, ND 58201 USA	Practice 4 Not Provided	Slab Personal Knowledge	Yes	7:26 PM 3/3/2020	8:55 PM 3/5/2020	**2.0 pCi/L**
102)	AE750136	2129366	800 32nd Ave S Grand Forks, ND 58201 USA	Practice 5 Not Provided	Slab Personal Knowledge	Yes	7:27 PM 3/3/2020	8:58 PM 3/5/2020	**2.2 pCi/L**
103)	AE750144	2129371	800 32nd Ave S Grand Forks, ND 58201 USA	102 Not Provided	Slab Personal Knowledge	Yes	7:28 PM 3/3/2020	9:08 PM 3/5/2020	**0.8 pCi/L**
104)	AE750145	2129329	800 32nd Ave S Grand Forks, ND 58201 USA	102 Not Provided	Slab Personal Knowledge	Yes	7:28 PM 3/3/2020	9:08 PM 3/5/2020	**1.1 pCi/L**

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.
*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
105)AE750129	2129361	800 32nd Ave S Grand Forks, ND 58201 USA	103 Not Provided	Slab Personal Knowledge	Yes	7:32 PM 3/3/2020	8:36 PM 3/5/2020	1.9 pCi/L
106)AE750148	2129362	800 32nd Ave S Grand Forks, ND 58201 USA	Nurse Sw Not Provided	Slab Personal Knowledge	Yes	7:36 PM 3/3/2020	8:36 PM 3/5/2020	1.9 pCi/L
107)AE750133	2129382	800 32nd Ave S Grand Forks, ND 58201 USA	Counselor Not Provided	Slab Personal Knowledge	Yes	7:38 PM 3/3/2020	8:37 PM 3/5/2020	1.7 pCi/L
108)AE750124	2129381	800 32nd Ave S Grand Forks, ND 58201 USA	Counselot Not Provided	Slab Personal Knowledge	Yes	7:40 PM 3/3/2020	8:37 PM 3/5/2020	2.0 pCi/L
109)AE750125	2129363	800 32nd Ave S Grand Forks, ND 58201 USA	104 Not Provided	Slab Personal Knowledge	Yes	7:42 PM 3/3/2020	8:41 PM 3/5/2020	2.4 pCi/L
110)AE750141	2129365	800 32nd Ave S Grand Forks, ND 58201 USA	104 Not Provided	Slab Personal Knowledge	Yes	7:42 PM 3/3/2020	8:41 PM 3/5/2020	1.4 pCi/L
111)AE750152	2129358	800 32nd Ave S Grand Forks, ND 58201 USA	118 Not Provided	Slab Personal Knowledge	Yes	7:46 PM 3/3/2020	8:17 PM 3/5/2020	1.6 pCi/L
112)AE750155	2129360	800 32nd Ave S Grand Forks, ND 58201 USA	118 Not Provided	Slab Personal Knowledge	Yes	7:46 PM 3/3/2020	8:17 PM 3/5/2020	<0.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.
*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [signature] NJ MES: 11306 **Date** 3/16/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Schroeder Middle School
03 11 2020

Date Received: 3/11/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
113)AE750163	2129284	800 32nd Ave S Grand Forks, ND 58201 USA	119 Not Provided	Slab Personal Knowledge	Yes	7:48 PM 3/3/2020	8:21 PM 3/5/2020	**1.2 pCi/L**
114)AE750156	2129377	800 32nd Ave S Grand Forks, ND 58201 USA	120 Not Provided	Slab Personal Knowledge	Yes	7:52 PM 3/3/2020	8:22 PM 3/5/2020	**1.3 pCi/L**
115)AE750164	2129378	800 32nd Ave S Grand Forks, ND 58201 USA	Main Room GYM Not Provided	Slab Personal Knowledge	Yes	7:54 PM 3/3/2020	8:26 PM 3/5/2020	**0.6 pCi/L**
116)AE750171	2129380	800 32nd Ave S Grand Forks, ND 58201 USA	Main Gym Not Provided	Slab Personal Knowledge	Yes	7:58 PM 3/3/2020	8:31 PM 3/5/2020	**<1.1 pCi/L** *
117)AE750159	2129379	800 32nd Ave S Grand Forks, ND 58201 USA	Fitness Room Not Provided	Slab Personal Knowledge	Yes	7:56 PM 3/3/2020	8:29 PM 3/5/2020	**<0.7 pCi/L** *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.
*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/16/2020