ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Attachment 2
D = Duplicates B = Blanks
Test Location Recommended Retesting

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Kelly Elementary School
03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE750149	2127853	3000 Cherry St Main Office Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	7:56 AM 3/4/2020	9:05 AM 3/6/2020	**<0.5 pCi/L** *
2)	AE750089	2127838	3000 Cherry St 108 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:00 AM 3/4/2020	9:05 AM 3/6/2020	**0.7 pCi/L**
3)	AE750157	2127852	3000 Cherry St Sick Room Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:01 AM 3/4/2020	9:06 AM 3/6/2020	**<0.5 pCi/L** *
4)	AE750165	2127848	3000 Cherry St Conf Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:03 AM 3/4/2020	9:07 AM 3/6/2020	**<0.7 pCi/L** *
5)	AE750161	2127893	3000 Cherry St 105 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:04 AM 3/4/2020	9:09 AM 3/6/2020	**0.7 pCi/L**
6)	AE750168	2127892	3000 Cherry St 103 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:06 AM 3/4/2020	9:11 AM 3/6/2020	**<0.6 pCi/L** *
7)	AE750092	2127889	3000 Cherry St 102 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:07 AM 3/4/2020	10:35 AM 3/6/2020	**0.8 pCi/L**
8)	AE750169	2127875	3000 Cherry St 104 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:09 AM 3/4/2020	9:12 AM 3/6/2020	**0.6 pCi/L**

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Kelly Elementary School
03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE750088	2127876	3000 Cherry St 101 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:10 AM 3/4/2020	9:13 AM 3/6/2020	<0.6 pCi/L *
10)	AE750167	2127862	3000 Cherry St Lunch Room Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:13 AM 3/4/2020	9:16 AM 3/6/2020	0.7 pCi/L
11)	AE750173	2127891	3000 Cherry St Lunch Room Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:13 AM 3/4/2020	9:16 AM 3/6/2020	0.5 pCi/L
12)	AE750170	2127878	3000 Cherry St Commons Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:18 AM 3/4/2020	9:21 AM 3/6/2020	<0.5 pCi/L *
13)	AE750153	2127867	3000 Cherry St Counselor Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:19 AM 3/4/2020	9:17 AM 3/6/2020	<0.5 pCi/L *
14)	AE750123	2127866	3000 Cherry St 111 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:20 AM 3/4/2020	9:19 AM 3/6/2020	0.5 pCi/L
15)	AE750160	2127855	3000 Cherry St 113 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:21 AM 3/4/2020	9:24 AM 3/6/2020	<0.5 pCi/L *
16)	AE750162	2127854	3000 Cherry St 115 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:22 AM 3/4/2020	9:25 AM 3/6/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Kelly Elementary School
03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE750172	2127863	3000 Cherry St 117 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:22 AM 3/4/2020	9:26 AM 3/6/2020	<0.7 pCi/L *
18)	AE750095	2127856	3000 Cherry St Library 114 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:23 AM 3/4/2020	9:28 AM 3/6/2020	<0.6 pCi/L *
19)	AE747900	2127857	3000 Cherry St 114 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:26 AM 3/4/2020	9:27 AM 3/6/2020	<0.6 pCi/L *
20)	AE747865	2127874	3000 Cherry St 114 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:28 AM 3/4/2020	9:32 AM 3/6/2020	<0.7 pCi/L *
21)	AE747868	2127861	3000 Cherry St Computer Lab 116 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:28 AM 3/4/2020	9:31 AM 3/6/2020	<0.8 pCi/L *
22)	AE747869	2127843	3000 Cherry St Computer Lab 116 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:28 AM 3/4/2020	9:31 AM 3/6/2020	<0.8 pCi/L *
23)	AE747864	2127845	3000 Cherry St Library Office Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:29 AM 3/4/2020	9:34 AM 3/6/2020	<0.7 pCi/L *
24)	AE747863	2127844	3000 Cherry St 218 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:29 AM 3/4/2020	9:35 AM 3/6/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Kelly Elementary School
03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25)	AE747867	2127871	3000 Cherry St 218 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:29 AM 3/4/2020	9:35 AM 3/6/2020	<0.4 pCi/L *
26)	AE747883	2127887	3000 Cherry St 216 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:34 AM 3/4/2020	9:36 AM 3/6/2020	<0.5 pCi/L *
27)	AE747899	2127886	3000 Cherry St 305 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:35 AM 3/4/2020	9:39 AM 3/6/2020	<0.7 pCi/L *
28)	AE747871	2127881	3000 Cherry St 307 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:35 AM 3/4/2020	9:40 AM 3/6/2020	<0.6 pCi/L *
29)	AE750080	2127888	3000 Cherry St 111 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:20 AM 3/4/2020	9:19 AM 3/6/2020	<0.5 pCi/L *
30)	AE747891	2127899	3000 Cherry St 308 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:37 AM 3/4/2020	9:44 AM 3/6/2020	<0.7 pCi/L *
31)	AE747908	2127842	3000 Cherry St 308 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:37 AM 3/4/2020	9:44 AM 3/6/2020	<0.5 pCi/L *
32)	AE747856	2127860	3000 Cherry St 313 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:37 AM 3/4/2020	9:47 AM 3/6/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Kelly Elementary School
03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33)	AE747875	2127882	3000 Cherry St 310 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:39 AM 3/4/2020	9:45 AM 3/6/2020	**<0.7 pCi/L** *
34)	AE747862	2127902	3000 Cherry St 315 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:40 AM 3/4/2020	9:46 AM 3/6/2020	**<0.5 pCi/L** *
35)	AE747857	2127851	3000 Cherry St 303 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:41 AM 3/4/2020	9:48 AM 3/6/2020	**<0.5 pCi/L** *
36)	AE747877	2127859	3000 Cherry St 304 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:43 AM 3/4/2020	9:51 AM 3/6/2020	**0.9 pCi/L**
37)	AE747861	2127879	3000 Cherry St 301 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:41 AM 3/4/2020	9:49 AM 3/6/2020	**<0.8 pCi/L** *
38)	AE747876	2127898	3000 Cherry St 302 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:42 AM 3/4/2020	9:50 AM 3/6/2020	**<0.5 pCi/L** *
39)	AE747870	2127870	3000 Cherry St 302 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:42 AM 3/4/2020	9:50 AM 3/6/2020	**0.9 pCi/L**
40)	AE747878	2127900	3000 Cherry St 309 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:43 AM 3/4/2020	9:42 AM 3/6/2020	**<0.5 pCi/L** *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Kelly Elementary School
03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
41)	AE747886	2127850	3000 Cherry St 306 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:47 AM 3/4/2020	9:54 AM 3/6/2020	<0.7 pCi/L *
42)	AE747911	2127869	3000 Cherry St 402 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:48 AM 3/4/2020	9:57 AM 3/6/2020	<0.7 pCi/L *
43)	AE747903	2127865	3000 Cherry St 402 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:48 AM 3/4/2020	9:57 AM 3/6/2020	<1.0 pCi/L *
44)	AE747894	2127883	3000 Cherry St 405 Music Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:50 AM 3/4/2020	10:09 AM 3/6/2020	<0.5 pCi/L *
45)	AE747914	2127868	3000 Cherry St 404 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:53 AM 3/4/2020	10:00 AM 3/6/2020	0.7 pCi/L
46)	AE747902	2127864	3000 Cherry St 404 Workroom Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:54 AM 3/4/2020	10:00 AM 3/6/2020	0.6 pCi/L
47)	AE747919	2127872	3000 Cherry St Gym Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:56 AM 3/4/2020	10:02 AM 3/6/2020	<0.7 pCi/L *
48)	AE747874	2127895	3000 Cherry St Gym Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	8:56 AM 3/4/2020	10:03 AM 3/6/2020	0.7 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Kelly Elementary School
03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49)	AE747881	2127894	3000 Cherry St Gym Office Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:00 AM 3/4/2020	10:06 AM 3/6/2020	<0.7 pCi/L *
50)	AE747855	2127896	3000 Cherry St Gym Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:01 AM 3/4/2020	10:07 AM 3/6/2020	1.9 pCi/L
51)	AE747910	2127897	3000 Cherry St Gym Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:01 AM 3/4/2020	10:07 AM 3/6/2020	<0.7 pCi/L *
52)	AE747873	2127873	3000 Cherry St 404 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:03 AM 3/4/2020	10:08 AM 3/6/2020	<0.6 pCi/L *
53)	AE747889	2127884	3000 Cherry St 401 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:07 AM 3/4/2020	10:12 AM 3/6/2020	0.9 pCi/L
54)	AE747853	2127839	3000 Cherry St Lounge Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:15 AM 3/4/2020	10:40 AM 3/6/2020	<0.5 pCi/L *
55)	AE747890	2127858	3000 Cherry St Lounge Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:15 AM 3/4/2020	10:40 AM 3/6/2020	<0.8 pCi/L *
56)	AE747898	2127835	3000 Cherry St Work Room Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:15 AM 3/4/2020	10:41 AM 3/6/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director _____ NJ MES: 11306 Date 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Kelly Elementary School
03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
57)	AE747858	2127837	3000 Cherry St Work Room Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:16 AM 3/4/2020	10:41 AM 3/6/2020	<0.7 pCi/L *
58)	AE747860	2127877	3000 Cherry St 212 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:18 AM 3/4/2020	10:22 AM 3/6/2020	<0.6 pCi/L *
59)	AE747882	2127847	3000 Cherry St 209 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:19 AM 3/4/2020	10:17 AM 3/6/2020	0.6 pCi/L
60)	AE747915	2127849	3000 Cherry St 211 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:19 AM 3/4/2020	10:20 AM 3/6/2020	<0.5 pCi/L *
61)	AE747907	2127836	3000 Cherry St 110 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:20 AM 3/4/2020	10:21 AM 3/6/2020	0.6 pCi/L
62)	AE747918	2127841	3000 Cherry St 210 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:22 AM 3/4/2020	10:24 AM 3/6/2020	<0.6 pCi/L *
63)	AE747909	2127890	3000 Cherry St 208 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:23 AM 3/4/2020	10:26 AM 3/6/2020	<0.7 pCi/L *
64)	AE747917	2127840	3000 Cherry St 208 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:23 AM 3/4/2020	10:26 AM 3/6/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director _____ NJ MES: 11306 Date 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Kelly Elementary School
03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
65)	AE747926	2127880	3000 Cherry St 206 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:24 AM 3/4/2020	10:27 AM 3/6/2020	<0.7 pCi/L *
66)	AE747935	2127901	3000 Cherry St 206 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:25 AM 3/4/2020	10:27 AM 3/6/2020	<0.9 pCi/L *
67)	AE747942	2127846	3000 Cherry St 204 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:25 AM 3/4/2020	10:28 AM 3/6/2020	<0.7 pCi/L *
68)	AE747925	2127885	3000 Cherry St 202 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	9:25 AM 3/4/2020	10:29 AM 3/6/2020	<0.5 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.
*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020