ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Attachment 2
D = Duplicates B = Blanks
Test Location Recommended Retesting

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Lake Agassizelementary School 03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE693650	2128110	605 Stanford Rd 40 Principal Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:18 AM 3/2/2020	12:10 PM 3/4/2020	**<1.0 pCi/L** *
2)	AE693658	2128108	605 Stanford Rd 39 Main Office Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:20 AM 3/2/2020	12:08 PM 3/4/2020	**1.0 pCi/L**
3)	AE693666	2128107	605 Stanford Rd 38 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:23 AM 3/2/2020	12:08 PM 3/4/2020	**<0.7 pCi/L** *
4)	AE693671	2128120	605 Stanford Rd 37 Counselor Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:34 AM 3/2/2020	12:13 PM 3/4/2020	**<0.7 pCi/L** *
5)	AE693687	2128111	605 Stanford Rd 35 Sw Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:27 AM 3/2/2020	12:14 PM 3/4/2020	**1.1 pCi/L**
6)	AE693679	2128121	605 Stanford Rd 36 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:32 AM 3/2/2020	12:16 PM 3/4/2020	**<0.9 pCi/L** *
7)	AE693643	2128112	605 Stanford Rd Nurse Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:36 AM 3/2/2020	12:17 PM 3/4/2020	**<0.9 pCi/L** *
8)	AE693663	2128083	605 Stanford Rd 1 Custodian Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:40 AM 3/2/2020	12:31 PM 3/4/2020	**<0.7 pCi/L** *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Lake Agassizelementary School 03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE693655	2128068	605 Stanford Rd Kitchen Office Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:42 AM 3/2/2020	12:24 PM 3/4/2020	<0.7 pCi/L *
10)	AE693641	2128118	605 Stanford Rd Lunch Room Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:44 AM 3/2/2020	12:25 PM 3/4/2020	<0.7 pCi/L *
11)	AE693651	2128073	605 Stanford Rd 2 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:50 AM 3/2/2020	12:32 PM 3/4/2020	<0.8 pCi/L *
12)	AE693654	2128119	605 Stanford Rd 2 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:50 AM 3/2/2020	12:32 PM 3/4/2020	<0.6 pCi/L *
13)	AE693659	2128082	605 Stanford Rd 3 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:52 AM 3/2/2020	12:28 PM 3/4/2020	<0.7 pCi/L *
14)	AE693627	2128123	605 Stanford Rd Staff Work Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:54 AM 3/2/2020	12:25 PM 3/4/2020	<0.9 pCi/L *
15)	AE693661	2128084	605 Stanford Rd Staff Lounge 6 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:56 AM 3/2/2020	12:33 PM 3/4/2020	<0.7 pCi/L *
16)	AE693608	2128122	605 Stanford Rd Grade K Room 5 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:59 AM 3/2/2020	12:22 PM 3/4/2020	<0.5 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Lake Agassizelementary School 03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE693635	2128113	605 Stanford Rd 7 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:02 AM 3/2/2020	12:20 PM 3/4/2020	<0.9 pCi/L *
18)	AE693657	2128069	605 Stanford Rd 10 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:04 AM 3/2/2020	12:35 PM 3/4/2020	<0.8 pCi/L *
19)	AE693665	2128070	605 Stanford Rd 9 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:07 AM 3/2/2020	12:36 PM 3/4/2020	<1.0 pCi/L *
20)	AE693647	2128087	605 Stanford Rd 11 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:07 AM 3/2/2020	12:37 PM 3/4/2020	<1.0 pCi/L *
21)	AE693667	2128089	605 Stanford Rd 12 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:11 AM 3/2/2020	12:38 PM 3/4/2020	<1.1 pCi/L *
22)	AE693662	2128088	605 Stanford Rd 12 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:12 AM 3/2/2020	12:38 PM 3/4/2020	1.1 pCi/L
23)	AE693639	2128060	605 Stanford Rd 14 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:14 AM 3/2/2020	12:40 PM 3/4/2020	<1.0 pCi/L *
24)	AE693673	2128061	605 Stanford Rd 13 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:15 AM 3/2/2020	12:42 PM 3/4/2020	1.4 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Lake Agassiz Elementary School 03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result	
25)	AE693674	2128071	605 Stanford Rd 15 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:16 AM 3/2/2020	12:42 PM 3/4/2020	1.8 pCi/L	
26)	AE693613	2128062	605 Stanford Rd 16 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:17 AM 3/2/2020	12:43 PM 3/4/2020	1.2 pCi/L	
27)	AE693670	2128109	605 Stanford Rd 17 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:18 AM 3/2/2020	12:45 PM 3/4/2020	0.8 pCi/L	
28)	AE693682	2128076	605 Stanford Rd 18 Speech Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:19 AM 3/2/2020	12:46 PM 3/4/2020	1.2 pCi/L	
29)	AE693678	2128075	605 Stanford Rd 20 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:21 AM 3/2/2020	12:49 PM 3/4/2020	1.2 pCi/L	
30)	AE693686	2128077	605 Stanford Rd 20 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:21 AM 3/2/2020	12:49 PM 3/4/2020	<0.9 pCi/L *	
31)	AE693653	2128116	605 Stanford Rd 19 Music Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:23 AM 3/2/2020	12:46 PM 3/4/2020	1.2 pCi/L	
32)	AE693675	2128078	605 Stanford Rd 23 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:24 AM 3/2/2020	12:51 PM 3/4/2020	<0.6 pCi/L *	Revised 3/26/2020

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.
*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/26/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Lake Agassiz Elementary School 03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result	
33)	AE693683	2128067	605 Stanford Rd 22 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:25 AM 3/2/2020	12:52 PM 3/4/2020	**<0.7 pCi/L** *	Revised 3/26/2020
34)	AE693681	2128117	605 Stanford Rd 22 Office Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:26 AM 3/2/2020	12:54 PM 3/4/2020	**<1.3 pCi/L** *	Revised 3/26/2020
35)	AE693649	2128085	605 Stanford Rd 24 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:27 AM 3/2/2020	12:55 PM 3/4/2020	**<0.9 pCi/L** *	Revised 3/26/2020
36)	AE693690	2128086	605 Stanford Rd 26 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:28 AM 3/2/2020	12:58 PM 3/4/2020	**0.7 pCi/L**	Revised 3/26/2020
37)	AE693696	2128115	605 Stanford Rd 25 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:29 AM 3/2/2020	12:59 PM 3/4/2020	**<0.9 pCi/L** *	Revised 3/26/2020
38)	AE693689	2128072	605 Stanford Rd 27 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:32 AM 3/2/2020	12:56 PM 3/4/2020	**1.5 pCi/L**	Revised 3/26/2020
39)	AE693691	2128103	605 Stanford Rd 33 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:31 AM 3/2/2020	12:57 PM 3/4/2020	**<0.7 pCi/L** *	Revised 3/26/2020
40)	AE693697	2128098	605 Stanford Rd 28 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:34 AM 3/2/2020	1:04 PM 3/4/2020	**<0.9 pCi/L** *	Revised 3/26/2020

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/26/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Lake Agassiz Elementary School 03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result	
41)	AE693698	2128099	605 Stanford Rd 30 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:37 AM 3/2/2020	1:00 PM 3/4/2020	**1.3 pCi/L**	Revised 3/26/2020
42)	AE693699	2128097	605 Stanford Rd 29 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:40 AM 3/2/2020	1:01 PM 3/4/2020	**<0.9 pCi/L** *	Revised 3/26/2020
43)	AE693685	2128102	605 Stanford Rd 32 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:43 AM 3/2/2020	1:02 PM 3/4/2020	**<1.0 pCi/L** *	Revised 3/26/2020
44)	AE693669	2128074	605 Stanford Rd 21 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:45 AM 3/2/2020	1:03 PM 3/4/2020	**<1.0 pCi/L** *	Revised 3/26/2020
45)	AE693694	2128081	605 Stanford Rd 31 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:46 AM 3/2/2020	1:40 PM 3/4/2020	**<1.3 pCi/L** *	
46)	AE693695	2128080	605 Stanford Rd S1 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:54 AM 3/2/2020	11:16 PM 3/4/2020	**<0.6 pCi/L** *	
47)	AE693704	2128104	605 Stanford Rd Workroom Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:55 AM 3/2/2020	11:15 PM 3/4/2020	**0.9 pCi/L**	
48)	AE693693	2128094	605 Stanford Rd Library 47 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:57 AM 3/2/2020	1:14 PM 3/4/2020	**1.6 pCi/L**	

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/26/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Lake Agassizelementary School 03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49)	AE693693	2128094	605 Stanford Rd Library 47 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:57 AM 3/2/2020	1:14 PM 3/4/2020	**1.6 pCi/L**
50)	AE693645	2128100	605 Stanford Rd 48 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:01 PM 3/2/2020	1:14 PM 3/4/2020	**1.0 pCi/L**
51)	AE693700	2128106	605 Stanford Rd 49 Music Room Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:02 PM 3/2/2020	1:15 PM 3/4/2020	**<0.9 pCi/L** *
52)	AE693702	2128095	605 Stanford Rd 52 Office Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:05 PM 3/2/2020	1:19 PM 3/4/2020	**<1.0 pCi/L** *
53)	AE693703	2128079	605 Stanford Rd Gym 50 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:07 PM 3/2/2020	1:20 PM 3/4/2020	**<0.9 pCi/L** *
54)	AE694426	2128105	605 Stanford Rd Gym 50 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:27 PM 3/2/2020	1:20 PM 3/4/2020	**<0.8 pCi/L** *
55)	AE694418	2128096	605 Stanford Rd 41 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:32 PM 3/2/2020	1:20 PM 3/4/2020	**<1.0 pCi/L** *
56)	AE694417	2128114	605 Stanford Rd 41 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:32 PM 3/2/2020	1:26 PM 3/4/2020	**<0.6 pCi/L** *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director NJ MES: 11306 **Date** 3/13/2020

ALPHA ENERGY LABORATORIES
2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info
NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Lake Agassizelementary School 03 10 2020

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
57)	AE694450	2128092	605 Stanford Rd 42 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:35 PM 3/2/2020	1:29 PM 3/4/2020	<0.8 pCi/L *
58)	AE694449	2128091	605 Stanford Rd 42 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:35 PM 3/2/2020	1:29 PM 3/4/2020	<0.7 pCi/L *
59)	AE694442	2128066	605 Stanford Rd 43 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:37 PM 3/2/2020	1:30 PM 3/4/2020	1.2 pCi/L
60)	AE694441	2128064	605 Stanford Rd 44 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:45 PM 3/2/2020	1:36 PM 3/4/2020	<1.0 pCi/L *
61)	AE694457	2128065	605 Stanford Rd 44 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:45 PM 3/2/2020	1:36 PM 3/4/2020	0.8 pCi/L
62)	AE694434	2128090	605 Stanford Rd 45 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:46 PM 3/2/2020	1:32 PM 3/4/2020	0.7 pCi/L
63)	AE694433	2128101	605 Stanford Rd 45 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:46 PM 3/2/2020	1:32 PM 3/4/2020	<0.6 pCi/L *
64)	AE694443	2128063	605 Stanford Rd 34 Grand Forks, ND 58203 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	12:59 PM 3/2/2020	1:10 PM 3/4/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [signature] NJ MES: 11306 **Date** 3/13/2020