



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lewis & Clark
 Elementary School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE692153	2128256 1100 13th Ave S Pe Office Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:26 AM 3/3/2020	9:33 AM 3/5/2020	4.0 pCi/L
2)	AE692193	2128257 1100 13th Ave S Gym Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:29 AM 3/3/2020	9:34 AM 3/5/2020	2.7 pCi/L
3)	AE692185	2128252 1100 13th Ave S Gym Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:31 AM 3/3/2020	9:35 AM 3/5/2020	2.4 pCi/L
4)	AE692145	2128246 1100 13th Ave S Vestibule Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:35 AM 3/3/2020	9:26 AM 3/5/2020	2.5 pCi/L
5)	AE692154	2128250 1100 13th Ave S 4 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:36 AM 3/3/2020	9:37 AM 3/5/2020	1.1 pCi/L
6)	AE692211	2128265 1100 13th Ave S 3 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:39 AM 3/3/2020	9:38 AM 3/5/2020	1.5 pCi/L
7)	AE692194	2128254 1100 13th Ave S 2 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:40 AM 3/3/2020	9:39 AM 3/5/2020	1.4 pCi/L
8)	AE692186	2128236 1100 13th Ave S 1 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:42 AM 3/3/2020	9:40 AM 3/5/2020	0.7 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lewis & Clark
 Elementary School 03 10
Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE692203	2128258 1100 13th Ave S 14 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:44 AM 3/3/2020	9:41 AM 3/5/2020	1.8 pCi/L
10)	AE692210	2128240 1100 13th Ave S 14 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:44 AM 3/3/2020	9:41 AM 3/5/2020	1.9 pCi/L
11)	AE692202	2128245 1100 13th Ave S 13 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:46 AM 3/3/2020	9:43 AM 3/5/2020	1.7 pCi/L
12)	AE692169	2128251 1100 13th Ave S 12 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:47 AM 3/3/2020	9:44 AM 3/5/2020	1.1 pCi/L
13)	AE692170	2128248 1100 13th Ave S Paper/ Workroom Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	8:59 AM 3/3/2020	9:48 AM 3/5/2020	1.6 pCi/L
14)	AE692177	2128234 1100 13th Ave S LI17 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:02 AM 3/3/2020	9:49 AM 3/5/2020	1.6 pCi/L
15)	AE692178	2128247 1100 13th Ave S LI16 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:03 AM 3/3/2020	9:50 AM 3/5/2020	1.5 pCi/L
16)	AE692161	2128263 1100 13th Ave S 6613 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:05 AM 3/3/2020	9:56 AM 3/5/2020	2.6 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lewis & Clark
 Elementary School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE692184	2128241 1100 13th Ave S Lunchroom Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:08 AM 3/3/2020	10:00 AM 3/5/2020	1.1 pCi/L
18)	AE692168	2128264 1100 13th Ave S Lunchroom Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:08 AM 3/3/2020	9:57 AM 3/5/2020	1.1 pCi/L
19)	AE692200	2128253 1100 13th Ave S LI10 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:13 AM 3/3/2020	10:02 AM 3/5/2020	3.0 pCi/L
20)	AE692209	2128260 1100 13th Ave S LI10 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:13 AM 3/3/2020	10:02 AM 3/5/2020	2.6 pCi/L
21)	AE692175	2128259 1100 13th Ave S LI3 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:16 AM 3/3/2020	10:04 AM 3/5/2020	1.2 pCi/L
22)	AE692183	2128233 1100 13th Ave S LI4 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:18 AM 3/3/2020	10:09 AM 3/5/2020	1.2 pCi/L
23)	AE692191	2128261 1100 13th Ave S LI5 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:20 AM 3/3/2020	10:10 AM 3/5/2020	<1.1 pCi/L *
24)	AE692199	2128242 1100 13th Ave S LI6 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:22 AM 3/3/2020	10:11 AM 3/5/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lewis & Clark
 Elementary School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25)	AE692208	2128244 1100 13th Ave S LI7 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:24 AM 3/3/2020	10:12 AM 3/5/2020	0.9 pCi/L
26)	AE692192	2128238 1100 13th Ave S LI7 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:24 AM 3/3/2020	10:12 AM 3/5/2020	<0.6 pCi/L *
27)	AE692216	2128266 1100 13th Ave S LI8 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:27 AM 3/3/2020	10:14 AM 3/5/2020	0.8 pCi/L
28)	AE692224	2128262 1100 13th Ave S LI9 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:28 AM 3/3/2020	9:59 AM 3/5/2020	0.6 pCi/L
29)	AE692225	2128249 1100 13th Ave S 11 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:33 AM 3/3/2020	10:19 AM 3/5/2020	<0.7 pCi/L *
30)	AE692217	2128235 1100 13th Ave S 11 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:33 AM 3/3/2020	10:19 AM 3/5/2020	<0.6 pCi/L *
31)	AE692229	2128239 1100 13th Ave S Office Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:38 AM 3/3/2020	10:23 AM 3/5/2020	1.4 pCi/L
32)	AE692220	2128237 1100 13th Ave S Office Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	9:38 AM 3/3/2020	10:23 AM 3/5/2020	1.6 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lewis & Clark
 Elementary School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33) AE692228	2128255	1100 13th Ave S Principal Grand Forks, ND 58201 USA	Not Provided	Slab	Yes	9:42 AM	10:22 AM	2.2 pCi/L
			Not Provided	Personal Knowledge		3/3/2020	3/5/2020	
34) AE692236	2128243	1100 13th Ave S Principal Grand Forks, ND 58201 USA	Not Provided	Slab	Yes	9:42 AM	10:22 AM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		3/3/2020	3/5/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.