



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School

**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE692655	2133462 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Main Adm Office Not Provided	Slab Personal Knowledge	Yes	9:03 AM 3/10/2020	11:13 AM 3/12/2020	1.2 pCi/L
2)	AE692652	2133464 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Main Adm Office Not Provided	Slab Personal Knowledge	Yes	9:03 AM 3/10/2020	11:13 AM 3/12/2020	1.3 pCi/L
3)	AE692661	2133465 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Office Conference Not Provided	Slab Personal Knowledge	Yes	9:05 AM 3/10/2020	11:13 AM 3/12/2020	1.5 pCi/L
4)	AE692668	2133463 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Nursing Office Not Provided	Slab Personal Knowledge	Yes	9:07 AM 3/10/2020	11:14 AM 3/12/2020	1.3 pCi/L
5)	AE692659	2133511 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Principals Office Not Provided	Slab Personal Knowledge	Yes	9:08 AM 3/10/2020	11:12 AM 3/12/2020	1.4 pCi/L
6)	AE692662	2133523 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Principals Office Not Provided	Slab Personal Knowledge	Yes	9:08 AM 3/10/2020	11:12 AM 3/12/2020	<1.2 pCi/L *
7)	AE692654	2133467 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Music 13 Not Provided	Slab Personal Knowledge	Yes	9:15 AM 3/10/2020	11:16 AM 3/12/2020	0.7 pCi/L
8)	AE692648	2133510 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Music 13 Office Not Provided	Slab Personal Knowledge	Yes	9:16 AM 3/10/2020	11:16 AM 3/12/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School  
  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE692645	2133515 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Computer Lab 13a Not Provided	Slab Personal Knowledge	Yes	9:18 AM 3/10/2020	11:17 AM 3/12/2020	1.4 pCi/L
10)	AE692660	2133471 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Peech 11 Not Provided	Slab Personal Knowledge	Yes	9:20 AM 3/10/2020	11:23 AM 3/12/2020	<1.0 pCi/L *
11)	AE692669	2133502 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Learning Lounge 9 Not Provided	Slab Personal Knowledge	Yes	9:25 AM 3/10/2020	11:25 AM 3/12/2020	1.5 pCi/L
12)	AE692663	2133501 1422 Louisiana St Grand Forks Afb, ND 58204 USA	11 A Room Not Provided	Slab Personal Knowledge	Yes	9:24 AM 3/10/2020	11:24 AM 3/12/2020	0.7 pCi/L
13)	AE692678	2133503 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 4 7 Not Provided	Slab Personal Knowledge	Yes	9:28 AM 3/10/2020	11:25 AM 3/12/2020	0.8 pCi/L
14)	AE692686	2133504 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 4 7 Not Provided	Slab Personal Knowledge	Yes	9:28 AM 3/10/2020	11:25 AM 3/12/2020	1.2 pCi/L
15)	AE692677	2133478 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Library Not Provided	Slab Personal Knowledge	Yes	9:30 AM 3/10/2020	11:27 AM 3/12/2020	2.2 pCi/L
16)	AE692694	2133505 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Library Not Provided	Slab Personal Knowledge	Yes	9:31 AM 3/10/2020	11:29 AM 3/12/2020	2.1 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.  
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School  
  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE692649	2133476 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Library Work Rm Not Provided	Slab Personal Knowledge	Yes	9:33 AM 3/10/2020	11:29 AM 3/12/2020	1.6 pCi/L
18)	AE692703	2133514 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Storage Rm 3 Not Provided	Slab Personal Knowledge	Yes	9:35 AM 3/10/2020	11:31 AM 3/12/2020	2.2 pCi/L
19)	AE692693	2133507 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Rm 1 Para Not Provided	Slab Personal Knowledge	Yes	9:36 AM 3/10/2020	11:31 AM 3/12/2020	1.6 pCi/L
20)	AE692702	2133479 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Art Rm 2 Not Provided	Slab Personal Knowledge	Yes	9:38 AM 3/10/2020	11:32 AM 3/12/2020	1.6 pCi/L
21)	AE692710	2133513 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Ot Rm 4 Not Provided	Slab Personal Knowledge	Yes	9:38 AM 3/10/2020	11:33 AM 3/12/2020	1.1 pCi/L
22)	AE692711	2133518 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 4 Rm 8 Not Provided	Slab Personal Knowledge	Yes	9:40 AM 3/10/2020	11:34 AM 3/12/2020	1.3 pCi/L
23)	AE692718	2133517 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 5 Rm 10 Not Provided	Slab Personal Knowledge	Yes	9:42 AM 3/10/2020	11:35 AM 3/12/2020	0.6 pCi/L
24)	AE692726	2133508 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 3 Rm 12 Not Provided	Slab Personal Knowledge	Yes	9:43 AM 3/10/2020	11:36 AM 3/12/2020	1.4 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.  
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**

NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School

**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE692719	2133522	1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 3 Rm 14a Not Provided	Slab Personal Knowledge	Yes	9:44 AM 3/10/2020	11:37 AM 3/12/2020	1.0 pCi/L
26) AE692676	2133468	1422 Louisiana St Grand Forks Afb, ND 58204 USA	Vision Rm 14 A Not Provided	Slab Personal Knowledge	Yes	9:45 AM 3/10/2020	11:22 AM 3/12/2020	0.9 pCi/L
27) AE692734	2133516	1422 Louisiana St Grand Forks Afb, ND 58204 USA	Work Pto Rm Pto Not Provided	Slab Personal Knowledge	Yes	9:46 AM 3/10/2020	11:37 AM 3/12/2020	<0.8 pCi/L *
28) AE692651	2133521	1422 Louisiana St Grand Forks Afb, ND 58204 USA	Gym Not Provided	Slab Personal Knowledge	Yes	9:48 AM 3/10/2020	11:38 AM 3/12/2020	<0.7 pCi/L *
29) AE692727	2133512	1422 Louisiana St Grand Forks Afb, ND 58204 USA	Gym Not Provided	Slab Personal Knowledge	Yes	9:50 AM 3/10/2020	11:38 AM 3/12/2020	1.1 pCi/L
30) AE692685	2133509	1422 Louisiana St Grand Forks Afb, ND 58204 USA	Art Rm 2 Not Provided	Slab Personal Knowledge	Yes	9:38 AM 3/10/2020	11:32 AM 3/12/2020	<1.0 pCi/L *
31) AE692658	2133469	1422 Louisiana St Grand Forks Afb, ND 58204 USA	Kindergarten Rm 15 Not Provided	Slab Personal Knowledge	Yes	9:55 AM 3/10/2020	11:40 AM 3/12/2020	<0.7 pCi/L *
32) AE692670	2133470	1422 Louisiana St Grand Forks Afb, ND 58204 USA	Kindergarten Rm 16 Not Provided	Slab Personal Knowledge	Yes	9:56 AM 3/10/2020	11:40 AM 3/12/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School  
  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33)	AE692689	2133461 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Staff Work Rm Not Provided	Slab Personal Knowledge	Yes	9:58 AM 3/10/2020	11:42 AM 3/12/2020	<0.7 pCi/L *
34)	AE692666	2133466 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Custodian Office Not Provided	Slab Personal Knowledge	Yes	9:59 AM 3/10/2020	11:43 AM 3/12/2020	0.8 pCi/L
35)	AE692674	2133474 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Boiler Rm Not Provided	Slab Personal Knowledge	Yes	10:01 AM 3/10/2020	11:43 AM 3/12/2020	<0.7 pCi/L *
36)	AE692647	2133520 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Band 23 Not Provided	Slab Personal Knowledge	Yes	10:03 AM 3/10/2020	11:45 AM 3/12/2020	<0.7 pCi/L *
37)	AE692735	2133519 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Orchestra 25 Not Provided	Slab Personal Knowledge	Yes	10:05 AM 3/10/2020	11:46 AM 3/12/2020	0.9 pCi/L
38)	AE692653	2133477 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Conference Rm Not Provided	Slab Personal Knowledge	Yes	10:07 AM 3/10/2020	11:47 AM 3/12/2020	0.8 pCi/L
39)	AE692690	2133473 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Office Custodial Not Provided	Slab Personal Knowledge	Yes	10:11 AM 3/10/2020	11:48 AM 3/12/2020	1.1 pCi/L
40)	AE692682	2133494 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Work Rm Cust Not Provided	Slab Personal Knowledge	Yes	10:12 AM 3/10/2020	11:48 AM 3/12/2020	0.8 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.  
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School  
  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
41)	AE692692	2133490 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Kitchen Not Provided	Slab Personal Knowledge	Yes	10:14 AM 3/10/2020	11:49 AM 3/12/2020	<0.6 pCi/L *
42)	AE692684	2133482 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Gym Not Provided	Slab Personal Knowledge	Yes	10:16 AM 3/10/2020	11:50 AM 3/12/2020	<0.7 pCi/L *
43)	AE692733	2133491 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Gym Not Provided	Slab Personal Knowledge	Yes	10:17 AM 3/10/2020	11:50 AM 3/12/2020	<0.4 pCi/L *
44)	AE692665	2133475 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Fitness Rm Not Provided	Slab Personal Knowledge	Yes	10:19 AM 3/10/2020	11:53 AM 3/12/2020	0.7 pCi/L
45)	AE692725	2133499 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Fitness Rm Not Provided	Slab Personal Knowledge	Yes	10:20 AM 3/10/2020	11:53 AM 3/12/2020	0.6 pCi/L
46)	AE692697	2133481 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Boys Coach Office Not Provided	Slab Personal Knowledge	Yes	10:23 AM 3/10/2020	11:55 AM 3/12/2020	<0.5 pCi/L *
47)	AE692681	2133484 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Boys Coach Office Not Provided	Slab Personal Knowledge	Yes	10:23 AM 3/10/2020	11:55 AM 3/12/2020	<0.8 pCi/L *
48)	AE692698	2133500 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Girls Coach Office Not Provided	Slab Personal Knowledge	Yes	10:26 AM 3/10/2020	11:55 AM 3/12/2020	<0.3 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.  
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School

**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49)	AE692673	2133472 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Girls Coach Office Not Provided	Slab Personal Knowledge	Yes	10:26 AM 3/10/2020	11:55 AM 3/12/2020	<1.0 pCi/L *
50)	AE692706	2133487 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Ms Gym Not Provided	Slab Personal Knowledge	Yes	10:28 AM 3/10/2020	11:57 AM 3/12/2020	<1.0 pCi/L *
51)	AE692671	2133506 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Ms Gym Not Provided	Slab Personal Knowledge	Yes	10:28 AM 3/10/2020	11:59 AM 3/12/2020	<0.8 pCi/L *
52)	AE692714	2133496 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Staff Lounge 28 Not Provided	Slab Personal Knowledge	Yes	10:36 AM 3/10/2020	12:00 PM 3/12/2020	<0.6 pCi/L *
53)	AE692707	2133485 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Spec 30 Not Provided	Slab Personal Knowledge	Yes	10:37 AM 3/10/2020	12:02 PM 3/12/2020	<0.7 pCi/L *
54)	AE692683	2133498 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Lang 32 Not Provided	Slab Personal Knowledge	Yes	10:39 AM 3/10/2020	12:02 PM 3/12/2020	<0.5 pCi/L *
55)	AE692687	2133449 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Lang 32 Not Provided	Slab Personal Knowledge	Yes	10:39 AM 3/10/2020	12:02 PM 3/12/2020	<0.7 pCi/L *
56)	AE692667	2133480 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Ms 34 Not Provided	Slab Personal Knowledge	Yes	10:40 AM 3/10/2020	12:03 PM 3/12/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School

**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
57)	AE692675	2133443 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 6 36 Not Provided	Slab Personal Knowledge	Yes	10:41 AM 3/10/2020	12:03 PM 3/12/2020	<0.7 pCi/L *
58)	AE692715	2133486 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 6 35 Not Provided	Slab Personal Knowledge	Yes	10:42 AM 3/10/2020	12:04 PM 3/12/2020	<0.6 pCi/L *
59)	AE692646	2133442 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Com Center 33 Not Provided	Slab Personal Knowledge	Yes	10:43 AM 3/10/2020	12:04 PM 3/12/2020	<0.9 pCi/L *
60)	AE692700	2133483 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Com Center 33 Not Provided	Slab Personal Knowledge	Yes	10:43 AM 3/10/2020	12:04 PM 3/12/2020	<0.8 pCi/L *
61)	AE692650	2133488 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Rm 31 Not Provided	Slab Personal Knowledge	Yes	10:45 AM 3/10/2020	12:05 PM 3/12/2020	<0.6 pCi/L *
62)	AE692722	2133495 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Choir 29 Not Provided	Slab Personal Knowledge	Yes	10:47 AM 3/10/2020	12:06 PM 3/12/2020	<0.6 pCi/L *
63)	AE692721	2133492 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Mflc 29 A Not Provided	Slab Personal Knowledge	Yes	10:48 AM 3/10/2020	12:07 PM 3/12/2020	<0.4 pCi/L *
64)	AE692729	2133489 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Cook Manage Off Not Provided	Slab Personal Knowledge	Yes	10:50 AM 3/10/2020	12:08 PM 3/12/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School  
  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
65)	AE692730	2133493 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Cook Break Rm Not Provided	Slab Personal Knowledge	Yes	10:51 AM 3/10/2020	12:08 PM 3/12/2020	<0.8 pCi/L *
66)	AE692644	2133457 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Tech Rm 26 Not Provided	Slab Personal Knowledge	Yes	10:55 AM 3/10/2020	12:11 PM 3/12/2020	<0.9 pCi/L *
67)	AE692657	2133453 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Tech Back Rm Not Provided	Slab Personal Knowledge	Yes	10:55 AM 3/10/2020	12:11 PM 3/12/2020	<0.9 pCi/L *
68)	AE692695	2133444 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Aerodynamics Not Provided	Slab Personal Knowledge	Yes	11:00 AM 3/10/2020	12:11 PM 3/12/2020	<0.8 pCi/L *
69)	AE692664	2133447 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Idc Rm 18 Not Provided	Slab Personal Knowledge	Yes	11:03 AM 3/10/2020	12:14 PM 3/12/2020	1.1 pCi/L
70)	AE692656	2133446 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Ido Rm 18 Not Provided	Slab Personal Knowledge	Yes	11:03 AM 3/10/2020	12:14 PM 3/12/2020	<0.6 pCi/L *
71)	AE692737	2133458 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 2 20 Not Provided	Slab Personal Knowledge	Yes	11:05 AM 3/10/2020	12:15 PM 3/12/2020	<0.7 pCi/L *
72)	AE692691	2133451 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 2 22 Not Provided	Slab Personal Knowledge	Yes	11:06 AM 3/10/2020	12:15 PM 3/12/2020	1.3 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.  
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**

NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School

**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
73)	AE692672	2133455 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Rr 24 Not Provided	Slab Personal Knowledge	Yes	11:07 AM 3/10/2020	12:18 PM 3/12/2020	<0.4 pCi/L *
74)	AE692680	2133459 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 1 21 Not Provided	Slab Personal Knowledge	Yes	11:08 AM 3/10/2020	12:18 PM 3/12/2020	<0.6 pCi/L *
75)	AE692704	2133452 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Reading 19 Not Provided	Slab Personal Knowledge	Yes	11:07 AM 3/10/2020	12:18 PM 3/12/2020	<0.7 pCi/L *
76)	AE692731	2133456 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Reading 19 Not Provided	Slab Personal Knowledge	Yes	11:07 AM 3/10/2020	12:18 PM 3/12/2020	0.8 pCi/L
77)	AE692720	2133448 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 1 17 Not Provided	Slab Personal Knowledge	Yes	11:09 AM 3/10/2020	12:16 PM 3/12/2020	1.0 pCi/L
78)	AE692738	2133497 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Grade 1 17 Not Provided	Slab Personal Knowledge	Yes	11:09 AM 3/10/2020	12:16 PM 3/12/2020	<0.7 pCi/L *
79)	AE692716	2133460 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Counselor 16 B Not Provided	Slab Personal Knowledge	Yes	11:14 AM 3/10/2020	12:18 PM 3/12/2020	1.1 pCi/L
80)	AE692699	2133454 1422 Louisiana St Grand Forks Afb, ND 58204 USA	Counselor 16 B Not Provided	Slab Personal Knowledge	Yes	11:14 AM 3/10/2020	12:18 PM 3/12/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Nathan F Twining School  
  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
81) AE692723	2133445	1422 Louisiana St Grand Forks Afb, ND 58204 USA	Team Rm 16 A Not Provided	Slab Personal Knowledge	Yes	11:15 AM 3/10/2020	12:20 PM 3/12/2020	<0.6 pCi/L *
82) AE692679	2133450	1422 Louisiana St Grand Forks Afb, ND 58204 USA	Robitics Not Provided	Slab Personal Knowledge	Yes	11:00 AM 3/10/2020	12:11 PM 3/12/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.  
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 3/23/2020