



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave  
 2nd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Phenix Elementary  
 School 03 10  
  
**Date Received:** 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE692237	2128215 351 4th Ave S Office Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:38 AM 3/3/2020	11:24 AM 3/5/2020	0.7 pCi/L
2)	AE692239	2128216 351 4th Ave S Principals Office Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:41 AM 3/3/2020	11:26 AM 3/5/2020	<0.7 pCi/L *
3)	AE692234	2128227 351 4th Ave S A136 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:45 AM 3/3/2020	11:28 AM 3/5/2020	<0.6 pCi/L *
4)	AE692238	2128217 351 4th Ave S A135 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:48 AM 3/3/2020	11:29 AM 3/5/2020	<0.7 pCi/L *
5)	AE692235	2128228 351 4th Ave S A135 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:48 AM 3/3/2020	11:29 AM 3/5/2020	<0.6 pCi/L *
6)	AE692160	2128221 351 4th Ave S Time Clock Room Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:51 AM 3/3/2020	11:30 AM 3/5/2020	<0.7 pCi/L *
7)	AE692167	2128229 351 4th Ave S B145 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:52 AM 3/3/2020	11:31 AM 3/5/2020	<0.7 pCi/L *
8)	AE692227	2128220 351 4th Ave S B144 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:54 AM 3/3/2020	11:32 AM 3/5/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave  
 2nd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Phenix Elementary  
 School 03 10  
  
**Date Received:** 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE692218	351 4th Ave S Conference Room Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:56 AM 3/3/2020	11:33 AM 3/5/2020	<0.5 pCi/L *
10)	AE692232	351 4th Ave S 167 Music Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:58 AM 3/3/2020	11:34 AM 3/5/2020	0.9 pCi/L
11)	AE692231	351 4th Ave S Music Office Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	10:59 AM 3/3/2020	11:34 AM 3/5/2020	1.2 pCi/L
12)	AE692222	351 4th Ave S B171 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:03 AM 3/3/2020	11:35 AM 3/5/2020	<0.7 pCi/L *
13)	AE692233	351 4th Ave S A 109 Lunch Room Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:05 AM 3/3/2020	11:37 AM 3/5/2020	<0.9 pCi/L *
14)	AE692207	351 4th Ave S A 109 Lunch Room Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:08 AM 3/3/2020	11:38 AM 3/5/2020	<0.9 pCi/L *
15)	AE692223	351 4th Ave S Stage Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:10 AM 3/3/2020	11:39 AM 3/5/2020	<0.8 pCi/L *
16)	AE692230	351 4th Ave S Kitchen Office Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:15 AM 3/3/2020	11:43 AM 3/5/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.  
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave  
 2nd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Phenix Elementary  
 School 03 10  
  
**Date Received:** 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE692176	2128195 351 4th Ave S Kitchen Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:16 AM 3/3/2020	11:47 AM 3/5/2020	<0.7 pCi/L *
18)	AE692219	2128200 351 4th Ave S After School Office Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:18 AM 3/3/2020	11:42 AM 3/5/2020	<0.7 pCi/L *
19)	AE692159	2128230 351 4th Ave S Gym Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:22 AM 3/3/2020	11:49 AM 3/5/2020	0.9 pCi/L
20)	AE692152	2128218 351 4th Ave S Gym Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:24 AM 3/3/2020	11:50 AM 3/5/2020	<0.8 pCi/L *
21)	AE692151	2128207 351 4th Ave S A119 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:25 AM 3/3/2020	11:54 AM 3/5/2020	<0.6 pCi/L *
22)	AE692226	2128205 351 4th Ave S A122 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:29 AM 3/3/2020	11:52 AM 3/5/2020	<0.8 pCi/L *
23)	AE692162	2128226 351 4th Ave S A121 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:31 AM 3/3/2020	11:53 AM 3/5/2020	0.6 pCi/L
24)	AE748768	2128211 351 4th Ave S A112 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:35 AM 3/3/2020	11:58 AM 3/5/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave  
 2nd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Phenix Elementary  
 School 03 10  
  
**Date Received:** 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25)	AE748762	351 4th Ave S A124 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:36 AM 3/3/2020	11:58 AM 3/5/2020	<0.9 pCi/L *
26)	AE748821	351 4th Ave S A124 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:36 AM 3/3/2020	11:58 AM 3/5/2020	<0.7 pCi/L *
27)	AE748817	351 4th Ave S A130 Mc Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:41 AM 3/3/2020	11:59 AM 3/5/2020	<0.7 pCi/L *
28)	AE748825	351 4th Ave S A130mc Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:41 AM 3/3/2020	11:59 AM 3/5/2020	<0.8 pCi/L *
29)	AE748833	351 4th Ave S A130 Mc Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:43 AM 3/3/2020	11:59 AM 3/5/2020	<0.6 pCi/L *
30)	AE748805	351 4th Ave S A132 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:45 AM 3/3/2020	11:56 AM 3/5/2020	<0.8 pCi/L *
31)	AE748760	351 4th Ave S Ecse Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:48 AM 3/3/2020	12:08 PM 3/5/2020	0.5 pCi/L
32)	AE748800	351 4th Ave S Mc Office Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:50 AM 3/3/2020	12:03 PM 3/5/2020	<0.5 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave  
 2nd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Phenix Elementary  
 School 03 10  
  
**Date Received:** 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33)	AE748829	2128225 351 4th Ave S A131 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:52 AM 3/3/2020	12:05 PM 3/5/2020	<1.1 pCi/L *
34)	AE748813	2128197 351 4th Ave S B154 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:55 AM 3/3/2020	12:10 PM 3/5/2020	<0.8 pCi/L *
35)	AE748809	2128219 351 4th Ave S B157 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:57 AM 3/3/2020	12:13 PM 3/5/2020	<0.7 pCi/L *
36)	AE748792	2128212 351 4th Ave S B159 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:58 AM 3/3/2020	12:14 PM 3/5/2020	<0.6 pCi/L *
37)	AE748796	2128201 351 4th Ave S B150 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:59 AM 3/3/2020	12:15 PM 3/5/2020	<0.7 pCi/L *
38)	AE748788	2128203 351 4th Ave S B150 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	11:59 AM 3/3/2020	12:15 PM 3/5/2020	<0.9 pCi/L *
39)	AE748772	2128231 351 4th Ave S B161 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	12:01 PM 3/3/2020	12:16 PM 3/5/2020	<0.8 pCi/L *
40)	AE748780	2128202 351 4th Ave S B163 Grand Forks, ND 58201 USA	Not Provided	Slab Personal Knowledge	Yes	12:03 PM 3/3/2020	12:18 PM 3/5/2020	1.4 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 3/12/2020