

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results

Short Term (Activated Charcoal)

EPA-402-R-92-004

Project: Phenix Elementary
School 03 10

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE692237	2128215	351 4th Ave S Office Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:38 AM 3/3/2020	11:24 AM 3/5/2020	0.7 pCi/L
2)	AE692239	2128216	351 4th Ave S Principals Office Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:41 AM 3/3/2020	11:26 AM 3/5/2020	<0.7 pCi/L *
3)	AE692234	2128227	351 4th Ave S A136 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:45 AM 3/3/2020	11:28 AM 3/5/2020	<0.6 pCi/L *
4)	AE692238	2128217	351 4th Ave S A135 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:48 AM 3/3/2020	11:29 AM 3/5/2020	<0.7 pCi/L *
5)	AE692235	2128228	351 4th Ave S A135 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:48 AM 3/3/2020	11:29 AM 3/5/2020	<0.6 pCi/L *
6)	AE692160	2128221	351 4th Ave S Time Clock Room Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:51 AM 3/3/2020	11:30 AM 3/5/2020	<0.7 pCi/L *
7)	AE692167	2128229	351 4th Ave S B145 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:52 AM 3/3/2020	11:31 AM 3/5/2020	<0.7 pCi/L *
8)	AE692227	2128220	351 4th Ave S B144 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:54 AM 3/3/2020	11:32 AM 3/5/2020	<0.8 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



ALPHA ENERGY LABORATORIES

2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Phenix Elementary
School 03 10

Date Received: 3/10/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE692218	2128194	351 4th Ave S Conference Room Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:56 AM 3/3/2020	11:33 AM 3/5/2020	<0.5 pCi/L *
10)	AE692232	2128199	351 4th Ave S 167 Music Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:58 AM 3/3/2020	11:34 AM 3/5/2020	0.9 pCi/L
11)	AE692231	2128193	351 4th Ave S Music Office Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	10:59 AM 3/3/2020	11:34 AM 3/5/2020	1.2 pCi/L
12)	AE692222	2128196	351 4th Ave S B171 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:03 AM 3/3/2020	11:35 AM 3/5/2020	<0.7 pCi/L *
13)	AE692233	2128208	351 4th Ave S A 109 Lunch Room Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:05 AM 3/3/2020	11:37 AM 3/5/2020	<0.9 pCi/L *
14)	AE692207	2128223	351 4th Ave S A 109 Lunch Room Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:08 AM 3/3/2020	11:38 AM 3/5/2020	<0.9 pCi/L *
15)	AE692223	2128214	351 4th Ave S Stage Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:10 AM 3/3/2020	11:39 AM 3/5/2020	<0.8 pCi/L *
16)	AE692230	2128222	351 4th Ave S Kitchen Office Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:15 AM 3/3/2020	11:43 AM 3/5/2020	<0.6 pCi/L *


QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 3/12/2020



Client: ND

918 E Divide Ave

2nd Floor

Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results

Short Term (Activated Charcoal)

EPA-402-R-92-004

Project: Phenix Elementary

School 03 10

Date Received: 3/10/2020


Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17) AE692176	2128195	351 4th Ave S Kitchen	Not Provided	Slab	Yes	11:16 AM	11:47 AM	<0.7 pCi/L *
		Grand Forks, ND 58201 USA	Not Provided	Personal Knowledge		3/3/2020	3/5/2020	
18) AE692219	2128200	351 4th Ave S After School Office	Not Provided	Slab	Yes	11:18 AM	11:42 AM	<0.7 pCi/L *
		Grand Forks, ND 58201 USA	Not Provided	Personal Knowledge		3/3/2020	3/5/2020	
19) AE692159	2128230	351 4th Ave S Gym	Not Provided	Slab	Yes	11:22 AM	11:49 AM	0.9 pCi/L
		Grand Forks, ND 58201 USA	Not Provided	Personal Knowledge		3/3/2020	3/5/2020	
20) AE692152	2128218	351 4th Ave S Gym	Not Provided	Slab	Yes	11:24 AM	11:50 AM	<0.8 pCi/L *
		Grand Forks, ND 58201 USA	Not Provided	Personal Knowledge		3/3/2020	3/5/2020	
21) AE692151	2128207	351 4th Ave S A119	Not Provided	Slab	Yes	11:25 AM	11:54 AM	<0.6 pCi/L *
		Grand Forks, ND 58201 USA	Not Provided	Personal Knowledge		3/3/2020	3/5/2020	
22) AE692226	2128205	351 4th Ave S A122	Not Provided	Slab	Yes	11:29 AM	11:52 AM	<0.8 pCi/L *
		Grand Forks, ND 58201 USA	Not Provided	Personal Knowledge		3/3/2020	3/5/2020	
23) AE692162	2128226	351 4th Ave S A121	Not Provided	Slab	Yes	11:31 AM	11:53 AM	0.6 pCi/L
		Grand Forks, ND 58201 USA	Not Provided	Personal Knowledge		3/3/2020	3/5/2020	
24) AE748768	2128211	351 4th Ave S A112	Not Provided	Slab	Yes	11:35 AM	11:58 AM	<0.6 pCi/L *
		Grand Forks, ND 58201 USA	Not Provided	Personal Knowledge		3/3/2020	3/5/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



ALPHA ENERGY LABORATORIES

2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
STATE ID#: N/A
NJ MEB#: MEB 90095

Client: ND
918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Phenix Elementary
School 03 10

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE748762	2128204	351 4th Ave S A124 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:36 AM 3/3/2020	11:58 AM 3/5/2020	<0.9 pCi/L *
26) AE748821	2128232	351 4th Ave S A124 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:36 AM 3/3/2020	11:58 AM 3/5/2020	<0.7 pCi/L *
27) AE748817	2128213	351 4th Ave S A130 Mc Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:41 AM 3/3/2020	11:59 AM 3/5/2020	<0.7 pCi/L *
28) AE748825	2128206	351 4th Ave S A130mc Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:41 AM 3/3/2020	11:59 AM 3/5/2020	<0.8 pCi/L *
29) AE748833	2128209	351 4th Ave S A130 Mc Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:43 AM 3/3/2020	11:59 AM 3/5/2020	<0.6 pCi/L *
30) AE748805	2128210	351 4th Ave S A132 Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:45 AM 3/3/2020	11:56 AM 3/5/2020	<0.8 pCi/L *
31) AE748760	2128198	351 4th Ave S Ecse Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:48 AM 3/3/2020	12:08 PM 3/5/2020	0.5 pCi/L
32) AE748800	2128224	351 4th Ave S Mc Office Grand Forks, ND 58201 USA	Not Provided Not Provided	Slab Personal Knowledge	Yes	11:50 AM 3/3/2020	12:03 PM 3/5/2020	<0.5 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 3/12/2020

Client: ND

918 E Divide Ave
2nd Floor
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
Short Term (Activated Charcoal)
EPA-402-R-92-004

Project: Phenix Elementary
School 03 10

Date Received: 3/10/2020


	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33)	AE748829	2128225	351 4th Ave S A131 Grand Forks, ND 58201 USA	Not Provided	Slab	Yes	11:52 AM	12:05 PM	<1.1 pCi/L *
34)	AE748813	2128197	351 4th Ave S B154 Grand Forks, ND 58201 USA	Not Provided	Slab	Yes	11:55 AM	12:10 PM	<0.8 pCi/L *
35)	AE748809	2128219	351 4th Ave S B157 Grand Forks, ND 58201 USA	Not Provided	Slab	Yes	11:57 AM	12:13 PM	<0.7 pCi/L *
36)	AE748792	2128212	351 4th Ave S B159 Grand Forks, ND 58201 USA	Not Provided	Slab	Yes	11:58 AM	12:14 PM	<0.6 pCi/L *
37)	AE748796	2128201	351 4th Ave S B150 Grand Forks, ND 58201 USA	Not Provided	Slab	Yes	11:59 AM	12:15 PM	<0.7 pCi/L *
38)	AE748788	2128203	351 4th Ave S B150 Grand Forks, ND 58201 USA	Not Provided	Slab	Yes	11:59 AM	12:15 PM	<0.9 pCi/L *
39)	AE748772	2128231	351 4th Ave S B161 Grand Forks, ND 58201 USA	Not Provided	Slab	Yes	12:01 PM	12:16 PM	<0.8 pCi/L *
40)	AE748780	2128202	351 4th Ave S B163 Grand Forks, ND 58201 USA	Not Provided	Slab	Yes	12:03 PM	12:18 PM	1.4 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



Client: NDDEQ

918 East Divide Avenue
Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results

Short Term (Activated Charcoal)

EPA-402-R-92-004

Project: Phoenix Elementary
School

Date Received: 6/15/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1) AE687943	2164105	#Ref! Grand Forks , #REF! 58201 USA	Pe Office Not Provided	Slab Personal Knowledge	Yes	3:01 PM 6/9/2020	3:34 PM 6/11/2020	<0.7 pCi/L *
2) AE687915	2164107	#Ref! Grand Forks , #REF! 58201 USA	Pe Office Not Provided	Slab Personal Knowledge	Yes	3:01 PM 6/9/2020	3:34 PM 6/11/2020	<0.8 pCi/L *
3) AE687974	2164104	#Ref! Grand Forks , #REF! 58201 USA	Pe Office Not Provided	Slab Personal Knowledge	Yes	3:02 PM 6/9/2020	3:35 PM 6/11/2020	0.6 pCi/L
4) AE687945	2164106	#Ref! Grand Forks , #REF! 58201 USA	Room 159 Not Provided	Slab Personal Knowledge	Yes	3:09 PM 6/9/2020	3:40 PM 6/11/2020	<0.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.