

Southington Integrated Pest Management Plan
General Pest Control

Southington Board of Education
Pesticide Management Plan
200 North Main Street
Southington, CT 06489

The primary goal of IPM is to reduce the amounts of pesticides applied by using alternative methods of pest control which may include structural maintenance, sanitation and mechanical or biological control. These methods will help to eliminate conditions that are favorable to pest infestation, making their survival more difficult.

Please consult with your pest control provider or the DEP Pesticide Management Program for technical assistance if needed.

Section 22a-661 of the Connecticut General Statutes states:

- (a) Each state department, agency or institution shall use integrated pest management at facilities under its control if the Commissioner of Environmental Protection has provided model pest control management plans pertinent to such facilities.
- (b) Each state agency which enters into a contract for services for pest control and pesticide application may revise and maintain its bidding procedures to require contractors to supply integrated pest management services.
- (c) The Commissioner of Environmental protection shall annually review a sampling of state department, agency or institution pest control management plans required by regulations adopted under section (e) of this section and may review any application of pesticides to determine whether a state department agency, or institution acted in accordance with subsection (a) of this section.
- (d) The Commissioner of Environmental Protection may provide model pest control management plans which incorporate integrated pest management for each appropriate category of commercial pesticide certification which it offers. The commissioner shall, within available resources, notify municipalities, school boards, and other political subdivisions of the state of the availability of the model plans for their use. The Commissioner of Environmental Protection shall consult with any state agency head in the development of any such plan for properties in the custody or control of such agency head.
- (e) The Commissioner of Environmental Protection, in consultation with the Commissioner of Public Health, shall adopt regulations in accordance with the provisions of chapter 54 establishing requirements for the application of pesticides by any state department, agency or institution. Such regulation shall include provisions for integrated pest management methods to reduce the amount of pesticides used. Notwithstanding the provisions of this section and any regulations adopted under this section, a pesticide may be applied if the Commissioner of Public Health determines there is a public health emergency or the Commissioner of Environmental Protection determines that such application is necessary for control of mosquitoes.
- (f) The Commissioner of Environmental Protection shall develop and implement a program to inform the public of the principles of integrated pest management and to encourage its application in private properties.

The Department of Environmental Protection is an equal opportunity/affirmative action employer, offering its services without regard to race, color, regional/national origin, age, sex or disability. In conformance with the Americans with Disabilities Act, the DEP makes every effort to provide equally effective services for persons with disabilities. Individuals with disabilities needing auxiliary aids or services should call (860) 424-3333.

Integrated Pest Management Plan For General Pest Control

Southington Public Schools
200 North Main Street, Southington, CT 06489
860-628-3200

Pests to be Controlled

Pest control services which can be performed in the General Pest Control category includes cockroaches, ants (other than carpenter ants), winged termite swarmers emerging indoors, incidental/occasional invaders including bees & wasps entering from out of doors, and flies and other arthropod pests. Populations of these pests that are located immediately outside of a specified building and pose a possible infestation problem to that building are included.

General

Southington High School, Southington High School Agricultural Science Building, J. F. Kennedy Middle School, J.A. DePaolo Middle School, Derynoski Elementary School, Flanders Elementary School, Hatton Elementary School, Kelley Elementary School, Oshana Elementary School, South End Elementary School, Strong Elementary School, Thalberg School and Karen Smith Academy will be inspected by (**PEST CONTROL 2000**) for the purpose of identifying potential problem areas that may be contributing to pest infestation within the facility, making recommendations for corrective measures that should be implemented and developing a comprehensive integrated pest management (IPM) plan. The IPM plan will utilize all methods of pest control which may include structural maintenance, sanitation, monitoring for pest populations, mechanical and biological control and the judicious use of pesticides. These methods will help to eliminate food, moisture and harborage for pests, making their survival more difficult. Pesticides will not be applied on a routine basis, however, they may be used as a tool to maintain pest populations at or below an acceptable level. The selection of pesticides that may be used will be based on a pre-determined hierarchy, which will utilize least toxic products as first choice. Proper implementation of this program will reduce the volume, toxicity and frequency of application of pesticides, thereby reducing the risk of potential exposure of building occupants who may be sensitive to their use.

(**PEST CONTROL 2000**) Exterminators, Inc. and the Supervisor of Buildings and Grounds for the Southington Public Schools shall meet to discuss areas that have been problematic or sensitive. (I.e.; locker rooms, kitchens or areas where there is a history of high pest pressure) Areas that are sensitive to pesticide use will also be discussed. (i.e.; day care areas, elderly residence, work area of sensitive employees, etc.)

Once these areas have been identified, (**PEST CONTROL 2000**) Exterminators, Inc. and the Supervisor of Buildings and Grounds for the Southington

Public School will discuss various pest control options and determine the speed of control necessary as well as threshold/action levels based on pest population and species.

Recommendations

(PEST CONTROL 2000)Exterminators, Inc. will submit recommendations for corrective measures in writing to the Supervisor of Buildings and Grounds for the Southington Public Schools prior to the application of any pesticides. The Supervisor of Buildings and Grounds is responsible for scheduling and coordinating structural maintenance of the facility and will act on the recommendations as soon as possible. The Supervisor of Buildings and Grounds will report in writing which recommendations will not be followed and state the reasons if no action is to be taken as required by RCSA Sec.22a-66l-1(c). Otherwise, all IPM methods that are recommended will be followed.

Pest control services will be supervised by (PEST CONTROL 2000) Exterminators, Inc. certification # B-1714 . The IPM program will be performed through monthly visits in order to maintain the program. Subsequent service calls will be performed as needed depending upon pest pressure. Service calls will be scheduled to insure that each school location is inspected monthly and will include a visual inspection of potential problem areas and monitoring devices, application of pesticides where pest populations exceed their threshold levels. Records will be completed at the conclusion of each service call and will include written recommendations of corrective measures that need to be made by building maintenance personnel. A member of the custodial staff should be available to allow the pest control technician to access areas that may be locked.

Records

The pest control technician will indicate pest problem areas and provide written recommendations for structural, sanitary or procedural modifications on APest Control Service Record and Pest Inspection Report forms or substantially similar substitute. These forms will be kept in a file that will be maintained in each school office. The Supervisor of Buildings and Grounds will act as a liaison between the pest control company and department supervisor(s) and will be responsible for notifying the appropriate personnel of corrective actions that are needed (i.e.; sanitation).

Pest sighting report logs provided by (PEST CONTROL 2000) Exterminators, Inc. will be reviewed by the pest control technician at the beginning of each service call. The log will be maintained in the main offices of Southington Schools and will serve as a tool to facilitate communication between all personnel and the pest control technician. All pest sightings should be reported in the logs and should

include specific information as to the location and type of pest, if known. Whenever possible, a sample of the insect will be provided to the pest control technician for identification purposes.

Monitoring

Service call/monitoring inspections will be limited to kitchens, kitchen storage areas, dish rooms, laundry room, cafeterias, employee lounges, custodial closets, locker rooms, laundry rooms, main offices, hallways on ground and main floors, boiler rooms and the perimeter of the building unless pest activity or sightings in other areas have been reported in the pest sighting log.

Glue-boards will be used for the duration of the IPM program to monitor pest populations and activity. They will be placed in areas where pest activity has been identified or is likely to occur. The dates of installation and servicing will be indicated on each monitor and the pest control technician will create diagrams or maps indicating their placement. The diagrams will be maintained as part of the pest control company's service record. Visual inspections of the glue-boards will help the pest control technician to identify specific areas of infestation, if any, and assess the need for further action. The glue-boards will be placed as follows;

List specific areas - (i.e.: Kitchen & Dish Room - traps, Kitchen Storage - traps, Laundry Room - traps, Cafeteria - trap (Under the vending machine), Employee Lounge - traps, Mens Locker Room - traps, Women's Locker Room - traps, Laundry - traps, Custodial Closets - traps, Main Office - traps and Boiler Room - traps.)

The pest control technician may also use flushing agents such as cb80 as an inspection tool during monitoring visits.

Pests

Cockroaches

Due to the fact that German cockroaches can reproduce rapidly, have been attributed to causing asthma and are known to translocate bacteria and viruses to food and preparation surfaces, their control will be a high priority. Other cockroach species are also of concern and measures will be taken to reduce or eliminate their populations whenever possible.

Close and careful attention should be given to eliminating conditions that are conducive to pest infestation. All pests need food, moisture and harborage. By eliminating one or more of these, it is more difficult for pests to survive. Also, pests reproduce at a slower rate when conditions are not conducive for their survival.

Food, paper goods and other supplies should be visually inspected upon arrival for

cockroach infestation. Cockroaches will often hide in the corrugation of cardboard boxes. Supplies should be unpacked and stored properly and their shipping cartons disposed of as soon as possible.

Sanitation and elimination of moisture sources is also an important factor in cockroach control. Areas where food is prepared and consumed should be swept or vacuumed daily. Particular attention should be given to areas underneath counters and appliances. Food residue should be washed off of any preparation surface or equipment. Grease residues should also be eliminated as much as possible as it is a food source and will render some pesticides ineffective. Bulk foods should be stored in tightly covered bins. Moisture sources should be eliminated as much as possible by repairing faucets, drying sinks and counters at the end of each day.

Sample for Light to Moderate Cockroach Population:

If 3-5 cockroaches are observed during any monitoring visit in any one area, bait such as Maxforce roach gel, or Advance will be placed according to the product label recommendations. The bait will be utilized along with glue-boards for monitoring purposes and will be replaced as needed during regular monitoring inspections.

****Note:** Pesticide baits could be used for monitoring purposes in situations where no cockroaches have been observed but the likelihood of infestation is greater (i.e.; institutional kitchen). The amount of bait consumed will indicate pest activity and will be the first step to control the problem.

Sample for Moderate Cockroach Population:

Due to moderate to heavy infestation of cockroaches (6-10 cockroaches observed in one area), an intensive crack and crack & crevice treatment will be performed using Maxforce roach gel or Advance. Bait stations will be placed throughout the infested area once the crack & crevice application has been completed. Glue boards will also be used for monitoring purposes. Bait stations may be applied in adjoining rooms where conducive conditions may also exist. The infested area will be re-inspected weekly and baits and glue boards will be replaced as needed. If the pest population has not decreased after six weeks have passed, re-treatment may be performed. Every effort must be made by the facility to eliminate conditions that are conducive to infestation.

****Note:** It is imperative that recommendations made by the pest control company be implemented as soon as possible. The recommendations are likely to include

improving sanitation, modifying storage practices or caulking cracks or voids where cockroaches may hide.

Sample for Heavy Cockroach Infestation:

Due to heavy cockroach infestation (10+cockroaches observed in one area during inspection) an intensive crack and crevice treatment will be performed using **Maxforce roach gel or Advance. A Gentrol IGR Stations may also be applied to ceiling, wall and/or** floor voids. Treated voids should be patched/plugged/caulked as soon as possible to eliminate harborage sites. Consideration will be given to applying a fogging insecticide in conjunction with the other pesticides listed. Glue boards will be placed appropriately for monitoring purposes. The area will be monitored **weekly** and re-treatment may be performed if the cockroach population remains high. Once the intensive treatments have been completed, _____ or _____ bait will be placed in the area according to pesticide label directions. The infested area will be re-inspected weekly and baits and glue boards will be replaced as needed.

Implementation of these pest control methods will require written consent of the Supervisor of Buildings and Grounds.

****Note:** This type of treatment, particularly fogging, may only be appropriate in areas where there is an absolute zero tolerance for infestation and speed of control is essential (i.e.; hospital operating room).

Ants

Ants and many other pests can be excluded by caulking and patching cracks and voids in the walls, floors and sidewalks. Branches of trees and shrubs should be trimmed away from the building to eliminate pest access. Organic matter, wood debris and other trash should be raked away from the foundation wherever possible. If ants are seen within the building, they will usually be foraging for food. The pest control technician will properly identify the pest ant species and any conditions that may be conducive to infestation. Proper identification will enable the pest control technician to determine appropriate measures of control for the particular ant species. Also, the pest control technician will attempt to locate nest location(s). Written recommendations will be made to correct conducive conditions. Depending upon the ant species and where they are seen, bait stations such as **Maxforce Ant or Advance may be utilized within the building.**

Ants outside of the building may be treated using baits such as Advance or _____ ,

however, steps should be taken to eliminate conducive conditions as much as possible.

A crack & crevice application of a Drione Dust may be made in walls or other voids only if it has been determined that ants are nesting in a particular location.

Occasional Invaders & Bees/Wasps

Pesticide applications will not be performed to control occasional invaders unless they present an immediate health hazard or are unduly disruptive. The pest control technician will identify the pest and make recommendations to correct conditions that are conducive to infestation. Pests that are occasional invaders may include drain flies, fungus gnats, earwigs, spiders, sowbugs and centipedes. They can usually be controlled by improving sanitation and removing organic debris, which will reduce their food supply. Elimination of moisture sources is also helpful.

Pests that may pose an immediate health threat such as bees and wasps will be treated using an Talstar, Cynoff ec and Conquer_spray product. Drione Dust may be used where nests are located underground or in a wall void.

Complaints of unseen biting insects will be investigated, however, no pesticide will be applied unless the pest has been identified and no other pest control options are available.

Stored Product Pests

Stored product pests can usually be controlled with proper sanitation, storage and inventory control. Products should be stored in clean airtight containers. The products should be checked frequently for signs of infestation and disposed of if infested.

A crack and crevice application of Drione Dust may be applied if it is determined by the pest control technician and Supervisor of Buildings and Grounds that residual control would be beneficial.

Pesticide Plan

Pesticides may be applied if pest populations exceed an acceptable level. Priority is given to those pesticides having the lowest toxicity, taking into consideration the method and frequency of application and the risk of exposure to building occupants. Pesticides selected for possible use are as follows;

First Choice (*Products having the lowest toxicity and/or least risk of exposure based on the formulation, method and frequency of application.*)

Flushing Agents

- a) Pro Control
- b)
- c) _____

Baits

- a) Maxforce FC
- b) Maxforce Gel
- c) Advance
- d)
- e)

Dusts

- a) Drione dust
- b)

Crack & Crevice Sprays

- a) Talstar
- b) Cynoff ec
- c) Conquer

First Choice *(Continued)*

Rodenticide *(Outdoor use only)*

- a) Final Block
- b)

Second Choice *(Products having moderate toxicity and/or risk of exposure based on the formulation, method and frequency of application.)*

Crack & Crevice Sprays

- a) Talstar
- b) Cynoff ec
- c) Conquer
- d) _____
- e)
- f)

Third Choice *(Products having moderate to high toxicity and/or risk of exposure based on the formulation, method and frequency of application.)*

Use of any third choice pesticide product requires written approval of COR prior to application

Spot Treatments - *(Surface treatment to an area no larger than 2 square feet)*

- a)

b)

c)

General Sprays or Fogs

a)

b)

d)

e)

Rodenticides (Interior Use)

a)

b)

An appraisal of this IPM program will be conducted bi-monthly by the Supervisor of Buildings and Grounds for the Southington Public Schools and an authorized representative from (**PEST CONTROL 2000**) Exterminators, Inc. A determination will be made as to the effectiveness of the program and revisions will be made to correct potential problems.

Updated
EP
7/1/23