

POLICY

STAFFORD TOWNSHIP BOARD OF EDUCATION

PUPILS
5300/page 1 of 2
Automated External Defibrillators (AEDs)

5300 AUTOMATED EXTERNAL DEFIBRILLATORS (AEDs)

The American Heart Association estimates many lives could be saved if defibrillators were more widely available. Due to technological advances, automated external defibrillators (AEDs) may be used by lay persons without any training to provide defibrillation within the first minutes of cardiac arrest thereby increasing the victim's chances of survival. In accordance with N.J.S.A. 18A:40-41.a, the Board of Education shall ensure every school in the school district has an AED as defined in N.J.S.A. 2A:62A-24. The AED shall be made available in an unlocked location on school property with an appropriate identifying sign. The AED shall be accessible during the school day and any other time when a school-sponsored athletic event or team practice is taking place in which pupils of the school district are participating. The AED shall be within reasonable proximity of the school athletic field or gymnasium, as applicable.

A team coach, licensed athletic trainer, or other designated staff member if there is no coach or licensed athletic trainer, who is present during athletic events or team practices, shall be trained in cardio-pulmonary resuscitation and the use of the AED in accordance with the provisions of N.J.S.A. 2A:62A-25.a. The school district shall be deemed to be in compliance with N.J.S.A. 2A:62A-25.a, if a State-certified emergency services provider or other certified first responder is on site at the event or practice.

Each AED in the school district shall be tested and maintained according to the manufacturer's operational guidelines. Notification shall be provided to the appropriate first aid, ambulance, rescue squad, or other appropriate emergency medical services provider regarding the AED, the type acquired, and its location in accordance with N.J.S.A. 2A:62A-25.b and c.

The school district and its employees shall be immune from civil liability in the acquisition and use of AEDs pursuant to the provisions of N.J.S.A. 2A:62A-27.

In accordance with the provisions of N.J.S.A. 18A:40-41.b, the Superintendent of Schools or designee shall establish and implement an Emergency Action Plan applicable to each school in the school district for responding to a sudden cardiac event including, but not limited to, an event in which the use of an AED may be necessary. The Emergency Action Plan shall be consistent with the provisions of N.J.S.A. 18A:40-41.a and, at a minimum, shall include a list of no less than five school employees, team coaches, or licensed athletic trainers who hold current certifications from the American Red Cross, American Heart Association, or other training programs recognized by the Department of Health and Senior Services in cardio-pulmonary resuscitation and in the use of an AED. This list shall be



POLICY

STAFFORD TOWNSHIP BOARD OF EDUCATION

PUPILS
5300/page 2 of 2
Automated External Defibrillators (AEDs)

updated, if necessary, at least once in each semester of the school year. The Emergency Action Plan shall also include detailed procedures on responding to a sudden cardiac event including, but not limited to, the identification of the persons in the school who will be responsible for responding to the person experiencing the sudden cardiac event; calling 911; starting cardio-pulmonary resuscitation; retrieving and using the AED; and assisting emergency responders in getting to the individual experiencing the sudden cardiac event.

In addition, in accordance with the Sudden Cardiac Arrest Act, the Stafford Township School District shall ensure that students participating in school sponsored athletic activities shall obtain the appropriate physical examinations and permissions necessary for participation on the forms designated by the New Jersey Department of Education.

N.J.S.A. 18A: 40-41.a; 18A: 40-41.b

Adopted: 22 July 2004
Revised: 18 January 2007
Revised: 14 April 2011
Revised: 25 September 2013
Revised: 27 August 2014

