

#### Columbia School District 206

P.O. Box 7 | 4961 B Hunters Shop Road Hunters, WA 99137

<u>Voice</u>: (509) 722-3311 <u>Fax</u>: (509) 722-3310 <u>Net: www.columbia206.com</u> William J. Wadlington, Ed.D. Superintendent/K-12 Principal

# **Safety Committee Meeting Minutes**

<u>Date</u> : 5/14/20	<u>Time</u> : 10:00-10:30		
Members Present: Bill Wadlington, Trish Moss, Pe	eter Greene, Greg Price,	(via Zoom)	) Roy Lamm
Absent Members: Adriane Piper			
Review minutes of last meeting.	Approved?	<b>∑</b> Yes	□ No
Compations and /or additions to the minutess			

#### Corrections and/or additions to the minutes:

## 1. <u>Unfinished business from last meeting</u>:

- a. Possible training for Roy on facility sensors and remote access. This would be conducted by USIP. There would be an annual cost of \$900 per year.
- b. Kan Dho Electric will work on the AG shop. Concern about the current electrical box will be having available parts due to age. Work in progress.

# 2. List all safety hazards or health-related concerns reported since the last meeting:

- a. Spring list of maintenance: pea gravel added to playground, more safety bark or equivalent to the play structure, repair chain link fence from snow removal damage.
- b. Due to COVID-19 maintenance staff has deep clean solution followed by pine sol by aerosol. Daily Spray of door handles, if a class room has been entered it will be disinfected.
- c. The facility grounds were sprayed with insecticides.
- d. The facility ground blacktop will be resealed and painted when weather is permitted.
- e. Sports reconditioning will continue through the summer.

#### 3. Review all employee accidents reported since the last meeting:

- a. Was the unsafe action or condition identified and corrected?
- b. A copy of the supervisor's report is to be reviewed by the Safety Committee.

#### 4. Review student accidents reported since the last meeting:

a. Was the unsafe action or condition identified and corrected?

# 5. <u>Is our Accident (and occupational illness) Prevention Program working? What improvements would you suggest?</u>

a. Dr. Wadlington is always available for any decision regarding any safety issues.

### 6. What other safety-related topics did you cover in this meeting?

- a. Safety committee went over the facility review that was conducted on Jan. 17<sup>th</sup>, 2020. The overview will be posted on school website under facility. Items have been addressed and either corrected or in process of correction.
- b. There has been a person using the weight room along with leaving doors unlocked and open.
- c. New gym light connector was also damaged. Insurance claim is open Power Outage caused the milk cooler to perish (new milk cooler has been purchased).

## 7. Safety Drills:

- a. Previous Drill Outcome and Report:
  - b. 3/26/20 @ 11:30 Earthquake drill- Cancelled due to CoVID-19
- c. Next Drill Plan:

September 2020

Date & time of next meeting: June 9, 2020 9:30 a.m. Location of next meeting: Library (Zoom if needed)

Minutes prepared by: Trish Moss, Safety Committee Secretary

Committee Chairperson: Dr. William J. Wadlington

Mail, fax or email this report to: ESD 101, Risk Manager

4202 S. Regal St. Spokane, WA 99223

Fax # 509-456-2999

Email address: riskmanager@esd101.net