

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

TREES

Botanical Name	Common Name	CA Native	Plant Hardiness Zone 17	WUCOLS watering need	Notes
Acer palmatum	Japanese maple		Y	M	Many cultivars available.
Acer rubrum cvs. (e.g. 'Brandywine, 'October Glory', 'Red Sunset')	Red maple		Y	M	Medium Weak branch strenght, root damaged rated as moderate, Allergy Health hazard, Plus this tree grows to the height of 65'.
Agonis flexuosa	Peppermint tree		Y	L	Strong branch strenght, root damaged is rated as moderate, Allergy Health hazard none is known, Plus this tree grows to the height of 35'.
Agonis flexuosa 'Jervis Bay After Dark'	After Dark peppermint tree		Y	L	Dark purple leaves and red stems.
Albizzia julibrissin	Silk tree		Y	L	Heavy litter (leaves, flowers, pods).
Alnus rhombifolia	White alder	x	Y	H	High water use.
Arbutus x 'Marina'	Marina strawberry tree, hybrid madrone		Y	L	Strong branch strenght, root damaged is rated as low, Allergy Health hazard none is known, Plus this tree grows to the height of 35'.
Arctostaphylos manzanita 'Dr. Hurd'	Dr. Hurd manzanita tree	x	Y	VL	Shrub or tree.
Arctostaphylos refugionensis	Refugio manzanita	x	Y	L	Nothing found
Catalpa bignonioides	Common catalpa		Y	M	Good for lawns.
Ceanothus x 'Ray Hartman'	Ray Hartman ceanothus	x	Y	L	Shrub or tree.
Cedrus atlantica	Atlas cedar		Y	M	Medium branch strenght, root damaged rated as moderate, Allergy Health hazard none reported, Plus this tree grows to the height of 65'.
Cedrus atlantica 'Glauca'	Blue atlas cedar		Y	M	Medium branch strenght, root damaged rated as moderate, Allergy Health hazard none reported, Plus this tree grows to the height of 60'.
Cedrus deodara	Deodar cedar		Y	L	Medium branch strenght, root damaged rated as moderate, Allergy Health hazard, Plus this tree grows to the height of 60'.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

TREES

Botanical Name	Common Name	CA Native	Plant Hardiness Zone 17	WUCOLS watering need	Notes
Acer palmatum	Japanese maple		Y	M	Many cultivars available.
Celtis reticulata (Celtis laevigata var. reticulata)	Western hackberry, net-leaf hackberry	x	N (1-3, 10-13)	L	Shrub or tree.
Cercis canadensis	Eastern redbud			M	Shrub or tree. Medium branch strenght, root damaged rated as low, Allergy Health hazard, Plus this tree grows to the height of 35'.
Cercis occidentalis	Western redbud	x	Y	VL	Shrub or tree. Medium branch strenght, root damaged rated as low, Allergy Health hazard is unknown, Plus this tree grows to the height of 20'.
Cercocarpus betuloides	Mountain mahogany	x	Y	VL	Medium branch strenght, root damaged rated as low, Allergy and Irritant Health hazard, Plus this tree grows to the height of 20'.
x Chitalpa tashkentensis	Chitalpa	x	Y	L	Weak branch strenght, root damaged is low, Allergy Health hazard none, Plus this tree gets to a height of 35'.
Cornus capitata	Evergreen dogwood		Y	M	Medium branch strenght, root damaged rated as low, Allergy Health hazard is unknown, Plus this tree grows to the height of 40'.
Cornus 'Eddie's White Wonder'	Eddie's white wonder dogwood		Y	M	Strong branch strenght, root damaged is rated as low moderate, Allergy Health hazard none is known, Plus this tree grows to the height of 40'.
x Cupressocyparis leylandii	Leyland cypress		Y	M	Weak to Medium branch strenght, root damaged is low, Allergy Health hazard none, Plus this tree gets to a height of 50'.
Cupressus arizonica (C. a. arizonica) - see Hesperocyparis arizonica			-	-	Medium branch strenght, root damaged can be moderate, Allergy Health hazard is known, Plus this tree grows to the height of 30'.
Cupressus forbesii - see Hesperocyparis forbesii			-	-	Strong branch strenght, root damaged can be moderate, Allergy Health hazard none is known, Plus this tree grows to the height of 25'.
Cupressus sempervirens	Italian cypress		Y	L	Highly allergenic, use sparingly. Don't recommend in a school setting.
Dodonaea viscosa	Hopseed bush		Y	L	Shrub or tree. Variety 'Purpurea' is most common.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

TREES

Botanical Name	Common Name	CA Native	Plant Hardiness Zone 17	WUCOLS watering need	Notes
<i>Acer palmatum</i>	Japanese maple		Y	M	Many cultivars available.
<i>Eriobotrya deflexa</i>	Bronze loquat		Y	M	Unedible fruit.
<i>Eucalyptus microtheca</i>	Coolibah		Y	L	Medium branch strenght, root damaged can be moderate, Allergy Health hazard none is known, Plus this tree grows to the height of 50' litter issue is Dry Fruit.
<i>Eucalyptus robusta</i>	Swamp mahogany		Y	L	Bark can be litter problem
<i>Eugenia myrtifolia</i> - see <i>Syzygium borbonicum</i>			-	-	Medium branch strenght, root damaged can be moderate, Allergy Health hazard none is known, Plus this tree grows to the height of 60'.
<i>Fraxinus dipetala</i>	Foothill ash	x	Y	L	Medium branch strenght, root damaged rated as low, Allergy Health hazard is known, Plus this tree grows to the height of 25'.
<i>Fraxinus oxycarpa</i> (F. <i>angustifolia</i>) 'Raywood'	Raywood ash		Y	M	No seeds.
<i>Garrya elliptica</i>	Coast silktassel	x	Y	L	Good screen. Shrub or tree.
<i>Geijera parviflora</i>	Australian willow		Y	M	Medium branch strenght, root damaged rated as low, Allergy Health hazard none is known, Plus this tree grows to the height of 30'.
<i>Ginkgo biloba</i> cvs. (e.g. 'Saratoga', 'Fairmont')	Ginkgo		Y	M	Female fruits are malodorous. Use male cultivars only.
<i>Gleditsia triacanthos inermis</i>	Thornless honey locust		N (1-16, 18-20)	L	Leafs out late. Common and thriving in Oakland, but not reliably in lowlands.
<i>Gymnocladus dioica</i> 'Espresso'	Espresso Kentucky coffee tree		N (1-3, 7-10, 12-16, 18-21)	L	Seedless variety. Approved as experimental species for Oakland street-tree list. Planted and thriving in Alameda.
<i>Harpephyllum caffrum</i>	South African wild plum, kaffir plum		Y	M	Medium branch strenght, root damaged rated as low, Allergy Health hazard none is known, Plus this tree grows to the height of 50'.
<i>Heteromeles arbutifolia</i>	Toyon	x	Y	L	Shrub or tree.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

TREES

Botanical Name	Common Name	CA Native	Plant Hardiness Zone 17	WUCOLS watering need	Notes
<i>Acer palmatum</i>	Japanese maple		Y	M	Many cultivars available.
<i>Jacaranda mimosifolia</i>	Jacaranda		Y	M	Medium branch strength, root damaged rated as low, Allergy Health hazard none is known, Plus this tree grows to the height of 50'. Beautiful floral tree.
<i>Juglans hindsii</i>	California black walnut	x	Y	M	Medium branch strength, root damaged can be moderate, Allergy Health hazard is known, Plus this tree grows to the height of 30'.
<i>Juniperus chinensis</i> cvs. (e.g. 'Columnaris', 'Spartan', 'Wintergreen')	Chinese juniper (columnar tree forms)		Y	L	Medium branch strength, root damaged rated as low, Allergy Health hazard none is known, Plus this tree grows to the height of 40'.
<i>Juniperus chinensis</i> 'Torulosa'	Hollywood juniper		Y	L	Highly allergenic. Use females only. Don't recommend in a school setting.
<i>Juniperus scopulorum</i> and cvs. (e.g. 'Admiral', 'Blue Haven', 'Blue Moon', 'Cologreen', 'Gracilis', 'Platinum', 'Spearmint', 'Sutherland' and 'Welchii')	Rocky Mountain juniper		Y	L	Males are highly allergenic. Use female cultivars only.
<i>Koelreuteria bipinnata</i>	Chinese flame tree		Y	M	Medium branch strength, root damaged rated as low, Allergy Health hazard none is known, Plus this tree grows to the height of 40'.
<i>Koelreuteria paniculata</i>	Goldenrain tree		Y	M	Medium branch strength, root damaged rated as low, Allergy Health hazard none is known, Plus this tree grows to the height of 40'.
<i>Lagerstroemia</i> hybrids (Indian series) (e.g. 'Biloxi', 'Muskogee', 'Natchez', 'Tonto', 'Tuscarora', 'Tuskegee')	Hybrid crape myrtle (taller varieties)		Y	L	These varieties resist powdery mildew.
<i>Laurus nobilis</i> and cvs (e.g. 'Saratoga')	Sweet bay, Grecian laurel		Y	L	Medium branch strength, root damaged can be moderate, Allergy Health hazard none is known, Plus this tree grows to the height of 40'.
<i>Leptospermum laevigatum</i>	Australian tea tree		Y	L	Strong branch strength, root damaged can be rated as potentially low, Allergy Health hazard none is known, Plus this tree grows to the height of 30'.
<i>Lyonothamnus floribundus</i> and ssp. <i>asplenifolius</i>	Catalina ironwood	x	Y	L	Strong branch strength, root damaged can be moderate, Allergy Health hazard none is known, Plus this tree grows to the height of 60'.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

TREES

Botanical Name	Common Name	CA Native	Plant Hardiness Zone 17	WUCOLS watering need	Notes
<i>Acer palmatum</i>	Japanese maple		Y	M	Many cultivars available.
<i>Magnolia x soulangeana</i> and cvs. (e.g. 'Alba', 'Alexandrina', 'Lennei', 'Lennei Alba')	Saucer magnolia		Y	M	Medium branch strength, root damaged can be moderate, No Allergy Health hazard are known, Plus this tree can grow to the height of 30' or larger.
<i>Magnolia stellata</i>	Star magnolia		Y	M	Usually low-branching or multi-trunked.
<i>Maytenus boaria</i>	Mayten tree		Y	M	Weeping habit. Slow growing.
<i>Melaleuca linariifolia</i>	Flaxleaf paperbark		Y	L	Medium branch strength, root damaged can be low, Allergy Health hazard is unknown, Plus this tree grows to height of 30'.
<i>Melaleuca nesophila</i>	Pink melaleuca		Y	L	Shrub or tree.
<i>Melaleuca quinquenervia</i> - see <i>M. viridiflora</i> var. <i>rubriflora</i>			-	-	INFORMATION UNLISTED.
<i>Melaleuca viridiflora</i> var. <i>rubriflora</i> (<i>Melaleuca quinquenervia</i>)	Cajeput tree		Y	L	Medium branch strength, root damaged can be low, Allergy and Irritant Health hazard, Plus this tree gets to height of 40'.
<i>Metrosideros excelsus</i> (<i>M. tomentosa</i>)	New Zealand Christmas tree		Y	L	Medium branch strength, root damaged can be moderate, Allergy Health hazard none known, Plus this tree gets to height of 35' and dried fruit litter may be an issue..
<i>Myrica californica</i> - see <i>Morella californica</i>			-	-	Strong branch strength, root damaged can be rated as low, Allergy Health hazard, Plus this tree is registered as a California Big Tree with trunk circumference of 46".
<i>Nyssa sylvatica</i>	Tupelo		Y	M	Named varieties (e.g. 'Wildfire') have more dependable form.
<i>Olea europaea</i> ('Swan Hill', 'Wilsoni', and other so-called fruitless cvs. only)	Fruitless olive		Y	VL	Medium branch strength, root damaged can be low, Allergy Health None Known, Plus this tree gets to height of 30'.
<i>Oxydendron arboreum</i>	Sourwood, sorrel tree		Y	M	Medium branch strength, root damaged can be low, Allergy Health hazard Nothing reported, This tree gets to height of 75' caution the planting of this tree due to its size.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

TREES

Botanical Name	Common Name	CA Native	Plant Hardiness Zone 17	WUCOLS watering need	Notes
Acer palmatum	Japanese maple		Y	M	Many cultivars available.
Parkinsonia x 'Desert Museum'	Desert Museum Jerusalem thorn, Mexican palo verde		Y	?	Shrub or tree.
Parrotia persica	Persian ironwood, Persian witch hazel		Y	M	Medium branch strenght, root damaged can be low, Allergy Health hazard unknown, Plus this tree gets to height of 35' and dried fruit litter may be an issue..
Photinia x fraseri	Fraser's photinia		Y	M	Shrub or tree.
Pinus canariensis	Canary Island pine		Y	L	Root damage moderate,allergy Health Hazard,medium branch strenght. Don't recommend in a school setting.
Pinus edulis	Pinyon pine, Colorado pinyon	x	Y	L	Medium branch strenght, root damaged can be low, Allergy Health hazard, Plus this tree gets to height of 35'.
Pinus monophylla	Single leaf pinyon pine	x	Y	L	Medium branch strenght, root damaged can be low, Allergy Health hazard, Plus this tree gets to height of 35'.
Pinus thunbergiana	Japanese black pine		Y	M	Medium strong branch strenght, root damaged can be moderate, Allergy Health hazard, Plus this tree gets to height of 35'.
Pinus torreyana	Torrey pine	x	Y	L	Medium branch strenght, root damaged can be moderate, Allergy Health hazard, Plus this tree gets to height of 50'.
Pistacia chinensis	Chinese pistache		N (4-16, 18-23)	L	Planted and thriving in Oakland. Male varieties 'Keith Davey' and 'Pearl Street' have more reliable tree form but may be more allergenic.
Pittosporum angustifolium (P. phillyraeoides)	Weeping pittosporum		Y	M	Medium branch strenght, root damaged can be low, Allergy Health hazard, Plus this tree gets to height of 25'.
Pittosporum eugenoides	Tarata, lemonwood		Y	M	Meium branch strenght, root damaged can be low, Allergy Health hazard, Plus this tree gets to height of 35'.
Podocarpus gracilior - see Afrocarpus gracilior			-	-	Medium branch strenght, root damaged can be low, Allergy Health hazard, Plus this tree gets to height of 65'.
Podocarpus henkelii	Long-leafed yellow-wood		Y	M	Medium branch strenght, root damaged can be low, Plus this tree gets to height of 35'.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

TREES

Botanical Name	Common Name	CA Native	Plant Hardiness Zone 17	WUCOLS watering need	Notes
<i>Acer palmatum</i>	Japanese maple		Y	M	Many cultivars available.
<i>Podocarpus macrophyllus</i>	Yew pine		Y	M	Medium branch strenght, root damaged can be low, Allergy Health None Known , Plus this tree gets to height of 50'.
<i>Prunus cerasifera</i> cvs. (e.g. 'Krauter Vesuvius', 'Newport', 'Purple Pony')	Purple-leaf plum		Y	L	Medium branch strenght, root damaged can be low, Allergy Health None Known, Plus this tree gets to height of 30'.
<i>Prunus ilicifolia</i> ssp. <i>lyonii</i>	Catalina cherry	x (Channel Islands)	Y	L	Shrub or tree. Native to the Channel Islands. Because it hybridizes freely with the mainland sub-species <i>P. ilicifolia</i> ssp. <i>ilicifolia</i> , do not plant near open space or wild areas.
<i>Pyrus calleryana</i> 'Aristocrat' or 'Chanticleer'	Ornamental pear		Y	M	Fairly resistant to fireblight. Less susceptible to branch breakage than species. Purple-red fall color. Thornless.
<i>Quercus agrifolia</i>	Coast live oak	x	Y	VL	Potential Rodent population increase.
<i>Quercus chrysolepis</i>	Canyon live oak	x	Y	VL	Potential Rodent population increase.
<i>Quercus douglasii</i>	Blue oak	x	Y	VL	Potential Rodent population increase.
<i>Quercus durata</i>	Leather oak	x	Y	VL	Shrub or tree. Potential Rodent population increase.
<i>Quercus engelmannii</i>	Engelmann oak	x	Y	L	Potential Rodent population increase.
<i>Quercus ilex</i>	Holly oak		Y	L	Disease prone. Use sparingly. Potential Rodent population increase.
<i>Quercus lobata</i>	Valley oak	x	Y	L	Potential Rodent population increase.
<i>Quercus rubra</i>	Red oak		Y	M	Potential Rodent population increase.
<i>Quercus shumardii</i>	Shumard red oak		Y	M	Potential Rodent population increase.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

TREES

Botanical Name	Common Name	CA Native	Plant Hardiness Zone 17	WUCOLS watering need	Notes
Acer palmatum	Japanese maple		Y	M	Many cultivars available.
Quercus tomentella	Island oak	x	Y	L	Medium branch strenght, root damaged can be low, Allergy Health None Known , Plus this tree gets to height of 50' with a circumference of 91".
Quillaja saponaria	Soapbark tree			L	Medium branch strenght, root damaged can be low, Allergy Health None Known , Plus this tree gets to height of 45' and 25' wide.
Rhaphiolepis 'Majestic Beauty'	Majestic Beauty raphiolepis		Y	L	Shrub or tree. Medium branch strenght, root damaged can be low, Plus this tree gets to height of 25'.
Rhus lancea - see Searsia lancea			-	-	Medium branch strenght, root damaged can be low, Plus this tree gets to height of 30'.
Sequoia sempervirens	Coast redwood	x	Y	H	
Sophora japonica - see Styphnolobium japonicum			-	-	Fruit & Litter is an issue once mature.
Stenocarpus sinuatus	Firewheel tree		Y	/	Very slow growing. Needs moisture.
Styphnolobium japonicum (Sophora japonica)	Japanese pagoda tree		Y	L	Messy fruit droppage as well as leaves.
Syzygium borbonicum (S. paniculatum, Eugenia myrtifolia)	Brush cherry, Australian brush cherry		Y	M	Shrub or tree. Do not plant if shearing would be required to maintain small size. Can be trained to grow as a Patio Type Tree.
Tilia americana	American linden		Y	M	Honeydew drip is likely; do not use over paved areas.
Tilia cordata	Little-leaf linden		Y	M	Honeydew drip is likely; do not use over paved areas.
Tilia tomentosa	Silver linden		Y	L	Grows rather Tall with fruit droppage along with bees.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

TREES

Botanical Name	Common Name	CA Native	Plant Hardiness Zone 17	WUCOLS watering need	Notes
Acer palmatum	Japanese maple		Y	M	Many cultivars available.
Tristania (Tristaniopsis) laurina	Water gum		Y	M	This tree is Playground friendly.
Ulmus parvifolia 'Athena'	Chinese elm		Y	L	Litter issues Dry Fruit, Allergy Hazard Medium branch strenght.
Umbellularia californica	California bay laurel	x	Y	M	Host to Phytophthora (Sudden Oak Death). Obtain only plants certified disease-free.
Vitex agnus-castus	Chaste tree		Y	L	Shrub or tree.

Foot Notes and Ledger

WUCOLS - Water Use Classification Of Landscape Species

WUCOLS SYMBOLS (Lettering indicate water use)

H = High water usage

M = Moderate water usage

L = Low water usage

VL = Very low water usage

? = Unknown on WUCOLS list

N/A = Not on WUCOLS list

Trees can be added on a project by project basis based on consultant recommendations and OUSD approval.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

PALMS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Arecastrum romanzoffianum - see Syagrus romanzoffianum			-	-	
Brahea armata	Blue hesper palm		Y	L	Sharp spines on fronds.
Brahea edulis	Guadalupe Island fan palm		Y	L	Dead fronds naturally release. Spineless.
Chamaerops humilis	Mediterranean fan palm		Y	L	Multiple trunks.
Cocos plumosa - see Syagrus romanzoffianum					
Jubaea chilensis	Chilean wine palm, honey palm		Y	L	Large swollen trunk with age.
Livistona chinensis	Chinese fan palm		Y	M	
Phoenix canariensis	Canary Island date palm		Y	L	
Phoenix dactylifera	Date palm		Y	L	
Syagrus romanzoffianum (Arecastrum romanzoffianum, Cocos plumosa)	Queen palm		Y	L	Dead fronds naturally release.
Trachycarpus fortunei	Windmill palm		Y	L	Fine teeth at base of frond. Can be grown in groupings.
Washingtonia filifera	California fan palm	x	Y	L	
Washingtonia robusta	Mexican fan palm		Y	L	

WUCOLS - Water Use Classification Of Landscape Species

- H High
- M Moderate
- L Low
- VL Very low
- ? Unknown on WUCOLS list
- N/A Not on WUCOLS list

Palms can be added on a project by project basis based on consultant recommendations and OUSD approval.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Abelia x grandiflora</i>	Glossy abelia		Y	M	
<i>Acca sellowiana</i> (<i>Feijoa sellowiana</i>)	Pineapple guava		Y	M	Edible flower petals and fruit.
<i>Agonis flexuosa</i> 'Nana'	Dwarf peppermint tree		Y	L	
<i>Alyogyne huegelii</i> (<i>Hibiscus huegelii</i>)	Blue hibiscus		Y	L	
<i>Amorpha californica</i>	False indigo	x	Y	L	
<i>Arbutus unedo</i> 'Compacta'	Dwarf strawberry tree		Y	L	
<i>Arctostaphylos</i> spp. and cvs. (e.g. <i>A. manzanita</i> 'Dr. Hurd', <i>A. densiflora</i> 'Howard McMinn', <i>A. x 'Pacific Mist'</i> , <i>A. x 'Sunset'</i>)	Manzanita (shrubs)	x	Y	VL - L	
<i>Arctostaphylos</i> spp. and cvs. (e.g. <i>A. x 'Emerald Carpet'</i> , <i>A. uva-ursi</i> 'Anchor Bay')	Manzanita (groundcovers)	x	Y	M	
<i>Artemisia californica</i> cvs. (e.g. 'Montara')	California sagebrush (groundcovers)	x	Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Artemisia x 'Powis Castle'	Powis Castle hybrid sagebrush or wormwood		Y	L	
Artemisia pycnocephala and cvs. (e.g. 'David's Choice')	Sandhill sagebrush groundcovers	x	Y	L	
Artemisia tridentata	Great Basin sagebrush, big sagebrush	x	Y	VL	
Asclepias californica	California milkweed	x	Y	L	
Asclepias cordifolia	Purple milkweed	x	Y	L	
Asclepias speciosa	Showy milkweed	x	Y	L	
Aucuba japonica	Japanese aucuba		Y	M	
Baccharis pilularis cvs. (e.g. 'Pigeon Point', 'Poza Surf')	Coyote brush (groundcovers)	x	Y	L	
Baccharis salicifolia (B. glutinosa, B. viminea)	Mulefat	x	Y	L	
Berberis (Mahonia) aquifolium	Oregon grape	x	Y	M	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Berberis (Mahonia) aquifolium 'Compacta'	Compact Oregon grape	x	Y	M	
Berberis (Mahonia) x 'Golden Abundance'	Golden Abundance Oregon grape	x	Y	M	
Berberis (Mahonia) nervosa	Longleaf barberry	x	Y	M	
Berberis (Mahonia) nevinii	Nevin's barberry	x	Y	L	
Berberis (Mahonia) pinnata	California barberry	x	Y	L	
Berberis (Mahonia) repens	Creeping barberry	x	Y	L	
Buddleja (Buddleia) davidii	Butterfly bush		Y	M	
Buxus microphylla japonica	Japanese boxwood		Y	M	
Buxus sempervirens	Common boxwood		Y	M	
Callistemon spp. and cvs. (e.g. 'Captain Cook', 'Little John')	Bottlebrush (shrubs)		Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Calothamnus quadrifidus</i>	Common netbush, one-sided bottlebrush		Y	L	
<i>Calycanthus occidentalis</i>	Western spice bush	x	Y	M	
<i>Camellia japonica</i>	Japanese camellia		Y	M	
<i>Camellia sasanqua</i>	Sun camellia		Y	M	
<i>Carpenteria californica</i>	Bush anemone	x	Y	M	
<i>Caryopteris x clandonensis</i> and cvs. (e.g. 'Azure', 'Longwood', 'Worcester Gold')	Blue mist, bluebeard		Y	M	
<i>Caryopteris incana</i>	Common bluebeard		Y	L	
<i>Ceanothus</i> spp. and cvs. (e.g. 'Concha', 'Dark Star', 'Julia Phelps', 'Ray Hartman', and 'Skylark')	California wild lilac (shrubs)	x	Y	L	Larger varieties may be shrubs or trees.
<i>Ceanothus griseus horizontalis</i> cvs. (e.g. 'Yankee Point')	California wild lilac (groundcovers) (e.g. Yankee Point Carmel creeper)		Y	L	
<i>Cercis occidentalis</i>	Western redbud	x	Y	VL	Shrub or tree.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Cercocarpus betuloides</i>	Mountain mahogany	x	Y	VL	
<i>Choisya ternata</i>	Mexican orange blossom		Y	M	
<i>Cistus</i> spp. and cvs. (e.g. <i>Cistus x pulverulentus</i> 'Sunset', <i>Cistus salviifolius</i>)	Rockrose (groundcovers)		Y	L	
<i>Cistus</i> spp. and cvs. (e.g. <i>Cistus ladanifer</i> 'Blanche', <i>Cistus x 'Victor Reiter'</i>)	Rockrose (shrubs)		Y	L	
<i>Convolvulus cneorum</i>	Bush morning glory		Y	L	
<i>Coprosma repens</i>	Mirror plant		Y	M	
<i>Cordia parvifolia</i>	Little-leaf cordia		Y	?	
<i>Correa</i> 'Dusky Bells' and other cvs.	Australian fuchsia		Y	L	
<i>Cornus sericea</i>	Dogwood	x	Y	H	
<i>Corylus cornuta californica</i>	California hazelnut	x	Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Cotinus coggygria</i> and cvs.	Smoke tree		Y	L	Shrub or tree.
<i>Cotoneaster damerri</i>	Bearberry cotoneaster		Y	L	
<i>Cotoneaster buxifolius</i> (C. <i>glaucophyllus</i>)	Brightbead cotoneaster		Y	L	
<i>Cotoneaster horizontalis</i>	Rock cotoneaster		Y	L	
<i>Cotoneaster salicifolius</i> cvs. (e.g. 'Emerald Carpet', 'Repens')	Willowleaf cotoneaster (groundcovers)		Y	L	
<i>Cuphea</i> x 'David Verity'	Large firecracker plant		Y	M	
<i>Cuphea hyssopifolia</i>	False heather		Y	M	
<i>Cuphea micropetala</i>	Candy corn plant		Y	M	
<i>Diplacus</i> spp. - see <i>Mimulus</i> spp.			-	-	
<i>Dodonaea viscosa</i>	Hopseed bush		Y	L	Shrub or tree. Variety 'Purpurea' is most common.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Echium candicans</i> (<i>E. fastuosum</i>)	Pride of Madeira		Y	L	
<i>Eriogonum arborescens</i>	Santa Cruz Island buckwheat	x	Y	VL	
<i>Eriogonum fasciculatum</i>	California buckwheat	x	Y	L	
<i>Eriogonum giganteum</i>	St. Catherine's lace		Y	L	
<i>Eriogonum grande</i> var. <i>rubescens</i>	Red buckwheat	x	Y	L	
<i>Eriogonum umbellatum</i>	Sulfur buckwheat	x	Y	L	
<i>Escallonia</i> spp. (e.g. <i>E. exoniensis</i> 'Frades')	Escallonia		Y	M	
<i>Eugenia myrtifolia</i> - see <i>Syzygium</i> <i>borbonicum</i>			-	-	
<i>Euryops pectinatus</i>	Gray-leaved euryops		Y	L	
<i>Fatsia japonica</i>	Japanese aralia		Y	M	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Feijoa sellowiana - see Acca sellowiana			-	-	
Felicia amelloides	Blue marguerite		Y	M	
Frangula californica (Rhamnus californica)	Coffeeberry	x	Y	L	
Fremontodendron spp.	Flannel bush	x	Y	VL	
Fuchsia hybrida	Fuchsia		Y	M	
Gaultheria shallon	Salal	x	Y	M	
Garrya elliptica	Coast silktassel	x	Y	L	Shrub or tree.
Globularia x indubia	Globe daisy		Y	M	
Grevillea spp. (e.g. G. x 'Canberra' ('Canberra Gem'), G. juniperina, G. lavandulacea, G. x 'Mason's Hybrid', G. victoriae)	Grevillea (e.g. Canberra Gem grevillea, juniper grevillea, lavender grevillea, Mason's hybrid grevillea, and royal grevillea)		Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Grewia occidentalis</i>	Lavender starflower		Y	M	
<i>Hakea laurina</i>	Pincushion hakea		Y	L	
<i>Hakea suaveolens</i>	Sweet-scented hakea		Y	L	
<i>Heteromeles arbutifolia</i>	Toyon	x	Y	L	Shrub or tree.
<i>Hibiscus huegelii</i> - see <i>Alyogyne huegelii</i>			-	-	
<i>Hibiscus syriacus</i>	Rose of Sharon		Y	L	
<i>Hydrangea</i> spp.	Hydrangea		Y	M	
<i>Hydrangea quercifolia</i>	Oakleaf hydrangea		Y	M	
<i>Jasminum humile</i>	Italian jasmine		Y	L	Shrub or vine.
<i>Jasminum mesnyi</i>	Primrose jasmine		Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Juniperus chinensis 'San Jose' and other cvs. (see Notes)	San Jose juniper		Y	L	Ground cover. Other species and varieties of Juniperus could be included with OUSD approval.
Juniperus procumbens 'Nana' and other cvs. (see Notes)	Japanese garden juniper		Y	L	Other species and varieties of Juniperus could be included with OUSD approval.
Juniperus sabina	Savin juniper		Y	L	
Lagerstroemia indica cvs. (e.g. 'Petite Orchid')	Crape myrtle (shrubs)		Y	L	
Lagerstroemia hybrids (shorter Indian series) (e.g. 'Acoma', 'Comanche', 'Hopi', 'Lipan', 'Pecos', 'Sioux', 'Yuma', 'Zuni')	Crape myrtle (shorter varieties)		Y	L	
Lantana montevidensis cvs.	Trailing lantana (e.g. White trailing lantana)		Y	L	
Lavandula spp.	Lavender		Y	L	
Lavatera assurgentiflora	Tree mallow	x	Y	L	
Leonotis leonurus (L. menthifolia)	Lion's tail		Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Leptospermum scoparium cvs.	New Zealand tea tree (shrubs)		Y	L	
Leucophyllum frutescens	Texas ranger		Y	L	
Leucophyllum laevigatum	Chihuahuan sage		Y	L	
Leucophyllum langmaniae 'Lynn's Legacy'	Lynn's Legacy leucophyllum		Y	?	
Leucospermum reflexum	Skyrocket pincushion		Y	L	
Ligustrum japonicum	Japanese privet, wax-leaf privet		Y	M	Shrub or tree.
Ligustrum japonicum 'Texanum' (L. texanum)	Compact wax-leaf privet		Y	M	
Loropetalum chinense	Fringe flower		Y	L	
Lupinus albifrons	Silver bush lupine	x	Y	VL	
Mahonia spp. - see Berberis spp.			-	-	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Malacothamnus spp.	Bush mallow		Y?	?/VL - L	
Melaleuca nesophila	Pink melaleuca		Y	L	Shrub or tree.
Mimulus (Diplacus) aurantiacus	Sticky monkeyflower	x	Y	VL	
Mimulus (Diplacus) hybrids	Monkeyflower		Y	L	Shrubby hybrids only. Herbaceous species and hybrids are high water users.
Monardella villosa villosa	Coyote mint	x	Y	?	
Myrica (Morella) californica	Pacific wax myrtle	x	Y	M	Shrub or tree.
Myrsine africana	African boxwood		Y	L	
Myrtus communis	Myrtle		Y	L	
Myrtus communis 'Compacta'	Dwarf myrtle		Y	L	
Nandina domestica	Heavenly bamboo		Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Oemleria cerasiformis (Osmaronia cerasiformis)	Oso berry	x	Y	M	
Osmanthus fragrans	Sweet olive		Y	M	
Pelargonium x hortorum	Common geranium		Y	L	
Pelargonium peltatum	Ivy geranium		Y	L	
Perovskia spp.	Russian sage		Y	L	
Photinia fraseri	Fraser's photinia		Y	M	Shrub or tree.
Physocarpus capitatus	Ninebark	x	Y	L	
Pittosporum eugenoides	Tarata, lemonwood		Y	M	Shrub or tree. Do not plant if shearing would be required to maintain small size.
Pittosporum tobira	Japanese pittosporum		Y	L	
Plumbago auriculata	Blue plumbago		Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i>	Hollyleaf cherry	x	Y	L	Shrub or tree. Mainland sub-species. See tree list for <i>P. ilicifolia</i> ssp. <i>lyonii</i> .
<i>Psidium cattleianum</i>	Strawberry guava		Y	M	
<i>Punica granatum</i> 'Nana'	Pomegranate		Y	L	
<i>Quercus durata</i>	Leather oak	x	Y	VL	Shrub or tree.
<i>Rhamnus californica</i> - see <i>Frangula californica</i>			-	-	
<i>Rhamnus crocea</i>	Redberry	x	Y	L	
<i>Rhamphiolepis indica</i>	India hawthorn		Y	L	
<i>Rhamphiolepis</i> x 'Majestic Beauty'	Majestic Beauty <i>rhamphiolepis</i>		Y	L	Shrub or tree.
<i>Rhamphiolepis umbellata</i>	Yedda hawthorn		Y	L	
<i>Rhus integrifolia</i>	Lemonadeberry	x	Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Rhus ovata</i>	Sugarbush	x	Y	L	
<i>Ribes aureum</i>	Golden currant	x	Y	?	
<i>Ribes malvaceum</i>	Chaparral currant	x	Y	VL	
<i>Ribes sanguineum</i>	Red-flowering currant, pink-flowering currant	x	Y	L	
<i>Ribes viburnifolium</i>	Catalina perfume, evergreen currant	x	Y	L	
<i>Rosa floribunda</i> 'Iceberg'	White shrub rose	x	Y	M	
<i>Rosa</i> hybrids	Rose		Y	M	
<i>Rosa x odorata</i> (<i>Rosa x chinensis</i>) 'Mutabilis'	Butterfly rose		Y	M	
<i>Rosa rugosa</i>	Rugosa rose		Y	L	
<i>Rosmarinus officinalis</i> cvs. (e.g. 'Huntington Carpet', 'Collingwood Ingram', and 'Prostratus')	Rosemary (groundcovers)		Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Rosmarinus officinalis cvs. (e.g. 'Blue Spires', 'Boule', 'Golden Rain')	Rosemary (shrubs)		Y	L	
Salvia brandegei	Santa Rosa Island sage, Brandegee's sage	x	Y	L	
Salvia chamaedryoides	Germander sage		Y	L	
Salvia clevelandii 'Allen Chickering'	Allen Chickering Cleveland sage	x	Y	L	
Salvia clevelandii 'Winifred Gilman'	Winifred Gilman Cleveland sage	x	Y	L	
Salvia greggii	Autumn sage		Y	L	
Salvia leucantha	Mexican sage		Y	L	
Salvia leucantha 'Santa Barbara'	Santa Barbara Mexican sage		Y	L	
Salvia leucophylla cvs. (e.g. 'Amethyst Bluff', 'Point Sal Spreader')	Purple sage	x	Y	L	
Salvia mellifera	Black sage	x	Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Salvia microphylla</i>	Cherry sage		Y	L	
<i>Salvia munzii</i>	Munz sage, San Diego sage	x	Y	L	
<i>Salvia</i> x cvs. (e.g. <i>Salvia</i> x 'Aromas', <i>Salvia</i> x 'Poza Blue')	Hybrid sage (various)		Y	VL - M	
<i>Sambucus mexicana</i>	Elderberry	x	Y	L	Shrub or tree.
<i>Senecio mandraliscae</i>	(no common name)		Y	L	
<i>Sollya heterophylla</i>	Australian bluebell creeper		Y	L	
<i>Syzygium borbonicum</i> (S. <i>paniculatum</i> , <i>Eugenia myrtifolia</i>)	Brush cherry, Australian brush cherry		Y	M	Shrub or tree. Do not plant if shearing would be required to maintain small size.
<i>Syzygium paniculatum</i> - see <i>Syzygium</i> <i>borbonicum</i>			-	-	
<i>Taxus</i> spp.	Yew		Y	M	Shrub or tree.
<i>Ternstroemia japonica</i> (T. <i>gymnanthera</i>)	<i>Ternstroemia</i>		Y	M	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Teucrium cossonii	Majorcan teucrium		Y	VL	
Teucrium fruticans	Bush germander		Y	L	
Teucrium x lucidrys (T. chamaedrys)	Wall germander		Y	?	
Teucrium marum	Cat thyme		Y	L	
Tibouchina urvilleana	Princess flower		Y	M	
Trichostema lanatum	Woolly blue curls	x	Y	VL	
Vaccinium ovatum	Huckleberry		Y	M	
Viburnum suspensum	Leatherleaf viburnum		Y	M	
Viburnum tinus	Laurustinus		Y	M	
Vitex agnus-castus	Chaste tree		Y	L	Shrub or tree.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

SHRUBS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Weigela florida	(no common name)		Y	M	
Westringia fruticosa	Coast rosemary		Y	L	
Xylosma congestum	Shiny xylosma		Y	L	Shrub or tree. Do not plant if shearing would be required to maintain small size.

WUCOLS SYMBOLS

H High
M Moderate
L Low
VL Very low
? Unknown on WUCOLS list
N/A Not on WUCOLS list

WUCOLS - Water Use Classification Of Landscape Species

Shrubs can be added on a project by project basis based on consultant recommendations and OUSD approval.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

PERENNIALS, SUCCULENTS, FERNS, AND HERBACEOUS PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Acanthus mollis</i>	Bear's breech		Y	M	Dies back in summer heat. Spreads in moist areas. Can be invasive.
<i>Achillea borealis</i>	Northern yarrow	x	Y? (USDA 10a/10b)	N/A	
<i>Achillea clavennae</i>	Silvery yarrow		Y	L	
<i>Achillea millefolium</i>	Yarrow	x	Y	L	
<i>Achillea millefolium</i> (non-native hybrid)	Yarrow		Y	M	
<i>Achillea tomentosa</i>	Woolly yarrow		Y	L	
<i>Agapanthus</i> spp.	Lily-of-the-Nile		Y	L - M	
<i>Agave bracteosa</i>	Candelabrum agave		Y	N/A	Succulent.
<i>Agave parryi</i> var. <i>truncata</i>	Artichoke agave		Y	N/A	Succulent.
<i>Agave victoriae-reginae</i>	Queen Victoria agave		Y	N/A	Succulent.
<i>Agave vilmoriniana</i>	Octopus agave		Y	N/A	Succulent.
<i>Aloysia triphylla</i> (<i>Lippia citriodora</i>)	Lemon verbena		Y	L	
<i>Amaryllis formosissima</i> - see <i>Sprekelia formosissima</i>			-	-	
<i>Anigozanthos flavidus</i>	Kangaroo paw		Y	L	
<i>Arabis blepharophylla</i>	California rockcress	x	Y	L	
<i>Arctotis auctilis</i> hybrids	African daisy		Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

PERENNIALS, SUCCULENTS, FERNS, AND HERBACEOUS PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Armeria maritima</i>	Sea thrift		Y	M	
<i>Asclepias fascicularis</i>	Narrow-leaved milkweed	x	Y	L	
<i>Asclepias speciosa</i>	Showy milkweed	x	Y	L	
<i>Aspidistra elatior</i>	Cast-iron plant		Y	L	
<i>Aster chilensis</i> (<i>Symphotrichum chilense</i>) 'Point Saint George'	Point Saint George aster	x	Y	M	
<i>Baileya multiradiata</i>	Desert marigold		Y	L	
<i>Bergenia crassifolia</i>	Winter-blooming bergenia		Y	M	
<i>Bergenia cordifolia</i>	Heartleaf bergenia		Y	M	
<i>Beschorneria yuccoides</i>	Mexican lily		Y	L	
<i>Bidens ferulifolia</i>	NCN		Y	?	
<i>Bulbine frutescens</i>	Stalked bulbine		Y	L	
<i>Campanula poscharskyana</i>	Serbian bellflower		Y	M	
<i>Capparis spinosa</i>	Caper		Y	VL	
<i>Cephalophyllum</i> x 'Red Spike' (<i>Cylindrophyllum speciosum</i>)	Red spike ice plant		Y	L	
<i>Cerastium tomentosum</i>	Snow-in-summer		Y	M	
<i>Ceratostigma plumbaginoides</i>	Dwarf plumbago		Y	L	
<i>Clivia miniata</i>	Kaffir lily		Y	M	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

PERENNIALS, SUCCULENTS, FERNS, AND HERBACEOUS PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Convolvulus sabatius</i> (<i>C. mauritanicus</i>)	Ground morning glory		Y	L	Short lived. Use for temporary cover.
<i>Coreopsis auriculata</i> 'Nana'	Dwarf tickseed		Y	L	
<i>Coreopsis gigantea</i> (<i>Leptosyne gigantea</i>)	Giant coreopsis		Y	L	
<i>Coreopsis verticillata</i>	Thread-leaved tickseed		Y	L	
<i>Corethrogyne filaginifolia</i> - see <i>Lessingia filaginifolia</i>			-	-	
<i>Cyathea cooperi</i> - see <i>Alsophila australis</i>			-	-	
<i>Cylindrophyllum speciosum</i> - see <i>Cephalophyllum</i> x 'Red Spike'			-	-	
<i>Cyrtomium falcatum</i>	Holly fern		Y	M	Fern.
<i>Dasyllirion wheeleri</i>	Spoon yucca, desert spoon, sotol		Y	L	
<i>Delosperma</i> x 'Alba'	White trailing ice plant		Y	L	Succulent.
<i>Dicksonia antarctica</i>	Tasmanian tree fern		Y	H	High water. Use sparingly. Shade.
<i>Dierama</i> spp.	Fairy wand		Y	M	
<i>Dietes</i> spp. (e.g. <i>D. vegeta</i> (<i>D. iridioides</i> , <i>Moraea iridioides</i>))	Fortnight lily		Y	L - M	
<i>Dryopteris</i> spp.	Wood fern		Y	?/M-H	
<i>Dudleya pulverulenta</i>	Chalk liveforever	x	Y	L	Succulent.
<i>Dudleya virens</i> ssp. <i>hassei</i>	Catalina Island live-forever	x	Y	L	Succulent.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

PERENNIALS, SUCCULENTS, FERNS, AND HERBACEOUS PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Dymondia margaretae</i>	Silver carpet		Y	L	
<i>Echeveria imbricata</i>	Hen and chicks		Y	L	Succulent.
<i>Echinacea purpurea</i>	Purple cone flower		Y	M	
<i>Encelia californica</i>	Encelia	x	Y	L	
<i>Epilobium canum</i> (<i>Zauschneria californica</i>)	California fuchsia	x	Y	L	
<i>Erigeron glaucus</i> 'Wayne Roderick'	Wayne Roderick seaside daisy	x	Y	L	
<i>Erigeron karvinskianus</i>	Mexican daisy, Santa Barbara daisy		Y	L	
<i>Erigeron x moerheimii</i>	Pink Mexican daisy		Y	L	
<i>Eriophyllum confertiflorum</i>	Golden yarrow	x	Y	L	
<i>Eschscholzia californica</i>	California poppy	x	Y	VL	Annual / dies back in summer. For temporary cover only.
<i>Felicia amelloides</i>	Blue marguerite		Y	M	
<i>Fragaria chiloensis</i>	Beach strawberry	x	Y	M	
<i>Fragaria vesca</i>	Woodland strawberry	x	Y	M	
<i>Gaillardia x grandiflora</i>	Blanket flower		Y	M	
<i>Gaura lindheimeri</i>	Butterfly flower		Y	M	
<i>Gazania</i> spp. (hybrids) and cvs.	Gazania		Y	M	Invasive. Use sparingly
<i>Geranium incanum</i>	Carpet geranium		Y	L	Invasive. Use sparingly

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

PERENNIALS, SUCCULENTS, FERNS, AND HERBACEOUS PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Geranium x cantabrigiense</i>	Cranesbill		Y	M	
<i>Graptopetalum paraguayense</i>	Ghost plant		Y	VL	Succulent.
x <i>Graptoveria</i> 'Fred Ives'	Fred Ives ghost plant		Y	L	Succulent.
<i>Hemerocallis</i> spp.	Daylily		Y	M	
<i>Hesperaloe parviflora</i>	Red yucca		Y	L	
<i>Heuchera maxima</i>	Island alumroot	x	Y	M	
<i>Heuchera micrantha</i>	Coral bells	x	Y	M	
<i>Heuchera sanguinea</i>	Coral bells		Y	M	
<i>Hunnemannia fumariifolia</i>	Mexican tulip poppy		Y	L	
<i>Iris douglasiana</i> and cvs. (e.g. 'Canyon Snow')	Douglas iris	x	Y	L	
<i>Iris germanica</i>	Bearded iris		Y	L	
<i>Iris spuria</i>	Butterfly iris, spuria iris		Y	N/A	
<i>Keckiella antirrhinoides</i>	Yellow penstemon, yellow bush snapdragon	x	Y	L	
<i>Keckiella cordifolia</i>	Heart-leaved penstemon	x	Y	L	
<i>Kleinia repens</i> - see <i>Senecio serpens</i>			-	-	
<i>Kniphofia uvaria</i> and cvs.	Red-hot poker		Y	L	
<i>Lessingia</i> (<i>Corethrogyne</i>) <i>filaginifolia</i> 'Silver Carpet'	California aster	x	Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

PERENNIALS, SUCCULENTS, FERNS, AND HERBACEOUS PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Limonium perezii</i>	Sea lavender		Y	L	
<i>Lippia citriodora</i> - see <i>Aloysia triphylla</i>			-	-	
<i>Lobelia laxiflora</i>	Mexican bush lobelia		Y	L	
<i>Moraea iridioides</i> - see <i>Dietes</i> spp.			-	-	
<i>Myoporum parvifolium</i>	Myoporum		Y	L	
<i>Origanum vulgare</i> 'Betty Rollins'	Dwarf oregano		Y	M	
<i>Pachysandra terminalis</i>	Japanese spurge		Y	M	
<i>Pelargonium peltatum</i>	Ivy geranium		Y	L	
<i>Penstemon centranthifolius</i>	Scarlet bugler	x	Y	L	
<i>Penstemon heterophyllus</i>	Foothill penstemon	x	Y	-	
<i>Penstemon spectabilis</i>	Showy penstemon, royal beardtongue	x	Y	M	
<i>Perovskia atriplicifolia</i> (P. x 'Blue Spire')	Russian sage		Y	L	
<i>Phlomis fruticosa</i>	Jerusalem sage		Y	L	
<i>Phlomis purpurea</i>	Purple phlomis		Y	L	
<i>Phormium</i> spp. and cvs.	New Zealand flax		Y	L	Hybrids and species with low or no reversion rate. Allow room for mature size without clipping leaves.
<i>Phyla nodiflora</i>	Lippia	x	Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

PERENNIALS, SUCCULENTS, FERNS, AND HERBACEOUS PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Plecostachys serpyllifolia</i>	Straw flower		Y	L	
<i>Ploystichum munitum</i>	Western sword fern	x	Y	M	Fern.
<i>Polypodium californicum</i>	California polypody	x	Y	M	Fern.
<i>Potentilla verna</i> (<i>P. tabernaemontanii</i>)	Spring cinquefoil		Y	M	
<i>Rumohra adiantiformis</i>	Leatherleaf fern		Y	M	Fern.
<i>Ruscus hypoglossum</i>	Butcher's broom		Y	L	
<i>Salvia officinalis</i>	Garden sage		Y	L	
<i>Salvia spathacea</i>	Hummingbird sage	x	Y	L	
<i>Salvia</i> spp. and cvs. (e.g. <i>S.</i> x 'Bee's Bliss' and <i>S. sonomensis</i> 'Mrs. Beard')	Sage (groundcovers)	x	Y	L	
<i>Sedum album</i>	White stonecrop		Y	L	Succulent.
<i>Sedum dendroideum</i>	Bush sedum		Y	L	Succulent.
<i>Sedum pachyphyllum</i>	Jelly-bean		Y	L	Succulent.
<i>Sedum palmeri</i>	Palmer's sedum		Y	L	Succulent.
<i>Sedum</i> x <i>rubrotinctum</i>	Pork and beans		Y	L	Succulent.
<i>Senecio serpens</i> (<i>Kleinia repens</i>)	Blue chalksticks		Y	L	Succulent.
<i>Senecio talinoides</i> ssp. <i>cylindricus</i>	Chalksticks		Y	L	
<i>Sisyrinchium bellum</i>	Blue-eyed grass	x	Y	VL	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

PERENNIALS, SUCCULENTS, FERNS, AND HERBACEOUS PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Sphaeralcea</i> spp.	Globe mallow		Y	L	
<i>Sprekelia formosissima</i> (<i>Amaryllis formosissima</i>)	Aztec lily		Y	L	
<i>Stachys byzantina</i>	Lamb's ear		Y	L	
<i>Strelitzia juncea</i> (<i>S. reginae</i> var. <i>juncea</i>)	Narrow-leafed bird of paradise		Y	M	Needs protection of overhang in Zone 17.
<i>Strelitzia reginae</i>	Bird of paradise		Y	M	Needs protection of overhang in Zone 17.
<i>Symphoricarpos mollis</i>	Creeping snowberry	x	Y	L	
<i>Symphyotrichum chilense</i> - see <i>Aster chilensis</i>			-	-	
<i>Tagetes lemmonii</i>	Mountain marigold, Mexican marigold		Y	L	
<i>Thymus coccineus</i>	Thyme		Y	L	
<i>Thymus praecox</i>	Mother-of-thyme		Y	L	
<i>Thymus vulgaris</i>	English thyme		Y	L	
<i>Trachelospermum asiaticum</i>	Asiatic jasmine		Y	M	Shrub or vine.
<i>Trachelospermum jasminoides</i>	Star jasmine, confederate jasmine		Y	M	Shrub or vine.
<i>Tulbaghia simmleri</i>	Sweet wild garlic		Y	M	
<i>Tulbaghia violacea</i>	Society garlic		Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

PERENNIALS, SUCCULENTS, FERNS, AND HERBACEOUS PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Verbena lilacina 'De La Mina' (Glandularia lilacina)	De La Mina lilac verbena	x	Y	L	
Verbena rigida	Vervain		Y	L	
Veronica spp.	Speedwell		Y	M	
Vinca minor	Dwarf running myrtle		Y	M	
Woodwardia fimbriata	Giant chain fern		Y	M	Fern.
Zauschneria californica - see Epilobium canum			-	-	

WUCOLS SYMBOLS

H High
M Moderate
L Low
VL Very low
? Unknown on WUCOLS list
N/A Not on WUCOLS list

WUCOLS - Water Use Classification Of Landscape Species

Plants can be added on a project by project basis based on consultant recommendations and OUSD approval.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

VINES

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Calystegia macrostegia</i> ssp. <i>macrostegia</i>	California morning glory	x	Y	L	Rampant. Do not plant if continual pruning would be required to keep it in bounds.
<i>Clematis lasiantha</i>	Pipestem clematis	x	Y	L	Lacks information can't make any recommendation.
<i>Clematis ligusticifolia</i>	Western virgin's bower, western white clematis	x	Y	M	Growing rampant. Do not plant if continual pruning would be required to keep it in bounds has been classified by some gardeners as a weed plant.
<i>Clytostoma callistegioides</i>	Violet trumpet vine		Y	M	Rampant. Do not plant if continual pruning would be required to keep it in bounds. Will add numerous labor units for staff to maintain.
<i>Distictis buccinatoria</i>	Blood-red trumpet vine		Y	M	Rampant. Do not plant if continual pruning would be required to keep it in bounds. Will add numerous labor units for staff to maintain.
<i>Ficus pumila</i> (F. <i>repens</i>)	Creeping fig		Y	M	Rampant. Do not plant if continual pruning would be required to keep it in bounds.
<i>Hardenbergia violacea</i>	Lilac vine		Y	M	Rampant. Do not plant if continual pruning would be required to keep it in bounds. Suggest planting in a container
<i>Hibbertia scandens</i>	Guinea gold vine		Y	M	Rampant. Do not plant if continual pruning would be required to keep it in bounds. Again Gardening Department suggest planting in a container

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

VINES

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Jasminum angulare</i>	South African jasmine		Y	?	Slow growing suggest planting is suggested. Gardening Department suggest planting this plant.
<i>Jasminum humile</i>	Italian jasmine		Y	L	Moderate growing suggest planting is suggested. Gardening Department suggest planting this plant.
<i>Lonicera hildebrandiana</i>	Giant Burmese honeysuckle		Y	M	Moderate growing suggest planting is suggested. Gardening Department suggest planting this plant.
<i>Mandevilla laxa</i>	Chilean jasmine		Y	M	Moderate growing suggest planting is suggested. Gardening Department suggest planting this plant in a pot with a trellis to manage the growth..
<i>Pandorea jasminoides</i>	Bower vine		Y	M	Rampant. Do not plant if continual pruning would be required to keep it in bounds.
<i>Passiflora foetida</i> v. <i>longipedunculata</i>	Baja passion vine		Y	M	Rampant. Do not plant if continual pruning would be required to keep it in bounds.
<i>Polygonum aubertii</i> (<i>Fallopia baldschuanica</i>)	Silver lace vine		Y	L	Growing rampantly. Do not plant if continual pruning would be required to keep it in bounds.
<i>Rosa banksiae</i>	Lady Banks' rose		Y	L	Growing rampantly. Do not plant if continual pruning can't be maintained. The only good characteristic of this vine is the thornes are not sharp.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

VINES

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Rosa x 'Cecile Brunner'	Sweetheart rose		Y	L	Another rampantly climbing rose. Do not plant if continual pruning would be required to keep it in bounds one redeeming quality factor is that it practically is thornless .
Rubus ursinus 'Wild Treasure'	Thornless blackberry	x	Y	L	Suggest do not plant although it is classified as thornless there are thorns on base children can get pricked.
Solandra maxima	Cup-of-gold vine		Y	M	Another rampantly climbing rose. Questionable to plant must have a strong and sturdy structure in order to support this vine HUGE. Do not plant if continual pruning would be required to keep it in check.
Trachelospermum jasminoides	Star jasmine, confederate jasmine		Y	M	Shrub or vine, slowing at first, fragrance is a factor for many.If allowed to grow on a fence it will cover and require frequent trimming to keep it in check.
Vitis californica	California grape	x	Y	L	Suggest not plant for many reasons. This wild grape not only will attract rodents but will also attract caterpillars which can be a problem.
Vitis girdiana	Desert wild grape, southern California grape, valley grape	x	Y	L	Suggest do not plant due to thornes as well as the potenial for an increase in the rodent population if the grapes aren't harvested.
Vitis x 'Roger's Red'	Roger's Red California grape	x	Y	L	Growing rampantly. Do not plant if continual pruning can't be maintained it wants to climb if not supplied a means to climb it will form a mound on the ground thus rodents will become prolific.
Wisteria floribunda	Japanese wisteria		Y	M	Rampantly speading vine that requires pruning at least twice a year. Do not plant if continual pruning would be possible to keep it in bounds also you have to consider if eaten by children it can be extremly harmful..

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

VINES

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Wisteria sinensis	Chinese wisteria		Y	M	Rampantly spreading vine that requires pruning at least twice a year. Do not plant if continual pruning would be possible to keep it in bounds it is very invasive making its way into cracks or any small opening also you have to consider if eaten by children it can be extremely harmful..

WUCOLS SYMBOLS

- H High
- M Moderate
- L Low
- VL Very low
- ? Unknown on WUCOLS list
- N/A Not on WUCOLS list

WUCOLS - Water Use Classification Of Landscape Species

Plants can be added on a project by project basis based on consultant recommendations and OUSD approval.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

GRASSES AND GRASSLIKE PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Aristida purpurea</i>	Purple three-awn	x	Y	L	
<i>Calamagrostis x acutiflora</i> 'Karl Foerster'	Feather reed grass		Y	M	
<i>Calamagrostis foliosa</i>	Mendocino reed grass	x	Y	L	
<i>Calamagrostis nutkaensis</i>	Pacific reed grass	x	Y	M	
<i>Carex globosa</i>	Globe sedge	x	Y	N/A	
<i>Carex morrowii</i>	Japanese sedge		Y	M	
<i>Carex pansa</i>	California meadow sedge	x	Y	M	
<i>Carex praegracilis</i>	Field sedge	x	Y	M	
<i>Carex spissa</i>	San Diego sedge	x	Y	M	
<i>Carex subfusca</i>	Rusty sedge	x	Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

GRASSES AND GRASSLIKE PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Carex tumulicola</i>	Foothill sedge	x	Y	L	Do not use plants called "Berkeley sedge" (<i>Carex divulsa</i> , often sold as <i>C. tumulicola</i>).
<i>Chondropetalum tectorum</i>	Reed grass		Y	L	
<i>Deschampsia caespitosa</i> (D. <i>caespitosa</i>)	Tufted hairgrass	x	Y	L	
<i>Elymus</i> spp. - see <i>Leymus</i> spp.			-		
<i>Festuca californica</i> cvs. (e.g. 'River House Blues')	California fescue	x	Y	L	
<i>Festuca glauca</i>	Blue fescue		Y	L	
<i>Festuca idahoensis</i>	Idaho fescue	x	Y	VL	
<i>Festuca mairei</i>	Atlas fescue		Y	L	
<i>Festuca rubra</i>	Red fescue		Y	L	
<i>Juncus patens</i>	California grey rush	x	Y	L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

GRASSES AND GRASSLIKE PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Leymus (Elymus) condensatus 'Canyon Prince'	Canyon Prince giant wild rye	x	Y	L	
Leymus (Elymus) triticoides 'Gray Dawn'	Gray Dawn creeping wild rye	x	Y	L	
Liriope spp.	Lily turf		Y	M	
Lomandra spp.	Mat rush		Y	? - L	
Muhlenbergia capillaris	Gulf muhlygrass		Y	L	
Muhlenbergia dubia	Pine muhly		Y	L	
Muhlenbergia dumosa	Bamboo muhly		Y	L	
Muhlenbergia lindheimeri	Lindheimer's muhly		Y	L	
Muhlenbergia rigens	Deer grass	x	Y	L	
Nassella (Stipa) cernua	Nodding needlegrass	x	Y	VL	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

GRASSES AND GRASSLIKE PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
<i>Nassella (Stipa) lepida</i>	Foothill needlegrass	x	Y	VL	
<i>Nassella (Stipa) pulchra</i>	Purple needlegrass	x	Y	VL	
<i>Ophiopogon jaburan</i>	White lilyturf		Y	M	
<i>Ophiopogon japonicus</i>	Mondo grass		Y	M	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

GRASSES AND GRASSLIKE PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Ophiopogon planiscapus 'Nigriscens'	Black mondo grass		Y	M	
Panicum virgatum	Switch grass		Y	M	
Sesleria caerulea	Blue moor grass		Y	M	
Sporobolus airoides	Alkali sacaton	x	Y	L	
Stipa (Celtica) gigantea	Giant feather grass		Y	N/A	
Stipa spp. - see also Nassella spp.			-		

WUCOLS SYMBOLS

- H High
- M Moderate
- L Low
- VL Very low
- ? Unknown on WUCOLS list
- N/A Not on WUCOLS list

WUCOLS - Water Use Classification Of Landscape Species

Plants can be added on a project by project basis based on consultant recommendations and OUSD approval.

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

TURFGRASS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
BALLFIELDS					
see Notes			-	-	Consult a Bay Area turf specialist before specifying. Use real grass. Artificial turf is not a sustainable material.
GENERAL USE					
see Notes			-	-	Consult a Bay Area turf specialist before specifying. Use turf only where the space requires it. Consider alternative groundcovers in other locations.

WUCOLS SYMBOLS

- H High
- M Moderate
- L Low
- VL Very low
- ? Unknown on WUCOLS list
- N/A Not on WUCOLS list

WUCOLS - Water Use Classification Of Landscape Species

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

BIOSWALE PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
----------------	-------------	-----------	---------	-------------	-------

Trees

Acacia stenophylla	Shoestring acacia		Y	VL	Tolerates seasonal flooding. Mature trees create heavy litter. Light shade.
Acer macrophyllum	Bigleaf maple	x	Y	M	
Alnus rhombifolia	White alder	x	Y	H	Highly allergenic. Use sparingly.
Betula nigra (including cv. 'Heritage')	River birch		Y	H	
Eucalyptus robusta	Swamp mahogany		Y	L	
Salix exigua	Narrow-leaf willow, sandbar willow	x	Y	H	
Salix gooddingii	Black willow	x	Y	H	
Salix laevigata	Red willow	x	Y	H	
Salix lasiolepis	Arroyo willow	x	Y	H	
Salix lucida	Spring willow	x	Y	H	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

BIOSWALE PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
----------------	-------------	-----------	---------	-------------	-------

Shrubs

<i>Artemisia douglasiana</i>	Mugwort, California mugwort	x	Y	L	Spreads by rhizomes.
<i>Baccharis douglasii</i> (B. glutinosa)	Marsh baccharis	x	Y	N/A	
<i>Baccharis salicifolia</i> (B. glutinosa, B. viminea)	Mulefat	x	Y	L	
<i>Cornus stolonifera</i> (C. sericea)	Red-twig dogwood, red osier dogwood	x	Y	H	

Perennials

<i>Achillea millefolium</i>	Common yarrow	x	Y	L	
<i>Epipactis gigantea</i>	Stream orchid	x	Y	M	Goes dormant in dry season.
<i>Iris douglasiana</i>	Douglas iris	x	Y	L	
<i>Potentilla egedii</i> (Argentina egedii)	Marsh cinquefoil	x	Y	N/A	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

BIOSWALE PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Sisyrinchium bellum	Blue-eyed grass	x	Y	VL	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

BIOSWALE PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
----------------	-------------	-----------	---------	-------------	-------

Grasses and Grasslike Plants

Carex globosa	Globe sedge	x	Y	N/A	
Carex pansa	California meadow sedge	x	Y	M	
Carex praegracilis	Field sedge	x	Y	M	
Carex spissa	San Diego sedge	x	Y	M	
Carex subfusca	Rusty sedge	x	Y	L	
Carex tumulicola	Foothill sedge	x	Y	L	Do not use plants called "Berkeley sedge" (Carex divulsa, often sold as C. tumulicola).
Chondropetalum tectorum	Reed grass			L	
Juncus patens	California grey rush	x	Y	L	
Leymus (Elymus) condensatus 'Canyon Prince'	Canyon Prince wild rye	x	Y	L	
Lomandra longifolia	Mat rush			L	

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

BIOSWALE PLANTS

Botanical Name	Common Name	CA Native	Zone 17	WUCOLS 2014	Notes
Muhlenbergia capillaris	Gulf muhlygrass	x	Y	L	
Muhlenbergia rigens	Deer grass	x	Y	L	

WUCOLS SYMBOLS

- H High
- M Moderate
- L Low
- VL Very low
- ? Unknown on WUCOLS list
- N/A Not on WUCOLS list

WUCOLS - Water Use Classification Of Landscape Species

OUSD DRAFT PLANT LIST

REVIEWED AND ADJUSTED BY BAY TREE DESIGN AND SIERRA CLUB

FRUITS

This list intentionally excludes plants grown mainly for edible fruit.

Garden coordinators at individual schools should select varieties suitable for the school's soil and microclimate.

Garden coordinators at individual schools shall be responsible for the maintenance of plants chosen.

WUCOLS SYMBOLS

H High

M Moderate

L Low

VL Very low

? Unknown on WUCOLS list

N/A Not on WUCOLS list

Plants can be added on a project by project basis based on consultant recommendations and OUSD approval.