



HEALTH INFORMATION HANDBOOK

Parent / Student Handbook of School Health Information Acknowledgment Form

My child and I have received a copy of the **Parent** / **Student Handbook of School Health Information** for 2023-2024. I understand that the handbook contains information that my child and I may need during the school year.

rinted name of Student:
rint name of Parent:
ignature of Parent:
Emergency telephone number:
Date:
chool:
Grade Level:

Please sign this page and complete the requested information. Remove the page from the handbook and return it to your child's school within 10 school days of enrollment. Thank you.

Parent/Student Handbook of **School Health Information Acknowledgement Form**

My child and I have been offered the option to receive a paper copy or to electronically access at www.tcisd.org the Texas City ISD Parent/Student Handbook of School Health Information for

2023-2024. I have chosen to:	
 □ Accept responsibility to pick up a paper copy of the TCISD Parent/Student Handbook of School Health Information from the school office. □ Accept responsibility for accessing the Student Handbook by visiting the Web address listed above. I understand that the handbook contains information that my child and I may need during the school year Printed name of student: 	
Printed name of parent:	
Signature of parent:	
Emergency Phone Number:	
School:	
Grade Level:	
Date:	
Please sign and date this page and return it to your campus	

office staff with in the first week of the 2023-2024 school year.

Table of Contents

SECTION I

Directory of School Clinics	5
SECTION II	
Immunizations	7
Minimum State Vaccine Requirements for School Enrollment/Attendance	_
TB Questionnaire	11
SECTION III	
Student Illnesses	<u>12</u>
Contagious Diseases	
Treating Head Lice	14
SECTION IV	
Medication at School	18
In-School Administration of Medication Form	19
Administration of Medication on Overnight Field Trips	20
SECTION V	
Student Self Administration of Metered Dose Inhaler Guidelines	21
Authorization for Administration of Prescribed Inhaled Medication Form	22
SECTION VI	
Diabetes Management and Treatment Plan	25
Guidelines for Student Self-Management of Diabetes at School	26
Physician's Authorization of Student Self-Management of Diabetes	27

Diabetes Medical Treatment Plan	27
Unlicensed Diabetes Care Assistant Authorization Form	35
Diabetic Health Care Plan	37
Off-Campus Activity Sheet	39
SECTION VII	
Food Allergy Information Form	41
Request for Additional Information	42
Meal Substitutions and Modifications	43
Allergy Health Care Plan	44
Physician's Authorization of Administration of Medicine	46
Anaphylaxis Incident Report	51
SECTION VIII	
Medical Excuses for Physical Education/Recess	52
SECTION IX	
Relevant TCISD Board Policies	52

Directory of School Clinics

Calvin Vincent Pre-Kindergarten/Headstart

Mario Garcia 409-916-0512 ext. 2354 msgarcia@tcisd.org

Guajardo Elementary

Shelley Cox 409-916-0300 ext. 1305 scox@tcisd.org

Hayley Elementary

Laura Prino 409-935-3020 ext. 5205 | Iprino@tcisd.org

Heights Elementary

Melissa Peck 409-916-0500 ext. 1507 mpeck@tcisd.org

Kohfeldt Elementary

Melissa Guevara 409-916-0400 ext. 1448 mguevara@tcisd.org

Roosevelt-Wilson Elementary

Spring Bucior 409-916-0200 ext. 1205 sbucior@tcisd.org

Simms Elementary

Stacy Smith 409-908-5100 ext. 5117 snsmith@tcisd.org

Levi-Fry Intermediate

Stephanie Martin 409-916-0600 ext. 1663 stmartin@tcisd.org

Blocker Middle School

Melissa McCoy 409-916-0700 ext. 1713 mmcoy@tcisd.org

Giles Middle School

Debra Mack 409-938-4286 ext. 5393 dmack@tcisd.org

La Marque High School

Gia Robinson 409-938-4261 ext. 5509 grobinson@tcisd.org

Texas City High School

Michelle Hingle 409-916-0800 ext. 1840 mhingle@tcisd.org

This page left intentionally blank.

SECTION II

Immunizations

A student must be fully immunized against certain diseases or must present a certificate or statement that, for medical reasons or reasons of conscience, including a religious belief, the student will not be immunized.

For exemptions based on reasons of conscience, only official forms issued by the Department of State Health Services, Immunization Division, can be honored by the District.

The immunizations required are: diphtheria, rubeola (measles), rubella, mumps, tetanus, haemophilus influenzae type B, meningococcal, poliomyelitis, hepatitis A, hepatitis B, and varicella (chicken pox).

The school nurse can provide information on age-appropriate doses or on an acceptable physicianvalidated history of illness required by the Department of State Health Services. Proof of immunization may be personal records from a licensed physician or public health clinic with a signature or rubberstamp validation.

If a student should not be immunized for medical reasons, the student or parent must present a certificate signed by a U.S. licensed physician stating that, in the doctor's opinion, the immunization required poses a significant risk to the health and well-being of the student or any member of the student's family or household. This certificate must be renewed yearly unless the physician specifies a life-long condition.

[For further information, see policy FFAB and the Department of State Health Services Web site: http://www.dshs.texas.gov/immunize/school/default.shtm]

2023 - 2024 Texas Minimum State Vaccine Requirements for Students Grades K - 12

This chart summarizes the vaccine requirements incorporated in the Texas Administrative Code (TAC), Title 25 Health Services, §§97.61-97.72. This document is not intended as a substitute for the TAC, which has other provisions and details. The Department of State Health Services (DSHS) is granted authority to set immunization requirements by the Texas Education Code, Chapter 38.

IMMUNIZATION REQUIREMENTS

A student shall show acceptable evidence of vaccination prior to entry, attendance, or transfer to a public or private elementary or secondary school in Texas.

Vaccine Required	Minimum Number	of Doses Requi	red	by G	rad	e Leve	el			
(Attention to notes	Grades K - 6 th	Grade 7 th	Grades 8 th - 12 th		Grades 8 th - 12 th		Grade 7 th Grades 8 th - 12 th		h	Notes
and footnotes)	K 1 2 3 4 5 6	7	8	9	10	11	12			
Diphtheria/Tetanus/Pertussis								For K – 6 th grade: 5 doses of diphtheria-tetanus-pertussis vaccine; 1 dose must		
(DTaP/DTP/DT/Td/Tdap)								have been received on or after the 4th birthday. However, 4 doses meet the		
		3 dose primary		3 dos	se pi	rimary	7	requirement if the 4 th dose was received on or after the 4 th birthday. For students		
		series and 1		seri	ies a	ınd 1		aged 7 years and older, 3 doses meet the requirement if 1 dose was received on or		
	5 doses or 4 doses	booster dose		boos	ster c	dose of	f	after the 4 th birthday. ¹		
	3 40363 01 4 40363	of Tdap / Td		To	dap /	/ Td		For 7 th grade: 1 dose of Tdap is required if at least 5 years have passed since the		
		within the		with	ıin tl	he last		last dose of tetanus-containing vaccine.*		
		last 5 years		1	0 ye	ars		For 8 th – 12 th grade: 1 dose of Tdap is required when 10 years have passed since		
								the last dose of tetanus-containing vaccine.*		
						*Td is acceptable in place of Tdap if a medical contraindication to pertussis exists.				
								For K - 12 th grade: 4 doses of polio; 1 dose must be received on or after the		
Polio	4	doses or 3 doses	birthday. However, 3 doses meet the requirement if the 3 rd dose w		birthday. However, 3 doses meet the requirement if the 3 rd dose was received					
								on or after the 4 th birthday. ¹		
Measles, Mumps, and Rubella ²								For K – 12 th grade: 2 doses are required, with the 1 st dose received on or after		
(MMR)		2 doses				the 1st birthday. Students vaccinated prior to 2009 with 2 doses of measles and				
,				1 dose each of rubella and mumps satisfy this requirement.						
Hepatitis B ²								For students aged 11 – 15 years, 2 doses meet the requirement if adult hepatitis B		
1		3 doses				vaccine (Reco		vaccine (Recombivax*) was received. Dosage (10 mcg /1.0 mL) and type of		
		3 doses	3 doses			vaccine (Recombivax*) must be clearly documented. If Recombivax* was not the				
								vaccine received, a 3-dose series is required.		
Varicella ^{2,3}	2 doses			For K – 12 th grade: 2 doses are required, with the 1 st dose received on or after						
		2 40363						the 1st birthday.1		
Meningococcal (MCV4)								For 7 th – 12 th grade, 1 dose of quadrivalent meningococcal conjugate vaccine is		
			1 do	se				required on or after the student's 11th birthday.		
			1 dose			NOTE: If a student received the vaccine at 10 years of age, this will satisfy the				
								requirement.		
Hepatitis A ²		2 doses						For K – 12th grade: 2 doses are required, with the 1 st dose received on or after		
	2 doses			the 1st birthday.1						

NOTE: Shaded area indicates that the vaccine is not required for the respective grade.

Exemptions

The law allows (a) physicians to write a statement stating that the vaccine(s) required would be medically harmful or injurious to the health and well-being of the child, and (b) parents/guardians to choose an exemption from immunizations requirements for reasons of conscience, including a religious belief. The law does not allow parents/guardians to elect an exemption simply because of inconvenience (a record is lost or incomplete and it is too much trouble to go to a physician or clinic to correct the problem).

For children needing medical exemptions, a written statement by the physician should be submitted to the school.

Instructions for the affidavit to be signed by parents/guardians choosing the exemption for reasons of conscience, including a religious belief can be found at www.ImmunizeTexas.com.

Schools should maintain an up-to-date list of students with exemptions, so they can be excluded from attending school if an outbreak occurs.

Provisional Enrollment

All immunizations should be completed by the first date of attendance. The law requires that students be fully vaccinated against the specified diseases. A student may be enrolled provisionally if the student has an immunization record that indicates the student has received at least one dose of each specified age-appropriate vaccine required by this rule. To remain enrolled, the student must complete the required subsequent doses in each vaccine series on schedule and as rapidly as is medically feasible and provide acceptable evidence of vaccination to the school. A school nurse or school administrator shall review the immunization status of a provisionally enrolled student every 30 days to ensure continued compliance in completing the required doses of vaccination. If, at the end of the 30-day period, a student has not received a subsequent dose of vaccine, the student is not in compliance and the school shall exclude the student from school attendance until the required dose is administered.

Additional guidelines for provisional enrollment of students transferring from one Texas public or private school to another, students who are dependents of active duty military, and students who are homeless can be found in the TAC, Title 25 Health Services, Sections 97.66 and 97.69.

Documentation

Since many types of personal immunization records are in use, any document will be acceptable provided a physician or public health personnel have validated it. The month, day, and year that the vaccination was received must be recorded on all school immunization records created or updated after September 1, 1991.

For additional information or clarification, please contact the Texas Department of State Health Services, Immunization Branch at (800) 252-9152, visit the website at www.ImmunizeTexas.com, or contact your child's school nurse.

TB Questionnaire

Name of Child	Date of Birth		_	
Organization administering questionnaire	Date			_
Tuberculosis (TB) is a disease caused by TB germs and is u active TB lung disease. It is spread to another person by co These germs may be breathed in by the child.				
Adults who have active TB disease usually have many of the two weeks duration, loss of appetite, weight loss of ten or m fever, chills and night sweats. A person can have TB germs disease (this is called latent TB infection or LTBI).	ore pounds over a short peri	od of tir	ne,	n
Tuberculosis is preventable and treatable. TB skin testing (or to see if your child has been infected with TB germs. No va States to prevent tuberculosis. The skin test is not a vaccina	ccine is recommended for u			
We need your help to find out if your child has been exposed	d to tuberculosis.			
Place a mark in the appropriate box:		Yes	No	Not Su
TB can cause fever of long duration, unexplained weight loss, a bad correction or coughing up blood. As far as you know: Has your child been around anyone with any of these symptoms or problems? or Has your child had any of these symptoms or problems? or Has your child been around anyone sick with TB?				
Was your child born in Mexico or any other country in Latin America,	the Caribbean, Africa, Eastern			
Europe or Asia? Has your child traveled in the past year to Mexico or any other country Caribbean, Africa, Eastern Europe or Asia for longer than 3 weeks? If so, specify which country/countries				
To your knowledge, has your child spent time (longer than 3 weeks) wi avenous (IV) drug user, HIV-infected, in jail or prison or recently came ther country?				
Has your child been tested for TB? Yes (if yes, spec	cify date) No			
Has your child ever had a positive TB skin test? Yes	(if yes, specify date	N	0_	
or school/healthcare provi	der use only			
**************************************	**************************************		*****	**
Type of service provider (i.e. school, Health Steps, other clin	nics)			
PPD providerSignature			_	
Signature Provider phone number	Printed Name			
Provider phone numberCounty				
If positive, referral to healthcare provider Yes No If yes, name of provider No				

SECTION III

Student Illnesses

Texas City school nurses are proud to be a part of your child's education. Success in school is directly related to the good health and emotional well-being of each student. *Responsibility for the care of children lies primarily with parents*. The nurses in TCISD are here to assist and support parent's efforts to maintain good health in their children. **School nurses do not diagnose**. School nurses assess and make recommendations based on that assessment. For the protection of all students, the following health rules have been set up and will be followed at all times. A child cannot remain in school with:

- 1) Fever of 100 degrees or over a student must be FREE FROM FEVER WITHOUT MEDICATION for 24 48 hours before returning to school,
- 2) Rash or weeping sores,
- 3) Vomiting student should be free from vomiting for 24 hours before returning to school
- 4) Diarrhea Students with diarrhea illnesses must stay home until they are diarrhea free without diarrhea suppressing medications for at least 24 hours. Soiled clothing will be sent home with the student,
- 5) Red, discharging eyes, or at the discretion of the school nurse,

question about diagnosis or treatment, a medical doctor should be consulted.

- 6) Students complaining of headache/stomachache/menstrual cramps with no fever or other symptoms are not required to be excluded from school. The parent/ guardian will be contacted and they can decide whether to pick up the student. If they do, it will be a Parent Requested Early Dismissal.
- 7) Please do not send ill or injured students to school to be diagnosed by school personnel.
 * A student may be sent home at the nurse's discretion in accordance with the guidelines from the CDC and the Texas Department of State Health Services.

A student having any of the above symptoms BEFORE SCHOOL SHOULD STAY AT HOME for observation and care. There are limited facilities for putting students to bed. This option will be used only until arrangements can be made for the student to go home. A student will not be sent home to be left alone without special arrangements and written permission from the parent. Students who have been absent from school because of a communicable disease or illness diagnosed as strep throat, scarlet fever, or skin disease (Staph/MRSA skin infection, ringworm, impetigo) or pink eye are required to bring a doctor's statement authorizing return to school. Due to an illness or injury, any student who misses three consecutive days of school must return with a note from the Doctor

authorizing the return to school. The school nurse is not in a position to diagnose or treat illnesses. For

The wheelchair in the nurse's clinic is ONLY for emergencies. If a student needs a wheelchair or crutches during school hours, he/she must provide their own, as well as medical documentation from a physician that the use of the equipment is medically necessary on campus during the school day.

Emergency First Aid Care

Any treatment given at school is limited to first aid. When a pupil becomes ill or is injured at school, parents are notified. If they cannot be reached and the situation requires medical attention beyond our resources, it may be necessary to send the student to the hospital emergency service for needed care until the parents can be reached. Parents are responsible for emergency care costs.

Parents should supply the school nurse with information concerning current special health problems that are under the care of a physician. The nurse cannot give any medications while waiting for you to pick up your child.

Contagious Diseases

The following table lists the most common contagious diseases and infestations, the incubation period of each, and the requirements for re-admission to school. For COVID-19 information please refer to the Reopening TCISD Safely Plan at http://www.tcisd.org/reopening.

Common Contagious Diseases	Incubation Period	Requirements for Re-admission to School
Chicken Pox	2-3 weeks	Exclude for 7 days after eruption and until lesions are dry. Temperature must be normal.
Impetigo	N/A	Exclude from school until healed or until noninfectious according to a physician's written statement.
Infectious Hepatitis	15-50 days Notify school as soon as physician confirms diagnosis	Exclude until no fever and no jaundice, or until noninfectious according to a physician's written statement.
Measles	10 days to fever or 14 days to rash	Exclude when symptoms first develop and for five days after the appearance of rash.
Mumps	12-26 days	Exclude until all swelling subsides.
Pink Eye	24-72 hours	Exclude until 24 hours after prescribed treatment has begun - or a physician's written statement
Ringworm of the Body	4-10 days	May attend school provided child is receiving treatment at home and affected areas must be covered at all times.
Ringworm of the Scalp	10-21 days	Exclude until after treatment has begun. Child must be under treatment of a physician. May return with physician's written statement.
Streptococcal Infection	1-3 days	Exclude and may return 24 hours after effective antibiotic treatment has begun and no fever.
Head Lice	N/A	Exclude until visual inspection shows that no nits (egg cases) are within a ¼ inch of the scalp and no live lice are found.
Scabies	N/A	Exclude until physician's written statement certifies that the child has been properly treated and cleared to return to school.
Fever	N/A	Children must be excluded from school if they have a temperature >100.0 degrees Fahrenheit. Child must be free of fever without medication for 24-48 hours before they can return to school.
Influenza	N/A	Exclude and may return after there is no fever.
COVID	3-7 days	Exclude for 5 days from date of test. Student must be fever free and must wear a mask for the remainder of 10 days.

Head Lice/Treatment

TCISD Protocol for Lice (Pediculosis):

Texas City ISD School Nurses do not routinely screen for head lice. If there is a suspected case, the nurse will perform a head check on the student and follow up with a phone call to the parent or guardian if live lice are found.

We encourage you to check your child often, especially during cold weather. Remind your child not to share hats or grooming items with other students.

Texas City ISD follows Texas Department of State Health Services guidelines when dealing with lice. For more information, contact your student's school clinic.

Texas City ISD Policy:

- According to Texas City ISD policy, students must be sent home from school if live lice are found in their hair.
- Students will not be sent home if only nits are found.
- Texas City ISD policy also states students may return to school after one medicated shampoo or lotion treatment has been given.
- When returning to school a head check by the nurse is required by the school district.

Treatment:

- Treatment must be with a lice shampoo or cream rinse approved by the FDA.
- Combing and picking out of nits is necessary to remove the nits.
- A second treatment of lice shampoo or cream rinse 7-10 days after the first treatment is needed to kill remaining or newly hatched lice.

Management:

- If treated and cleared by the campus nurse, students may return to school the same day they were sent home.
- Mass screenings are not recommended or required.
- Families of students in the classroom will not be notified if only one case is found.
- If multiple cases are found, then the classroom parents will be notified.
- If multiple cases are found in one classroom, the school custodian will be notified so a thorough cleaning can be done.

This page left intentionally blank.

Use of Repellant and Sunscreen at School

TEXAS CITY ISD PROCEDURES FOR INSECT REPELLANT USE DURING SCHOOL HOURS

- Concerned parents are strongly encouraged to use a repellant on their child before they leave for school, especially younger children who may have difficulty applying the repellant safely.
- No repellant sprays or lotions will be provided by or applied by school personnel during the school day.
- Parents who are concerned about mosquito exposure during the school day may send a lotion, wipe-on or wristband type of repellant for use by their child. (Sprays pose the risk of accidental exposure and will not be allowed.)
- Parents should instruct their child in the proper use and application of an acceptable repellant (wipes or lotion), since it will be retained in the child's possession (backpack, etc.) for use when going outside for activities or practices.
- Students with physical limitations that make it impossible to self-apply a repellant will need to bring a parent note from home along with the repellant.

SAFE USE OF INSECT REPELLANTS

- Always follow the label recommendations.
- Apply to exposed skin and clothing. Do not apply under clothing or over cuts, wounds, or irritated skin.
- Look for repellants that have DEET (N, N-diethyl-m-toluamide) for the best protection against mosquitoes.
- After returning indoors, wash treated skin with soap and water.
- Apply to face by putting repellant on hands and rubbing it carefully over the face.

USE OF SUNSCREEN PRODUCTS AT SCHOOL – SENATE BILL 265

- A student may possess and use a topical sunscreen product while on school property and at a school related event or activity to avoid overexposure to the sun.
- No aerosol products are permitted and the product must be approved by the FDA (Federal Drug Administration) for over the counter use.
- If it is necessary for the campus nurse or a campus employee to assist a student due to special needs, written permission from the parent will be required.

Medication at School

District employees will not give a student prescription medication, nonprescription medication, herbal substances, anabolic steroids, or dietary supplements, with the following exceptions:

Only authorized employees, in accordance with policies at FFAC, may administer:

- Prescription medication, in the original, properly labeled container, provided by the parent, along with a District form that has been signed by the student's physician and parent.
- Prescription medication from a properly labeled unit dosage container filled by a registered nurse or another qualified District employee from the original, properly labeled container (i.e. field trips).
- Nonprescription medication, in the original, properly labeled container, provided by the parent, along with a parent's written request and signature and with a physician's written approval.
- Herbal or dietary supplements provided by the parent only if required by the student's individualized education program (IEP) or Section 504 plan for a student with disabilities.

In certain emergency situations, the District will maintain and administer to a student nonprescription medication, but only in accordance with:

- Protocols established by the District's medical advisor who must be licensed to practice medicine in the state of Texas; and
- When the parent has previously provided written consent to emergency treatment on the back of the District's emergency contact cards supplied to parents by the District.
- A student with asthma or severe allergic reaction (anaphylaxis) may be permitted to possess and use prescribed asthma or anaphylaxis medication at school or school-related events only if he or she has written authorization from his or her parent and a physician or other licensed health-care provider. The student must also demonstrate to his or her physician or health-care provider and to the school nurse the ability to use the prescribed medication, including any device required to administer the medication. If the student has been prescribed asthma or anaphylaxis medication for use during the school day, the student and parents should discuss this with the school nurse or principal.

In accordance with a student's individual health plan for management of diabetes, a student with diabetes will be permitted to possess and use monitoring and treatment supplies and equipment while at school or at a school-related activity. See the school nurse or principal for information. [See policy FFAF (LEGAL).]



In-School Administration of Medication

Parent Request and Doctor Orders

Per Texas City Independent School District policy, school nurses are not permitted to give medication of any kind, prescription and non-prescription, unless a physician requests in writing that there is a need for such medication.

Date	_
Name of Student	Date of Birth
Name of Medication	
Route:	Dosage:
How often or at what time:	
Start Date:	Stop Date:
(All authorizations	expire at the end of the school year.)
	Physician Signature
	Physician's Phone Number
The doctor's statement must be accordingly.	ompanied by written permission of at least one parent.
• I agree to be responsible for maintain school to meet your child's needs.	ning an adequate supply of prescription medication at the
• I give permission for the medication delegated by the school nurse.	(s) to be given to my child by designated personnel as
	Work Phone:
Parent/Guardian Signature	
II N	C II DI



Texas City Independent School District 1700 Ninth Avenue North, Texas City, Texas 77590

PHYSICIAN'S MEDICATION AUTHORIZATION T.C.I.S.D. AUTHORIZATION FOR MEDICATION TO BE TAKEN ON OVERNIGHT FIELD TRIPS

I REQUEST THAT MY CHILD BE ASSISTED IN TAKING THE MEDICATION DESCRIBED BELOW OR THAT HE/SHE SELF-ADMINISTER THE MEDICATION AUTHORIZED BY MYSELF AND MY PHYSICIAN. THE MEDICATION IS TO BE SUPPLIED BY THE PARENT AS NEEDED.

STUDENT	ID#	#	TEACHER	
DATE OF BIRTH	DIAGNOSIS			
MEDICATION			DOSE	
ROUTE	TIME			
*MEDICATION IS TAKEN A	T HOME AS FOLLOWS: DO)SE	TIME	
SIDE EFFECTS		SPE	CIAL INSTRUCTIONS	
MEDICATION			DOSE	
ROUTE	TIME			
*MEDICATION IS TAKEN A	T HOME AS FOLLOWS: DO)SE	TIME	
SIDE EFFECTS		SPE	CIAL INSTRUCTIONS	
PHYSICIAN SIGNATURE AND		PRIN	ITED NAME	
PHYSICIAN'S PHONE NUMBE	R	PHYS	SICIAN'S FAX NUMBER	
PARENT/GUARDIAN SIGNATI	JRE AND DATE	PARI	ENT/GUARDIAN PRINTED NAME	

SECTION V

Student Self Administration of Metered Dose Inhaler Guidelines

In accordance with policy FFAC (LEGAL), a student with asthma or severe allergic reaction (anaphylaxis) may be permitted to possess and use prescribed asthma or anaphylaxis medication at school or school-related events only if he or she has written authorization from his or her parent and a physician or other licensed health-care provider. The student must also demonstrate to his or her physician or health-care provider and to the school nurse the ability to use the prescribed medication, including any device required to administer the medication. If the student has been prescribed asthma or anaphylaxis medication for use during the school day, the student and parents should discuss this with the school nurse or principal.



Texas City Independent School District 1700 Ninth Avenue North, P.O. Box 1150, Texas City, Texas 77592-1150

Authorization for Administration of Prescribed Inhaled Medication

Name of Student:				Birthdat	e:
School:		School Year: Grade:			
Medical Condition	Medication Strength	Dose	Time	Route	Side Effects Possible
1.					
2.					
3.					
Other Considerations/D	irections:				
Start Date:			Stop Date:	:	
_					ool year.)
☐ Student is knowle	dgeable about the med	lication ar	nd how to ac	dminister it.	
☐ Student has the sk	ills to safely possess a	nd use an	inhaler.		
☐ Student may self-a	administer the medicat	ion. (Not	applicable	for controlled	substances.)
Print or Type Name o	f Physician/Licensec	d Prescri	ber		Signature
Clinic Ad	dress		Phone 1	Number	Date
	Parent/Guardian A	uthoriza	ntion - Ple	ase initial th	e following:
					as ordered by my child's given on field trips, as prescribed
I release schoo medication(s).	ol personnel from lial	oility in t	he event a	dverse reaction	ons result from taking the
	e school of any chan ation is discontinued	-	medicatio	n(s), (e.g. me	edication change, dosage

	(Authorization for Administration	n of Prescribed Inhaled Medicine, p. 2)
	n for the school nurse to communicate with my condition(s) and the action of the medication(s).	child's teachers about the
0 1	n for the school nurse to consult with my child's nestions that arise with regard to the listed medic edication(s).	1 2
I give permission school nurse.	n for the medication(s) to be given by designated	personnel as delegated by the
	r may self-administer his/her inhaled medication ances, such as Ritalin, Dexedrine, Codeine, etc.)	\ \ \ \ 11
 Date	Parent/Guardian Signature	

Note: Medication must be supplied in the original prescription bottle and the container (<u>not the box</u>) must be properly labeled with the prescription/pharmacy label with the student's name, type of medication, dosage, route and time noted.

This page left intentionally blank.

SECTION VI

Diabetes Management and Treatment Plan

In accordance with a student's individual health plan for management of diabetes, a student with diabetes will be permitted to possess and use monitoring and treatment supplies and equipment while at school or at a school-related activity. See the school nurse or principal for information. [See policy FFAF.]

The parent or guardian of a student who will seek care for diabetes while at school or while participating in a school activity, and the physician responsible for the student's diabetes treatment, shall develop a Diabetes Management and Treatment Plan (DMTP).

The DMTP must:

- 1. Identify the health-care services the student may receive at school;
- 2. Evaluate the student's ability to manage and level of understanding of the student's diabetes; and
- 3. Be signed by the parent or legal guardian and the child's physician.

The parent or guardian must submit the DMTP to the school as soon as practicable following a diagnosis of diabetes for the student. [Health and Safety Code 168.002]

The school will work in concert with families of students with diabetes and will involve parents or legal guardians in the development of the DMTP.

Guidelines for Self-Management of Diabetes Medication at School

TCISD is fully committed to supporting our diabetic students who desire to carry their supplies and self-manage their diabetes while at school and school sponsored events. It is important that parents communicate with the school nurse, teachers, and coaches at the start of the school year regarding the student's diabetes care. Your school nurse will continue to be available to assist both the diabetic student and parents as needed. Please do not hesitate to enlist the support of TCISD's professional staff.

The safety of all TCISD students is a primary concern of our district staff. For the safety of the diabetic students as well as others, the following guidelines have been developed. Please read and sign the bottom of this form and return it to the school nurse indicating that you have read the guidelines listed below.

- Both parent and physician's signatures are required on the <u>Diabetic Management and Treatment Plan (DMTP)</u>, and must be on file in the school nurse's office before the student will be permitted to carry diabetic supplies at school. The form must be renewed at the beginning of every school year.
- The student must supply all diabetic equipment. The school does not stock reserve supplies. Parents are strongly encouraged to provide the school nurse with a secondary supply of emergency equipment (e.g. a glucometer, lancets and glucagons) in case the student becomes ill and his/her equipment is not available.
- Students may not share their equipment with other students. Stolen or missing supplies should be immediately reported to the school nurse or campus principal (if nurse is not available).
- Students are required to carry and properly use a personal sharps disposal container, and should care for puncture sites and blood in such a way that others are not inadvertently exposed to the student's blood.
- Diabetic supplies should be kept in the student's direct possession at all times so that other students can't easily access the supplies (The exceptions would be when the equipment is in the possession of a staff member.).
- Equipment should be stored in a safe manner (i.e. so that glass insulin bottles wouldn't be bumped or broken or others would not be punctured by sharps.).
- Snacks may not be shared with peers in the classroom and should be an appropriate type of carbohydrate.
- Students are expected to test and treat symptoms in class in the least disruptive manner possible. A nearby staff member should be notified immediately if a student becomes ill or feels they may need assistance. Please do not hesitate to ask for assistance.

These guidelines apply to all school related activities. Because of the potential harm to self or others that
could arise, infractions of these guidelines will be referred for disciplinary action.

Student Signature	Date
Parent Signature	Date



Texas City Independent School District 1700 Ninth Avenue North, P.O. Box 1150, Texas City, Texas 77592-1150

Physician's Authorization for Student Self-Management of Diabetes

I have instructed (Structure of the structure of	tudent's name)	_ in the proper self-management of diabetes,		
Blood glucose testing	on	fast acting carbohydrates and Glucagons.		
This patient has been instruct blood-soiled items.	ted in related safety pre	ecautions including the proper disposal of sharps and		
directives for: Physician's initials: Blood glucose testing Urine ketone testing Appropriate response	g to abnormal blood sug	gar levels oplicable at school) and Glucagon.		
Please initial one of the	two choices below	:		
	ner person, as well as to	hould be allowed to carry diabetic supplies, including o self–administer and manage diabetes testing and		
In my professional his/her own person while at s	-	ould NOT be allowed to carry diabetic equipment on l events.		
Physician's S	ignature	Date		
Printed Physicia	an's Name	Physician's Phone Number		
I agree with the physician's r	ecommendations as no	ted above and have informed my child.		
Parent's Signa	ature	Date		



Texas City Independent School District

1700 Ninth Avenue North, P.O. Box 1150, Texas City, Texas 77592-1150

Diabetes Medical Treatment Plan

This plan should be completed by the student's personal health care team and parents/guardian. It should be reviewed with relevant school staff and copies should be kept in a place that is easily accessed by the school nurse, trained diabetes personnel, and other authorized personnel. Effective Dates: Student's Name: Date of Birth: Date of Diabetes Diagnosis: Grade: _____ Homeroom Teacher: ____ Physical Condition: Diabetes type 1 Diabetes type 2 Contact Information Mother/Guardian: Address: Telephone: Home ______ Work ____ Cell _____ Father/Guardian: Telephone: Home Work Cell Student's Doctor/Health Care Provider: Name: Telephone: _____ Emergency Number: ____ Other Emergency Contacts: Name: Relationship: Telephone Home ______Work _____Cell ____

(DMTP,	n.	2)
(<i>D</i> 11111,	ρ .	,

Notify parents/guardian or emergency contact in the following situations:
Blood Glucose Monitoring
Target range for blood glucose is 70-150 70-180 other
Usual times to check blood glucose
Times to do extra blood glucose checks (check all that apply)
☐ Before exercise
After exercise
When student exhibits symptoms of hyperglycemia
When student exhibits symptoms of hypoglycemia
Other (explain):
Can student perform own blood glucose checks?
Exceptions:
Type of blood glucose meter student uses:
Insulin
Usual Lunchtime Dose
Base dose of Humalog/Novolog /Regular insulin at lunch (circle type of rapid-/short-acting insulin used)
is units or does flexible dosing using units/ grams carbohydrate.
Use of other insulin at lunch: (circle type of insulin used): intermediate/NPH/lente units or
basal/Lantus/Ultralente units.

Insulin Correction Doses

	ned before administering a correction dose for high blood Glucose
levels. Yes No	
Units if blood glucose is	_ to mg/dl
Units if blood glucose is	_ to mg/dl
Units if blood glucose is	_to mg/dl
Units if blood glucose is	_ to mg/dl
Units if blood glucose is	_ to mg/dl
Can student give own injections?	☐ Yes ☐ No
Can student determine correct amount	t of insulin? Yes No
Can student draw correct dose of insu	lin?
Parents are authorized to adjust the in	nsulin dosage under the following circumstances:
For Students with Insulin Pump	os
Type of pump:	Basal rates: 12 am to
	to
	to
Type of insulin in pump:	
Type of infusion set:	
Insulin/carbohydrate ratio:	Correction factor:

Student Pump Abilities/Skills:	Needs Ass	sistance
Count carbohydrates	Yes	☐ No
Bolus correct amount for carbohydrates consumed	Yes	☐ No
Calculate and administer corrective bolus	Yes	☐ No
Calculate and set basal profiles	Yes	☐ No
Calculate and set temporary basal rate	Yes	☐ No
Disconnect pump	Yes	☐ No
Reconnect pump at infusion set	Yes	☐ No
Prepare reservoir and tubing	Yes	☐ No
Insert infusion set	Yes	☐ No
Troubleshoot alarms and malfunctions	Yes	☐ No
For Students Taking Oral Diabetes Medica	tions	
Type of medication:	Timi	ng:
Other medications:	Timi	ng:
Meals and Snacks Eaten at School		
Is student independent in carbohydrate calculations a	and management? [Yes No
Meal/Snack Time		Food content/amount
Breakfast		
Mid-morning snack		
Lunch		
Mid-afternoon snack		
Dinner		
Snack before exercise?		
Snack after exercise? Yes No		

Other times to give snacks and content/amount:
Preferred snack foods:
Foods to avoid, if any:
Instructions for when food is provided to the class (e.g., as part of a class party or food sampling event):
Exercise and Sports
A fast-acting carbohydrate such as
should be available at the site of exercise or sports.
Restrictions on activity, if any:
Student should not exercise if blood glucose level is belowmg/dl or above mg/dl or
if moderate to large urine ketones are present.
Hypoglycemia (Low Blood Sugar)
Usual symptoms of hypoglycemia:
Treatment of hypoglycemia:
Glucagon should be given if the student is unconscious, having a seizure (convulsion), or unable to
swallow.
Route, Dosage, site for glucagon injection:arm,thigh,
other.
If glucagon is required, administer it promptly. Then, call 911 (or other emergency assistance) and the
parents/guardian.

Hyperglycemia (High Blood Sugar) Usual symptoms of hyperglycemia: Treatment of hyperglycemia: Urine should be checked for ketones when blood glucose levels are above _____ mg/dl. Treatment for ketones: Supplies to be Kept at School _Blood glucose meter, blood glucose test strips, batteries for meter Lancet device, lancets, gloves, etc. ____Urine ketone strips ____Insulin pump and supplies Insulin pen, pen needles, insulin cartridges ____Fast-acting source of glucose _____Carbohydrate containing snack

____Glucagon emergency kit

This Diabetes Medical Treatment Plan has been approved by

Date	
	
Date	
d and who may need to know this information to	
betes Medical Treatment Plan to all staff members and	
's Diabetes Medical Treatment Plan. I also consent to the	
chool to perform and carry out the diabetes care tasks as	
iabetes personnel, and other designated staff members of	
er Date	
1	

Plan has been reviewed by the following campus representatives:

Relationship to Student	Printed Name	Signature	Date
School Nurse			
School Administrator			
School Administrator			
Unlicensed Diabetes Care Assistant			
Classroom Teacher			

Authorization for Administration of Diabetes Management and Care Services by Unlicensed Diabetes Care Assistant

Information to Parents:

The health and safety of each student is always of paramount importance to every TCISD employee. The District is committed to providing a high level of care to meet any special medical needs students may exhibit.

To help carry out that commitment, TCISD ensures that a Registered Nurse is assigned to each campus. The 79th Texas Legislature, through House Bill 984, amended the Health and Safety Code to provide more specific requirements for the provision of diabetes management and care services to students in public schools who seek care for the student's diabetes while at school.

The school, in conjunction with the parent, will develop for each student who seeks care for diabetes at school an Individualized Health Plan that will specify the diabetes management and care services the student requires at school.

Traditionally, the school nurse has provided any medical care students might require at school. Under HB 984, each school also must train other employees to serve as Unlicensed Diabetes Care Assistants who can provide diabetes management and care services if a nurse is not available when a student needs such services.

Such services include the administration of insulin, or in an emergency, Glucagon. TCISD has trained staff at each school to provide such services. HB 984 further specifies that an Unlicensed Diabetes Care Assistant exercises his or her judgment and discretion in providing diabetes care services and that nothing in the statute limits the immunity from liability afforded to employees under section 22.0511 of the Texas Education Code.

Under HB 984, an Unlicensed Diabetes Care Assistant may only administer diabetes care and management services if the student's parent/guardian authorizes an Unlicensed Diabetes Care Assistant to assist the student and confirms his or her understanding that an Unlicensed Diabetes Care Assistant is immune from liability for civil damages under section 22.0511 of the Texas Education Code.

Please initial the appropriate box below to indicate your preference:			
YES Agreement for Services: I authorize an Unlicensed Diabetes Care Assistant to provide diabetes management and care services to my child at school. I understand that an Unlicensed Diabetes Care Assistant is immune from liability for civil damages under section 22.0511 of the Texas Education Code. NO I DO NOT authorize an Unlicensed Diabetes Care Assistant to provide diabetes management and care services to my child at school.			
Please initial below if your child will manage his/her diabetes independently while at school:			
YES My child can manage his/her diabetes independently and will not seek assistance for his/her diabetes while at school. I understand the school nurse will provide emergency care as needed. This information will be shared with school district personnel as needed.			
Please initial below if you would like your of your child's diabetes:	child's classmates to be informed		
YES I request that my child's classmates be informed that my child has diabetes, and given age-appropriate instruction regarding diabetes care, so that they understand the importance of symptoms and the types of intervention that may occur in the classroom.			
Student's Name (Please Print)	School		
Signature of Parent/Guardian	Date Signed		

Diabetic Healt	h Care Plan	
To be Completed	by child's School Nurse	
Student's Name:	Date:	School
Grade	Date of Birth:	Studen
ID #:	Homeroom Teacher:	
Comments:		
Health Action Pla	ın	
Daily Snacks		
• Snack times:		_
• Does the stud	lent carry snacks with him/her?	
• Location of s	nacks at school:	
Blood Sugar Test		
• Time:	Location:	
Insulin injection		
• Does the stud	lent have insulin injections at school?	
• Time:	Location:	
• Does the stud	lent carry his/her own supplies?	
• Location at so	chool?	
Other Plan Items	3	

(Diabetic Health Care Plan, p. 2)

Additional Informat	ion			
Concurrent illness or dis	sability?			
Social/Emotional Factor	rs:			
Concurrent Medications	s?			Allergies
Dietary Concerns/restric	etions?			Contac
Information				
Parent/Guardian's Name	e(s):			
Home Phone:	Work Phone:	Cel	l Phone:	Hom
Phone:	Work Phone:	Cell Phone:		Address
Emergency Contact:		Phone:		Primar
Care Physician:		Phone:		
MD:		Phone:		
Contingency Plan when	unable to contact parent i	n emergency: (i.e.	order to call above num	nbers)
Disaster kit at school? _	If so, where	is it located?		
Print Name	Sigr	nature	Relationship to Student	Date

Individualized Health Plan (Off-Campus Activity Sheet)

I. Identifying Information

•	Student's Name
•	School
•	Nurse
•	Date of Birth
•	Age
•	Grade
•	Classroom Teacher
•	Mother's Name
•	Address
•	Home Phone #
•	Work Phone #
•	Cell Phone #
•	Father's Name
,	Address
	Home Phone #
	Work Phone #
•	Cell Phone #
•	Child's Physician
•	Physician's Phone #
,	Physician's Pager #

II. Medical Information

- Condition: Type I Diabetes
- Complications:
- 1. Hypoglycemia (low blood glucose)
 - Mild/moderate symptoms: shaky, sweaty, hungry, sleepy, dizzy, disoriented, and/or lethargic
 - Severe symptoms: inability to swallow, seizure or convulsions, and/or unconsciousness

2. Hyperglycemia (high blood glucose)

- Mild/moderate symptoms: thirst, frequent urination, nausea, blurry vision, and/or fatigue
- Severe symptoms: fruity breath odor, nausea, vomiting, stomach pain, and/or deep breathing and sleepiness
- Recommended Actions:
 - Contact parent(s)
 - Contact school nurse
 - Contact emergency personnel if symptoms are severe

Severe Allergies and Treatment Plan

The following procedures are in accordance with the state-developed *Guidelines for the Care of Students with Food Allergies At-Risk for Anaphylaxis*.

REQUEST FOR FOOD ALLERGY INFORMATION

This form allows you to disclose whether your child has a food allergy or severe food allergy that you believe should be disclosed to the District in order to enable the District to take necessary precautions for your child's safety.

"Severe food allergy" means a dangerous or life-threatening reaction of the human body to a food-borne allergen introduced by inhalation, ingestion, or skin contact that requires immediate medical attention.

Please list any foods to which your child is allergic or severely allergic, as well as the nature of your child's allergic reaction to the food.

Food:	Nature of allergic reaction to the food:		
close the information to teachers, sch	tiality of the information provided above and may dis- ool counselors, school nurses, and other appropriate ations of the Family Educational Rights and Privacy Act		
Student name: Date of birth:			
Grade:			
Parent/Guardian name:			
Work phone:	Home phone:		
Parent/Guardian Signature:	Date:		
Date form was received by the school	:		

Dear Parent or Guardian:

Sincaraly

You have disclosed that your child has a severe food allergy. The District requires additional information in order to take necessary precautions for your child's safety and to authorize treatment of your child in the event of an allergic reaction at school or at a school-related activity. Attached to this letter are the following forms:

- 1. Request for the Administration of Medication at School
- 2. Authorization to Secure Emergency Medical Treatment of a Student
- 3. Authorization for Self-Administration of Asthma and/or Anaphylaxis Medication
- 4. Statement Regarding Meal Substitutions or Modifications and signed by your child's Doctor.
- 5. Food Allergy & Anaphylaxis Emergency Care Plan (FARE)

Please have your physician or other licensed health-care provider complete these forms and return them to the office as soon as possible.

Ollicerely,			
Campus Nurse			

STATEMENT REGARDING MEAL SUBSTITUTIONS OR MODIFICATIONS

Note:	Information regarding accommodating children with special dietary needs can be found on the Texas Department of Agriculture Web site at http://www.squaremeals.org/Portals/8/files/ARM/Section%2013-Accommodating%20Children%20with%20Special%20Dietary%20Needs.pdf .
meals for provider or reactions,	ed States Department of Agriculture regulations require substitutions or modifications in school children whose disabilities restrict their diets. If a physician or other licensed health-care determines that a child's food allergies may result in severe, life-threatening (anaphylactic) then the child's condition will meet the definition of a disability, and the prescribed ons must be made by the District. In order to do so, the school nutrition program must receive

a signed statement by the physician or other licensed health-care provider containing the following

information:

The child's food allergy that constitutes a disal	bility:	
An explanation of why the disability restricts th		
The major life activity affected by the disability		
The food(s) to be omitted from the child's diet:		
The food or choice of foods that must be subs		
Physician Information:		
Name:		Address:
Phone Number:		
Physician Signature:		
For Office Use Only:		
Date form was received by the school:		
Student name:	Date of birth:	
One de		



INDIVIDUALIZED ALLERGY HEALTH-CARE PLAN

Note:	If applicable, a student's individualized health-care plan must be coordinated with his or her Section 504 plan. [See FB for information regarding the application of Section 504 of the Rehabilitation Act to students who qualify for individualized health-care plans.]				
Student r	Date of birth:				
Grade: _					
Primary I	nealth concerns/diagnoses:				
Seconda	ry health concerns/diagnoses:				
Treating	physician(s) information:				
	umber:				
	umber:				
	umber:				
i none iv	umbor.				

Current med	lications* [see FF/	AC]:				
			n of Medication at Scho axis Medication, found			
Medical equ	ipment:					
	T	T		T		
Diagnosis:	Assessment:	Goal:	Implementation / Intervention**:	Anticipated outcome:	Evaluation:	
'*Attach an e	emergency health	plan relate	d to student's diagnosi	s, if necessary		
Effective dat	te:					
Parent's sigr	nature:			Date:		
Nurse's signature:				Date:		

Name of Student:				Birthdat	e:	
School:		_ School Year:			Grade:	
Medical Condition	Medication Strength	Dose	Time	Route	Side Effects Possible	
1.						
2.						
3.						
Other Considerations/	Directions:					
start Date.	(All authorizatio				ol year.)	
☐ Student is know	ledgeable about the med	ication ar	d how to ac	lminister it.	•	
Student has the	skills to safely possess a	nd use me	edication.			
	• •			C 4 11 1	1t	
□ Student may ser	f-administer the medicat	1011. (1101	аррисавіе і	ior controlled	substances.)	
Print or Type Name	of Physician/Licensed	d Prescri	oer		Signature	
Clinic A	Address		Phone 1	Number	Date	
	Parent/Guardian A	uthoriza	tion - Plea	ase initial th	e following:	
	the above medication((s) he giv	en during s	school hours	as ordered by my child's	
I request that	the above medications					
		so reques	the mean	ation(s) be g	iven on field trips, as prescr	
physician/lice	ensed prescriber. I als				ons result from taking the	

	(Authorization for Administration	of Prescribed Inhaled Medicine, p. 2)
	ion for the school nurse to communicate with my ch condition(s) and the action of the medication(s).	child's teachers about the
	ion for the school nurse to consult with my child's questions that arise with regard to the listed medication(s).	1 0
I give permissi school nurse.	on for the medication(s) to be given by designated	personnel as delegated by the
	ter may self-administer his/her allergy medication(stances, such as Ritalin, Dexedrine, Codeine, etc.)	· / · • • • • • • • • • • • • • • • • •
Date	Parent/Guardian Signature	

Note: Medication must be supplied in the original prescription bottle and the container (<u>not the box</u>) must be properly labeled with the prescription/pharmacy label with the student's name, type of medication, dosage, route and time noted.

FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN

Name:	D.O.B.:	PLACE
Allergy to:		STUDENT'S PICTURE HERE
Weight:Ibs.	Asthma: [] Yes (higher risk for a severe reaction) [] No For a suspected or active food allergy reaction:	TIERE

FOR ANY OF THE FOLLOWING

SEVERE SYMPTOMS

[] If checked, give epinephrine immediately if the allergen was definitely eaten, even if there are no symptoms.



Short of breath, wheezing, repetitive cough



Pale, blue, faint,



Tight, hoarse, weak pulse, dizzy trouble breathing/ swallowing



Significant swelling of the tongue and/or lips



SKIN

Many hives over body, widespread redness



Repetitive vomiting or severe diarrhea



OTHER

Feeling something bad is about to happen, anxiety, confusion

OR A COMBINATION

of mild or severe symptoms from different body areas.

NOTE: Do not depend on antihistamines or inhalers (bronchodilators) to treat a severe reaction. Use Epinephrine.



1. INJECT EPINEPHRINE IMMEDIATELY.

- 2. Call 911. Request ambulance with epinephrine.
- Consider giving additional medications (following or with the epinephrine):
 - Antihistamine
 - Inhaler (bronchodilator) if asthma
- Lay the student flat and raise legs. If breathing is difficult or they are vomiting, let them sit up or lie on their side.
- If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose.
- Alert emergency contacts.
- Transport student to ER even if symptoms resolve. Student should remain in ER for 4+ hours because symptoms may return.

NOTE: WHEN IN DOUBT, GIVE EPINEPHRINE.

MILD SYMPTOMS

[] If checked, give epinephrine immediately for ANY symptoms if the allergen was likely eaten.



Itchy/runny nose, sneezing




A few hives, mild itch



Itchy mouth







1. GIVE ANTIHISTAMINES, IF ORDERED BY PHYSICIAN

- 2. Stay with student; alert emergency contacts.
- 3. Watch student closely for changes. If symptoms worsen, GIVE EPINEPHRINE.

VI	FD	ICA1	101	IS/D	OSES

Epinephrine Brand:			
Epinephrine Dose: [] 0.15 mg IM [] 0.3 mg IM			
Antihistamine Brand or Generic:			
Antihistamine Dose:			
Other (e.g., inhaler-bronchodilator if asthmatic):			

PARENT/GUARDIAN AUTHORIZATION SIGNATURE

DATE


PHYSICIAN/HCP AUTHORIZATION SIGNATURE

DATE

FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN


EPIPEN® (EPINEPHRINE) AUTO-INJECTOR DIRECTIONS

- 1. Remove the EpiPen Auto-Injector from the plastic carrying case.
- 2. Pull off the blue safety release cap.
- 3. Swing and firmly push orange tip against mid-outer thigh.
- 4. Hold for approximately 10 seconds.
- 5. Remove and massage the area for 10 seconds.




AUVI-Q™ (EPINEPHRINE INJECTION, USP) DIRECTIONS

- Remove the outer case of Auvi-Q. This will automatically activate the voice instructions.
- 2. Pull off red safety guard.
- 3. Place black end against mid-outer thigh.
- 4. Press firmly and hold for 5 seconds.
- 5. Remove from thigh.



ADRENACLICK®/ADRENACLICK® GENERIC DIRECTIONS

- 1. Remove the outer case.
- 2. Remove grey caps labeled "1" and "2".
- 3. Place red rounded tip against mid-outer thigh.
- 4. Press down hard until needle penetrates.
- 5. Hold for 10 seconds. Remove from thigh.



OTHER DIRECTIONS/INFORMATION (may self-carry epinephrine, may self-administer epinephrine, etc.):

Treat student before calling Emergency Contacts. The first signs of a reaction can be mild, but symptoms can get worse quickly.

EMERGENCY CONTACTS — CALL 911	OTHER EMERGENCY CONTACTS
RESCUE SQUAD:	NAME/RELATIONSHIP:
DOCTOR:PHONE:	PHONE:
PARENT/GUARDIAN: PHONE:	NAME/RELATIONSHIP:
	PHONE:

PARENT/GUARDIAN AUTHORIZATION SIGNATURE

DATE

FORM PROVIDED COURTESY OF FOOD ALLERGY RESEARCH & EDUCATION (FARE) (WWW.FOODALLERGY.ORG) 8/2013



ANAPHYLAXIS INCIDENT REPORT FORM

Student name:	Date of birth:	
Campus:	Grade:	
Date of incident:	_	
If known, the location and source of	f the allergen exposure:	
Emergency action taken (attach add	ditional pages if more space is needed):	
Were emergency services contacte		
□ Yes □ No		
Was an epinephrine auto-injector u	sed?	
□ Yes □ No		
If yes, who administered the epinep	ohrine?	
☐ Student (self-administration)		
☐ Staff (provide name and position	n title):	
□ Other:		
Are any changes to procedures rec	commended?	
Signature:	Date:	
Received By:	Date:	

SECTION VIII

Medical Excuses for Physical Education/Recess

A written excuse is required if a child is not to participate in physical education. If the child is to be excused more than three (3) consecutive days, a physician's statement is required. A child who has been excused from physical education will also be excused from recess. Examples for exclusion from physical education/recess by a physician: sutures, fractures (casts), or post-surgery. In order to return to physical education/recess, a student must have a written release from their physician (not a parent).

All physicians' notes must be turned in to the nurse's office.

SECTION IX

Policies related to student welfare and health services can be accessed at www.tcisd.org:

Relevant Texas City ISD Policies

FFAE

FFAD

FFAF

FFA.

FFB