Allergy and Anaphylaxis Emergency Plan



Child's name:	Date of plan:	
Date of birth:/	Agekg	Attach child's
Child has allergy to		photo
Child has asthma. Child has had anaphylaxis. Child may carry medicine. Child may give him/herself medici	☐ Yes ☐ No (If yes, higher chance severe reaction) ☐ Yes ☐ No ☐ Yes ☐ No ne. ☐ Yes ☐ No (If child refuses/is unable to self-treat, an adul	t must give medicine)
IMPORTANT REMINDER		

Anaphylaxis is a potentially life-threating, severe allergic reaction. If in doubt, give epinephrine.

For Severe Allergy and Anaphylaxis What to look for



If child has ANY of these severe symptoms after eating the food or having a sting, give epinephrine.

- Shortness of breath, wheezing, or coughing
- Skin color is pale or has a bluish color
- Weak pulse
- Fainting or dizziness
- Tight or hoarse throat
- Trouble breathing or swallowing
- Swelling of lips or tongue that bother breathing
- Vomiting or diarrhea (if severe or combined with other symptoms)
- Many hives or redness over body
- Feeling of "doom," confusion, altered consciousness, or

give epinephrine.	
has MILD symptoms after a sting of	or eating these foods,
following food(s):	Even if child
an extremely severe allergy to an	insect sting or the
SPECIAL SITUATION: If this bo	ox is cnecked, child na

Give epinephrine! What to do

- 1. Inject epinephrine right away! Note time when epinephrine was given.
- 2. Call 911.
 - Ask for ambulance with epinephrine.
 - Tell rescue squad when epinephrine was given.
- 3. Stav with child and:
 - Call parents and child's doctor.
 - Give a second dose of epinephrine, if symptoms get worse, continue, or do not get better in 5 minutes.
 - Keep child lying on back. If the child vomits or has trouble breathing, keep child lying on his or her side.
- 4. Give other medicine, if prescribed. Do not use other medicine in place of epinephrine.
 - Antihistamine
 - Inhaler/bronchodilator

For Mild Allergic Reaction What to look for



If child has had any mild symptoms, monitor child. Symptoms may include:

- Itchy nose, sneezing, itchy mouth
- A few hives
- Mild stomach nausea or discomfort

Monitor child What to do

Stay with child and:

- Watch child closely.
- Give antihistamine (if prescribed).
- Call parents and child's doctor.
- If more than 1 symptom or symptoms of severe allergy/anaphylaxis develop, use epinephrine. (See

Parent/Guardian Authorization Signature Date	Physician/HCP Authorization Signature Date
Other (for example, inhaler/bronchodilator if child has asthma	a):
Antihistamine, by mouth (type and dose):	(*Use 0.15 mg, if 0.10 mg is not available)
	□ 0.30 mg (25 kg or more)
	□ 0.15 mg (13 kg to less than 25 kg)
Epinephrine, intramuscular (list type):	Dose: □ 0.10 mg (7.5 kg to less than13 kg)*
Medicines/Doses	
	"For Severe Allergy and Anaphylaxis.")

Allergy and Anaphylaxis Emergency Plan



Child's name:	
Additional Instructions:	
Contacts	
Contacts	
Call 911 / Rescue squad:	
Doctor:	Phone:
Doctor.	FIIOHE.
Parent/Guardian:	Phone:
Danast/Occasion.	Pleases
Parent/Guardian:	Phone:
Other Emergency Contacts	
Name (Palatianalia	Plana
Name/Relationship:	Phone:
Name/Relationship:	Phone:

Swedesboro-Woolwich School District EMERGENCY ADMINISTRATION OF EPINEPHRINE VIA EPI-PEN

tudent's	Name	School		
rade	School Year	Teacher's Name		
	o provide for the administraide the following:	ation of the Epi-Pen to the above named stude	nt, the parent/guardian	
a.	Written authorization for the current school year	the appropriate personnel to administer the E	pi-Pen to their child durin	
b. _.		lers from the physician of the student that the student has a potentially life n requires the prompt administration of epinephrine via a prefilled or.		
C.	c. Written acknowledgement that the Board and its employees or agents shall have no liability as a result of any injury, damage, or loss arising from the administration of the Epi-Pen to the studen and shall indemnify and hold harmless the district and its employees or agents against any claim arising out of the administration of the Epi-Pen to their child			
d.	administration of the Epi- employee who may admin	It that the school nurse shall have the primary Pen to their child. However, the school nurse in hister the Epi-Pen to the affected student when ee has been properly trained in the administra- rdized training protocols	may designate another n the nurse is not present	
require		ed student has asthma or another potentially life the of epinephrine via the Epi-Pen and the student doesn.		
-	Physician (Print)	Physician's Signature	Date	
	y certify that I am the parent and acknowledge in accordar	/guardian of the above named student and authorince with (c.) and (d.) above.	ize in accordance with (a.)	
	Parent (Print)	Parent's Signature	Date	