

Site Radon Inspection Report

Date : 10/30/2020

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abe Lincoln E.S.
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2704536 Test Start : 10/26/2020 @ 06:54
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:58
Location : 1st FL=Media Ctr. 2 Received: 10/30/2020 @ 10:19
Radon Level : 0.6 pCi/L Analyzed: 10/30/2020 @ 11:12
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2707346 Test Start : 10/26/2020 @ 06:39
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:49
Location : 1st FL=Room 21 Received: 10/30/2020 @ 10:19
Radon Level : 0.7 pCi/L Analyzed: 10/30/2020 @ 11:24
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2708558 Test Start : 10/26/2020 @ 06:59
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 15:03
Location : 1st FL=NW Media Off. Received: 10/30/2020 @ 10:20
Radon Level : 1.0 pCi/L Analyzed: 10/30/2020 @ 12:10
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2708662 Test Start : 10/26/2020 @ 06:57
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 15:02
Location : 1st FL=Media Work Rm Received: 10/30/2020 @ 10:20
Radon Level : 0.2 pCi/L Analyzed: 10/30/2020 @ 11:04
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2710039 Test Start : 10/26/2020 @ 06:30
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:44
Location : 1st FL=Room 17 Received: 10/30/2020 @ 10:20
Radon Level : 0.5 pCi/L Analyzed: 10/30/2020 @ 10:32
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2765200 Test Start : 10/26/2020 @ 06:16
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:11
Location : 1st FL=Gym 1 Received: 10/30/2020 @ 10:19
Radon Level : 0.7 pCi/L Analyzed: 10/30/2020 @ 12:27
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 10/30/2020

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abe Lincoln E.S.
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2765201
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Cafeteria 2
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 10/26/2020 @ 06:22
Test Stop : 10/28/2020 @ 14:16
Received: 10/30/2020 @ 10:20
Analyzed: 10/30/2020 @ 10:41

Canister ID# : 2765206
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Room 23 BL
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 1.5 pCi/L
Test Start : 10/26/2020 @ 06:43
Test Stop : 10/28/2020 @ 06:43
Received: 10/30/2020 @ 10:20
Analyzed: 10/30/2020 @ 12:48

Canister ID# : 2765207
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Room 20 DP
Radon Level : 0.5 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 10/26/2020 @ 06:37
Test Stop : 10/28/2020 @ 14:48
Received: 10/30/2020 @ 10:20
Analyzed: 10/30/2020 @ 10:39

Canister ID# : 2765219
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Room 25A
Radon Level : 22.0 pCi/L
Error for Measurement is: \pm 0.6 pCi/L
Test Start : 10/26/2020 @ 10:00
Test Stop : 10/28/2020 @ 10:00
Received: 10/30/2020 @ 10:20
Analyzed: 10/30/2020 @ 12:09

Canister ID# : 2765246
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Computer Rm
Radon Level : 0.4 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 10/26/2020 @ 06:50
Test Stop : 10/28/2020 @ 14:57
Received: 10/30/2020 @ 10:20
Analyzed: 10/30/2020 @ 12:22

Canister ID# : 2765248
Canister Type : Charcoal Canister 3 inch
Location : 1st FL=Room 11A
Radon Level : 1.3 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 10/26/2020 @ 06:15
Test Stop : 10/28/2020 @ 14:36
Received: 10/30/2020 @ 10:20
Analyzed: 10/30/2020 @ 12:09



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 10/30/2020

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abe Lincoln E.S.
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2765595 Test Start : 10/26/2020 @ 06:41
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:51
Location : 1st FL=Room 22 Received: 10/30/2020 @ 10:20
Radon Level : 0.5 pCi/L Analyzed: 10/30/2020 @ 10:39
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2765654 Test Start : 10/26/2020 @ 06:11
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:04
Location : 1st FL=Conf. Rm A Received: 10/30/2020 @ 10:20
Radon Level : 1.0 pCi/L Analyzed: 10/30/2020 @ 12:29
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2765775 Test Start : 10/26/2020 @ 06:20
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:40
Location : 1st FL=Room 13 Received: 10/30/2020 @ 10:20
Radon Level : 0.5 pCi/L Analyzed: 10/30/2020 @ 12:48
Error for Measurement is: ± 0.3 pCi/L

Canister ID# : 2765778 Test Start : 10/26/2020 @ 06:30
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:22
Location : 1st FL=Room 4 DP Received: 10/30/2020 @ 10:20
Radon Level : 0.4 pCi/L Analyzed: 10/30/2020 @ 12:48
Error for Measurement is: ± 0.3 pCi/L

Canister ID# : 2765807 Test Start : 10/26/2020 @ 05:56
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 13:58
Location : 1st FL=Work Rm Received: 10/30/2020 @ 10:20
Radon Level : 1.0 pCi/L Analyzed: 10/30/2020 @ 12:10
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815860 Test Start : 10/26/2020 @ 06:37
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:27
Location : 1st FL=Room 7 Received: 10/30/2020 @ 10:20
Radon Level : 0.7 pCi/L Analyzed: 10/30/2020 @ 12:29
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 10/30/2020

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abe Lincoln E.S.
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2815863 Test Start : 10/26/2020 @ 06:56
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 15:00
Location : 1st FL=Media Ctr. Off. Received: 10/30/2020 @ 10:20
Radon Level : 0.4 pCi/L Analyzed: 10/30/2020 @ 12:01
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815871 Test Start : 10/26/2020 @ 06:18
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:13
Location : 1st FL=Gym 3 Received: 10/30/2020 @ 10:20
Radon Level : 0.6 pCi/L Analyzed: 10/30/2020 @ 12:09
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815872 Test Start : 10/26/2020 @ 10:00
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 10:00
Location : 1st FL=Room 25B Received: 10/30/2020 @ 10:19
Radon Level : 25.2 pCi/L Analyzed: 10/30/2020 @ 11:12
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2815875 Test Start : 10/26/2020 @ 05:53
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 13:56
Location : 1st FL=Break Rm Received: 10/30/2020 @ 10:20
Radon Level : 0.8 pCi/L Analyzed: 10/30/2020 @ 11:04
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815880 Test Start : 10/26/2020 @ 06:08
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:34
Location : 1st FL=Room 11D Received: 10/30/2020 @ 10:19
Radon Level : 0.4 pCi/L Analyzed: 10/30/2020 @ 11:12
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815882 Test Start : 10/26/2020 @ 06:27
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:19
Location : 1st FL=Room 2 Received: 10/30/2020 @ 10:20
Radon Level : 0.7 pCi/L Analyzed: 10/30/2020 @ 12:10
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 10/30/2020

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abe Lincoln E.S.
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2815884 Test Start : 10/26/2020 @ 06:33
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:25
Location : 1st FL=Room 6 Received: 10/30/2020 @ 10:20
Radon Level : 0.6 pCi/L Analyzed: 10/30/2020 @ 10:41
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815887 Test Start : 10/26/2020 @ 06:46
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:53
Location : 1st FL=Room 24 DP Received: 10/30/2020 @ 10:20
Radon Level : 0.6 pCi/L Analyzed: 10/30/2020 @ 12:29
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815912 Test Start : 10/26/2020 @ 06:53
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:59
Location : 1st FL=Media Ctr. 1 Received: 10/30/2020 @ 10:19
Radon Level : 0.4 pCi/L Analyzed: 10/30/2020 @ 12:27
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815914 Test Start : 10/26/2020 @ 06:03
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:02
Location : 1st FL=Prin. Conf. Rm Received: 10/30/2020 @ 10:20
Radon Level : 0.8 pCi/L Analyzed: 10/30/2020 @ 10:39
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815915 Test Start : 10/26/2020 @ 06:13
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 15:05
Location : 1st FL=Room 11B Received: 10/30/2020 @ 10:20
Radon Level : 0.7 pCi/L Analyzed: 10/30/2020 @ 10:41
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815917 Test Start : 10/26/2020 @ 06:37
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:48
Location : 1st FL=Room 20 DP Received: 10/30/2020 @ 10:19
Radon Level : 0.2 pCi/L Analyzed: 10/30/2020 @ 12:00
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 10/30/2020

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abe Lincoln E.S.
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2815936 Test Start : 10/26/2020 @ 06:35
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:46
Location : 1st FL=Room 19 Received: 10/30/2020 @ 10:19
Radon Level : 0.6 pCi/L Analyzed: 10/30/2020 @ 11:12
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815941 Test Start : 10/26/2020 @ 06:05
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:02
Location : 1st FL=Principals Off. Received: 10/30/2020 @ 10:20
Radon Level : 1.1 pCi/L Analyzed: 10/30/2020 @ 12:01
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815943 Test Start : 10/26/2020 @ 06:22
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:42
Location : 1st FL=Room 14 Received: 10/30/2020 @ 10:20
Radon Level : 1.2 pCi/L Analyzed: 10/30/2020 @ 12:31
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815945 Test Start : 10/26/2020 @ 06:30
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:22
Location : 1st FL=Room 4 DP Received: 10/30/2020 @ 10:20
Radon Level : 0.8 pCi/L Analyzed: 10/30/2020 @ 12:29
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815950 Test Start : 10/26/2020 @ 06:28
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:20
Location : 1st FL=Room 3 Received: 10/30/2020 @ 10:20
Radon Level : 0.5 pCi/L Analyzed: 10/30/2020 @ 11:30
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2816007 Test Start : 10/26/2020 @ 05:58
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:00
Location : 1st FL=Heath Rm Received: 10/30/2020 @ 10:19
Radon Level : 0.4 pCi/L Analyzed: 10/30/2020 @ 12:01
Error for Measurement is: ± 0.3 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 10/30/2020

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abe Lincoln E.S.
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2816008 Test Start : 10/26/2020 @ 06:31
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:23
Location : 1st FL=Room 5 BL Received: 10/30/2020 @ 10:20
Radon Level : 0.2 pCi/L Analyzed: 10/30/2020 @ 12:31
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2816010 Test Start : 10/26/2020 @ 06:25
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:16
Location : 1st FL=Room 1 Received: 10/30/2020 @ 10:20
Radon Level : 0.6 pCi/L Analyzed: 10/30/2020 @ 12:00
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2816011 Test Start : 10/26/2020 @ 06:23
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:41
Location : 1st FL=Room 15 DP Received: 10/30/2020 @ 10:20
Radon Level : 0.5 pCi/L Analyzed: 10/30/2020 @ 11:30
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2816018 Test Start : 10/26/2020 @ 06:11
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:35
Location : 1st FL=Room 11C Received: 10/30/2020 @ 10:20
Radon Level : 0.5 pCi/L Analyzed: 10/30/2020 @ 11:30
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2816020 Test Start : 10/26/2020 @ 06:43
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:50
Location : 1st FL=Room 23 Received: 10/30/2020 @ 10:20
Radon Level : 0.5 pCi/L Analyzed: 10/30/2020 @ 11:13
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2816023 Test Start : 10/26/2020 @ 06:46
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:53
Location : 1st FL=Room 24 DP Received: 10/30/2020 @ 10:19
Radon Level : 0.6 pCi/L Analyzed: 10/30/2020 @ 11:13
Error for Measurement is: \pm 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 10/30/2020

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abe Lincoln E.S.
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2816025 Test Start : 10/26/2020 @ 06:40
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:30
Location : 1st FL=Room 9 DP Received: 10/30/2020 @ 10:20
Radon Level : 0.8 pCi/L Analyzed: 10/30/2020 @ 10:32
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2816028 Test Start : 10/26/2020 @ 06:49
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:56
Location : 1st FL=W.Comp. Rm Off. Received: 10/30/2020 @ 10:19
Radon Level : 0.2 pCi/L Analyzed: 10/30/2020 @ 12:01
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2816035 Test Start : 10/26/2020 @ 05:59
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:01
Location : 1st FL=Main Off. DP Received: 10/30/2020 @ 10:19
Radon Level : 0.6 pCi/L Analyzed: 10/30/2020 @ 12:27
Error for Measurement is: ± 0.3 pCi/L

Canister ID# : 2816039 Test Start : 10/26/2020 @ 06:20
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:15
Location : 1st FL=Custodial Off. Received: 10/30/2020 @ 10:20
Radon Level : 0.9 pCi/L Analyzed: 10/30/2020 @ 12:09
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2816042 Test Start : 10/26/2020 @ 06:06
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:08
Location : 1st FL=Music Rm Received: 10/30/2020 @ 10:20
Radon Level : 0.5 pCi/L Analyzed: 10/30/2020 @ 12:31
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2816044 Test Start : 10/26/2020 @ 06:07
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:08
Location : 1st FL=Music Rm Off. Received: 10/30/2020 @ 10:20
Radon Level : 0.9 pCi/L Analyzed: 10/30/2020 @ 10:41
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 10/30/2020

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abe Lincoln E.S.
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2816047 Test Start : 10/26/2020 @ 06:31
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:23
Location : 1st FL=Room 5 Received: 10/30/2020 @ 10:20
Radon Level : 1.0 pCi/L Analyzed: 10/30/2020 @ 12:01
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2816048 Test Start : 10/26/2020 @ 06:06
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:32
Location : 1st FL=Room 11E Received: 10/30/2020 @ 10:20
Radon Level : 0.7 pCi/L Analyzed: 10/30/2020 @ 12:48
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2816735 Test Start : 10/26/2020 @ 06:21
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:15
Location : 1st FL=Cafeteria 1 Received: 10/30/2020 @ 10:20
Radon Level : 0.5 pCi/L Analyzed: 10/30/2020 @ 11:30
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2817983 Test Start : 10/26/2020 @ 06:38
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:28
Location : 1st FL=Room 8 Received: 10/30/2020 @ 10:20
Radon Level : 0.8 pCi/L Analyzed: 10/30/2020 @ 12:31
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2817988 Test Start : 10/26/2020 @ 06:23
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:41
Location : 1st FL=Room 15 DP Received: 10/30/2020 @ 10:19
Radon Level : 0.5 pCi/L Analyzed: 10/30/2020 @ 12:27
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2817990 Test Start : 10/26/2020 @ 06:32
Canister Type : Charcoal Canister 3 inch Test Stop : 10/28/2020 @ 14:46
Location : 1st FL=Room 18 Received: 10/30/2020 @ 10:19
Radon Level : 0.7 pCi/L Analyzed: 10/30/2020 @ 11:24
Error for Measurement is: \pm 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 10/30/2020

Mr. Bryan Hogan
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Abe Lincoln E.S.
Test Location: 3101 McLoughlin Drive
Medford, OR 97504-

Individual Canister Results

Canister ID# :	2817994	Test Start :	10/26/2020 @ 06:41
Canister Type :	Charcoal Canister 3 inch	Test Stop :	10/28/2020 @ 14:31
Location :	1st FL=Room 10	Received:	10/30/2020 @ 10:20
Radon Level :	0.6 pCi/L	Analyzed:	10/30/2020 @ 11:24
Error for Measurement is: ±	0.2 pCi/L		

Canister ID# :	2817996	Test Start :	10/26/2020 @ 06:17
Canister Type :	Charcoal Canister 3 inch	Test Stop :	10/28/2020 @ 14:13
Location :	1st FL=Gym 2	Received:	10/30/2020 @ 10:19
Radon Level :	0.8 pCi/L	Analyzed:	10/30/2020 @ 11:13
Error for Measurement is: ±	0.2 pCi/L		

The results indicate that at least one testing device registered at or above the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends mitigation if the average of two short-term tests taken in the lowest level of the building suitable for occupancy show radon levels that are equal to or greater than 4.0 pCi/L.

For information on how to reduce radon levels in your home, please review the EPA booklet: Consumer's Guide to Radon Reduction (www.epa.gov/radon/pdfs/consgrid.pdf) and contact your state health department. The EPA maintains a radon information website, including copies of its publications, at www.epa.gov/iaq/radon.

For New Jersey clients: Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

For New York clients: If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or it's consultants based on RTCA-provided results.



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201