

Site Radon Inspection Report

Date : 09/18/2020

Bryan Hogan / Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Central Medford H.S.
Test Location: 650 Royal Avenue
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2765208 Test Start : 09/15/2020 @ 08:30
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 08:30
Location : 1st FL = 300-A Received: 09/18/2020 @ 10:16
Radon Level : 20.7 pCi/L Analyzed: 09/18/2020 @ 11:06
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2765224 Test Start : 09/15/2020 @ 06:53
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:53
Location : 1st FL = 1112 BL Received: 09/18/2020 @ 10:16
Radon Level : 0.1 pCi/L Analyzed: 09/18/2020 @ 10:48
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2765226 Test Start : 09/15/2020 @ 07:21
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:21
Location : 1st FL = 1125-A Received: 09/18/2020 @ 10:16
Radon Level : 0.1 pCi/L Analyzed: 09/18/2020 @ 10:48
Error for Measurement is: ± 0.3 pCi/L

Canister ID# : 2765243 Test Start : 09/15/2020 @ 06:48
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:57
Location : 1st FL = 1110 Received: 09/18/2020 @ 10:16
Radon Level : 1.5 pCi/L Analyzed: 09/18/2020 @ 10:58
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2765251 Test Start : 09/15/2020 @ 08:30
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 08:30
Location : 1st FL = 300-B Received: 09/18/2020 @ 10:16
Radon Level : 22.9 pCi/L Analyzed: 09/18/2020 @ 10:29
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2765252 Test Start : 09/15/2020 @ 06:36
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:48
Location : 1st FL = 1102 Received: 09/18/2020 @ 10:16
Radon Level : 1.0 pCi/L Analyzed: 09/18/2020 @ 11:06
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 09/18/2020

Bryan Hogan / Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Central Medford H.S.
Test Location: 650 Royal Avenue
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2765260 Test Start : 09/15/2020 @ 06:58
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:00
Location : 1st FL = 1113 Received: 09/18/2020 @ 10:16
Radon Level : 0.6 pCi/L Analyzed: 09/18/2020 @ 10:58
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2765596 Test Start : 09/15/2020 @ 07:05
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:06
Location : 1st FL = 1117-A Received: 09/18/2020 @ 10:16
Radon Level : 0.7 pCi/L Analyzed: 09/18/2020 @ 10:47
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2765634 Test Start : 09/15/2020 @ 07:22
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:22
Location : 1st FL = 1125-B Received: 09/18/2020 @ 10:16
Radon Level : 1.2 pCi/L Analyzed: 09/18/2020 @ 11:06
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2765640 Test Start : 09/15/2020 @ 07:03
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:04
Location : 1st FL = 1116 Received: 09/18/2020 @ 10:16
Radon Level : 0.2 pCi/L Analyzed: 09/18/2020 @ 10:29
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2765646 Test Start : 09/15/2020 @ 06:53
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:58
Location : 1st FL = 1111 DP Received: 09/18/2020 @ 10:16
Radon Level : 0.8 pCi/L Analyzed: 09/18/2020 @ 10:21
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2765648 Test Start : 09/15/2020 @ 06:36
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:36
Location : 1st FL = 1102 BL Received: 09/18/2020 @ 10:16
Radon Level : 0.2 pCi/L Analyzed: 09/18/2020 @ 10:40
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 09/18/2020

Bryan Hogan / Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Central Medford H.S.
Test Location: 650 Royal Avenue
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2765774 Test Start : 09/15/2020 @ 06:55
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:00
Location : 1st FL = 1112 Received: 09/18/2020 @ 10:16
Radon Level : 0.6 pCi/L Analyzed: 09/18/2020 @ 10:21
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2765795 Test Start : 09/15/2020 @ 06:33
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:46
Location : 1st FL = 1101 DP Received: 09/18/2020 @ 10:16
Radon Level : 0.8 pCi/L Analyzed: 09/18/2020 @ 10:47
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2765797 Test Start : 09/15/2020 @ 07:07
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:09
Location : 1st FL = 1118 BL Received: 09/18/2020 @ 10:16
Radon Level : 0.1 pCi/L Analyzed: 09/18/2020 @ 10:48
Error for Measurement is: \pm 0.1 pCi/L

Canister ID# : 2765808 Test Start : 09/15/2020 @ 06:40
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:51
Location : 1st FL = 1104 Received: 09/18/2020 @ 10:16
Radon Level : 1.1 pCi/L Analyzed: 09/18/2020 @ 10:29
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2815150 Test Start : 09/15/2020 @ 07:17
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:17
Location : 1st FL = 1123 Received: 09/18/2020 @ 10:16
Radon Level : 0.8 pCi/L Analyzed: 09/18/2020 @ 10:21
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2815483 Test Start : 09/15/2020 @ 06:42
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:52
Location : 1st FL = 1105 Received: 09/18/2020 @ 10:16
Radon Level : 0.7 pCi/L Analyzed: 09/18/2020 @ 10:39
Error for Measurement is: \pm 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 09/18/2020

Bryan Hogan / Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Central Medford H.S.
Test Location: 650 Royal Avenue
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2815501 Test Start : 09/15/2020 @ 07:10
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:11
Location : 1st FL = 1119 Received: 09/18/2020 @ 10:16
Radon Level : 1.0 pCi/L Analyzed: 09/18/2020 @ 11:06
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815511 Test Start : 09/15/2020 @ 07:02
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:03
Location : 1st FL = 1114 Received: 09/18/2020 @ 10:16
Radon Level : 0.4 pCi/L Analyzed: 09/18/2020 @ 11:05
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815866 Test Start : 09/15/2020 @ 06:43
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:53
Location : 1st FL = 1107 Received: 09/18/2020 @ 10:16
Radon Level : 0.9 pCi/L Analyzed: 09/18/2020 @ 10:39
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815942 Test Start : 09/15/2020 @ 06:33
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:46
Location : 1st FL = 1101 DP Received: 09/18/2020 @ 10:16
Radon Level : 0.9 pCi/L Analyzed: 09/18/2020 @ 10:58
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815944 Test Start : 09/15/2020 @ 07:14
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:15
Location : 1st FL = 1121 Received: 09/18/2020 @ 10:16
Radon Level : 0.8 pCi/L Analyzed: 09/18/2020 @ 10:40
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2815948 Test Start : 09/15/2020 @ 07:12
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:13
Location : 1st FL = 1120 Received: 09/18/2020 @ 10:16
Radon Level : 0.9 pCi/L Analyzed: 09/18/2020 @ 10:48
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 09/18/2020

Bryan Hogan / Ron Havnear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Central Medford H.S.
Test Location: 650 Royal Avenue
Medford, OR 97504-

Individual Canister Results

Canister ID# : 2816009 Test Start : 09/15/2020 @ 06:38
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:50
Location : 1st FL = 1103 Received: 09/18/2020 @ 10:16
Radon Level : 0.7 pCi/L Analyzed: 09/18/2020 @ 10:39
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2816015 Test Start : 09/15/2020 @ 06:53
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:58
Location : 1st FL = 1111 DP Received: 09/18/2020 @ 10:16
Radon Level : 0.8 pCi/L Analyzed: 09/18/2020 @ 10:21
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2816029 Test Start : 09/15/2020 @ 07:19
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:19
Location : 1st FL = 1124 Received: 09/18/2020 @ 10:16
Radon Level : 0.7 pCi/L Analyzed: 09/18/2020 @ 10:47
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2816043 Test Start : 09/15/2020 @ 07:07
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:09
Location : 1st FL = 1118 Received: 09/18/2020 @ 10:16
Radon Level : 1.1 pCi/L Analyzed: 09/18/2020 @ 10:39
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2816663 Test Start : 09/15/2020 @ 06:46
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 06:54
Location : 1st FL = 1108 Received: 09/18/2020 @ 10:16
Radon Level : 0.7 pCi/L Analyzed: 09/18/2020 @ 10:47
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2817827 Test Start : 09/15/2020 @ 07:03
Canister Type : Charcoal Canister 3 inch Test Stop : 09/17/2020 @ 07:05
Location : 1st FL = 1117 DP Received: 09/18/2020 @ 10:16
Radon Level : 0.4 pCi/L Analyzed: 09/18/2020 @ 10:40
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 09/18/2020

Bryan Hogan / Ron Havniear
MEDFORD SCHOOL DISTRICT
815 South Oakdale Avenue
Medford, OR 97501-

Client: Central Medford H.S.
Test Location: 650 Royal Avenue
Medford, OR 97504-
Individual Canister Results

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or its consultants based on RTCA-provided results.



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201