

Mamaroneck Union Free School District EMERGENCY ACTION PLAN

 Call school nurse, or administration if the school nurse is not available. If an allergic reaction is suspected, give Epinephrine auto injector or assist student to administer his/her over Epinephrine auto injector. Please note time Epinephrine was administered To administer an Epinephrine, you must have received training from your school nurse Lay student flat and raise legs. If breathing difficulty or they are vomiting let them sit up or lie on their sides. Call 911. Alert the need for a paramedic to administer epinephrine. Alert emergency contact. Inform building administration that 911 has been called. Keep the student calm. Emergency Medications:	Student's name:	DOB:	Grade/class:	
Mother/Guardian: (H)	School: Central Chatsworth Ma	amaroneck Avenue	ay	School
Mother/Guardian: (H) (C): (W) Emergency Contact: (H) (C): (W) Emergency Contact: (H) (C): (W) Allergy Physician: Phone: Primary Care Physician: Phone: Phon		notify the school nurse.	ionnacion permidica in Ne school veer, please	ar esta ecologistado ecologis Character anos estados de constitu
(C):	ALLERGY TO:	CPS GRANGE	and the second second second second	
(C):				
C(c):	(C):	(W)	A CONTROL OF THE PERSON PARTY AND ADDRESS OF THE	
(C):	Father/Guardian:	(H)		spossifi isten it
Emergency Contact: (C): (W) Allergy Physician: Phone: Primary Care Physician: Phone: Phone: Primary Care Physician: Phone: Phon	(C):	(W)	serim due of présent si elito	Fig.
Allergy Physician: Phone: Phone: Primary Care Physician: Phone: P	Emergency Contact:	(H)		
Primary Care Physician: Phone: Asthmatic: Yes* No * High risk for severe reaction If checked, give epinephrine immediately for ANY symptoms if allergen was likely consumed. Signs of an allergic reaction include: SYSTEMS: SYMPTOMS: * MOUTH Itching as swelling of the lips, tongue or mouth • THRORAT Itching and/or a sense of tightness in the throat, hoarseness, and hacking cough • SKIN hives, ltchy rash, and/or swelling about the face or extremities, widespread redness • Gur nausea, abdominal cramps, vomiting, and/or diarrhea • LUNG shortness of breath, repetitive coughing, and/or wheezing • HEART "thready" pulse, "passing-out", pale, blue, dizzy • Other Feeling something bad is about to happen Any combination of symptoms from different body parts THE SEVERITY OF SYMPTOMS CAN QUICKLY CHANGE. ALL ABOVE SYMPTOMS CAN POTENTIALLY PROGRESS TO A LIFE-THREATENING SITUATION! **ACTION:** 1. Call school nurse, or administration if the school nurse is not available. 2. If an allergic reaction is suspected, give Epinephrine auto injector or assist student to administer his/her ov Epinephrine auto injector. Please note time Epinephrine was administered • To administer an Epinephrine, you must have received training from your school nurse 3. Lay student flat and raise legs. If breathing difficulty or they are vomiting let them sit up or lie on their side 4. Call 911. Alert the need for a paramedic to administer epinephrine. 5. Alert emergency contact. 6. Inform building administration that 911 has been called. 7. Keep the student calm. **Emmergency Medications:** Student is Independent and carries his/her own medication Name of drug • Medication permission sheet(s) must be on file in the Health Office • Do not hesitate to administer medication or call 911 even if parents cannot be reached! **Comments/Special Instructions:** Signature of Paent/guardian:** • Date:** Signature of Health Care Provider:** • Date:**	(C):	(W)		
Asthmatic:				I Side
If checked, give epinephrine immediately for ANY symptoms if allergen was likely consumed. Signs of an allergic reaction include: SYSTEMS: NUTH	Primary Care Physician:	Phone:	time your child had a read	K. old sor mile
Signs of an allergic reaction include: SYSTEMS: SYMPTOMS: MOUTH itching & swelling of the lips, tongue or mouth TICHING and/or a sense of tightness in the throat, hoarseness, and hacking cough SKIN hives, itchy rash, and/or swelling about the face or extremities, widespread redness GUT nausea, abdominal cramps, vomiting, and/or diarrhea LUNG shortness of breath, repetitive coughing, and/or wheezing HEART thready" pulse, "passing-out", pale, blue, dizzy Other Feeling something bad is about to happen Any combination of symptoms from different body parts THE SEVERITY OF SYMPTOMS CAN QUICKLY CHANGE. ALL ABOVE SYMPTOMS CAN POTENTIALLY PROGRESS TO A LIFE-THREATENING SITUATION! 1. Call school nurse, or administration if the school nurse is not available. 2. If an allergic reaction is suspected, give Epinephrine auto injector or assist student to administer his/her ov Epinephrine auto injector. Please note time Epinephrine was administered To administer an Epinephrine, you must have received training from your school nurse 3. Lay student flat and raise legs. If breathing difficulty or they are vomiting let them sit up or lie on their side 4. Call 911. Alert the need for a paramedic to administer epinephrine. 5. Alert emergency contact. 6. Inform building administration that 911 has been called. 7. Keep the student calm. Emergency Medications: Student is Independent and carries his/her own medication Name of drug Amount 1. Epinephrine auto injection* Junior (0.15 mg) or Aduit (.30 mg) 2. Antihistamine* will be sent on field trips only if student is self-directed * Medication permission sheet(s) must be on file in the Health Office Do not hesitate to administer medication or call 911 even if parents cannot be reached! Comments/Special Instructions: Signature of Parent/guardian: Date: Date: Date: Date:	Asthmatic: ☐ Yes*	No * High risk fo	r severe reaction	
SYSTEMS: SYMPTOMS: • MOUTH itching & swelling of the lips, tongue or mouth • THROAT itching and/or a sense of tightness in the throat, hoarseness, and hacking cough • SKIN hives, itchy rash, and/or swelling about the face or extremities, widespread redness nausea, abdominal cramps, vomiting, and/or diarrhea • LUNG shortness of breath, repetitive coughing, and/or diarrhea • LUNG shortness of breath, repetitive coughing, and/or wheezing • HEART "thready" pulse, "passing-out", pale, blue, dizzy • Other Feeling something bad is about to happen Any combination of symptoms from different body parts THE SEVERITY OF SYMPTOMS CAN QUICKLY CHANGE. ALL ABOVE SYMPTOMS CAN POTENTIALLY PROGRESS TO A LIFE-THREATENING SITUATION! 1. Call school nurse, or administration if the school nurse is not available. 2. If an allergic reaction is suspected, give Epinephrine auto injector or assist student to administer his/her ov Epinephrine auto injector. Please note time Epinephrine was administered ■ To administer an Epinephrine, you must have received training from your school nurse 3. Lay student flat and raise legs. If breathing difficulty or they are vomiting let them sit up or lie on their side 4. Call 911. Alert the need for a paramedic to administer epinephrine. 5. Alert emergency contact. 6. Inform building administration that 911 has been called. • Keep the student calm. Emergency Medications: Student is Independent and carries his/her own medication Name of drug Amount 1. Epinephrine auto injection* Junior (0.15 mg) or Adult (.30 mg) 2. Anthihistamine* will be sent on field trips only if student is self-directed * Medication permission sheet(s) must be on file in the Health Office Do not hesitate to administer medication or call 911 even if parents cannot be reached! Comments/Special Instructions: Signature of Parent/guardian: Date: Signature of Health Care Provider: Date:	☐ If checked, give epinephrine imm	ediately for ANY symptom	s if allergen was likely o	consumed.
Epinephrine auto injector. Please note time Epinephrine was administered To administer an Epinephrine, you must have received training from your school nurse Lay student flat and raise legs. If breathing difficulty or they are vomiting let them sit up or lie on their side Call 911. Alert the need for a paramedic to administer epinephrine. Alert emergency contact. Inform building administration that 911 has been called. Emergency Medications: Student is Independent and carries his/her own medication Name of drug Amount 1. Epinephrine auto injection* Junior (0.15 mg) or Adult (.30 mg) 2. Antihistamine* will be sent on field trips only if student is self-directed * Medication permission sheet(s) must be on file in the Health Office Do not hesitate to administer medication or call 911 even if parents cannot be reached! Comments/Special Instructions: Signature of Parent/guardian: Date: Date:	Gut nausea, abdomina shortness of breat "thready" pulse, " Other Feeling something Any combination of the SEVERITY OF SYMPTOMS CAN QUICKLY C ACTION: 1. Call school nurse, or administratio	al cramps, vomiting, and/or deth, repetitive coughing, and repetitive coughing, and/or details and repetitive coughi	iarrhea or wheezing y ody parts OTENTIALLY PROGRESS TO A LIFE-T t available.	THREATENING SITUATION!
Emergency Medications: Student is Independent and carries his/her own medication Name of drug	 Epinephrine auto injector. Please r To administer an Epinephrine, Lay student flat and raise legs. If l Call 911. Alert the need for a para Alert emergency contact. Inform building administration tha 	note time Epinephrine was you must have received to breathing difficulty or they amedic to administer epinent 911 has been called.	administered raining from your school are vomiting let them sephrine.	l nurse it up or lie on their side
Comments/Special Instructions:	Emergency Medications: ☐ Studen Name of drug 1. Epinephrine auto injection* 2. Antihistamine* will be sent * Medication permission shows	nt is Independent and carr Amount Junior (0.15) on field trips only if stude eet(s) must be on file in the	ries his/her own medicat mg) <u>or</u>	ion
Signature of parent/guardian: Date: Date:				
Signature of Health Care Provider: Date:				
Signature of Health Care Provider: Date:	Signature of parent/guardian:	10 5012 9514TO PKT TÎP	Date:	
	Signature of Health Care Provider:		Date:	

PARENT - PLEASE COMPLETE THE OTHER SIDE OF FORM

ALLERGY INFORMATION FORM

Dear Parent(s) or Guardian	(s):	
Please complete the information changes occur during the se	ation below and ret chool year, please r	turn it to the Health Office as soon as possible. If any notify the school nurse.
Name of student:		Grade/class:
		(VV)
General History: O Please list what your child is	s allergic to and what h	nappens if he/she eats this or comes into contact with it:
# 1 ALLERGIC TO:		
		his or comes into contact with this?
When was the last time y	our child had a reactio	on to this?
# 2 ALLERGIC TO:	and severe random	
What happens to your ch	ild when he/she eats th	his or comes into contact with this?
When was the last time y	our child had a reaction	n to this?
# 3 ALLERGIC TO:		
What happens to your ch		his or comes into contact with this?
When was the last time y	P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	n to this?
O Medications child takes at he	ome for his/her allergy:	Any combination of symptom to the most of
<u>Name</u>	Dose	How often
an no fight baletot, this of thebu	not ovallables. Intercep ör assist sin	pereza cel per al nurse, de seman sendery e are s endol nu se isl E si al segu escribon e congrese cive Eglasphine au <u>lo</u>
Side effects of medication	on that your child expe	riences:
O Following an allergic reaction	n, have you ever had to	o give your child:
O Antihistamine		Epi pen (epinephrine)
		an emergency facility for an acute allergic reaction in the past 12
		taupina c ab a singuat
		Combise mast will be sent on Held trips only a sru
Michigan edicamen etr		s Hadicakon permission shiret(s) must be on file). (up. 100 justiata to administer medication or cal
Signature of parent/guardian:		

4/23

MAMARONECK

PUBLIC SCHOOLS

1000 W. Boston Post Rd.

Mamaroneck NY 10543

914-220-3000

CONSENT TO RELEASE MEDICAL INFORMATION

School:	<u>Central</u> O C	Chatsworth	 Mamaroneck Avenue 	O Murray
	O Hommocks	O High	O Other	•
Date:				
Name of p	hysician/practition	er:		
Street Add	dress:	<u> </u>		
City/Town	; State; Zip:			
Phone:				
Name of	student:			
Date of bi	irth:			
To: Phys	ician/practitioner			
				ation on the above named
	ative of the Distri		e school physician as may Office.	be requested by a
Parent's s	signature		Date	

PARENT SIGNATURE DENOTES PERMISSION TO SHARE INFORMATION WITH STAFF ON A NEED-TO-KNOW BASIS.

EPINEPHRINE Medication Permission Sheet at School/School - Sponsored Events

To Be Completed	By Parent
Student Name:	
Grade: Teacher/Counselor	School:
I request the school nurse give the medication listed on this his/her own medications. I will provide the medication in th container. This plan will be shared with school staff caring for	e original pharmacy or over the counter
Parent/Guardian Signature	Date
Email	Phone Where We Can Reach You
Parent signature gives permission to speak to studen	t's physician/ practitioner and school staff as needed
To Be Completed By Health Care Pro	
Diagnosis: Allergy:	
Medication: Epinephrine Auto Injector	Ti DDALG Alleuria Decation
Dose: 0.15 mg 0.3 mg Route: IM Auto injection	
Recommendations: Call 911 if administered; call parent/gu	ardian; call administrator
Independent Carry and Use Attestation Attached (Rec NYS law requires both provider attestation that the student has d inhaled respiratory rescue medications, epinephrine auto-injector medications which require rapid administration along with parent school. Check this box and attach the attestation to this form to respond to the state of the	emonstrated he/she can effectively self- administer r, Insulin, glucagon and diabetes supplies or other t/guardian permission delivery to allow this option in
Name/Title of Prescriber (Please Print) Da	Stamp
Prescriber's Signature Phone	

Ţ

ANTIHISTAMINE Medication Permission Sheet at School/School - Sponsored Events

То	Be Completed By F	Parent
Student Name:		DOB:
Grade: Teacher/Counselor		
I request the school nurse give the medica his/her own medications. I will provide th container. This plan will be shared with sc	ation listed on this plar e medication in the or	n; trained staff may assist my child to take iginal pharmacy or over the counter
Parent/Guardian Signatur	re	Date
Email	Ph	one Where We Can Reach You
Parent signature gives permission to spe	eak to student's physician/	practitioner and school staff as needed
To Be Completed By Diagnosis: Allergy Antihistamine:		
Dose:	Route: PO	Time: PRN Allergic Reaction
PRN, for what symptoms:		
inhaled respiratory rescue medications, epine	nat the student has demo ephrine auto-injector, In on along with parent/gua	onstrated he/she can effectively self- administer sullin, glucagon and diabetes supplies or other ardian permission delivery to allow this option in
Prescriber's Signature	Phone	

PLEASE RETURN TO THE SCHOOL NURSE

ATTESTATION AND PARENT PERMISSION REQUIRED FOR INDEPENDENT MEDICATION CARRY AND USE

Directions for the Health Care Provider: This form must be used as an addendum to a medication permission sheet, it is an attestation for a student to independently carry and use his/her medication as required by NYS law. A provider order and parent/guardian permission are needed in order for a student to carry and use medications that require rapid administration to prevent negative health outcomes. These medications should be identified by checking the appropriate boxes below.

Student Name

STAMP

DOB:

PLEASE RETURN TO THE SCHOOL NURSE

4/16

Student Name.
Health Care Provider Permission for Independent Use and Carry I attest that this student has demonstrated to me that he/she can self-administer the medication(s) listed below safely and effectively, and may carry and use this medication (with a delivery device if needed) independently at any school/school- sponsored activity. Staff intervention and support is needed only during an emergency. This order applies to the medications checked below:
This student is diagnosed with:
□ Allergy and requires Epinephrine Auto-injector □ Allergy and requires Antihistamine □ Asthma or respiratory condition and requires Inhaled Respiratory Rescue Medication □ Diabetes and requires Insulin/Glucagon/Diabetes Supplies □which requires rapid administration of (State Diagnosis) (Medication Name)
Signature: Date:
Parent/Guardian Permission for Independent Use and Carry
I agree that my child can use his/her medication effectively and may carry and use this
medication independently at any school/school-sponsored activity. Staff intervention and
support is needed only during an emergency.
Signature: Date:

GUIDELINES FOR STUDENTS WITH FOOD ALLERGIES (Elementary Level)

Wно	R	ESPONSIBILITIES
PRINCIPAL/	0	Inform custodial staff that an All table needs to be thoroughly cleaned any time food is consumed in
ASSISTANT		the lunchroom, using a fresh cloth to prevent cross contamination
PRINCIPALS	0	Review educational material annually from the school nurse for Sign and Symptoms of an Allergic
		Reaction
	0	Identify students with allergies who may be eligible for a 504 plan and refer to the 504 committee
	0	Will be given a copy of Emergency Action Plan (EAP) for each student from the nurse
	0	Ensure the classroom is not being used for any activities that may bring the allergen into the room
	0	Inform staff that food rewards are not to be used
	0	Inform staff that parent/guardian must be informed about food celebration prior to the class event
	0	Provide walkie-talkies for communication between Health Office, cafeteria and outdoor recess
	0	Maintain a list of staff members with current CPR/AED certification
	0	Develop protocols and train staff as to specific roles in an emergency
Nurse	0	Request all medical history information from parent/guardian
	0	Be available for parent/guardian to discuss students' needs
	0	Request signed consent from parent/guardian to speak to the Healthcare Provider
	0	Provide parent/guardian with the following forms:
		Consent Form
		 Medication Permission Sheet Emergency Action Plan (EAP)
		Guidelines for Students with Food Allergies
	0	Ensure that medication and forms are received in a timely manner
	0	Post the Signs and Symptoms of an Allergic Reaction in the cafeteria
	0	Encourage parent/guardian to provide the Food Service Company with information on student's
		allergies
	0	Encourage the parent/guardian to contact the facility where a school trip is planned
	0	Distribute educational material annually for sign and symptoms of an allergic reaction
	0	Collaborate with administration to train staff and provide a safe environment
	0	Encourage Epinephrine training for all staff members
	0	Provide a list of all New Students with food allergies to Principals/Assistant Principals
	0	Inform teachers of Allergy and provide "Food Allergy Alert Classroom" sign
	0	Provide teachers with Emergency Action Plan (EAP)
	0	Epinephrine
		Request Medication Permission Sheet and EAP from parent/guardian
		 Epinephrine are in a marked unlocked cabinet in Health Office, in the emergency bag and in Epi
		Pen capinets throughout the school
		 Place sign on med cabinet stating location of Epinephrine in Health Office Offer Epinephrine training for staff members
		Have trainees sign off on Epinephrine training form
		Epinephrine trained staff will be shown where students Epinephrine Auto Injectors are kept in the Hoalth Office.
		 Health Office If student is designated Independent, student may self-carry Epinephrine Auto Injector
	0	Will not determine and/or approve safety of foods
	0	Encourage student to advocate for themselves

TEACHER Support parent/guardians of children with food allergies Review educational material annually from the nurse for Sign and Symptoms of an Allergic Reaction Post the "Signs and Symptoms of an Allergic Reaction" in a visible area in the classroom Post a "Food Allergy Alert Classroom "sign on the door if indicated Place a copy of the Confidential Student Health list and copies of EAP's in the substitute folder along with the sign and symptoms of an allergic reaction handout Avoid the use of identified allergens in class projects, parties, holidays and celebrations, arts, crafts, science experiments, cooking, snacks, or rewards. Modify class materials as needed. Inform parent/guardian if any pets will be in class Inform parent/guardian about food celebration prior to the class event Will not determine and/or approve safety of foods O Will only provide food to allergic student from items his/her parent/guardian has provided o Prohibit trading or sharing of food with students O Will make sure classroom and lunchtime aides are aware of student allergies Use nonfood incentives for prizes, gifts, and awards Encourage hand washing Communicate rules and expectations about bullying related to food allergies O Class Trips: Notify School Nurse at least two weeks in advance of trip Notify parent/guardian of class trips and if an off-site food service will be used, provide parent with contact information Trained teacher or designee will carry students Epinephrine and emergency information Take cell phone on class trips Store lunches of allergic students in a separate bag on class trips PARENT/ Notify the School and Health Office of the students' allergies Work with the school team to develop an emergency action plan (EAP) that accommodates the GUARDIAN students' needs, on the school bus, during the school day and if needed school-sponsored activities. Sign consent to release medical information from the students Health Care Provider O Provide written medical documentation, instructions, and medications as directed by a Health Care Provider. Include a photo of the student on written forms. O Provide properly labeled medications (in original labeled box/bottle from pharmacy) and replace medications after use or upon expiration. O Provide nurse, and keep current, all pertinent medical information on student, including medicine and medicine orders Provide emergency contact information and keep it current Educate the student in the self-management of their food allergy including: safe and unsafe foods strategies for avoiding exposure to unsafe foods symptoms of allergic reactions how and when to tell an adult they may be having an allergy-related problem how to read food labels (age appropriate) Speak to student about not sharing food items Provide students' own snacks to school School staff does not determine and/or approve safety of foods Provide students' own lunch from home if necessary Contact the Food Service Company to advise and discuss the students' food allergies. Contact information is available on the district website Contact the facility where a school trip is planned

Provide student with medical alert bracelet if desired