

FAYETTEVILLE CITY SCHOOL SYSTEM

R.A.S. F.M.S. F. H.S.
Fayetteville, Tennessee 37334

PRESCRIPTION MEDICATION PERMISSION FORM TO BE FILLED OUT BY HEALTHCARE PROVIDER OFFICE

School (Circle): RAS FMS FHS

Student: _____ Date: _____

Physician: Is it NECESSARY that medication MUST be self-administered DURING SCHOOL HOURS?
Please Circle Y N

If Inhaler: Do you authorize self-possession of inhaler while at school? Y N NA

Fayetteville City School System may suspend or revoke the student's possession and self-administration privileges, if student misuses inhaler or makes inhaler available for usage by another student. Medical

Condition: _____

Medication: _____ Dosage: _____

When Give? _____ Do not exceed _____ doses at school.

How Often? _____ Duration? _____

Possible Side Effects of Med: _____

Physician: _____

Printed Name Physician Signature

Healthcare Office Stamp:

It is solely understood that assistance in self-administration is given to the student solely at the request of and as an accommodation to the undersigned parent or guardian. In consideration of acceptance of the request to perform this service by any person employed by the Fayetteville City School System, the undersigned parent/guardian hereby agrees to release the Fayetteville City School System and its personnel from legal claim, which they now have or may thereafter have arising out of any employee's assistance in a student's self-administration of medication. I, hereby, authorize for my child to self-administer the medication above listed while at school.

Date: _____

Parent/Guardian Sign: _____

MEDICATION MUST BE IN ORIGINAL PHARMACY LABELED CONTAINER.

FAYETTEVILLE CITY SCHOOL SYSTEM
Fayetteville, Tennessee

OVER-THE-COUNTER MEDICATIONS (OTC)
PERMISSION FORMS FOR SHORT TERM USAGE

Student: _____ School: RAS FMS FHS

Medication: Children's Jr. Adult

Tylenol Motrin Advil Other: _____

Dosage: _____ teaspoon(s). 1 tablet 2 tablets 3 tablets 4 tablets

Time: _____ Not to exceed _____ doses per school day.

Reason medication is to be taken: _____

Date medication is to be discontinued and picked up by parent/guardian at school: _____

Common side effects of OTC: (Tylenol, Motrin, Advil) are headaches, dizziness, drowsiness, fatigue, nausea, vomiting, diarrhea, dry mouth, rash)

Other Side Effects: _____

It is understood that assistance in self-administration is given to the student solely at the request of and as an accommodation to the undersigned parent or guardian. In consideration of the acceptance of the request to perform this service by any person employed by the Fayetteville City School System, the undersigned parent or guardian hereby agrees to release the Fayetteville City School System and its personnel from legal claim, which they now have or may thereafter have, arising out of any employee's assistance in a student's self-administration of medication.

I hereby give my permission for the above-listed student to self-administer the above listed OTC medications. I understand that if I send this medication to school for my child to take, it WILL BE SENT IN THE ORIGINAL BOTTLE WITH MY CHILD'S NAME WRITTEN ON THE CONTAINER.

Date: _____

Signature of Parent or Guardian

() _____
Phone Number

Current Address

Confidential

MEDICAL EXEMPTION FROM IMMUNIZATION

This form must be completed by a physician (MD/DO) or Tennessee Department of Health Public Health Nurse (PHN) licensed in the State of Tennessee to document a true medical contraindication/precaution to an immunization(s). This document may be accepted by agencies that require proof of medical exemption.

Tenn. Comp. Rules and Regs. 1200-14-01-.29(18)(a) provides for an exemption where a determination is made that a particular vaccine is contraindicated for one of the following reasons: 1. The individual meets the criteria for contraindication set forth in the manufacturer's vaccine package insert; or 2. The individual meets the criteria for contraindication published by the U.S. Centers for Disease Control or the ACIP; 3. In the best professional judgment of the physician, based upon the individual's medical condition and history, the risk of medical harm from the vaccine outweighs the potential benefit. An individual who has been exempt from a particular vaccination **must comply with immunization requirements for any vaccine from which he/she has not been exempt**. See *Tenn. Comp. Rules and Regs. 1200-14-1-.29-(18)(b)*, *T.C.A. Section 68-5-106(b)* states that **any physician fraudulently giving a certificate of sickness or of vaccination to prevent vaccination commits a Class C misdemeanor**.

Patient Name (please print): _____ DOB: ____/____/____

Parent/Guardian Name: _____ Parent/Guardian Phone: (____) ____-____

Patient/Parent Address: _____ County: _____

Child Care/School/College/University: _____

Medical contraindications and precautions for immunizations are described in the most recent recommendations of the Advisory Committee on Immunization Practices (ACIP), available at <https://www.cdc.gov/vaccines/hcp/acip-recs/general-recs/contraindications.html#t-02>.

A **contraindication** is a condition in a recipient that increases the risk for a serious adverse reaction. A vaccine will not be administered when a contraindication is present. A **precaution** is a condition in a recipient that **might** increase the risk for a serious adverse reaction or that **might** compromise the ability of the vaccine to produce immunity. Under normal conditions, vaccinations should be **deferred** when a precaution is present and administered after the precaution resolves.

Vaccine	Check all true contraindications and precautions that apply to this patient.
☐ Diphtheria, Tetanus, Pertussis (DTaP) ☐ Tetanus, Diphtheria, Pertussis (Tdap) ☐ Tetanus, Diphtheria (DT, Td)	Contraindications ☐ Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component. ☐ For pertussis-containing vaccines: encephalopathy (e.g., coma, decreased level of consciousness, prolonged seizure) not attributable to another identifiable cause within 7 days of administration of DTaP or DTP (for DTaP); or of previous dose of DTaP, DTP, or Tdap (for Tdap). ☐ These published contraindications are not true for this patient, but it is my best professional judgement that based upon the individual's medical condition and history, the risk of medical harm from the vaccine outweighs the potential benefit. Precautions ☐ Moderate or severe acute illness with or without fever. Defer vaccination until symptoms resolve. ☐ Guillain-Barré syndrome (GBS) within 6 weeks after a previous dose of tetanus-toxoid-containing vaccine. ☐ History of arthus-type hypersensitivity reaction after a previous dose of a tetanus or diphtheria-toxoid-containing vaccine. Defer until at least 10 years have elapsed since the last tetanus-toxoid-containing vaccine. ☐ For pertussis-containing vaccines: progressive or unstable neurologic disorder (including infantile spasms for DTaP), uncontrolled seizures, or progressive encephalopathy. Defer until a treatment regimen has been established and the condition has stabilized. *Date Exemption Ends: _____ MD/DO/PHN Initials: _____
☐ Measles, Mumps, Rubella (MMR)	Contraindications ☐ Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component. ☐ Known severe immunodeficiency (e.g., congenital immunodeficiency, malignancy, chemotherapy, long-term immunosuppressive therapy (e.g., ≥ 2 weeks of daily steroid therapy of ≥20 mg or 2 mg/kg body weight; or human immunodeficiency virus (HIV) infection with CD4+ T-lymphocyte count ≤ 15%). ☐ Family history of altered immunocompetence (e.g., first degree relative (biological parent or sibling) unless the immune competence of the potential vaccine recipient has been substantiated clinically or verified by a laboratory). ☐ Pregnancy. ☐ These published contraindications are not true for this patient, but it is my best professional judgement that based upon the individual's medical condition and history, the risk of medical harm from the vaccine outweighs the potential benefit. Precautions ☐ Moderate or severe acute illness with or without fever. Defer vaccination until symptoms resolve. ☐ Recent (within 11 months) receipt of antibody-containing blood product (specific interval depends on product). ☐ History of thrombocytopenia or thrombocytopenic purpura. ☐ Need for tuberculin skin testing or Interferon-Gamma Release Assay (IGRA) testing; postpone testing until ≥ 4 weeks after vaccination. MMR can be administered in the same day as TB skin testing or IRA testing. (Measles vaccine might suppress tuberculin reactivity temporarily). *Date Exemption Ends: _____ MD/DO/PHN Initials: _____
☐ Varicella (Var)	Contraindications ☐ Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a vaccine component. ☐ Known severe immunodeficiency (e.g., congenital immunodeficiency, malignancy, chemotherapy, long-term immunosuppressive therapy (e.g., ≥ 2 weeks of daily receipt of ≥20 mg or 2 mg/kg body weight of prednisone or equivalent) or human immunodeficiency virus (HIV) infection with CD4+ T-lymphocyte count ≤15%. ☐ Pregnancy. ☐ These published contraindications are not true for this patient, but it is my best professional judgement that based upon the individual's medical condition and history, the risk of medical harm from the vaccine outweighs the potential benefit. Precautions

Religious Dietary Restriction

Name _____ Classroom _____

Age _____

Does the child have a special nutritional or feeding need? NO YES

Does the child have a religious restriction(s) in his/ her diet? NO YES

Please follow the restriction(s) of the religion: _____

List any dietary restriction or special diet:

List all restricted food items. For each item, list a food to be substituted.

Parent/Guardian

Signature _____ Date _____

Principal

Signature _____ Date _____