

COOPERATIVE EDUCATIONAL SERVICES  
Standing Orders for 2023-2024 School Year

The School Nurse under specified conditions may administer the following:

School Nurse may administer Oxygen when indicated for respiratory distress/Cyanosis.

Allergic Reactions: Attempt to contact primary physician and parent/guardian prior to administering the following:

a) For mild reaction with hives, swelling, puffiness or signs and symptoms of initial allergic reaction administer Diphenhydramine HCL (Benadryl) according to the following dosage:  
Weight: 22-32 lbs. 33-43 lbs. 44-54 lbs. 55-65 lbs. 66-76 lbs. 77-87 lbs. 88 lbs. & above  
Dose: 12.5 mg. 18.75 mg. 25 mg. 31.25 mg. 37.5 mg. 43.75 mg. 50 mg.

b) For severe allergic reaction or anaphylactic shock, administer EPI-PEN according to the following dosage:  
Weight: 33 to 66 lbs. 66 lbs. or over  
Dose: EPI-PEN Jr./Epinephrine EPI-PEN ADULT/Epinephrine  
(Adrenaline 0.15mg.) (Adrenaline 0.3 mg.)  
(1:2000 solution) (1:1000 solution)

Minor Cuts or Abrasions: After cleansing with soap and water apply Bacitracin or Neosporin-type ointment (topically) & dry clean dressing prn

Insect Bites, Poison Ivy or Other Contact Dermatitis Rash: Calamine, Calagel, or Caladryl lotion, hydrocortisone cream 1% prn

Chapped Lips or Dry Skin: Petroleum Jelly (topically) prn

Oral Care: Saltwater or saline solution prn

Minor Burns: Cold water or ice and/or 2<sup>nd</sup> Skin (Moist Gel pads) topically prn

2<sup>nd</sup> Degree Burns: After cleansing apply dry clean dressing prn and refer for medical treatment

3<sup>rd</sup> Degree Burns: Cover with dry clean dressing and send to ER or call 911

\*Headache, Dysmenorrhea, Orthodontal pain, Generalized Pain or Fever of 100.0 or Above: Acetaminophen and Ibuprofen may only be administered with permission from the Parent or Guardian. A parent/guardian signature signifies permission for the 23-24 school year.


ACETAMINOPHEN: (every 4 hrs.) prn

<u>Weight:</u>	<u>24-35 lbs.</u>	<u>36-47 lbs.</u>	<u>48-59 lbs.</u>	<u>60-71 lbs.</u>	<u>72-95 lbs.</u>	<u>over 95 lbs.</u>
<u>Dose:</u>	<u>160 mg.</u>	<u>240 mg.</u>	<u>320 mg.</u>	<u>400 mg.</u>	<u>480 mg.</u>	<u>650 mg.</u>

IBUPROFEN: (every 6-8 hrs.) prn

<u>Weight:</u>	<u>24-35 lbs.</u>	<u>36-47 lbs.</u>	<u>48-59 lbs.</u>	<u>60-71 lbs.</u>	<u>72-95 lbs.</u>	<u>over 95 lbs.</u>
<u>Dose:</u>	<u>100 mg.</u>	<u>150 mg.</u>	<u>200 mg.</u>	<u>250 mg.</u>	<u>300 mg.</u>	<u>400 mg.</u>

- Student weight determines dose of Acetaminophen and Ibuprofen

  
\_\_\_\_\_  
Mark Vincent, MD

7/21/23  
\_\_\_\_\_  
Date