

ATTACHMENT B

Great Beginnings Paradise Park Field Forms

Lee's Summit DW

Team Kurols

School GIB PARADISE PARK

Date Purged 9/23/23

Date Sampled 9/24/23

Sample ID = School abbrev + Floor + Type + Test number (Ex: ME1DF1)

Test #	Floor #	Sink (S)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
1	1	X			SINK IN WAREHOUSE 112	1510	1140
2	1	X			L SINK IN 113	1513	1142
3	1	X			R SINK IN 113	1513	1142
4	1	X		X	BURBULER IN 113	1513	1142
5	1	X			R SINK IN 115	1514	1142
6	1	X			L SINK IN 115	1514	1142
7	1			X	BURBULER IN 115	1514	1142
8	1	X			L SINK IN 122	1518	1148
9	1			X	BURBULER IN 122	1518	1148
10	1	X			R SINK IN 122	1518	1148
11	1	X			L SINK IN 119	1522	1150
12	1			X	BURBULER IN 119	1522	1150
13	1	X			R SINK IN 119	1522	1150
14	1	X			L SINK IN 121	1522	1150
15	1			X	BURBULER IN 121	1522	1150
16	1	X			R SINK IN 121	1522	1150
17	1		X		L DF OUTSIDE 121	1525	1150
18	1		X		R DF OUTSIDE 121	1525	1150
19	1	X			SINK IN 129/LOWESE	1528	1155
20	1	X			SINK IN 129B	1528	1155
21	1		X		L DF OUTSIDE 129	1532	1155
22	1		X		R DF OUTSIDE 129	1532	1155
23	1	X			L SINK IN 130	1534	1200
24	1			X	BURBULER IN 130	1534	1200

Lee's Summit DW

Team KM + ES

School GIB RP

Date Purged 9/25/23

Date Sampled 9/25/23

Sample ID = School abbrev + Floor + Type + Test number (Ex: ME1DF1)

Test #	Floor #	Sink (S)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
25	1	X			R Sink in 130	1534	1200
26	1	X			L Sink in 141	1540	1202
27	1			X	FOUNTAIN in 141	1540	1202
28	1	X			R Sink in 141	1540	1202
29	1		X		L DF OUTSIDE 141	1542	1202
30	1		X		R DF OUTSIDE 141	1542	1202
31	1	X			L Sink in 148	1544	1202
32	1			X	BURGER in 148	1544	1202
33	1	X			R Sink in 148	1544	1202
34	1	X			L Sink in 150	1548	1205
35	1	X			Lm Sink in 150	1548	1205
36	1	X			Rm Sink in 150	1548	1205
37	1	X			R Sink in 150	1548	1205
38	1	X			Sink in 150	1548	1205
39	2	X			L Sink in 234	1556	1213
40	2			X	FOUNTAIN in 234	1556	1213
41	2	X			R Sink in 234	1556	1213
42	2	X			L Sink in 233	1600	1215
43	2			X	BURGER in 233	1600	1215
44	2	X			R Sink in 233	1600	1215
45	2	X			Hand Sink in 232	1604	1215
46	2	X			Basin Sink in 232	1604	1215
47	2		X		L DF OUTSIDE 232	1607	1218
48	2		X		R DF OUTSIDE 232	1607	1218

Lee's Summit DW

Team LM & RJ

Date Purged 9/23/23
 Date Sampled 9/24/23

School GB PR

Sample ID = School abbrev + Floor + Type + Test number (Ex: ME1DF1)

Test #	Floor #	Sink (S)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
49	2	X			L SINK IN 218	1610	1220
50	2			X	BUBBLER IN 218	1610	1220
51	2	X			R SINK IN 218	1610	1220
52	2	X			L SINK IN 219	1610	1222
53	2			X	BUBBLER IN 219	1610	1222
54	2	X			R SINK IN 219	1610	1222
55	2	X			L SINK IN 220	1614	1224
56	2			X	BUBBLER IN 220	1614	1224
57	2	X			R SINK IN 220	1614	1224
58	2	X			SINK IN BREAKROOM / 209	1618	1230
59	2		X		UDF OUTSIDE 245/244	1622	1230
60	2		X		RDF OUTSIDE 245/244	1622	1230

ATTACHMENT C

Great Beginnings Paradise Park Summary Table

Summary Table
Great Beginnings Paradise Park

Sample ID	Date	Analyte	Result	Unit	Reporting Limit
PP1S1	9/24/2023	Lead	1.8	µg/L	1
PP1S2	9/24/2023	Lead	ND	µg/L	1
PP1S3	9/24/2023	Lead	ND	µg/L	1
PP104	9/24/2023	Lead	1.1	µg/L	1
PP1S5	9/24/2023	Lead	1.2	µg/L	1
PP1S6	9/24/2023	Lead	ND	µg/L	1
PP107	9/24/2023	Lead	1.4	µg/L	1
PP1S8	9/24/2023	Lead	ND	µg/L	1
PP109	9/24/2023	Lead	ND	µg/L	1
PP1S10	9/24/2023	Lead	ND	µg/L	1
PP1S11	9/24/2023	Lead	ND	µg/L	1
PP1012	9/24/2023	Lead	2.1	µg/L	1
PP1S13	9/24/2023	Lead	ND	µg/L	1
PP1S14	9/24/2023	Lead	1.1	µg/L	1
PP1015	9/24/2023	Lead	1.1	µg/L	1
PP1S16	9/24/2023	Lead	ND	µg/L	1
PP1DF17	9/24/2023	Lead	ND	µg/L	1
PP1DF18	9/24/2023	Lead	ND	µg/L	1
PP1S19	9/24/2023	Lead	ND	µg/L	1
PP1S20	9/24/2023	Lead	3.2	µg/L	1
PP1DF21	9/24/2023	Lead	ND	µg/L	1
PP1DF22	9/24/2023	Lead	ND	µg/L	1
PP1S23	9/24/2023	Lead	ND	µg/L	1
PP1024	9/24/2023	Lead	1.5	µg/L	1
PP1S25	9/24/2023	Lead	ND	µg/L	1
PP1S26	9/24/2023	Lead	1.4	µg/L	1
PP1027	9/24/2023	Lead	1.0	µg/L	1
PP1S28	9/24/2023	Lead	ND	µg/L	1
PP1DF29	9/24/2023	Lead	ND	µg/L	1
PP1DF30	9/24/2023	Lead	ND	µg/L	1
PP1S31	9/24/2023	Lead	ND	µg/L	1
PP1032	9/24/2023	Lead	1.1	µg/L	1
PP1S33	9/24/2023	Lead	ND	µg/L	1
PP1S34	9/24/2023	Lead	ND	µg/L	1
PP1S35	9/24/2023	Lead	ND	µg/L	1
PP1S36	9/24/2023	Lead	ND	µg/L	1
PP1S37	9/24/2023	Lead	ND	µg/L	1
PP1S38	9/24/2023	Lead	ND	µg/L	1
PP2S39	9/24/2023	Lead	1.6	µg/L	1
PP2040	9/24/2023	Lead	ND	µg/L	1
PP2S41	9/24/2023	Lead	1.0	µg/L	1
PP2S42	9/24/2023	Lead	1.2	µg/L	1
PP2043	9/24/2023	Lead	1.0	µg/L	1

PP2S44	9/24/2023	Lead	1.2	µg/L	1
PP2S45	9/24/2023	Lead	22.1	µg/L	1
PP2S46	9/24/2023	Lead	2.1	µg/L	1
PP2DF47	9/24/2023	Lead	ND	µg/L	1
PP2DF48	9/24/2023	Lead	ND	µg/L	1
PP2S49	9/24/2023	Lead	1.2	µg/L	1
PP2050	9/24/2023	Lead	1.3	µg/L	1
PP2S51	9/24/2023	Lead	ND	µg/L	1
PP2S52	9/24/2023	Lead	ND	µg/L	1
PP2053	9/24/2023	Lead	ND	µg/L	1
PP2S54	9/24/2023	Lead	ND	µg/L	1
PP2S55	9/24/2023	Lead	1.6	µg/L	1
PP2056	9/24/2023	Lead	6.4	µg/L	1
PP2S57	9/24/2023	Lead	1.6	µg/L	1
PP2S58	9/24/2023	Lead	ND	µg/L	1
PP2DF59	9/24/2023	Lead	ND	µg/L	1
PP2SD60	9/24/2023	Lead	ND	µg/L	1

µg/L: micrograms per liter

Bolded results indicate detection above reporting limits

ATTACHMENT D

Great Beginnings Paradise Park Laboratory Analytical Report

October 12, 2023

Randy Seamans
Blackstone Environmental, Inc.
16200 Foster Street
Overland Park, KS 66085
TEL: (913) 495-9990
FAX:



Illinois	100226
Kansas	E-10374
Louisiana	05002
Louisiana	05003
Oklahoma	9978

RE: Lees Summit School District DW GB Paradise Park

WorkOrder: 23091805

Dear Randy Seamans:

TEKLAB, INC received 60 samples on 9/26/2023 10:20:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Patrick Riley
Project Manager
(618)344-1004 ex 44
patrickriley@teklabinc.com



Report Contents

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Receiving Check List	67
Chain of Custody	Appended

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Abbr Definition

* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count (> 200 CFU)

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Qualifiers

- # - Unknown hydrocarbon
- C - RL shown is a Client Requested Quantitation Limit
- H - Holding times exceeded
- J - Analyte detected below quantitation limits
- ND - Not Detected at the Reporting Limit
- S - Spike Recovery outside recovery limits
- X - Value exceeds Maximum Contaminant Level
- B - Analyte detected in associated Method Blank
- E - Value above quantitation range
- I - Associated internal standard was outside method criteria
- M - Manual Integration used to determine area response
- R - RPD outside accepted recovery limits
- T - TIC(Tentatively identified compound)



Case Narrative

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Cooler Receipt Temp: N/A °C

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425

Phone (618) 344-1004

Fax (618) 344-1005

Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425

Phone (618) 344-1004

Fax (618) 344-1005

Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415

Phone (217) 698-1004

Fax (217) 698-1005

Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515

Phone (630) 324-6855

Fax

Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214

Phone (913) 541-1998

Fax (913) 541-1998

Email jhriley@teklabinc.com



Accreditations

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2024	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2024	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2024	Collinsville
Arkansas	ADEQ	88-0966		3/14/2024	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2024	Collinsville
Missouri	MDNR	00930		5/31/2023	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-001

Client Sample ID: PP1S1

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:40

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.8	µg/L	5	10/11/2023 12:10	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-002

Client Sample ID: PP1S2

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:42

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 16:33	212806



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-003

Client Sample ID: PP1S3

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:42

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	5	10/11/2023 12:46	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-004

Client Sample ID: PP104

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:42

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.1	µg/L	1	10/06/2023 16:36	212806



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-005

Client Sample ID: PP1S5

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:42

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.2	µg/L	5	10/11/2023 12:50	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-006
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23

Client Sample ID: PP1S6
Collection Date: 09/24/2023 11:42

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 16:51	212806



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-007

Client Sample ID: PP107

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:42

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.4	µg/L	1	10/06/2023 16:55	212806



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-008

Client Sample ID: PP1S8

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 16:58	212806



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-009

Client Sample ID: PP109

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 17:09	212806



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-010

Client Sample ID: PP1S10

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	5	10/11/2023 13:15	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-011

Client Sample ID: PP1S11

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 12:38	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-012

Client Sample ID: PP1012

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.1	µg/L	1	10/06/2023 12:53	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-013
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23

Client Sample ID: PP1S13
Collection Date: 09/24/2023 11:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	5	10/11/2023 12:54	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-014

Client Sample ID: PP1S14

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.1	µg/L	5	10/11/2023 12:58	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-015

Client Sample ID: PP1015

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.1	µg/L	1	10/06/2023 12:57	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-016

Client Sample ID: PP1S16

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 13:00	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-017

Client Sample ID: PP1DF17

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 13:04	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-018
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23
Client Sample ID: PP1DF18
Collection Date: 09/24/2023 11:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 13:15	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-019

Client Sample ID: PP1S19

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	5	10/11/2023 13:03	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-020

Client Sample ID: PP1S20

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.2	µg/L	5	10/11/2023 13:07	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-021

Client Sample ID: PP1DF21

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 13:19	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-022

Client Sample ID: PP1DF22

Matrix: DRINKING WATER

Collection Date: 09/24/2023 11:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 13:22	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-023

Client Sample ID: PP1S23

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 13:26	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-024

Client Sample ID: PP1024

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.5	µg/L	1	10/06/2023 13:41	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-025

Client Sample ID: PP1S25

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	5	10/11/2023 13:11	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-026
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23
Client Sample ID: PP1S26
Collection Date: 09/24/2023 12:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.4	µg/L	1	10/06/2023 13:52	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-027

Client Sample ID: PP1027

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.0	µg/L	1	10/06/2023 13:55	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-028

Client Sample ID: PP1S28

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 13:59	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-029
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23

Client Sample ID: PP1DF29
Collection Date: 09/24/2023 12:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 14:03	212807



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-030

Client Sample ID: PP1DF30

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 10:56	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-031

Client Sample ID: PP1S31

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 10:59	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-032
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23

Client Sample ID: PP1032
Collection Date: 09/24/2023 12:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.1	µg/L	1	10/06/2023 11:03	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-033

Client Sample ID: PP1S33

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 11:18	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-034
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23

Client Sample ID: PP1S34
Collection Date: 09/24/2023 12:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 11:21	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-035
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23

Client Sample ID: PP1S35
Collection Date: 09/24/2023 12:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 11:32	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-036

Client Sample ID: PP1S36

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 11:36	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-037

Client Sample ID: PP1S37

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 11:40	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-038
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23

Client Sample ID: PP1S38
Collection Date: 09/24/2023 12:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 11:43	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-039

Client Sample ID: PP2S39

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:13

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.6	µg/L	5	10/12/2023 7:16	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-040

Client Sample ID: PP2040

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:13

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 11:47	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-041

Client Sample ID: PP2S41

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:13

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.0	µg/L	1	10/06/2023 11:51	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-042

Client Sample ID: PP2S42

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.2	µg/L	1	10/06/2023 12:05	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-043

Client Sample ID: PP2043

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.0	µg/L	1	10/06/2023 12:09	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-044

Client Sample ID: PP2S44

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.2	µg/L	1	10/06/2023 12:13	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-045
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23

Client Sample ID: PP2S45
Collection Date: 09/24/2023 12:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		22.1	µg/L	1	10/06/2023 12:16	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-046
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23
Client Sample ID: PP2S46
Collection Date: 09/24/2023 12:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.1	µg/L	1	10/06/2023 12:27	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-047

Client Sample ID: PP2DF47

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:18

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 12:31	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-048

Client Sample ID: PP2DF48

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:18

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 12:35	212809



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-049

Client Sample ID: PP2S49

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:20

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.2	µg/L	5	10/12/2023 7:20	212999



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-050

Client Sample ID: PP2050

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:20

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.3	µg/L	1	10/06/2023 9:05	212810



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-051

Client Sample ID: PP2S51

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:20

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 9:09	212810



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-052

Client Sample ID: PP2S52

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:22

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 9:13	212810



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-053

Client Sample ID: PP2053

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:22

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 9:16	212810



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-054

Client Sample ID: PP2S54

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:22

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 9:20	212810



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-055

Client Sample ID: PP2S55

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.6	µg/L	1	10/06/2023 9:42	212810



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.
Client Project: Lees Summit School District DW GB Paradise Park
Lab ID: 23091805-056
Matrix: DRINKING WATER

Work Order: 23091805
Report Date: 12-Oct-23
Client Sample ID: PP2056
Collection Date: 09/24/2023 12:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		6.4	µg/L	1	10/06/2023 9:46	212810



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-057

Client Sample ID: PP2S57

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.6	µg/L	1	10/06/2023 9:49	212810



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-058

Client Sample ID: PP2S58

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 9:53	212810



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-059

Client Sample ID: PP2DF59

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 9:57	212810



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Lab ID: 23091805-060

Client Sample ID: PP2SD60

Matrix: DRINKING WATER

Collection Date: 09/24/2023 12:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	10/06/2023 10:00	212810



Receiving Check List

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23091805

Client Project: Lees Summit School District DW GB Paradise Park

Report Date: 12-Oct-23

Carrier: Crossroads

Received By: MBP

Completed by:

Amber Dilallo

Reviewed by:

Ellie Hopkins

On:

26-Sep-23

Amber Dilallo

On:

28-Sep-23

Ellie Hopkins

Pages to follow: Chain of custody

Extra pages included

- | | | | | |
|---|--|------------------------------|--|----------------------------------|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | Temp °C N/A |
| Type of thermal preservation? | None <input checked="" type="checkbox"/> | Ice <input type="checkbox"/> | Blue Ice <input type="checkbox"/> | Dry Ice <input type="checkbox"/> |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Reported field parameters measured: | Field <input type="checkbox"/> | Lab <input type="checkbox"/> | NA <input checked="" type="checkbox"/> | |
| Container/Temp Blank temperature in compliance? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

- | | | | |
|---|---|-----------------------------|---|
| Water – at least one vial per sample has zero headspace? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | No VOA vials <input checked="" type="checkbox"/> |
| Water - TOX containers have zero headspace? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | No TOX containers <input checked="" type="checkbox"/> |
| Water - pH acceptable upon receipt? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| NPDES/CWA TCN interferences checked/treated in the field? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory. - amberdilallo - 9/26/2023 3:12:23 PM

CHAIN OF CUSTODY

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: Blackstone Environmental, Inc
Address: 16200 Foster Street
City/State/Zip: Overland Park, KS 66085
Contact: Randy Seamans Phone: 913-495-9990

Email: rseamans@blackstone-env.com Fax:

Are these samples known to be involved in litigation? If yes, a surcharge will apply: Yes No
Are these samples known to be hazardous? Yes No
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section: Yes No

PROJECT NAME/NUMBER: Lee's Summit School District DW
SAMPLE COLLECTOR'S NAME: KM & RS

RESULTS REQUESTED: 1-2 Day (100% Surcharge)
Other: 3 Day (50% Surcharge)

Table with columns: Lab Use Only, Sample ID, Date/Time Sampled, Matrix, BILLING INSTRUCTIONS

Samples on: ICE BLUE ICE NO ICE
Preserved in: LAB FIELD
LAB NOTES:

Client Comments:

GB PARADISE PARK

Table with columns: # and Type of Containers, INDICATE ANALYSIS REQUESTED (UNP, HNO3, NaOH, H2SO4, HCL, MeOH, NaHSO4, TSP, Other, DW Lead)

Table with columns: Relinquished By, Date/Time, Received By, Date/Time

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

CHAIN OF CUSTODY

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: Blackstone Environmental, Inc
Address: 16200 Foster Street
City/State/Zip: Overland Park, KS 66085
Contact: Randy Seamans Phone: 913-495-9990
Email: rseamans@blackstone-env.com Fax:

Are these samples known to be involved in litigation? If yes, a surcharge will apply: Yes No
Are these samples known to be hazardous? Yes No
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section: Yes No

PROJECT NAME/NUMBER: Lee's Summit School District DW
SAMPLE COLLECTOR'S NAME: KM & RS

Table with columns: Lab Use Only, Sample ID, Date/Time Sampled, Matrix, RESULTS REQUESTED, BILLING INSTRUCTIONS. Rows include sample IDs 012 through 022 and their corresponding analysis details.

Samples on: ICE BLUE ICE NO ICE °C
Preserved in: LAB FIELD FOR LAB USE ONLY
LAB NOTES:

Client Comments: 03 PARADISE PARK

Table with columns: # and Type of Containers, INDICATE ANALYSIS REQUESTED. Rows list chemical tests: UNP, HNO3, NaOH, H2SO4, HCL, MeOH, NaHSO4, TSP, Other, DW Lead.

Relinquished By: [Signature] Date/Time: 9/25/23 9:00
Received By: [Signature] Date/Time: 9/25/23 16:00

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

CHAIN OF CUSTODY

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: Blackstone Environmental, Inc
Address: 16200 Foster Street
City/State/Zip: Overland Park, KS 66085
Contact: Randy Seamans Phone: 913-495-9990
Email: rseamans@blackstone-env.com Fax:

Are these samples known to be involved in litigation? If yes, a surcharge will apply: Yes No
Are these samples known to be hazardous? Yes No
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section: Yes No

PROJECT NAME/NUMBER: Lee's Summit School District DW
SAMPLE COLLECTOR'S NAME: KM & RS

Table with columns: Lab Use Only, Sample ID, Date/Time Sampled, Matrix, BILLING INSTRUCTIONS, RESULTS REQUESTED (Standard/Other), 1-2 Day (100% Surcharge), 3 Day (50% Surcharge)

Samples on: ICE BLUE ICE NO ICE °C
Preserved in: LAB FIELD FOR LAB USE ONLY
LAB NOTES:

Client Comments:

Table with columns: # and Type of Containers, UNP, HNO3, NaOH, H2SO4, HCL, MeOH, NaHSO4, TSP, Other, DW Lead, INDICATE ANALYSIS REQUESTED

Table with columns: Relinquished By, Date/Time, Received By, Date/Time

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

CHAIN OF CUSTODY

Pg 4 of 6 Workorder # 23091805

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: Blackstone Environmental, Inc
 Address: 16200 Foster Street
 City/State/Zip: Overland Park, KS 66085
 Contact: Randy Seamans Phone: 913-495-9990
 Email: rseamans@blackstone-env.com Fax:

Are these samples known to be involved in litigation? If yes, a surcharge will apply: Yes No
 Are these samples known to be hazardous? Yes No
 Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section: Yes No

PROJECT NAME/NUMBER: Lee's Summit School District DW
 SAMPLE COLLECTOR'S NAME: KM & RS

Lab Use Only	Sample ID	Date/Time Sampled	Matrix	RESULTS REQUESTED		BILLING INSTRUCTIONS
				<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Other	
23091805-034	PP1S34	9/24/23 1205	Drinking Water	<input type="checkbox"/> 12 Day (100% Surcharge)	<input type="checkbox"/> 3 Day (50% Surcharge)	
035	PP1S35	9/24/23 1205	Drinking Water			
036	PP1S36	9/24/23 1205	Drinking Water			
037	PP1S37	9/24/23 1205	Drinking Water			
038	PP1S38	9/24/23 1213	Drinking Water			
039	PP2S39	9/24/23 1213	Drinking Water			
040	PP2O40	9/24/23 1213	Drinking Water			
041	PP2S41	9/24/23 1213	Drinking Water			
042	PP2S42	9/24/23 1215	Drinking Water			
043	PP2O43	9/24/23 1215	Drinking Water			
044	PP2S44	9/24/23 1215	Drinking Water			

Relinquished By: *[Signature]* Date/Time: 9/25/23 900
 Received By: *[Signature]* Date/Time: 9/25/23 1430
[Signature] 9/26/23 1000

Samples on: ICE BLUE ICE NO ICE _____ °C
 Preserved in: LAB FIELD FOR LAB USE ONLY
 LAB NOTES:

Client Comments:

GB PARADISE PARK

# and Type of Containers	INDICATE ANALYSIS REQUESTED										
1	UNP										
1	HNO3										
1	NaOH										
1	H2SO4										
1	HCL										
1	MeOH										
1	NaHSO4										
1	TSP										
1	Other										
1	DW Lead										

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

CHAIN OF CUSTODY

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: Blackstone Environmental, Inc
 Address: 16200 Foster Street
 City/State/Zip: Overland Park, KS 66085
 Contact: Randy Seamans Phone: 913-495-9990
 Email: rseamans@blackstone-env.com Fax:

Are these samples known to be involved in litigation? If yes, a surcharge will apply: Yes No
 Are these samples known to be hazardous? Yes No
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section: Yes No

PROJECT NAME/NUMBER
 Lee's Summit School District DW

SAMPLE COLLECTOR'S NAME
 KM & RS

RESULTS REQUESTED
 Standard 1-2 Day (100% Surcharge)
 Other 3 Day (50% Surcharge)

BILLING INSTRUCTIONS

Lab Use Only	Sample ID	Date/Time Sampled	Matrix
23091805-045	PP2-S45	9/24/23 12:15	Drinking Water
046	PP2-S46	9/24/23 12:15	Drinking Water
047	PP2-D47	9/24/23 12:18	Drinking Water
048	PP2-D48	9/24/23 12:18	Drinking Water
049	PP2-S49	9/24/23 12:20	Drinking Water
050	PP2-O50	9/24/23 12:20	Drinking Water
051	PP2-S51	9/24/23 12:22	Drinking Water
052	PP2-S52	9/24/23 12:22	Drinking Water
053	PP2-O53	9/24/23 12:22	Drinking Water
054	PP2-S54	9/24/23 12:22	Drinking Water
055	PP2-S55	9/24/23 12:24	Drinking Water

Relinquished By *[Signature]* Date/Time 9/25/23 9:02

Received By *[Signature]* Date/Time 9/25/23 1:04

Samples on: ICE BLUE ICE NO ICE _____ °C
 Preserved in: LAB FIELD FOR LAB USE ONLY
 LAB NOTES:

Client Comments:

GB PARADISE PARK

# and Type of Containers	INDICATE ANALYSIS REQUESTED
1	UNP
1	HNO3
1	NaOH
1	H2SO4
1	HCL
1	MeOH
1	NaHSO4
1	TSP
1	Other
1	DW Lead

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

CHAIN OF CUSTODY

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Samples on: ICE BLUE ICE NO ICE _____ °C

Preserved in: LAB FIELD _____ FOR LAB USE ONLY

LAB NOTES:

Client Comments: **GB PARADISE PARK**

Client: Blackstone Environmental, Inc
 Address: 16200 Foster Street
 City/State/Zip: Overland Park, KS 66085
 Contact: Randy Seamans Phone: 913-495-9990
 Email: rseamans@blackstone-env.com Fax:

Are these samples known to be involved in litigation? If yes, a surcharge will apply: Yes No

Are these samples known to be hazardous? Yes No

Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section: Yes No

PROJECT NAME/NUMBER: Lee's Summit School District DW

SAMPLE COLLECTOR'S NAME: KM & RS

Lab Use Only	Sample ID	Date/Time Sampled	Matrix	BILLING INSTRUCTIONS		# and Type of Containers	INDICATE ANALYSIS REQUESTED
				RESULTS REQUESTED			
23091805-0510	PP2056	9/24/23 1224	Drinking Water	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> 1-2 Day (100% Surcharge)	1	UNP
057	PP2S57	9/24/23 1224	Drinking Water	<input type="checkbox"/> Other	<input type="checkbox"/> 3 Day (50% Surcharge)	1	HNO3
058	PP2S58	9/24/23 1230	Drinking Water			1	NaOH
059	PP2DF59	9/24/23 1230	Drinking Water			1	H2SO4
060	PP2DF60	9/24/23 1230	Drinking Water			1	HCL
		9/24/23	Drinking Water			1	MeOH
		9/24/23	Drinking Water			1	NaHSO4
		9/24/23	Drinking Water			1	TSP
		9/24/23	Drinking Water			1	Other
		9/24/23	Drinking Water			1	DW Lead

Relinquished By: *[Signature]* Date/Time: 9/25/23 900

Received By: *[Signature]* Date/Time: 9/25/23 1430

[Signature] Date/Time: 9/26/23 1020

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions