

## **ATTACHMENT B**

---

**Lee's Summit West High School  
Field Forms**

# Lee's Summit DW

Team AK

School Lee's Summit West High School  
(LSW)

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Date Purged 7/31  
Date Sampled 8/1

| Test # | Floor # | Sink (SK)    | D Fountain (DF) | Other (O) | Location and Description                                              | Time Purged | Time Sampled |
|--------|---------|--------------|-----------------|-----------|-----------------------------------------------------------------------|-------------|--------------|
| 1      | 0       | X            |                 |           | football concessions sink (1)                                         | 12:07       | 8:06         |
| 2      | 0       | X            |                 |           | football concessions sink (r)                                         | 12:07       | 8:06         |
| 3      | 0       |              | X               |           | football restrooms fountain (1)                                       | 12:07       | 8:07         |
| 4      | 0       |              | X               |           | football restrooms fountain (r)                                       | 12:07       | 8:07         |
| 5      | 0       |              | X               |           | locker room fountain (back)                                           | 12:22       | 8:15         |
| 6      | 0       | X            | <del>X</del>    |           | <del>baseball concessions sink (1)</del> <del>baseball sink (1)</del> | 12:32       | 8:18         |
| 7      | 0       | X            |                 |           | baseball concessions sink (r)                                         | 12:32       | 8:18         |
| 8      | 0       |              | X               |           | baseball field 4 fountain                                             | 12:37       | 8:20         |
| 9      | 0       |              | X               |           | baseball concessions fountain                                         | 12:37       | 8:20         |
| 10     | 0       | X            |                 |           | football stadium concessions sink (1)                                 | 12:53       | 8:24         |
| 11     | 0       | X            |                 |           | football stadium concessions sink (r)                                 | 12:53       | 8:25         |
| 12     | 0       | X            |                 |           | soccer concessions (1) sink                                           | 12:56       | 8:25         |
| 13     | 0       | X            |                 |           | soccer concessions (r) sink                                           | 12:56       | 8:26         |
| 14     | 0       |              | X               |           | tennis court fountain                                                 | 13:05       | 8:30         |
| 15     | 1       | X            | <del>X</del>    |           | <del>copy room sink</del>                                             | 13:20       | 8:37         |
| 16     | 1       | X            | <del>X</del>    |           | health room 1168 sink                                                 | 13:26       | 8:39         |
| 17     | 1       | <del>X</del> | X               |           | fountain (1) in hall of 1161                                          | 13:32       | 8:40         |
| 18     | 1       | <del>X</del> | X               |           | fountain (r) in hall of 1161                                          | 13:32       | 8:40         |
| 19     | 1       | X            |                 |           | 1179 staff lounge sink                                                | 13:32       | 8:41         |
| 20     | 1       | <del>X</del> |                 | X         | 1179 staff lounge fridge                                              | 13:32       | 8:42         |
| 21     | 1       | X            |                 |           | 1188 Kitchenette sink                                                 | 13:40       | 8:43         |
| 22     | 1       |              |                 | X         | 1188 Kitchenette bubbler                                              | 13:40       | 8:43         |
| 23     | 1       |              |                 | X         | 1188 Kitchenette fridge                                               | 13:40       | 8:44         |
| 24     | 1       | X            |                 |           | Kitchen prep sink                                                     | 13:48       | 8:46         |

# Lee's Summit DW

Team OK

School Lee's Summit West High School  
(LSW)

Date Purged 7/31  
Date Sampled 8/1

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

| Test # | Floor # | Sink (SK) | D Fountain (DF) | Other (O) | Location and Description                         | Time Purged | Time Sampled |
|--------|---------|-----------|-----------------|-----------|--------------------------------------------------|-------------|--------------|
| 25     | 1       | X         |                 |           | Kitchen prep sink                                | 13:48       | 8:47         |
| 26     | 1       |           |                 | X         | Kitchen batch mixing pot                         | 13:48       | 8:47         |
| 27     | 1       |           |                 | X         | Kitchen oven                                     | 13:48       | 8:48         |
| 28     | 1       | X         |                 |           | Kitchen prep sink                                | 13:48       | 8:48         |
| 29     | 1       |           |                 | X         | Kitchen dishwasher                               | 13:48       | 8:53         |
| 30     | 1       | X         |                 |           | Kitchen sprayer sink                             | 13:49       | 8:50         |
| 31     | 1       | X         |                 |           | Kitchen dish sink (r)                            | 13:49       | 8:50         |
| 32     | 1       | X         |                 |           | Kitchen dish sink (l)                            | 13:49       | 8:50         |
| 33     | 1       |           |                 | X         | large kitchen dishwasher                         | 13:59       | 8:55         |
| 34     | 1       |           |                 | X         | sprayer by large dishwasher                      | 13:59       | 8:55         |
| 35     | 1       |           | X               |           | catererie fountain (l)                           | 14:05       | 8:56         |
| 36     | 1       |           | X               |           | catererie fountain (r)                           | 14:05       | 8:57         |
| 37     | 1       |           | X               |           | countain by auditorium                           | 14:15       | 8:59         |
| 38     | 1       |           | X               |           | fountains by wrestling (l) (upper)               | 14:22       | 9:00         |
| 39     | 1       |           | X               |           | fountains by wrestling (r) (upper)               | 14:22       | 9:00         |
| 40     | 1       |           | X               |           | fountain in boys locker room (l)                 | 14:29       | 9:03         |
| 41     | 1       |           | X               |           | fountain in <del>boys</del> boys locker room (r) | 14:29       | 9:03         |
| 42     | 1       |           | X               |           | fountain in hall by boys locker                  | 14:29       | 9:03         |
| 43     | 1       |           | X               |           | fountain in boys locker room (l)                 | 14:36       | 9:05         |
| 44     | 1       |           | X               |           | fountain in boys locker room (r)                 | 14:36       | 9:06         |
| 45     | 1       |           | X               |           | fountain in girls locker room (l)                | 14:36       | 9:07         |
| 46     | 1       |           | X               |           | fountain in girls locker room (r)                | 14:36       | 9:07         |
| 47     | 1       |           | X               |           | fountain in girls locker room (l)                | 14:41       | 9:08         |
| 48     | 1       |           | X               |           | fountain in girls locker room (r)                | 14:41       | 9:09         |

# Lee's Summit DW

Date Purged 7/31  
Date Sampled 8/1

School Lee's Summit West High School  
(LSW)

Team ARK

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

| Test # | Floor # | Sink (SK) | D Fountain (DF) | Other (O) | Location and Description          | Time Purged | Time Sampled |
|--------|---------|-----------|-----------------|-----------|-----------------------------------|-------------|--------------|
| 49     | 1       |           | X               |           | fountain by girls locker (1)      | 14:46       | 9:10         |
| 50     | 1       |           | X               |           | fountain by girls locker (r)      | 14:46       | 9:10         |
| 51     | 1       |           | X               |           | fountain by 105 (1)               | 14:48       | 9:11         |
| 52     | 1       |           | X               |           | fountain by 105 (r)               | 14:48       | 9:12         |
| 53     | 1       | X         |                 |           | 108 training room sink            | 14:52       | 9:13         |
| 54     | 1       | X         |                 |           | 108 training room sink            | 14:52       | 9:13         |
| 55     | 1       |           |                 | X         | 108 training room ice machine     | 14:52       | 9:13         |
| 56     | 1       | X         |                 |           | concessions by fieldhouse sink(1) | 14:59       | 9:18         |
| 57     | 1       | X         |                 |           | concessions by fieldhouse sink(1) | 14:59       | 9:18         |
| 58     | 1       |           | X               |           | fountain (1) by 1282              | 15:10       | 9:22         |
| 59     | 1       |           | X               |           | fountain (r) by 1282              | 15:10       | 9:22         |
| 60     | 1       | X         |                 |           | 1274 break room sink              | 15:13       | 9:23         |
| 61     | 1       |           | X               |           | fountain (1) by 1263              | 15:17       | 9:24         |
| 62     | 1       |           | X               |           | fountain (r) by 1263              | 15:17       | 9:24         |
| 63     | 1       | X         |                 |           | 1266 sink                         | 15:20       | 9:28         |
| 64     | 1       | X         |                 |           | 1266 sink                         | 15:20       | 9:28         |
| 65     | 1       | X         |                 |           | 1266 sink                         | 15:20       | 9:28         |
| 66     | 1       | X         |                 |           | 1266 sink                         | 15:20       | 9:28         |
| 67     | 1       | X         |                 |           | 1266 sink                         | 15:20       | 9:29         |
| 68     | 1       | X         |                 |           | 1266 sink                         | 15:20       | 9:29         |
| 69     | 1       | X         |                 |           | 1265 prep sink                    | 15:21       | 9:30         |
| 70     | 1       | X         |                 |           | 1265 prep sink                    | 15:21       | 9:30         |
| 71     | 1       |           |                 | X         | 1265 prep dishwasher              | 15:21       | 9:34         |
| 72     | 1       | X         |                 |           | 1254 sink                         | 15:22       | 9:37         |

# Lee's Summit DW

Team OK

Date Purged 7/31  
Date Sampled 8/1

School

Lee's Summit West High School  
(LSW)

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

| Test # | Floor # | Sink (SK) | D Fountain (DF) | Other (O) | Location and Description | Time Purged | Time Sampled |
|--------|---------|-----------|-----------------|-----------|--------------------------|-------------|--------------|
| 73     | 1       | X         |                 |           | 1254 sink                | 15:22       | 9:37         |
| 74     | 1       | X         |                 |           | 1254 sink                | 15:22       | 9:38         |
| 75     | 1       | X         |                 |           | 1254 sink                | 15:22       | 9:38         |
| 76     | 1       | X         |                 |           | 1254 sink                | 15:23       | 9:38         |
| 77     | 1       | X         |                 |           | 1254 sink                | 15:23       | 9:38         |
| 78     | 1       | X         |                 |           | 1254 sink                | 15:23       | 9:39         |
| 79     | 1       | X         |                 |           | 1254 sink                | 15:23       | 9:39         |
| 80     | 1       | X         |                 |           | 1254 sink                | 15:23       | 9:39         |
| 81     | 1       | X         |                 |           | 1243 break room sink     | 15:33       | 9:41         |
| 82     | 1       | X         |                 |           | 1240 sink                | 15:34       | 9:43         |
| 83     | 1       | X         |                 |           | 1240 sink                | 15:34       | 9:43         |
| 84     | 1       | X         |                 |           | 1240 sink                | 15:34       | 9:43         |
| 85     | 1       | X         |                 |           | 1240 sink                | 15:34       | 9:45         |
| 86     | 1       | X         |                 |           | 1240 sink                | 15:34       | 9:45         |
| 87     | 1       | X         |                 |           | 1240 sink                | 15:34       | 9:46         |
| 88     | 1       | X         |                 |           | 1240 sink                | 15:34       | 9:46         |
| 89     | 1       | X         |                 |           | 1240 sink                | 15:34       | 9:46         |
| 90     | 1       | X         |                 |           | 1240 sink                | 15:34       | 9:46         |
| 91     | 1       | X         |                 |           | 1230 prep sink           | 15:35       | 9:47         |
| 92     | 1       | X         |                 |           | 1230 prep sink           | 15:35       | 9:47         |
| 93     | 1       | X         |                 | X         | 1230 prep dishwasher     | 15:35       | 9:49         |
| 94     | 1       | X         |                 |           | 1229 sink                | 15:36       | 9:51         |
| 95     | 1       | X         |                 |           | 1229 sink                | 15:36       | 9:51         |
| 96     | 1       | X         |                 |           | 1229 sink                | 15:36       | 9:51         |

# Lee's Summit DW

Team AK

School Lee's Summit West High School  
CSW

Date Purged 7/31  
Date Sampled 8/1

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

| Test # | Floor # | Sink (SK) | D Fountain (DF) | Other (O) | Location and Description        | Time Purged | Time Sampled |
|--------|---------|-----------|-----------------|-----------|---------------------------------|-------------|--------------|
| 97     | 1       | X         |                 |           | 1229 sink                       | 15:36       | 9:52         |
| 98     | 1       | X         |                 |           | 1229 sink                       | 15:36       | 9:52         |
| 99     | 1       | X         |                 |           | 1229 sink                       | 15:36       | 9:52         |
| 100    | 1       | X         |                 |           | 1229 sink                       | 15:36       | 9:53         |
| 101    | 1       | X         |                 |           | 1229 sink                       | 15:36       | 9:53         |
| 102    | 1       | X         |                 |           | 1229 sink                       | 15:36       | 9:53         |
| 103    | 1       | X         |                 |           | 1218 break room sink            | 15:35       | 9:55         |
| 104    | 1       | X         |                 |           | 1218 sink                       | 15:47       | 9:57         |
| 105    | 1       | X         |                 |           | 1218 sink                       | 15:47       | 9:57         |
| 106    | 1       | X         |                 |           | 1218 sink                       | 15:47       | 9:57         |
| 107    | 1       | X         |                 |           | 1218 sink                       | 15:47       | 9:58         |
| 108    | 1       | X         |                 |           | 1218 sink                       | 15:47       | 9:58         |
| 109    | 1       | X         |                 |           | 1218 sink                       | 15:47       | 9:58         |
| 110    | 1       | X         |                 |           | 1218 sink                       | 15:47       | 9:58         |
| 111    | 1       | X         |                 |           | 1218 sink                       | 15:47       | 9:59         |
| 112    | 1       | X         |                 |           | 1218 sink                       | 15:48       | 9:59         |
| 113    | 1       | X         |                 |           | 1208 prep sink                  | 15:48       | 9:59         |
| 114    | 1       | X         |                 |           | 1208 prep sink                  | 15:48       | 9:59         |
| 115    | 1       | X         |                 |           | 1205 sink                       | 15:48       | 10:00        |
| 116    | 1       | X         | X               |           | fountains by 1208 custodial (r) | 15:56       | 10:02        |
| 117    | 1       | X         | X               |           | fountains by 1208 custodial (r) | 15:56       | 10:02        |
| 118    | 1       |           |                 | X         | 1135 dishwasher                 | 15:58       | 10:12        |
| 119    | 1       | X         | X               |           | 1135 sink                       | 15:58       | 10:08        |
| 120    | 1       | X         | X               |           | 1135 sink                       | 15:58       | 10:08        |

# Lee's Summit DW

Team ARK

School Lee's Summit West HS  
(LSW)  
Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Date Purged 7/31  
Date Sampled \_\_\_\_\_

| Test # | Floor # | Sink (SK) | D Fountain (DF) | Other (O) | Location and Description | Time Purged | Time Sampled |
|--------|---------|-----------|-----------------|-----------|--------------------------|-------------|--------------|
| 121    | 1       | X         |                 |           | 1135 sink                | 15:58       | 10:09        |
| 122    | 1       | X         |                 |           | 1102 sink                | 16:05       | 10:14        |
| 123    | 1       |           | X               |           | fountains by 1119 (1)    | 16:08       | 10:14        |
| 124    | 1       |           | X               |           | fountains by 1119 (2)    | 16:08       | 10:15        |
| 125    | 1       | X         |                 |           | 1124 sink                | 16:04       | 10:17        |
| 126    | 1       | X         |                 |           | 1124 sink                | 16:04       | 10:17        |
| 127    | 1       | X         |                 |           | 1124 sink                | 16:04       | 10:18        |
| 128    | 1       | X         |                 |           | 1124 sink                | 16:04       | 10:18        |
| 129    | 1       | X         |                 |           | 1124 sink                | 16:04       | 10:18        |
| 130    | 1       | X         |                 |           | 1124 sink                | 16:04       | 10:18        |
| 131    | 1       | X         |                 |           | 1106 sink                | 16:05       | 10:19        |
| 132    | 1       | X         |                 |           | 1106 sink                | 16:05       | 10:19        |
| 133    | 1       | X         |                 |           | 1106 sink                | 16:05       | 10:19        |
| 134    | 1       | X         |                 |           | 1106 sink                | 16:05       | 10:19        |
| 135    | 1       | X         |                 |           | 1106 sink                | 16:05       | 10:20        |
| 136    | 1       | X         |                 |           | 1106 sink                | 16:05       | 10:20        |
| 137    | 1       | X         |                 |           | 1105 sink                | 16:15       | 10:22        |
| 138    | 1       | X         |                 |           | 1105 sink                | 16:15       | 10:22        |
| 139    | 1       | X         |                 |           | 1105 sink                | 16:15       | 10:23        |
| 140    | 1       | X         |                 |           | 1105 sink                | 16:15       | 10:23        |
| 141    | 1       | X         |                 |           | 1105 sink                | 16:15       | 10:23        |
| 142    | 1       | X         |                 |           | 1105 sink                | 16:15       | 10:23        |
| 143    | 1       | X         |                 |           | 1099 sink                | 16:23       | 10:25        |
| 144    | 1       | X         |                 |           | 1097 sink                | 16:23       | 10:25        |

# Lee's Summit DW

Team AK

School Lee's Summit West HS

Date Purged 7/31  
Date Sampled 8/1

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

| Test # | Floor # | Sink (SK) | D Fountain (DF) | Other (O) | Location and Description            | Time Purged | Time Sampled |
|--------|---------|-----------|-----------------|-----------|-------------------------------------|-------------|--------------|
| 143    | 1       |           |                 | X         | 1097 fridge ice maker               | 10:23       | 10:26        |
| 146    | 2       |           | X               |           | fountain (S) by wble                | 10:32       | 10:29        |
| 147    | 2       |           | X               |           | fountain (S) by wble                | 10:32       | 10:29        |
| 148    | 2       | X         |                 |           | 7060 sink                           | 10:33       | 10:30        |
| 149    | 2       | X         |                 |           | 2104 work room sink in media center | 10:41       | 10:31        |
| 150    | 2       |           | X               |           | fountain (I) by 2124                | 10:43       | 10:36        |
| 151    | 2       |           | X               |           | fountain (S) by 2124                | 10:43       | 10:32        |
| 152    | 2       | X         |                 |           | 2129 sink                           | 10:50       | 10:35        |
| 153    | 2       | X         |                 |           | 2129 sink                           | 10:50       | 10:36        |
| 154    | 2       | X         |                 |           | 2129 sink                           | 10:50       | 10:36        |
| 155    | 2       | X         |                 |           | 2129 sink                           | 10:50       | 10:36        |
| 156    | 2       | X         |                 |           | 2129 sink                           | 10:50       | 10:37        |
| 157    | 2       | X         |                 |           | 2129 sink                           | 10:50       | 10:37        |
| 158    | 2       | X         |                 |           | 2129 sink                           | 10:50       | 10:37        |
| 159    | 2       | X         |                 |           | 2129 sink                           | 10:50       | 10:38        |
| 160    | 2       | X         |                 |           | 2129 sink                           | 10:50       | 10:38        |
| 161    | 2       | X         |                 |           | 2120 prep sink                      | 10:51       | 10:39        |
| 162    | 2       | X         |                 |           | 2120 prep sink                      | 10:52       | 10:39        |
| 163    | 2       | X         |                 |           | 2139 sink                           | 10:51       | 10:41        |
| 164    | 2       | X         |                 |           | 2143 sink                           | 10:52       | 10:42        |
| 165    | 2       | X         |                 |           | 2143 sink                           | 10:52       | 10:42        |
| 166    | 2       | X         |                 |           | 2143 sink                           | 10:52       | 10:43        |
| 167    | 2       | X         |                 |           | 2143 sink                           | 10:52       | 10:43        |
| 168    | 2       | X         |                 |           | 2143 sink                           | 10:52       | 10:43        |

# Lee's Summit DW

Date Purged  
Date Sampled

School Lee's Summit West HS  
(CSW)

7/31  
8/1

Team OK

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

| Test # | Floor # | Sink (SK) | D Fountain (DF) | Other (O) | Location and Description        | Time Purged | Time Sampled |
|--------|---------|-----------|-----------------|-----------|---------------------------------|-------------|--------------|
| 169    | 2       | X         |                 |           | 2143 sink                       | 16:52       | 10:44        |
| 170    | 2       | X         |                 |           | 2143 sink                       | 16:52       | 10:44        |
| 171    | 2       | X         |                 |           | 2156 sink                       | 16:52       | 10:44        |
| 172    | 2       | X         |                 |           | 2164 sink                       | 17:05       | 10:47        |
| 173    | 2       | X         |                 |           | 2164 sink                       | 17:05       | 10:48        |
| 174    | 2       | X         |                 |           | 2164 sink                       | 17:05       | 10:48        |
| 175    | 2       | X         |                 |           | 2164 sink                       | 17:05       | 10:48        |
| 176    | 2       | X         |                 |           | 2164 sink                       | 17:05       | 10:48        |
| 177    | 2       | X         |                 |           | 2164 sink                       | 17:05       | 10:49        |
| 178    | 2       | X         |                 |           | 2164 sink                       | 17:05       | 10:49        |
| 179    | 2       | X         |                 |           | 2164 sink                       | 17:05       | 10:49        |
| 180    | 2       | X         |                 |           | 2164 sink                       | 17:05       | 10:49        |
| 181    | 2       | X         |                 |           | <del>2177</del> 2177 prep sink  | 17:06       | 10:50        |
| 182    | 2       |           |                 | X         | 2177 prep dishwasher water line | 17:06       | 10:57        |
| 183    | 2       |           |                 | X         | 2177 prep fridge                | 17:06       | 10:50        |
| 184    | 2       | X         |                 |           | 2177 prep sink                  | 17:06       | 10:50        |
| 185    | 2       | X         |                 |           | 2178 sink                       | 17:07       | 10:58        |
| 186    | 2       | X         |                 |           | 2178 sink                       | 17:07       | 10:58        |
| 187    | 2       | X         |                 |           | 2178 sink                       | 17:07       | 10:58        |
| 188    | 2       | X         |                 |           | 2178 sink                       | 17:07       | 10:59        |
| 189    | 2       | X         |                 |           | 2178 sink                       | 17:07       | 10:59        |
| 190    | 2       | X         |                 |           | 2178 sink                       | 17:07       | 10:59        |
| 191    | 2       | X         |                 |           | 2178 sink                       | 17:07       | 10:59        |
| 192    | 2       | X         |                 |           | 2178 sink                       | 17:07       | 10:59        |

# Lee's Summit DW

Date Purged

Date Sampled

7/31  
8/31

School

Lee's Summit West HS  
(LSW)

Team

ARK

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

| Test # | Floor # | Sink (SK) | D Fountain (DF) | Other (O) | Location and Description | Time Purged | Time Sampled |
|--------|---------|-----------|-----------------|-----------|--------------------------|-------------|--------------|
| 193    | 2       | X         |                 |           | 2159 sink                | 17:07       | 11:03        |
| 194    | 2       | X         |                 |           | 2180 greenhouse sink     | 17:18       | 11:01        |
| 195    | 2       | X         |                 |           | 2180 greenhouse sink     | 17:18       | 11:01        |
| 196    | 2       |           | X               |           | fountain (1) by 2168     | 17:25       | 11:04        |
| 197    | 2       |           | X               |           | fountain (r) by 2168     | 17:25       | 11:04        |
| 198    | 2       | X         |                 |           | 2186 break room sink     | 17:27       | 11:05        |
| 199    | 2       |           | X               |           | fountain (1) by 2193     | 17:30       | 11:06        |
| 200    | 2       |           | X               |           | fountain (r) by 2193     | 17:30       | 11:06        |
| 201    | 2       | X         |                 |           | 2203 sink                | 17:33       | 11:07        |
| 202    | 2       |           | X               |           | fountains by home cc (1) | 17:43       | 11:12        |
| 203    | 2       |           | X               |           | fountains by home cc (r) | 17:43       | 11:12        |
| 204    | B       | X         |                 |           | 160 sink                 | 17:44       | 11:14        |
| 205    | B       |           |                 | X         | 160 ice maker            | 17:44       | 11:14        |
| 206    | B       | X         |                 |           | 160 sink                 | 17:44       | 11:14        |
| 207    | B       |           |                 | X         | 160 dishwasher           | 17:44       | 11:15        |
| 208    | B       | X         |                 |           | 160 sink                 | 17:44       | 11:15        |
| 209    | B       | X         |                 |           | 160 sink                 | 17:45       | 11:16        |
| 210    | B       | X         |                 |           | 160 sink                 | 17:45       | 11:17        |
| 211    | B       |           |                 | X         | 160 dishwasher           | 17:45       | 11:17        |
| 212    | B       | X         |                 |           | 160 sink                 | 17:45       | 11:18        |
| 213    | B       | X         |                 |           | 150 sink                 | 17:46       | 11:18        |
| 214    | B       | X         |                 |           | 156 sink                 | 17:50       | 11:19        |
| 215    | B       | X         |                 |           | 151 sink                 | 17:51       | 11:22        |
| 216    | B       |           |                 | X         | 151 bubbler              | 17:51       | 11:22        |

Lee's Summit DW

Team AK

School Lee's Summit West HS  
(LSW)

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Date Purged

Date Sampled

[illegible]

## ATTACHMENT C

---

### Lee's Summit West High School Summary Table

**Summary Table**  
**Lee's Summit West High School**

| Sample ID | Date     | Analyte | Result | Unit | Reporting Limit |
|-----------|----------|---------|--------|------|-----------------|
| LSW0-S1   | 8/1/2023 | Lead    | 2.2    | µg/L | 1               |
| LSW0-S2   | 8/1/2023 | Lead    | 1.8    | µg/L | 1               |
| LSW0-DF3  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW0-DF4  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW0-DF5  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW0-S6   | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW0-S7   | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW0-DF8  | 8/1/2023 | Lead    | 4.0    | µg/L | 1               |
| LSW0-DF9  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW0-S10  | 8/1/2023 | Lead    | 6.8    | µg/L | 1               |
| LSW0-S11  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW0-S12  | 8/1/2023 | Lead    | 7.2    | µg/L | 1               |
| LSW0-S13  | 8/1/2023 | Lead    | 2.3    | µg/L | 1               |
| LSW0-DF14 | 8/1/2023 | Lead    | 24.6   | µg/L | 1               |
| LSW0-S15  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-S16  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF17 | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF18 | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-S19  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-020  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-S21  | 8/1/2023 | Lead    | 3.4    | µg/L | 1               |
| LSW1-022  | 8/1/2023 | Lead    | 20.0   | µg/L | 1               |
| LSW1-023  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-S24  | 8/1/2023 | Lead    | 1.3    | µg/L | 1               |
| LSW1-S25  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-026  | 8/1/2023 | Lead    | 7.2    | µg/L | 1               |
| LSW1-027  | 8/1/2023 | Lead    | 2.3    | µg/L | 1               |
| LSW1-S28  | 8/1/2023 | Lead    | 12.8   | µg/L | 1               |
| LSW1-029  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-S30  | 8/1/2023 | Lead    | 1.7    | µg/L | 1               |
| LSW1-S31  | 8/1/2023 | Lead    | 2.5    | µg/L | 1               |
| LSW1-S32  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-033  | 8/1/2023 | Lead    | 1.3    | µg/L | 1               |
| LSW1-034  | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF35 | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF36 | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF37 | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF38 | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF39 | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF40 | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF41 | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF42 | 8/1/2023 | Lead    | ND     | µg/L | 1               |
| LSW1-DF43 | 8/1/2023 | Lead    | ND     | µg/L | 1               |

|           |          |      |      |      |   |
|-----------|----------|------|------|------|---|
| LSW1-DF44 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF45 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF46 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF47 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF48 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF49 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF50 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF51 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF52 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-S53  | 8/1/2023 | Lead | 1.6  | µg/L | 1 |
| LSW1-S54  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-055  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-S56  | 8/1/2023 | Lead | 27.8 | µg/L | 1 |
| LSW1-S57  | 8/1/2023 | Lead | 5.3  | µg/L | 1 |
| LSW1-DF58 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF59 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-S60  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF61 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-DF62 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-S63  | 8/1/2023 | Lead | 15.8 | µg/L | 1 |
| LSW1-S64  | 8/1/2023 | Lead | 3.6  | µg/L | 1 |
| LSW1-S65  | 8/1/2023 | Lead | 4.4  | µg/L | 1 |
| LSW1-S66  | 8/1/2023 | Lead | 6.5  | µg/L | 1 |
| LSW1-S67  | 8/1/2023 | Lead | 12.4 | µg/L | 1 |
| LSW1-S68  | 8/1/2023 | Lead | 4.2  | µg/L | 1 |
| LSW1-S69  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-S70  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-071  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-S72  | 8/1/2023 | Lead | 3.1  | µg/L | 1 |
| LSW1-S73  | 8/1/2023 | Lead | 3.2  | µg/L | 1 |
| LSW1-S74  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-S75  | 8/1/2023 | Lead | 2.9  | µg/L | 1 |
| LSW1-S76  | 8/1/2023 | Lead | 2.6  | µg/L | 1 |
| LSW1-S77  | 8/1/2023 | Lead | 1.5  | µg/L | 1 |
| LSW1-S78  | 8/1/2023 | Lead | 1.8  | µg/L | 1 |
| LSW1-S79  | 8/1/2023 | Lead | 3.4  | µg/L | 1 |
| LSW1-S80  | 8/1/2023 | Lead | 15.5 | µg/L | 1 |
| LSW1-S81  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-S82  | 8/1/2023 | Lead | 2.0  | µg/L | 1 |
| LSW1-S83  | 8/1/2023 | Lead | 3.2  | µg/L | 1 |
| LSW1-S84  | 8/1/2023 | Lead | 2.2  | µg/L | 1 |
| LSW1-S85  | 8/1/2023 | Lead | 3.6  | µg/L | 1 |
| LSW1-S86  | 8/1/2023 | Lead | 1.0  | µg/L | 1 |
| LSW1-S87  | 8/1/2023 | Lead | 5.3  | µg/L | 1 |
| LSW1-S88  | 8/1/2023 | Lead | 8.9  | µg/L | 1 |
| LSW1-S89  | 8/1/2023 | Lead | 3.6  | µg/L | 1 |
| LSW1-S90  | 8/1/2023 | Lead | 3.1  | µg/L | 1 |
| LSW1-S91  | 8/1/2023 | Lead | 6.2  | µg/L | 1 |

|            |          |      |     |      |   |
|------------|----------|------|-----|------|---|
| LSW1-S92   | 8/1/2023 | Lead | 5.2 | µg/L | 1 |
| LSW1-093   | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S94   | 8/1/2023 | Lead | 5.6 | µg/L | 1 |
| LSW1-S95   | 8/1/2023 | Lead | 2.3 | µg/L | 1 |
| LSW1-S96   | 8/1/2023 | Lead | 2.9 | µg/L | 1 |
| LSW1-S97   | 8/1/2023 | Lead | 1.4 | µg/L | 1 |
| LSW1-S98   | 8/1/2023 | Lead | 3.4 | µg/L | 1 |
| LSW1-S99   | 8/1/2023 | Lead | 2.0 | µg/L | 1 |
| LSW1-S100  | 8/1/2023 | Lead | 2.7 | µg/L | 1 |
| LSW1-S101  | 8/1/2023 | Lead | 3.1 | µg/L | 1 |
| LSW1-S102  | 8/1/2023 | Lead | 7.5 | µg/L | 1 |
| LSW1-S103  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S104  | 8/1/2023 | Lead | 6.3 | µg/L | 1 |
| LSW1-S105  | 8/1/2023 | Lead | 3.3 | µg/L | 1 |
| LSW1-S106  | 8/1/2023 | Lead | 5.1 | µg/L | 1 |
| LSW1-S107  | 8/1/2023 | Lead | 2.1 | µg/L | 1 |
| LSW1-S108  | 8/1/2023 | Lead | 3.9 | µg/L | 1 |
| LSW1-S109  | 8/1/2023 | Lead | 6.8 | µg/L | 1 |
| LSW1-S110  | 8/1/2023 | Lead | 3.1 | µg/L | 1 |
| LSW1-S111  | 8/1/2023 | Lead | 9.2 | µg/L | 1 |
| LSW1-S112  | 8/1/2023 | Lead | 2.9 | µg/L | 1 |
| LSW1-S113  | 8/1/2023 | Lead | 1.7 | µg/L | 1 |
| LSW1-S114  | 8/1/2023 | Lead | 9.0 | µg/L | 1 |
| LSW1-S115  | 8/1/2023 | Lead | 1.4 | µg/L | 1 |
| LSW1-DF116 | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-DF117 | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-0118  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S119  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S120  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S121  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S122  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-DF123 | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-DF124 | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S125  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S126  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S127  | 8/1/2023 | Lead | 1.5 | µg/L | 1 |
| LSW1-S128  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S129  | 8/1/2023 | Lead | 1.1 | µg/L | 1 |
| LSW1-S130  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S131  | 8/1/2023 | Lead | 2.3 | µg/L | 1 |
| LSW1-S132  | 8/1/2023 | Lead | 1.9 | µg/L | 1 |
| LSW1-S133  | 8/1/2023 | Lead | 1.3 | µg/L | 1 |
| LSW1-S134  | 8/1/2023 | Lead | 1.6 | µg/L | 1 |
| LSW1-S135  | 8/1/2023 | Lead | 1.7 | µg/L | 1 |
| LSW1-S136  | 8/1/2023 | Lead | 1.7 | µg/L | 1 |
| LSW1-S137  | 8/1/2023 | Lead | 4.1 | µg/L | 1 |
| LSW1-S138  | 8/1/2023 | Lead | ND  | µg/L | 1 |
| LSW1-S139  | 8/1/2023 | Lead | 3.6 | µg/L | 1 |

|            |          |      |      |      |   |
|------------|----------|------|------|------|---|
| LSW1-S140  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-S141  | 8/1/2023 | Lead | 1.3  | µg/L | 1 |
| LSW1-S142  | 8/1/2023 | Lead | 1.1  | µg/L | 1 |
| LSW1-S143  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-S144  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW1-0145  | 8/1/2023 | Lead | 2.2  | µg/L | 1 |
| LSW2-DF146 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW2-DF147 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW2-S148  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW2-S149  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW2-DF150 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW2-DF151 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW2-S152  | 8/1/2023 | Lead | 27.5 | µg/L | 1 |
| LSW2-S153  | 8/1/2023 | Lead | 3.0  | µg/L | 1 |
| LSW2-S154  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW2-S155  | 8/1/2023 | Lead | 1.8  | µg/L | 1 |
| LSW2-S156  | 8/1/2023 | Lead | 2.1  | µg/L | 1 |
| LSW2-S157  | 8/1/2023 | Lead | 2.4  | µg/L | 1 |
| LSW2-S158  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW2-S159  | 8/1/2023 | Lead | 2.2  | µg/L | 1 |
| LSW2-S160  | 8/1/2023 | Lead | 1.9  | µg/L | 1 |
| LSW2-S161  | 8/1/2023 | Lead | 6.2  | µg/L | 1 |
| LSW2-S162  | 8/1/2023 | Lead | 1.8  | µg/L | 1 |
| LSW2-S163  | 8/1/2023 | Lead | 41.7 | µg/L | 1 |
| LSW2-S164  | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW2-S165  | 8/1/2023 | Lead | 1.7  | µg/L | 1 |
| LSW2-S166  | 8/1/2023 | Lead | 2.8  | µg/L | 1 |
| LSW2-S167  | 8/1/2023 | Lead | 3.2  | µg/L | 1 |
| LSW2-S168  | 8/1/2023 | Lead | 3.1  | µg/L | 1 |
| LSW2-S169  | 8/1/2023 | Lead | 8.2  | µg/L | 1 |
| LSW2-S170  | 8/1/2023 | Lead | 1.8  | µg/L | 1 |
| LSW2-S171  | 8/1/2023 | Lead | 14.1 | µg/L | 1 |
| LSW2-S172  | 8/1/2023 | Lead | 1620 | µg/L | 4 |
| LSW2-S173  | 8/1/2023 | Lead | 7.9  | µg/L | 1 |
| LSW2-S174  | 8/1/2023 | Lead | 2.1  | µg/L | 1 |
| LSW2-S175  | 8/1/2023 | Lead | 4.1  | µg/L | 1 |
| LSW2-S176  | 8/1/2023 | Lead | 1.2  | µg/L | 1 |
| LSW2-S177  | 8/1/2023 | Lead | 2.7  | µg/L | 1 |
| LSW2-S178  | 8/1/2023 | Lead | 2.3  | µg/L | 1 |
| LSW2-S179  | 8/1/2023 | Lead | 3.8  | µg/L | 1 |
| LSW2-S180  | 8/1/2023 | Lead | 9.3  | µg/L | 1 |
| LSW2-S181  | 8/1/2023 | Lead | 5.4  | µg/L | 1 |
| LSW2-DF182 | 8/1/2023 | Lead | 7.4  | µg/L | 1 |
| LSW2-DF183 | 8/1/2023 | Lead | ND   | µg/L | 1 |
| LSW2-S184  | 8/1/2023 | Lead | 2.0  | µg/L | 1 |
| LSW2-S185  | 8/1/2023 | Lead | 1.0  | µg/L | 1 |
| LSW2-S186  | 8/1/2023 | Lead | 2.3  | µg/L | 1 |
| LSW2-S187  | 8/1/2023 | Lead | 1.9  | µg/L | 1 |

|            |          |      |             |      |   |
|------------|----------|------|-------------|------|---|
| LSW2-S188  | 8/1/2023 | Lead | <b>1.8</b>  | µg/L | 1 |
| LSW2-S189  | 8/1/2023 | Lead | <b>1.5</b>  | µg/L | 1 |
| LSW2-S190  | 8/1/2023 | Lead | <b>8.0</b>  | µg/L | 1 |
| LSW2-S191  | 8/1/2023 | Lead | <b>5.4</b>  | µg/L | 1 |
| LSW2-S192  | 8/1/2023 | Lead | <b>12.5</b> | µg/L | 1 |
| LSW2-S193  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSW2-S194  | 8/1/2023 | Lead | <b>1.4</b>  | µg/L | 1 |
| LSW2-S195  | 8/1/2023 | Lead | <b>2.2</b>  | µg/L | 1 |
| LSW2-DF196 | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSW2-DF197 | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSW2-S198  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSW2-DF199 | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSW2-DF200 | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSW2-S201  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-DF202 | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-DF203 | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S204  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-0205  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S206  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-0207  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S208  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S209  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S210  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-0211  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S212  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S213  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S214  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S215  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-0216  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S217  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-0218  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S219  | 8/1/2023 | Lead | <b>1.8</b>  | µg/L | 1 |
| LSWB-0220  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-0221  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-S222  | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-DF223 | 8/1/2023 | Lead | ND          | µg/L | 1 |
| LSWB-DF224 | 8/1/2023 | Lead | ND          | µg/L | 1 |

µg/L: micrograms per liter

Bolded results indicate detection above reporting limits

## **ATTACHMENT D**

---

### **Lee's Summit West High School Laboratory Analytical Report**

September 20, 2023

Lindsay E. James  
Blackstone Environmental, Inc.  
16200 Foster Street  
Overland Park, KS 66085  
TEL: (913) 956-4160  
FAX:



|           |         |
|-----------|---------|
| Illinois  | 100226  |
| Kansas    | E-10374 |
| Louisiana | 05002   |
| Louisiana | 05003   |
| Oklahoma  | 9978    |

**RE:** Lees Summit School Dist DW West High School  
(LSW)

**WorkOrder:** 23080294

Dear Lindsay E. James:

TEKLAB, INC received 224 samples on 8/3/2023 11:50:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Patrick Riley  
Project Manager  
(618)344-1004 ex 44  
[patrickriley@teklabinc.com](mailto:patrickriley@teklabinc.com)

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**This reporting package includes the following:**

|                      |          |
|----------------------|----------|
| Cover Letter         | 1        |
| Report Contents      | 2        |
| Definitions          | 3        |
| Case Narrative       | 5        |
| Accreditations       | 6        |
| Laboratory Results   | 7        |
| Receiving Check List | 231      |
| Chain of Custody     | Appended |

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

### Abbr Definition

\* Analytes on report marked with an asterisk are not NELAP accredited

**CCV** Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

**CRQL** A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

**DF** Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

**DNI** Did not ignite

**DUP** Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

**ICV** Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

**IDPH** IL Dept. of Public Health

**LCS** Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

**LCS D** Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

**MBLK** Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

**MDL** "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

**MS** Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

**MSD** Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

**MW** Molecular weight

**NC** Data is not acceptable for compliance purposes

**ND** Not Detected at the Reporting Limit

**NELAP** NELAP Accredited

**PQL** Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

**RL** The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

**RPD** Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

**SPK** The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

**Surr** Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

**TIC** Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

**TNTC** Too numerous to count (> 200 CFU)

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

### Qualifiers

- |                                                       |                                                              |
|-------------------------------------------------------|--------------------------------------------------------------|
| # - Unknown hydrocarbon                               | B - Analyte detected in associated Method Blank              |
| C - RL shown is a Client Requested Quantitation Limit | E - Value above quantitation range                           |
| H - Holding times exceeded                            | I - Associated internal standard was outside method criteria |
| J - Analyte detected below quantitation limits        | M - Manual Integration used to determine area response       |
| ND - Not Detected at the Reporting Limit              | R - RPD outside accepted recovery limits                     |
| S - Spike Recovery outside recovery limits            | T - TIC(Tentatively identified compound)                     |
| X - Value exceeds Maximum Contaminant Level           |                                                              |



## Case Narrative

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Cooler Receipt Temp:** NA °C

### Locations

#### Collinsville

**Address** 5445 Horseshoe Lake Road  
Collinsville, IL 62234-7425  
**Phone** (618) 344-1004  
**Fax** (618) 344-1005  
**Email** jhriley@teklabinc.com

#### Collinsville Air

**Address** 5445 Horseshoe Lake Road  
Collinsville, IL 62234-7425  
**Phone** (618) 344-1004  
**Fax** (618) 344-1005  
**Email** EHurley@teklabinc.com

#### Springfield

**Address** 3920 Pintail Dr  
Springfield, IL 62711-9415  
**Phone** (217) 698-1004  
**Fax** (217) 698-1005  
**Email** KKlostermann@teklabinc.com

#### Chicago

**Address** 1319 Butterfield Rd.  
Downers Grove, IL 60515  
**Phone** (630) 324-6855  
**Fax**  
**Email** arenner@teklabinc.com

#### Kansas City

**Address** 8421 Nieman Road  
Lenexa, KS 66214  
**Phone** (913) 541-1998  
**Fax** (913) 541-1998  
**Email** jhriley@teklabinc.com

**Client:** Blackstone Environmental, Inc.**Work Order:** 23080294**Client Project:** Lees Summit School Dist DW West High School (LSW)**Report Date:** 20-Sep-23

| State     | Dept | Cert #  | NELAP | Exp Date  | Lab          |
|-----------|------|---------|-------|-----------|--------------|
| Illinois  | IEPA | 100226  | NELAP | 1/31/2024 | Collinsville |
| Kansas    | KDHE | E-10374 | NELAP | 4/30/2024 | Collinsville |
| Louisiana | LDEQ | 05002   | NELAP | 6/30/2024 | Collinsville |
| Louisiana | LDEQ | 05003   | NELAP | 6/30/2024 | Collinsville |
| Oklahoma  | ODEQ | 9978    | NELAP | 8/31/2023 | Collinsville |
| Arkansas  | ADEQ | 88-0966 |       | 3/14/2024 | Collinsville |
| Illinois  | IDPH | 17584   |       | 5/31/2025 | Collinsville |
| Iowa      | IDNR | 430     |       | 6/1/2024  | Collinsville |
| Kentucky  | UST  | 0073    |       | 1/31/2024 | Collinsville |
| Missouri  | MDNR | 00930   |       | 5/31/2023 | Collinsville |
| Missouri  | MDNR | 930     |       | 1/31/2025 | Collinsville |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-001

**Client Sample ID:** LSW0-S1

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:06

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | 2.2    | µg/L  | 1  | 09/14/2023 9:58 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-002

**Client Sample ID:** LSW0-S2

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:06

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.8    | µg/L  | 1  | 09/14/2023 10:01 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-003

**Client Sample ID:** LSW0-DF3

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:07

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 10:04 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-004

**Client Sample ID:** LSW0-DF4

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:07

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 10:07 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-005

**Client Sample ID:** LSW0-DF5

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:15

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 10:11 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-006

**Client Sample ID:** LSW0-S6

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:18

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 10:14 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-007

**Client Sample ID:** LSW0-S7

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:18

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 10:17 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-008

**Client Sample ID:** LSW0-DF8

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:20

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 4.0    | µg/L  | 1  | 09/14/2023 10:42 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-009

**Client Sample ID:** LSW0-DF9

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:20

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 10:46 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-010

**Client Sample ID:** LSW0-S10

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:24

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 6.8    | µg/L  | 1  | 09/14/2023 10:20 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-011

**Client Sample ID:** LSW0-S11

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:25

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 10:49 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-012

**Client Sample ID:** LSW0-S12

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:25

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 7.2    | µg/L  | 1  | 09/14/2023 10:52 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-013

**Client Sample ID:** LSW0-S13

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:26

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.3    | µg/L  | 1  | 09/14/2023 11:05 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-014

**Client Sample ID:** LSW0-DF14

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:30

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 24.6   | µg/L  | 1  | 09/14/2023 10:55 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-015

**Client Sample ID:** LSW0-S15

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:37

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 10:59 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-016

**Client Sample ID:** LSW1-S16

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:39

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 11:02 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-017

**Client Sample ID:** LSW1-DF17

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:40

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 11:25 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-018

**Client Sample ID:** LSW1-DF18

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:40

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 11:28 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-019

**Client Sample ID:** LSW1-S19

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:41

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 11:31 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-020

**Client Sample ID:** LSW1-020

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:42

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 11:35 | 210994 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-021

**Client Sample ID:** LSW1-S21

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:43

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.4    | µg/L  | 1  | 09/14/2023 11:38 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-022

**Client Sample ID:** LSW1-022

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:43

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 20.0   | µg/L  | 1  | 09/14/2023 11:41 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-023

**Client Sample ID:** LSW1-023

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:44

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 11:44 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-024

**Client Sample ID:** LSW1-S24

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:46

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.3    | µg/L  | 1  | 09/14/2023 12:07 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-025

**Client Sample ID:** LSW1-S25

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:47

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 12:11 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-026

**Client Sample ID:** LSW1-026

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:47

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 7.2    | µg/L  | 1  | 09/14/2023 12:14 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-027

**Client Sample ID:** LSW1-027

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:48

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.3    | µg/L  | 1  | 09/14/2023 12:17 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-028

**Client Sample ID:** LSW1-S28

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:48

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 12.8   | µg/L  | 1  | 09/14/2023 12:20 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-029

**Client Sample ID:** LSW1-029

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:53

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 12:24 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-030

**Client Sample ID:** LSW1-S30

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:50

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.7    | µg/L  | 1  | 09/14/2023 11:48 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-031

**Client Sample ID:** LSW1-S31

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:50

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.5    | µg/L  | 1  | 09/14/2023 12:30 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-032

**Client Sample ID:** LSW1-S32

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:50

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 12:27 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-033

**Client Sample ID:** LSW1-033

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:55

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.3    | µg/L  | 5  | 09/15/2023 10:16 | 211114 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-034

**Client Sample ID:** LSW1-034

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:55

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 6:59 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-035

**Client Sample ID:** LSW1-DF35

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:56

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:02 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-036

**Client Sample ID:** LSW1-DF36

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:57

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:05 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-037

**Client Sample ID:** LSW1-DF37

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 8:59

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:09 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-038

**Client Sample ID:** LSW1-DF38

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:00

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:12 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-039

**Client Sample ID:** LSW1-DF39

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:00

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:15 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-040

**Client Sample ID:** LSW1-DF40

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:03

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:18 | 210995 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-041

**Client Sample ID:** LSW1-DF41

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:03

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:22 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-042

**Client Sample ID:** LSW1-DF42

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:03

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:25 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-043

**Client Sample ID:** LSW1-DF43

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:05

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:28 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-044

**Client Sample ID:** LSW1-DF44

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:06

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:41 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-045

**Client Sample ID:** LSW1-DF45

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:07

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:45 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-046

**Client Sample ID:** LSW1-DF46

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:08

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:48 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-047

**Client Sample ID:** LSW1-DF47

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:08

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:51 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-048

**Client Sample ID:** LSW1-DF48

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:09

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 8:04 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-049

**Client Sample ID:** LSW1-DF49

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:10

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:55 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-050

**Client Sample ID:** LSW1-DF50

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:10

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 7:58 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-051

**Client Sample ID:** LSW1-DF51

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:11

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 8:01 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-052

**Client Sample ID:** LSW1-DF52

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:12

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 8:47 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-053

**Client Sample ID:** LSW1-S53

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:13

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | 1.6    | µg/L  | 1  | 09/15/2023 8:24 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-054

**Client Sample ID:** LSW1-S54

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:13

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 8:27 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-055

**Client Sample ID:** LSW1-055

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:13

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 8:31 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-056

**Client Sample ID:** LSW1-S56

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:18

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | 27.8   | µg/L  | 1  | 09/15/2023 8:34 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-057

**Client Sample ID:** LSW1-S57

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:18

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | 5.3    | µg/L  | 1  | 09/15/2023 8:37 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-058

**Client Sample ID:** LSW1-DF58

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:22

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 8:40 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-059

**Client Sample ID:** LSW1-DF59

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:22

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 8:44 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-060

**Client Sample ID:** LSW1-S60

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:23

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 9:07 | 210998 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-061

**Client Sample ID:** LSW1-DF61

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:24

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 9:10 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-062

**Client Sample ID:** LSW1-DF62

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:24

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 9:20 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-063

**Client Sample ID:** LSW1-S63

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:28

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 15.8   | µg/L  | 5  | 09/15/2023 10:20 | 211114 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-064

**Client Sample ID:** LSW1-S64

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:28

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | 3.6    | µg/L  | 1  | 09/15/2023 9:13 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-065

**Client Sample ID:** LSW1-S65

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:28

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | 4.4    | µg/L  | 1  | 09/15/2023 9:16 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-066

**Client Sample ID:** LSW1-S66

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:28

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 6.5    | µg/L  | 1  | 09/14/2023 15:40 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-067

**Client Sample ID:** LSW1-S67

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:29

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 12.4   | µg/L  | 5  | 09/15/2023 10:24 | 211114 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-068

**Client Sample ID:** LSW1-S68

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:29

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 4.2    | µg/L  | 1  | 09/14/2023 15:44 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-069

**Client Sample ID:** LSW1-S69

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:30

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 5  | 09/15/2023 10:27 | 211114 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-070

**Client Sample ID:** LSW1-S70

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:30

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 15:47 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-071

**Client Sample ID:** LSW1-071

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:36

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 15:50 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-072

**Client Sample ID:** LSW1-S72

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:37

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.1    | µg/L  | 1  | 09/14/2023 15:54 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-073

**Client Sample ID:** LSW1-S73

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:37

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.2    | µg/L  | 1  | 09/14/2023 15:57 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-074

**Client Sample ID:** LSW1-S74

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:38

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 16:00 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-075

**Client Sample ID:** LSW1-S75

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:38

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | 2.9    | µg/L  | 1  | 09/15/2023 9:33 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-076

**Client Sample ID:** LSW1-S76

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:38

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.6    | µg/L  | 1  | 09/14/2023 16:23 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-077

**Client Sample ID:** LSW1-S77

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:38

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.5    | µg/L  | 1  | 09/14/2023 16:27 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-078

**Client Sample ID:** LSW1-S78

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:39

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.8    | µg/L  | 1  | 09/14/2023 16:30 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-079

**Client Sample ID:** LSW1-S79

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:39

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.4    | µg/L  | 1  | 09/14/2023 16:33 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-080

**Client Sample ID:** LSW1-S80

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:39

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 15.5   | µg/L  | 1  | 09/14/2023 16:36 | 210999 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-081

**Client Sample ID:** LSW1-S81

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:41

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 16:40 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-082

**Client Sample ID:** LSW1-S82

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:43

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.0    | µg/L  | 1  | 09/14/2023 16:43 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-083

**Client Sample ID:** LSW1-S83

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:43

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.2    | µg/L  | 1  | 09/14/2023 17:06 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-084

**Client Sample ID:** LSW1-S84

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:43

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.2    | µg/L  | 1  | 09/14/2023 17:09 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-085

**Client Sample ID:** LSW1-S85

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:45

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.6    | µg/L  | 5  | 09/15/2023 12:15 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-086

**Client Sample ID:** LSW1-S86

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:45

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.0    | µg/L  | 1  | 09/14/2023 17:12 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-087

**Client Sample ID:** LSW1-S87

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:46

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 5.3    | µg/L  | 1  | 09/14/2023 16:03 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-088

**Client Sample ID:** LSW1-S88

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:46

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 8.9    | µg/L  | 1  | 09/14/2023 17:16 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-089

**Client Sample ID:** LSW1-S89

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:46

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.6    | µg/L  | 1  | 09/14/2023 17:19 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-090

**Client Sample ID:** LSW1-S90

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:46

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.1    | µg/L  | 1  | 09/14/2023 17:22 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-091

**Client Sample ID:** LSW1-S91

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:47

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 6.2    | µg/L  | 1  | 09/14/2023 17:26 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-092

**Client Sample ID:** LSW1-S92

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:47

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 5.2    | µg/L  | 5  | 09/15/2023 12:29 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-093

**Client Sample ID:** LSW1-093

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:49

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 17:29 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-094

**Client Sample ID:** LSW1-S94

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:51

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 5.6    | µg/L  | 1  | 09/14/2023 17:32 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-095

**Client Sample ID:** LSW1-S95

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:51

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.3    | µg/L  | 1  | 09/14/2023 16:46 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-096

**Client Sample ID:** LSW1-S96

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:51

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.9    | µg/L  | 1  | 09/14/2023 17:35 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-097

**Client Sample ID:** LSW1-S97

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:52

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.4    | µg/L  | 5  | 09/15/2023 12:33 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-098

**Client Sample ID:** LSW1-S98

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:52

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.4    | µg/L  | 1  | 09/14/2023 17:49 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-099

**Client Sample ID:** LSW1-S99

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:52

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.0    | µg/L  | 1  | 09/14/2023 17:52 | 211003 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-100

**Client Sample ID:** LSW1-S100

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:53

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.7    | µg/L  | 5  | 09/15/2023 12:37 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-101

**Client Sample ID:** LSW1-S101

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:53

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.1    | µg/L  | 5  | 09/15/2023 12:40 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-102

**Client Sample ID:** LSW1-S102

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:53

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 7.5    | µg/L  | 1  | 09/15/2023 18:24 | 211057 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-103

**Client Sample ID:** LSW1-S103

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:55

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 18:27 | 211057 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-104

**Client Sample ID:** LSW1-S104

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:57

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 6.3    | µg/L  | 1  | 09/15/2023 18:31 | 211057 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-105

**Client Sample ID:** LSW1-S105

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:57

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.3    | µg/L  | 5  | 09/15/2023 12:51 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-106

**Client Sample ID:** LSW1-S106

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:57

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 5.1    | µg/L  | 5  | 09/15/2023 12:55 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-107

**Client Sample ID:** LSW1-S107

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:58

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.1    | µg/L  | 5  | 09/15/2023 12:59 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-108

**Client Sample ID:** LSW1-S108

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:58

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.9    | µg/L  | 5  | 09/15/2023 13:02 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-109

**Client Sample ID:** LSW1-S109

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:58

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 6.8    | µg/L  | 1  | 09/15/2023 18:34 | 211057 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-110

**Client Sample ID:** LSW1-S110

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:58

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.1    | µg/L  | 1  | 09/15/2023 18:47 | 211057 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-111

**Client Sample ID:** LSW1-S111

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:58

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 9.2    | µg/L  | 5  | 09/15/2023 13:17 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-112

**Client Sample ID:** LSW1-S112

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:59

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.9    | µg/L  | 5  | 09/15/2023 13:21 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-113

**Client Sample ID:** LSW1-S113

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:59

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.7    | µg/L  | 5  | 09/15/2023 13:24 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-114

**Client Sample ID:** LSW1-S114

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 9:59

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 9.0    | µg/L  | 5  | 09/15/2023 13:28 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-115

**Client Sample ID:** LSW1-S115

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:00

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.4    | µg/L  | 1  | 09/15/2023 18:37 | 211057 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-116

**Client Sample ID:** LSW1-DF116

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:02

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 18:40 | 211057 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-117

**Client Sample ID:** LSW1-DF117

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:02

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 18:44 | 211057 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-118

**Client Sample ID:** LSW1-0118

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:12

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 19:07 | 211057 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-119

**Client Sample ID:** LSW1-S119

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:08

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 19:10 | 211057 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-120

**Client Sample ID:** LSW1-S120

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:08

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 5  | 09/15/2023 13:32 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-121

**Client Sample ID:** LSW1-S121

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:09

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 5  | 09/15/2023 13:35 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-122

**Client Sample ID:** LSW1-S122

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:14

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 19:13 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-123

**Client Sample ID:** LSW1-DF123

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:14

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 19:30 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-124

**Client Sample ID:** LSW1-DF124

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:15

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 19:17 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-125

**Client Sample ID:** LSW1-S125

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:17

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 5  | 09/15/2023 13:46 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-126

**Client Sample ID:** LSW1-S126

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:17

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 19:20 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-127

**Client Sample ID:** LSW1-S127

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:18

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.5    | µg/L  | 1  | 09/15/2023 19:23 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-128

**Client Sample ID:** LSW1-S128

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:18

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 19:27 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-129

**Client Sample ID:** LSW1-S129

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:18

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.1    | µg/L  | 1  | 09/15/2023 19:50 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-130

**Client Sample ID:** LSW1-S130

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:18

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 19:53 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-131

**Client Sample ID:** LSW1-S131

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:19

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.3    | µg/L  | 1  | 09/15/2023 19:56 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-132

**Client Sample ID:** LSW1-S132

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:19

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.9    | µg/L  | 1  | 09/15/2023 20:00 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-133

**Client Sample ID:** LSW1-S133

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:19

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.3    | µg/L  | 1  | 09/15/2023 20:03 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-134

**Client Sample ID:** LSW1-S134

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:19

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.6    | µg/L  | 1  | 09/15/2023 20:06 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-135

**Client Sample ID:** LSW1-S135

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:20

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.7    | µg/L  | 1  | 09/15/2023 20:09 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-136

**Client Sample ID:** LSW1-S136

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:20

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.7    | µg/L  | 1  | 09/15/2023 20:13 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-137

**Client Sample ID:** LSW1-S137

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:22

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 4.1    | µg/L  | 1  | 09/15/2023 20:33 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-138

**Client Sample ID:** LSW1-S138

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:22

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 20:36 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-139

**Client Sample ID:** LSW1-S139

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:23

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.6    | µg/L  | 1  | 09/15/2023 20:39 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-140

**Client Sample ID:** LSW1-S140

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:23

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 20:42 | 211059 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-141

**Client Sample ID:** LSW1-S141

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:23

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.3    | µg/L  | 1  | 09/15/2023 13:58 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-142

**Client Sample ID:** LSW1-S142

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:23

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.1    | µg/L  | 1  | 09/15/2023 14:01 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-143

**Client Sample ID:** LSW1-S143

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:25

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 14:04 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-144

**Client Sample ID:** LSW1-S144

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:25

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 14:08 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-145

**Client Sample ID:** LSW1-0145

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:26

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.2    | µg/L  | 5  | 09/15/2023 13:50 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-146

**Client Sample ID:** LSW2-DF146

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:29

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 14:21 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-147

**Client Sample ID:** LSW2-DF147

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:29

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 14:11 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-148

**Client Sample ID:** LSW2-S148

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:30

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 14:14 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-149

**Client Sample ID:** LSW2-S149

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:31

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 14:17 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-150

**Client Sample ID:** LSW2-DF150

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:32

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 14:41 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-151

**Client Sample ID:** LSW2-DF151

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:32

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 14:44 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-152

**Client Sample ID:** LSW2-S152

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:35

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 27.5   | µg/L  | 1  | 09/15/2023 14:47 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-153

**Client Sample ID:** LSW2-S153

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:36

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.0    | µg/L  | 1  | 09/15/2023 14:50 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-154

**Client Sample ID:** LSW2-S154

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:36

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 15:03 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-155

**Client Sample ID:** LSW2-S155

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:36

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.8    | µg/L  | 1  | 09/15/2023 14:54 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-156

**Client Sample ID:** LSW2-S156

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:37

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.1    | µg/L  | 1  | 09/15/2023 14:57 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-157

**Client Sample ID:** LSW2-S157

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:37

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.4    | µg/L  | 1  | 09/15/2023 15:00 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-158

**Client Sample ID:** LSW2-S158

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:37

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 15:30 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-159

**Client Sample ID:** LSW2-S159

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:38

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.2    | µg/L  | 1  | 09/15/2023 15:33 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-160

**Client Sample ID:** LSW2-S160

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:38

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.9    | µg/L  | 1  | 09/15/2023 15:36 | 211062 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-161

**Client Sample ID:** LSW2-S161

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:39

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 6.2    | µg/L  | 1  | 09/15/2023 15:40 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-162

**Client Sample ID:** LSW2-S162

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:39

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.8    | µg/L  | 1  | 09/15/2023 15:43 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-163

**Client Sample ID:** LSW2-S163

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:41

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 41.7   | µg/L  | 1  | 09/15/2023 15:46 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-164

**Client Sample ID:** LSW2-S164

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:42

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 15:50 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-165

**Client Sample ID:** LSW2-S165

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:42

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.7    | µg/L  | 1  | 09/15/2023 15:53 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-166

**Client Sample ID:** LSW2-S166

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:43

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.8    | µg/L  | 1  | 09/15/2023 15:56 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-167

**Client Sample ID:** LSW2-S167

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:43

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.2    | µg/L  | 1  | 09/15/2023 15:59 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-168

**Client Sample ID:** LSW2-S168

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:43

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.1    | µg/L  | 1  | 09/15/2023 16:26 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-169

**Client Sample ID:** LSW2-S169

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:44

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 8.2    | µg/L  | 1  | 09/15/2023 16:13 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-170

**Client Sample ID:** LSW2-S170

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:44

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.8    | µg/L  | 1  | 09/15/2023 16:16 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-171

**Client Sample ID:** LSW2-S171

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:44

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 14.1   | µg/L  | 1  | 09/15/2023 16:19 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-172

**Client Sample ID:** LSW2-S172

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:47

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 4.0 |      | 1620   | µg/L  | 20 | 09/19/2023 14:06 | 211117 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-173

**Client Sample ID:** LSW2-S173

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:48

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 7.9    | µg/L  | 1  | 09/15/2023 16:22 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-174

**Client Sample ID:** LSW2-S174

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:48

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.1    | µg/L  | 1  | 09/15/2023 16:39 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-175

**Client Sample ID:** LSW2-S175

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:48

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 4.1    | µg/L  | 1  | 09/15/2023 16:59 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-176

**Client Sample ID:** LSW2-S176

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:48

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.2    | µg/L  | 1  | 09/15/2023 17:02 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-177

**Client Sample ID:** LSW2-S177

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:49

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.7    | µg/L  | 1  | 09/15/2023 17:05 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-178

**Client Sample ID:** LSW2-S178

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:49

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.3    | µg/L  | 1  | 09/15/2023 17:08 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-179

**Client Sample ID:** LSW2-S179

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:49

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 3.8    | µg/L  | 1  | 09/15/2023 17:12 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-180

**Client Sample ID:** LSW2-S180

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:49

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 9.3    | µg/L  | 1  | 09/15/2023 17:15 | 211063 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-181

**Client Sample ID:** LSW2-S181

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:50

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 5.4    | µg/L  | 1  | 09/15/2023 17:18 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-182

**Client Sample ID:** LSW2-DF182

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:57

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 7.4    | µg/L  | 1  | 09/15/2023 17:22 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-183

**Client Sample ID:** LSW2-DF183

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:50

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 17:25 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-184

**Client Sample ID:** LSW2-S184

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:50

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.0    | µg/L  | 1  | 09/15/2023 17:28 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-185

**Client Sample ID:** LSW2-S185

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:58

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.0    | µg/L  | 1  | 09/15/2023 17:41 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-186

**Client Sample ID:** LSW2-S186

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:58

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 2.3    | µg/L  | 1  | 09/15/2023 17:45 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-187

**Client Sample ID:** LSW2-S187

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:58

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.9    | µg/L  | 1  | 09/15/2023 17:48 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-188

**Client Sample ID:** LSW2-S188

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:59

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.8    | µg/L  | 1  | 09/15/2023 17:51 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-189

**Client Sample ID:** LSW2-S189

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:59

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.5    | µg/L  | 1  | 09/15/2023 18:04 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-190

**Client Sample ID:** LSW2-S190

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:59

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 8.0    | µg/L  | 1  | 09/15/2023 17:54 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-191

**Client Sample ID:** LSW2-S191

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:59

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | 5.4    | µg/L  | 1  | 09/15/2023 2:10 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-192

**Client Sample ID:** LSW2-S192

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 10:59

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 12.5   | µg/L  | 1  | 09/15/2023 17:58 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-193

**Client Sample ID:** LSW2-S193

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:03

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 18:01 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-194

**Client Sample ID:** LSW2-S194

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:01

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | 1.4    | µg/L  | 1  | 09/15/2023 1:47 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-195

**Client Sample ID:** LSW2-S195

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:01

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | 2.2    | µg/L  | 1  | 09/15/2023 1:51 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-196

**Client Sample ID:** LSW2-DF196

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:04

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 1:54 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-197

**Client Sample ID:** LSW2-DF197

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:04

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 1:57 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-198

**Client Sample ID:** LSW2-S198

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:05

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 2:00 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-199

**Client Sample ID:** LSW2-DF199

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:06

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 2:04 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-200

**Client Sample ID:** LSW2-DF200

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:06

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed   | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|-----------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                 |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 2:07 | 211064 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-201

**Client Sample ID:** LSW2-S201

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:07

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 17:55 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-202

**Client Sample ID:** LSWB-DF202

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:12

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 17:58 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-203

**Client Sample ID:** LSWB-DF203

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:12

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 18:02 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-204

**Client Sample ID:** LSWB-S204

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:14

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 18:05 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-205

**Client Sample ID:** LSWB-0205

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:14

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 18:08 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-206

**Client Sample ID:** LSWB-S206

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:14

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 10:10 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-207

**Client Sample ID:** LSWB-0207

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:15

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 10:13 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-208

**Client Sample ID:** LSWB-S208

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:15

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 10:17 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-209

**Client Sample ID:** LSWB-S209

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:16

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/14/2023 18:12 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-210

**Client Sample ID:** LSWB-S210

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:17

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 10:20 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-211

**Client Sample ID:** LSWB-0211

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:17

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 10:33 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-212

**Client Sample ID:** LSWB-S212

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:18

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 10:23 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-213

**Client Sample ID:** LSWB-S213

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:18

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 10:26 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-214

**Client Sample ID:** LSWB-S214

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:19

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 10:30 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-215

**Client Sample ID:** LSWB-S215

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:22

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 11:01 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-216

**Client Sample ID:** LSWB-0216

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:22

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 11:05 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-217

**Client Sample ID:** LSWB-S217

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:23

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 11:08 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-218

**Client Sample ID:** LSWB-0218

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:23

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 11:11 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-219

**Client Sample ID:** LSWB-S219

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:24

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | 1.8    | µg/L  | 1  | 09/15/2023 11:14 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-220

**Client Sample ID:** LSWB-0220

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:24

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 11:18 | 211070 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-221

**Client Sample ID:** LSWB-0221

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:25

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 11:21 | 211072 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-222

**Client Sample ID:** LSWB-S222

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:25

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 12:33 | 211072 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-223

**Client Sample ID:** LSWB-DF223

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:26

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 11:24 | 211072 |



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23080294

**Client Project:** Lees Summit School Dist DW West High School (LSW)

**Report Date:** 20-Sep-23

**Lab ID:** 23080294-224

**Client Sample ID:** LSWB-DF224

**Matrix:** DRINKING WATER

**Collection Date:** 08/01/2023 11:26

| Analyses                                           | Certification | RL  | Qual | Result | Units | DF | Date Analyzed    | Batch  |
|----------------------------------------------------|---------------|-----|------|--------|-------|----|------------------|--------|
| EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL) |               |     |      |        |       |    |                  |        |
| Lead                                               | NELAP         | 1.0 |      | < 1.0  | µg/L  | 1  | 09/15/2023 12:36 | 211072 |



## Receiving Check List

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080294

Client Project: Lees Summit School Dist DW West High School (LSW)

Report Date: 20-Sep-23

Carrier: Crossroads

Received By: CET

Completed by:

On:

04-Aug-23

Allison Colin

Reviewed by:

On:

04-Aug-23

Ellie Hopkins

Pages to follow: Chain of custody

Extra pages included

|                                                         |                                          |                              |                                        |                                  |
|---------------------------------------------------------|------------------------------------------|------------------------------|----------------------------------------|----------------------------------|
| Shipping container/cooler in good condition?            | Yes <input checked="" type="checkbox"/>  | No <input type="checkbox"/>  | Not Present <input type="checkbox"/>   | Temp °C <b>NA</b>                |
| Type of thermal preservation?                           | None <input checked="" type="checkbox"/> | Ice <input type="checkbox"/> | Blue Ice <input type="checkbox"/>      | Dry Ice <input type="checkbox"/> |
| Chain of custody present?                               | Yes <input checked="" type="checkbox"/>  | No <input type="checkbox"/>  |                                        |                                  |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/>  | No <input type="checkbox"/>  |                                        |                                  |
| Chain of custody agrees with sample labels?             | Yes <input checked="" type="checkbox"/>  | No <input type="checkbox"/>  |                                        |                                  |
| Samples in proper container/bottle?                     | Yes <input checked="" type="checkbox"/>  | No <input type="checkbox"/>  |                                        |                                  |
| Sample containers intact?                               | Yes <input checked="" type="checkbox"/>  | No <input type="checkbox"/>  |                                        |                                  |
| Sufficient sample volume for indicated test?            | Yes <input checked="" type="checkbox"/>  | No <input type="checkbox"/>  |                                        |                                  |
| All samples received within holding time?               | Yes <input checked="" type="checkbox"/>  | No <input type="checkbox"/>  |                                        |                                  |
| Reported field parameters measured:                     | Field <input type="checkbox"/>           | Lab <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |                                  |
| Container/Temp Blank temperature in compliance?         | Yes <input checked="" type="checkbox"/>  | No <input type="checkbox"/>  |                                        |                                  |

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

|                                                           |                                         |                             |                                                       |
|-----------------------------------------------------------|-----------------------------------------|-----------------------------|-------------------------------------------------------|
| Water – at least one vial per sample has zero headspace?  | Yes <input type="checkbox"/>            | No <input type="checkbox"/> | No VOA vials <input checked="" type="checkbox"/>      |
| Water - TOX containers have zero headspace?               | Yes <input type="checkbox"/>            | No <input type="checkbox"/> | No TOX containers <input checked="" type="checkbox"/> |
| Water - pH acceptable upon receipt?                       | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/>                           |
| NPDES/CWA TCN interferences checked/treated in the field? | Yes <input type="checkbox"/>            | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/>                |

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.

# CHAIN OF CUSTODY

pg. 1 of 23 Work order # 23080294

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsey E. James (913) 495-9990  
 E-Mail: ljames@blackstone-env.com

Samples on: ☐ ICE ☐ BLUE ICE ☒ NO ICE ☐ °C ☐ LTG#  
 Preserved in: ☒ LAB ☐ FIELD FOR LAB USE ONLY  
 Lab Notes

## Client Comments:

Lee's Summit West  
 High School (LSW)

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 Are these samples known to be hazardous? ☐ Yes ☒ No  
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

| Project Name/Number          |                       | Sample Collector's Name |                      | INDICATE ANALYSIS REQUESTED |        |      |     |       |      |      |        |                |      |        |               |
|------------------------------|-----------------------|-------------------------|----------------------|-----------------------------|--------|------|-----|-------|------|------|--------|----------------|------|--------|---------------|
| Lee's Summit School Dist. DW |                       | K.S.M.                  |                      |                             |        |      |     |       |      |      |        |                |      |        |               |
| Lab Use Only                 | Sample Identification | Date/Time Sampled       | Billing Instructions | # and Type of Containers    |        |      |     |       |      |      |        |                |      |        |               |
|                              |                       |                         |                      | OTHER                       | NaHSO4 | MeOH | HCL | H2SO4 | NaOH | HNO3 | UNPRES | Drinking Water | Soil | Sludge | Special Waste |
| 23080294-001                 | LSWD-S1               | 8/11/23 @ 806           | X                    |                             |        |      |     |       |      |      |        | X              |      |        |               |
| 002                          | LSWD-S2               | @ 806                   |                      |                             |        |      |     |       |      |      |        |                |      |        |               |
| 003                          | LSWD-DF3              | @ 807                   |                      |                             |        |      |     |       |      |      |        |                |      |        |               |
| 004                          | LSWD-DF4              | @ 807                   |                      |                             |        |      |     |       |      |      |        |                |      |        |               |
| 005                          | LSWD-DF5              | @ 815                   |                      |                             |        |      |     |       |      |      |        |                |      |        |               |
| 006                          | LSWD-S6               | @ 818                   |                      |                             |        |      |     |       |      |      |        |                |      |        |               |
| 007                          | LSWD-S7               | @ 818                   |                      |                             |        |      |     |       |      |      |        |                |      |        |               |
| 008                          | LSWD-DF8              | @ 820                   |                      |                             |        |      |     |       |      |      |        |                |      |        |               |
| 009                          | LSWD-DF9              | @ 820                   |                      |                             |        |      |     |       |      |      |        |                |      |        |               |
| 010                          | LSWD-S10              | @ 824                   |                      |                             |        |      |     |       |      |      |        |                |      |        |               |

Relinquished By: *[Signature]* Date/Time: 8/11/23 @ 11045  
 Received By: *[Signature]* Date/Time: 8/21/23 1200  
*[Signature]* 8-3-23 1150

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

Bottle Order: 82000



# CHAIN OF CUSTODY

pg. 2 of 23 Work order # 23080294

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsay E. James (913) 495-9980  
 E-Mail: ljames@blackstone-env.com  
 Phone: \_\_\_\_\_  
 Fax: \_\_\_\_\_

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 Are these samples known to be hazardous? ☐ Yes ☒ No  
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTC# \_\_\_\_\_  
 Preserved in: ☐ LAB ☐ FIELD **FOR LAB USE ONLY**  
 Lab Notes

Client Comments:  
 LSW

| Project Name/Number<br>Lee's Summit School Dist. DW                                                                                                                                                  |                       | Sample Collector's Name<br>KSM |   | INDICATE ANALYSIS REQUESTED |        |        |     |       |      |      |        |         |                |      |        |               |             |         |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------|---|-----------------------------|--------|--------|-----|-------|------|------|--------|---------|----------------|------|--------|---------------|-------------|---------|--|
| Results Requested<br><input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)<br><input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge) |                       | Billing Instructions           |   | # and Type of Containers    |        | MATRIX |     |       |      |      |        |         |                |      |        |               |             |         |  |
| Lab Use Only                                                                                                                                                                                         | Sample Identification | Date/Time Sampled              |   | OTHER                       | NaHSO4 | MeOH   | HCL | H2SO4 | NaOH | HNO3 | UNPRES | Aqueous | Drinking Water | Soil | Sludge | Special Waste | Groundwater | DW Lead |  |
| 23080294-011                                                                                                                                                                                         | LSW0-S11              | 8/11/23 @ 825                  | X |                             |        |        |     |       |      |      |        |         | X              |      |        |               |             |         |  |
| 012                                                                                                                                                                                                  | -S12                  | @ 825                          |   |                             |        |        |     |       |      |      |        |         |                |      |        |               |             |         |  |
| 013                                                                                                                                                                                                  | -S13                  | @ 826                          |   |                             |        |        |     |       |      |      |        |         |                |      |        |               |             |         |  |
| 014                                                                                                                                                                                                  | -DF14                 | @ 830                          |   |                             |        |        |     |       |      |      |        |         |                |      |        |               |             |         |  |
| 015                                                                                                                                                                                                  | LSW1-S15              | @ 837                          |   |                             |        |        |     |       |      |      |        |         |                |      |        |               |             |         |  |
| 016                                                                                                                                                                                                  | -S16                  | @ 839                          |   |                             |        |        |     |       |      |      |        |         |                |      |        |               |             |         |  |
| 017                                                                                                                                                                                                  | -DF17                 | @ 840                          |   |                             |        |        |     |       |      |      |        |         |                |      |        |               |             |         |  |
| 018                                                                                                                                                                                                  | -DF18                 | @ 841                          |   |                             |        |        |     |       |      |      |        |         |                |      |        |               |             |         |  |
| 019                                                                                                                                                                                                  | -S19                  | @ 842                          |   |                             |        |        |     |       |      |      |        |         |                |      |        |               |             |         |  |
| 020                                                                                                                                                                                                  | -D20                  | @ 842                          |   |                             |        |        |     |       |      |      |        |         |                |      |        |               |             |         |  |

| Relinquished By | Date/Time      | Received By | Date/Time    |
|-----------------|----------------|-------------|--------------|
| Kalvin M...     | 8/11/23 @ 1645 | [Signature] | 8/21/23 1200 |
| [Signature]     | 8/17/23 1606   | [Signature] | 8-3-23 1150  |

# CHAIN OF CUSTODY

pg. 3 of 13 Work order # 13080794

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

|                                                                                                                                                                                                                                           |  |                                                                                                                                                                                                                                                                                                                                                  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Client:</b> Blackstone Environmental, Inc.<br><b>Address:</b> 16200 Foster Street<br><b>City / State / Zip:</b> Overland Park, KS 66085<br><b>Contact:</b> Lindsay E. James (913) 495-9990<br><b>E-Mail:</b> ljames@blackstone-env.com |  | <b>Samples on:</b> <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG# _____<br><b>Preserved in:</b> <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <b>FOR LAB USE ONLY</b><br><b>Lab Notes</b><br><b>Client Comments:</b> LSW |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

| Project Name/Number         |                                                                                                                                                                                 | Sample Collector's Name |                          | INDICATE ANALYSIS REQUESTED |  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------------|-----------------------------|--|
| ee's Summit School Dist. DW |                                                                                                                                                                                 | KSM                     |                          |                             |  |
| Lab Use Only                | Results Requested                                                                                                                                                               | Billing Instructions    | # and Type of Containers |                             |  |
|                             | <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)<br><input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge) |                         |                          | OTHER                       |  |
|                             |                                                                                                                                                                                 |                         | NaHSO4                   |                             |  |
|                             |                                                                                                                                                                                 |                         | MeOH                     |                             |  |
|                             |                                                                                                                                                                                 |                         | HCL                      |                             |  |
|                             |                                                                                                                                                                                 |                         | H2SO4                    |                             |  |
|                             |                                                                                                                                                                                 |                         | NaOH                     |                             |  |
|                             |                                                                                                                                                                                 |                         | HNO3                     |                             |  |
|                             |                                                                                                                                                                                 |                         | UNPRES                   |                             |  |
| Sample Identification       | Date/Time Sampled                                                                                                                                                               |                         |                          |                             |  |
| LSW1-S21                    | 8/1/23 @ 843                                                                                                                                                                    | X                       |                          |                             |  |
| -022                        | @ 843                                                                                                                                                                           |                         |                          |                             |  |
| -023                        | @ 844                                                                                                                                                                           |                         |                          |                             |  |
| -S24                        | @ 846                                                                                                                                                                           |                         |                          |                             |  |
| -S25                        | @ 847                                                                                                                                                                           |                         |                          |                             |  |
| -026                        | @ 847                                                                                                                                                                           |                         |                          |                             |  |
| -027                        | @ 848                                                                                                                                                                           |                         |                          |                             |  |
| -S28                        | @ 848                                                                                                                                                                           |                         |                          |                             |  |
| -029                        | @ 853                                                                                                                                                                           |                         |                          |                             |  |
| -S30                        | @ 850                                                                                                                                                                           |                         |                          |                             |  |

| Relinquished By | Date/Time     | Received By       | Date/Time   |
|-----------------|---------------|-------------------|-------------|
| Kalyn Trinn     | 8/1/23 @ 1645 | L. G. [Signature] | 8/1/23 1200 |
| V. [Signature]  | 8/1/23 1600   | [Signature]       | 8-3-23 1650 |

# CHAIN OF CUSTODY

pg. 4 of 23 Work order # 23080294

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

|                                                                                                                                                                                                                                                                           |  |                                                                                                                                                                                                                                                                                                          |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Client:</b> Blackstone Environmental, Inc.<br><b>Address:</b> 16200 Foster Street<br><b>City / State / Zip:</b> Overland Park, KS 66085<br><b>Contact:</b> Lindsay E. James<br><b>E-Mail:</b> ljames@blackstone-env.com<br><b>Phone:</b> (913) 495-9990<br><b>Fax:</b> |  | <b>Samples on:</b> <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> LTG# _____<br><b>Preserved in:</b> <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <input type="checkbox"/> FOR LAB USE ONLY<br><b>Lab Notes:</b> |  |
| <b>Client Comments:</b> LSW                                                                                                                                                                                                                                               |  |                                                                                                                                                                                                                                                                                                          |  |

are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 are these samples known to be hazardous? ☐ Yes ☒ No  
 are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

| Project Name/Number          |            | Sample Collector's Name |           | INDICATE ANALYSIS REQUESTED |      |        |               |             |         |  |  |  |  |  |
|------------------------------|------------|-------------------------|-----------|-----------------------------|------|--------|---------------|-------------|---------|--|--|--|--|--|
| Lee's Summit School Dist. DW |            | LSW                     |           | MATRIX                      |      |        |               |             |         |  |  |  |  |  |
|                              |            |                         |           | Drinking Water              | Soil | Sludge | Special Waste | Groundwater | DW Lead |  |  |  |  |  |
| 23080294-031                 | LSW1-S31   | 8/1/23                  | @ 850     | X                           |      |        |               |             | X       |  |  |  |  |  |
| 032                          | -S32       |                         | @ 850     |                             |      |        |               |             |         |  |  |  |  |  |
| 033                          | -O33       |                         | @ 855     |                             |      |        |               |             |         |  |  |  |  |  |
| 034                          | -O34       |                         | @ 855     |                             |      |        |               |             |         |  |  |  |  |  |
| 035                          | -DF35-8812 |                         | @ 850     |                             |      |        |               |             |         |  |  |  |  |  |
| 036                          | DF36-8812  |                         | @ 857     |                             |      |        |               |             |         |  |  |  |  |  |
| 037                          | -DF37-8812 |                         | @ 859     |                             |      |        |               |             |         |  |  |  |  |  |
| 038                          | -DF38-4835 |                         | 900 @ 859 |                             |      |        |               |             |         |  |  |  |  |  |
| 039                          | -DF39-1839 |                         | @ 900     |                             |      |        |               |             |         |  |  |  |  |  |
| 040                          | -DF40-1840 |                         | @ 903     |                             |      |        |               |             |         |  |  |  |  |  |

| Relinquished By |  | Received By |  | Date/Time     |  |
|-----------------|--|-------------|--|---------------|--|
| Kaley W...      |  | L. J. James |  | 8/1/23 @ 1645 |  |
| W. J. ...       |  | C. ...      |  | 8/1/23 1600   |  |

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

Bottle Order: 82000



TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsay E. James Phone: (913) 495-9990  
 E-Mail: ljames@blackstone-env.com Fax:

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTG#  
 Preserved in: ☐ LAB ☐ FIELD ☐ FOR LAB USE ONLY  
 Lab Notes

Client Comments: LSW

are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 are these samples known to be hazardous? ☐ Yes ☒ No  
 are there any required reporting limits to be met on the requested analysis? If yes, please provide  
 limits in the comment section. ☐ Yes ☒ No

| Project Name/Number                                                                            |                       | Sample Collector's Name |                | INDICATE ANALYSIS REQUESTED |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|------------------------------------------------------------------------------------------------|-----------------------|-------------------------|----------------|-----------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| ee's Summit School Dist. DW                                                                    |                       | KSM                     |                |                             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Results Requested                                                                              |                       | Billing Instructions    |                | # and Type of Containers    |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) |                       |                         |                | OTHER                       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)                  |                       |                         |                | NaHSO4                      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                                |                       |                         |                | MeOH                        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                                |                       |                         |                | HCL                         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                                |                       |                         |                | H2SO4                       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                                |                       |                         |                | NaOH                        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                                |                       |                         |                | HNO3                        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                                |                       |                         |                | UNPRES                      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Lab Use Only                                                                                   | Sample Identification | Date/Time Sampled       | MATRIX         |                             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 045 035                                                                                        | LSW1 - DF41           | 8/11/23 @ 903           | Drinking Water |                             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

Relinquished By: *Kelsey...* Date/Time: 8/11/23 @ 1645  
 Received By: *W. ...* Date/Time: 8/12/23 1200  
*W. ...* 8/23/23 1150

# CHAIN OF CUSTODY

pg. 6 of 23 Work order # 13080294

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsay E. James Phone: (913) 495-9990  
 E-Mail: ljames@blackstone-env.com Fax:

re these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 re these samples known to be hazardous? ☐ Yes ☒ No  
 re there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

Project Name/Number: ee's Summit School Dist. DW  
 Sample Collector's Name: KSM

Results Requested: ☒ Standard ☐ 1-2 Day (100% Surcharge) ☐ Other ☐ 3 Day (50% Surcharge)  
 Billing Instructions: 8/11/23 @ 911

| Lab Use Only        | Sample Identification | Date/Time Sampled    | INDICATE ANALYSIS REQUESTED         |                                     |      |        |               |             |                                     |  |  |  |
|---------------------|-----------------------|----------------------|-------------------------------------|-------------------------------------|------|--------|---------------|-------------|-------------------------------------|--|--|--|
|                     |                       |                      | Aqueous                             | Drinking Water                      | Soil | Sludge | Special Waste | Groundwater | DW Lead                             |  |  |  |
| <u>13080294-051</u> | <u>LSN1-DF51</u>      | <u>8/11/23 @ 911</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |      |        |               |             | <input checked="" type="checkbox"/> |  |  |  |
| <u>052 046</u>      | <u>-DF52</u>          | <u>@ 912</u>         |                                     |                                     |      |        |               |             |                                     |  |  |  |
| <u>053 047</u>      | <u>-S53</u>           | <u>@ 913</u>         |                                     |                                     |      |        |               |             |                                     |  |  |  |
| <u>054 048</u>      | <u>-S54</u>           | <u>@ 913</u>         |                                     |                                     |      |        |               |             |                                     |  |  |  |
| <u>055 049</u>      | <u>-D55</u>           | <u>@ 913</u>         |                                     |                                     |      |        |               |             |                                     |  |  |  |
| <u>056 050</u>      | <u>-S56</u>           | <u>@ 918</u>         |                                     |                                     |      |        |               |             |                                     |  |  |  |
| <u>057 051</u>      | <u>-S57</u>           | <u>@ 918</u>         |                                     |                                     |      |        |               |             |                                     |  |  |  |
| <u>058 052</u>      | <u>-DF58</u>          | <u>@ 922</u>         |                                     |                                     |      |        |               |             |                                     |  |  |  |
| <u>059 053</u>      | <u>-DF59</u>          | <u>@ 922</u>         |                                     |                                     |      |        |               |             |                                     |  |  |  |
| <u>060 054</u>      | <u>-S60</u>           | <u>@ 923</u>         |                                     |                                     |      |        |               |             |                                     |  |  |  |

Relinquished By: Kagay [Signature] Date/Time: 8/11/23 @ 1645  
 Received By: [Signature] Date/Time: 8/21/23 1700  
8/21/23 1600

# CHAIN OF CUSTODY

pg. 7 of 23 Work order # 13080294

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsay E. James Phone: (913) 495-9990  
 E-Mail: ljames@blackstone-env.com Fax:

re these samples known to be involved in litigation? if yes, a surcharge will apply ☐ Yes ☒ No  
 re these samples known to be hazardous? ☐ Yes ☒ No  
 re there any required reporting limits to be met on the requested analysis? if yes, please provide  
 nits in the comment section. ☐ Yes ☒ No

Project Name/Number: ee's Summit School Dist. DW  
 Sample Collector's Name: KSM

Results Requested: ☒ Standard ☐ 1-2 Day (100% Surcharge)  
☐ Other ☐ 3 Day (50% Surcharge)

| Lab Use Only | Sample Identification | Date/Time Sampled | Billing Instructions | # and Type of Containers | MATRIX | INDICATE ANALYSIS REQUESTED |
|--------------|-----------------------|-------------------|----------------------|--------------------------|--------|-----------------------------|
|              |                       |                   |                      | OTHER                    |        |                             |
|              |                       |                   |                      | NaHSO4                   |        |                             |
|              |                       |                   |                      | MeOH                     |        |                             |
|              |                       |                   |                      | HCL                      |        |                             |
|              |                       |                   |                      | H2SO4                    |        |                             |
|              |                       |                   |                      | NaOH                     |        |                             |
|              |                       |                   |                      | HNO3                     |        |                             |
|              |                       |                   |                      | UNPRES                   |        |                             |
|              |                       |                   |                      | Aqueous                  |        |                             |
|              |                       |                   |                      | Drinking Water           |        |                             |
|              |                       |                   |                      | Soil                     |        |                             |
|              |                       |                   |                      | Sludge                   |        |                             |
|              |                       |                   |                      | Special Waste            |        |                             |
|              |                       |                   |                      | Groundwater              |        |                             |
|              |                       |                   |                      | DW Lead                  |        |                             |

Relinquished By: Kaley [Signature] 8/12/23 1600  
 Date/Time: 8/12/23 1600  
 Received By: [Signature] 8/12/23 1200  
 Date/Time: 8-12-23 1150

# CHAIN OF CUSTODY

pg. 8 of 13 Work order # 23080294

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsay E. James Phone: (913) 495-9990  
 E-Mail: ljames@blackstone-env.com Fax:

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTG#  
 Preserved in: ☐ LAB ☐ FIELD ☐ FOR LAB USE ONLY  
 Lab Notes

Client Comments:

LSW

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 Are these samples known to be hazardous? ☐ Yes ☒ No  
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

| Project Name/Number                                                                                                                         |                       | Sample Collector's Name  |        | INDICATE ANALYSIS REQUESTED |        |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------|--------|-----------------------------|--------|
| ee's Summit School Dist. DW                                                                                                                 |                       | KSM                      |        |                             |        |
| Results Requested                                                                                                                           | Billing Instructions  | # and Type of Containers |        |                             |        |
| Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)<br><input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge) |                       | OTHER                    | NaHSO4 | MeOH                        | HCL    |
|                                                                                                                                             |                       | H2SO4                    | NaOH   | HNO3                        | UNPRES |
| Lab Use Only                                                                                                                                | Sample Identification | Date/Time Sampled        |        |                             |        |
| 071 071                                                                                                                                     | LSW1-071              | 8/1/23 @ 930             | X      |                             |        |
| 072 072                                                                                                                                     | -S72                  | @ 930                    |        |                             |        |
| 073 073                                                                                                                                     | -S73                  | @ 937                    |        |                             |        |
| 074 074                                                                                                                                     | -S74                  | @ 938                    |        |                             |        |
| 075 075                                                                                                                                     | -S75                  | @ 938                    |        |                             |        |
| 076 076                                                                                                                                     | -S76                  | @ 938                    |        |                             |        |
| 077 077                                                                                                                                     | -S77                  | @ 938                    |        |                             |        |
| 078 078                                                                                                                                     | -S78                  | @ 939                    |        |                             |        |
| 079 079                                                                                                                                     | -S79                  | @ 939                    |        |                             |        |
| 080 080                                                                                                                                     | -S80                  | @ 939                    |        |                             |        |

| Relinquished By | Date/Time     | Received By | Date/Time   |
|-----------------|---------------|-------------|-------------|
| Kalvin W...     | 8/1/23 @ 1645 | W. B...     | 8/1/23 1700 |
| W. B...         | 8/2/23 1600   | W. B...     | 8-3-23 1150 |

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

Bottle Order: 82000



# CHAIN OF CUSTODY

pg. 9 of 23 Work order # 23080294

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsay E. James Phone: (913) 495-9990  
 E-Mail: ljames@blackstone-env.com Fax:

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTG#  
 Preserved in: ☐ LAB ☐ FIELD **FOR LAB USE ONLY**  
 Lab Notes

Client Comments:

are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 are these samples known to be hazardous? ☐ Yes ☒ No  
 are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

LSN

| Project Name/Number         |                   | Sample Collector's Name  |                      | INDICATE ANALYSIS REQUESTED |        |                       |                |         |      |        |               |             |         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-----------------------------|-------------------|--------------------------|----------------------|-----------------------------|--------|-----------------------|----------------|---------|------|--------|---------------|-------------|---------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| ee's Summit School Dist. DW |                   | KSM                      |                      |                             |        |                       |                |         |      |        |               |             |         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Lab Use Only                | Results Requested |                          | Billing Instructions | # and Type of Containers    | MATRIX |                       |                |         |      |        |               |             |         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                             | Standard          | 1-2 Day (100% Surcharge) |                      |                             | Other  | 3 Day (50% Surcharge) | Drinking Water | Aqueous | Soil | Sludge | Special Waste | Groundwater | DW Lead |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

Relinquished By: Kalvin W. W. W. Date/Time: 8/1/23 @ 1645  
 Received By: [Signature] Date/Time: 8/2/23 1200  
[Signature] 8/3/23 1600 8/3/23 1650

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

Bottle Order: 82000



pg. 10 of 23 Work order # 23080294

**TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005**

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                |        |                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------|----------------|
| Client:                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Blackstone Environmental, Inc. |        |                |
| Address:                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 16200 Foster Street            |        |                |
| City / State / Zip                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Overland Park, KS 66085        | Phone: | (913) 495-9990 |
| Contact:                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Lindsay E. James               | Fax:   |                |
| E-Mail:                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ljames@blackstone-env.com      |        |                |
| Are these samples known to be involved in litigation? If yes, a surcharge will apply <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br>Are these samples known to be hazardous? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br>Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |                                |        |                |

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE

Preserved in: ☐ LAB ☐ FIELD

Lab Notes

°C

LTG#

FOR LAB USE ONLY

Client Comments:

LSW

| Project Name/Number                                                                                                                                                           |                       | Sample Collector's Name |   | INDICATE ANALYSIS REQUESTED                                       |  |  |  |  |  |  |                                                                             |  |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------|---|-------------------------------------------------------------------|--|--|--|--|--|--|-----------------------------------------------------------------------------|--|--|--|--|
| ee's Summit School Dist. DW                                                                                                                                                   |                       | KSM                     |   |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| Results Requested                                                                                                                                                             |                       | Billing Instructions    |   | # and Type of Containers                                          |  |  |  |  |  |  | MATRIX                                                                      |  |  |  |  |
| <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surchage)<br><input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surchage) |                       |                         |   | OTHER<br>NaHSO4<br>MeOH<br>HCL<br>H2SO4<br>NaOH<br>HNO3<br>UNPRES |  |  |  |  |  |  | Groundwater<br>Special Waste<br>Sludge<br>Soil<br>Drinking Water<br>Aqueous |  |  |  |  |
| Lab Use Only                                                                                                                                                                  | Sample Identification | Date/Time Sampled       |   |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| 091 085                                                                                                                                                                       | LSN1-S91              | 8/123 @ 977             | X |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| 092 086                                                                                                                                                                       | -S92                  | @ 947                   | / |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| 093 087                                                                                                                                                                       | -093                  | @ 949                   | / |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| 094 088                                                                                                                                                                       | -S94                  | @ 951                   | / |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| 095 089                                                                                                                                                                       | -S95                  | @ 951                   | / |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| 096 090                                                                                                                                                                       | -S96                  | @ 951                   | / |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| 097 091                                                                                                                                                                       | -S97                  | @ 952                   | / |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| 098 092                                                                                                                                                                       | -S98                  | @ 952                   | / |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| 099 093                                                                                                                                                                       | -S99                  | @ 952                   | / |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |
| 100 094                                                                                                                                                                       | -S100                 | @ 953                   | / |                                                                   |  |  |  |  |  |  |                                                                             |  |  |  |  |

| Relinquished By | Date/Time      | Received By | Date/Time   |
|-----------------|----------------|-------------|-------------|
| Kalany M...     | 8/11/23 @ 1645 | W. B. ...   | 8/2/23 1200 |
| W. B. ...       | 8/2/23 1600    | W. B. ...   | 8-3-23 1650 |

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See [www.teklabinc.com](http://www.teklabinc.com) for terms and conditions.

BottleOrder: 82000



**Client:** Blackstone Environmental, Inc.  
**Address:** 16200 Foster Street  
**City / State / Zip:** Overland Park, KS 66085  
**Contact:** Lindsay E. James (913) 495-9990  
**E-Mail:** ljames@blackstone-env.com  
**Phone:**  
**Fax:**

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTG#  
Preserved in: ☐ LAB ☐ FIELD **FOR LAB USE ONLY**  
Lab Notes  
Client Comments: LSW

| Project Name/Number         |                       | Sample Collector's Name | INDICATE ANALYSIS REQUESTED |      |        |               |             |         |  |  |  |  |  |  |
|-----------------------------|-----------------------|-------------------------|-----------------------------|------|--------|---------------|-------------|---------|--|--|--|--|--|--|
| ee's Summit School Dist. DW |                       | KSM                     | MATRIX                      |      |        |               |             |         |  |  |  |  |  |  |
| Results Requested           |                       | Billing Instructions    | Drinking Water              | Soil | Sludge | Special Waste | Groundwater | DW Lead |  |  |  |  |  |  |
| Lab Use Only                | Sample Identification | Date/Time Sampled       | Aqueous                     |      |        |               |             |         |  |  |  |  |  |  |
| 101                         | LSW1-S101             | 8/11/23 @ 953           | X                           |      |        |               |             |         |  |  |  |  |  |  |
| 102                         | -S102                 | @ 953                   |                             |      |        |               |             |         |  |  |  |  |  |  |
| 103                         | -S103                 | @ 955                   |                             |      |        |               |             |         |  |  |  |  |  |  |
| 104                         | -S104                 | @ 957                   |                             |      |        |               |             |         |  |  |  |  |  |  |
| 105                         | -S105                 | @ 957                   |                             |      |        |               |             |         |  |  |  |  |  |  |
| 106                         | -S106                 | @ 957                   |                             |      |        |               |             |         |  |  |  |  |  |  |
| 107                         | -S107                 | @ 958                   |                             |      |        |               |             |         |  |  |  |  |  |  |
| 108                         | -S108                 | @ 958                   |                             |      |        |               |             |         |  |  |  |  |  |  |
| 109                         | -S109                 | @ 958                   |                             |      |        |               |             |         |  |  |  |  |  |  |
| 110                         | -S110                 | @ 958                   |                             |      |        |               |             |         |  |  |  |  |  |  |

| Relinquished By | Date/Time      | Received By | Date/Time    |
|-----------------|----------------|-------------|--------------|
| Karen James     | 8/11/23 @ 1645 | L. James    | 8/21/23 1700 |
| L. James        | 8/12/23 1600   | James       | 8-23-23 1650 |

# CHAIN OF CUSTODY

pg. 12 of 23 Work order # 23080794

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsay E. James Phone: (913) 495-9990  
 E-Mail: ljames@blackstone-env.com Fax:

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTG#  
 Preserved in: ☐ LAB ☐ FIELD  
 Lab Notes: FOR LAB USE ONLY

Client Comments:

LSW

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 Are these samples known to be hazardous? ☐ Yes ☒ No  
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

| Project Name/Number         |                   | Sample Collector's Name |                   | INDICATE ANALYSIS REQUESTED |  |  |  |                          |        |      |     |       |      |      |        |
|-----------------------------|-------------------|-------------------------|-------------------|-----------------------------|--|--|--|--------------------------|--------|------|-----|-------|------|------|--------|
| ee's Summit School Dist. DW |                   | KSM                     |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |
| Lab Use Only                | Results Requested | Sample Identification   | Date/Time Sampled | Billing Instructions        |  |  |  | # and Type of Containers |        |      |     |       |      |      |        |
|                             |                   |                         |                   |                             |  |  |  | OTHER                    | NaHSO4 | MeOH | HCL | H2SO4 | NaOH | HNO3 | UNPRES |
| 3080294 105                 | LSW1 - SW1        | 8/11/23 @ 9:58 AM       |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |
| 112 100                     | -S112             | 1 @ 9:59                |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |
| 113 107                     | -S113             | 1 @ 9:59                |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |
| 114 108                     | -S114             | 1 @ 9:59                |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |
| 115 109                     | -S115             | 1 @ 10:00               |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |
| 116 110                     | -DE116            | 1 @ 10:02               |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |
| 117 111                     | -DE117            | 1 @ 10:02               |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |
| 118 112                     | -O118             | 1 @ 10:12               |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |
| 119 113                     | -S119             | 1 @ 10:08               |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |
| 120 114                     | -S120             | 1 @ 10:08               |                   |                             |  |  |  |                          |        |      |     |       |      |      |        |

Relinquished By: *Kelsey* Date/Time: 8/11/23 @ 16:45  
 Received By: *[Signature]* Date/Time: 8/21/23 12:00  
*[Signature]* 8/21/23 16:00

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

Bottle Order: 82000



# CHAIN OF CUSTODY

pg. 13 of 23 Work order # 23080294

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsay E. James Phone: (913) 495-9990  
 E-Mail: ljames@blackstone-env.com Fax:

re these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 re these samples known to be hazardous? ☐ Yes ☒ No  
 re there any required reporting limits to be met on the requested analysis? If yes, please provide  
 limits in the comment section. ☐ Yes ☒ No

Project Name/Number: ee's Summit School Dist. DW  
 Sample Collector's Name: KSM

| Lab Use Only | Sample Identification | Date/Time Sampled | Billing Instructions |  |  |  |  |  |  |  |  |  | # and Type of Containers |  |  |  |  |  |  |  |  |  |
|--------------|-----------------------|-------------------|----------------------|--|--|--|--|--|--|--|--|--|--------------------------|--|--|--|--|--|--|--|--|--|
|              |                       |                   | OTHER                |  |  |  |  |  |  |  |  |  | UNPRES                   |  |  |  |  |  |  |  |  |  |
| 121          | LSW1 - S121           | 8/11/23 @ 1009    | X                    |  |  |  |  |  |  |  |  |  |                          |  |  |  |  |  |  |  |  |  |
| 122          | - S122                | @ 1014            |                      |  |  |  |  |  |  |  |  |  |                          |  |  |  |  |  |  |  |  |  |
| 123          | - DF123               | @ 1014            |                      |  |  |  |  |  |  |  |  |  |                          |  |  |  |  |  |  |  |  |  |
| 124          | - DF124               | @ 1015            |                      |  |  |  |  |  |  |  |  |  |                          |  |  |  |  |  |  |  |  |  |
| 125          | - S125                | @ 1017            |                      |  |  |  |  |  |  |  |  |  |                          |  |  |  |  |  |  |  |  |  |
| 126          | - S126                | @ 1017            |                      |  |  |  |  |  |  |  |  |  |                          |  |  |  |  |  |  |  |  |  |
| 127          | - S127                | @ 1018            |                      |  |  |  |  |  |  |  |  |  |                          |  |  |  |  |  |  |  |  |  |
| 128          | - S128                | @ 1018            |                      |  |  |  |  |  |  |  |  |  |                          |  |  |  |  |  |  |  |  |  |
| 129          | - S129                | @ 1018            |                      |  |  |  |  |  |  |  |  |  |                          |  |  |  |  |  |  |  |  |  |
| 130          | - S130                | @ 1018            |                      |  |  |  |  |  |  |  |  |  |                          |  |  |  |  |  |  |  |  |  |

Relinquished By: [Signature] Date/Time: 8/11/23 @ 1645  
 Received By: [Signature] Date/Time: 8/12/23 1200  
 [Signature] Date/Time: 8/12/23 1600

pg. 14 of 23 Work order # 13080296

**TEKLAB, INC.** 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsay E. James Phone: (913) 495-9990  
 E-Mail: ljames@blackstone-env.com Fax:

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 Are these samples known to be hazardous? ☐ Yes ☒ No  
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide  
 limits in the comment section. ☐ Yes ☒ No

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C LTG# \_\_\_\_\_  
 Preserved in: ☐ LAB ☐ FIELD  
 Lab Notes:

Client Comments: LSW

FOR LAB USE ONLY

| Project Name/Number                                                                                                                                                             |  | Sample Collector's Name |  | INDICATE ANALYSIS REQUESTED                                                            |  |  |  |  |  |  |  |  |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------|--|----------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|
| ee's Summit School Dist. DW                                                                                                                                                     |  | KSM                     |  |                                                                                        |  |  |  |  |  |  |  |  |  |  |  |
| Results Requested                                                                                                                                                               |  | Billing Instructions    |  | MATRIX                                                                                 |  |  |  |  |  |  |  |  |  |  |  |
| <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)<br><input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge) |  | Date/Time Sampled       |  | Drinking Water<br>Aqueous<br>Soil<br>Sludge<br>Special Waste<br>Groundwater<br>DW Lead |  |  |  |  |  |  |  |  |  |  |  |
| Lab Use Only                                                                                                                                                                    |  | Sample Identification   |  |                                                                                        |  |  |  |  |  |  |  |  |  |  |  |
| 131                                                                                                                                                                             |  | LSWF-S131               |  | X                                                                                      |  |  |  |  |  |  |  |  |  |  |  |
| 132                                                                                                                                                                             |  | -S132                   |  | X                                                                                      |  |  |  |  |  |  |  |  |  |  |  |
| 133                                                                                                                                                                             |  | -S133                   |  | X                                                                                      |  |  |  |  |  |  |  |  |  |  |  |
| 134                                                                                                                                                                             |  | -S134                   |  | X                                                                                      |  |  |  |  |  |  |  |  |  |  |  |
| 135                                                                                                                                                                             |  | -S135                   |  | X                                                                                      |  |  |  |  |  |  |  |  |  |  |  |
| 136                                                                                                                                                                             |  | -S136                   |  | X                                                                                      |  |  |  |  |  |  |  |  |  |  |  |
| 137                                                                                                                                                                             |  | -S137                   |  | X                                                                                      |  |  |  |  |  |  |  |  |  |  |  |
| 138                                                                                                                                                                             |  | -S138                   |  | X                                                                                      |  |  |  |  |  |  |  |  |  |  |  |
| 139                                                                                                                                                                             |  | -S139                   |  | X                                                                                      |  |  |  |  |  |  |  |  |  |  |  |
| 140                                                                                                                                                                             |  | -S140                   |  | X                                                                                      |  |  |  |  |  |  |  |  |  |  |  |

| Relinquished By    | Date/Time       | Received By    | Date/Time   |
|--------------------|-----------------|----------------|-------------|
| Kalvin [Signature] | 8/11/23 @ 11:45 | W. [Signature] | 8/2/23 1200 |
| W. [Signature]     | 8/2/23 600      | [Signature]    | 8-3-23 1150 |

he individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See [www.teklabinc.com](http://www.teklabinc.com) for terms and conditions.

BottleOrder: 82000



TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

|                                                                                                                                                                                                                                                                           |                              |                                                                                                                                                                                                                                                                                                             |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Client:</b> Blackstone Environmental, Inc.<br><b>Address:</b> 16200 Foster Street<br><b>City / State / Zip:</b> Overland Park, KS 66085<br><b>Contact:</b> Lindsay E. James<br><b>E-Mail:</b> ljames@blackstone-env.com<br><b>Phone:</b> (913) 495-9990<br><b>Fax:</b> |                              | <b>Samples on:</b> <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG#<br><b>Preserved in:</b> <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <b>FOR LAB USE ONLY</b><br><b>Lab Notes</b> |  |
| <b>Client Comments:</b><br>LSW                                                                                                                                                                                                                                            |                              |                                                                                                                                                                                                                                                                                                             |  |
| <b>Project Name/Number</b><br>Lee's Summit School Dist. DW                                                                                                                                                                                                                |                              | <b>Sample Collector's Name</b><br>KSM                                                                                                                                                                                                                                                                       |  |
| <b>Results Requested</b><br><input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)<br><input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)                                                               |                              | <b>Billing Instructions</b><br>Date/Time Sampled                                                                                                                                                                                                                                                            |  |
| <b>Lab Use Only</b>                                                                                                                                                                                                                                                       | <b>Sample Identification</b> | <b>Date/Time Sampled</b>                                                                                                                                                                                                                                                                                    |  |
| 141                                                                                                                                                                                                                                                                       | LSW1 - S141                  | 8/11/23 @ 1023                                                                                                                                                                                                                                                                                              |  |
| 142                                                                                                                                                                                                                                                                       | - S142                       | @ 1023                                                                                                                                                                                                                                                                                                      |  |
| 143                                                                                                                                                                                                                                                                       | - S143                       | @ 1025                                                                                                                                                                                                                                                                                                      |  |
| 144                                                                                                                                                                                                                                                                       | - S144                       | @ 1025                                                                                                                                                                                                                                                                                                      |  |
| 145                                                                                                                                                                                                                                                                       | - S145                       | @ 1026                                                                                                                                                                                                                                                                                                      |  |
| 146                                                                                                                                                                                                                                                                       | LSW2 - DF146                 | @ 1029                                                                                                                                                                                                                                                                                                      |  |
| 147                                                                                                                                                                                                                                                                       | LSW2 - DF147                 | @ 1029                                                                                                                                                                                                                                                                                                      |  |
| 148                                                                                                                                                                                                                                                                       | - S148                       | @ 1030                                                                                                                                                                                                                                                                                                      |  |
| 149                                                                                                                                                                                                                                                                       | - S149                       | @ 1031                                                                                                                                                                                                                                                                                                      |  |
| 150                                                                                                                                                                                                                                                                       | - DF150                      | @ 1032                                                                                                                                                                                                                                                                                                      |  |
| <b>Relinquished By</b><br>Kacey [Signature]                                                                                                                                                                                                                               |                              | <b>Date/Time</b><br>8/11/23 @ 1645                                                                                                                                                                                                                                                                          |  |
| <b>Received By</b><br>[Signature]                                                                                                                                                                                                                                         |                              | <b>Date/Time</b><br>8/21/23 1600                                                                                                                                                                                                                                                                            |  |
| <b>Matrix</b><br>Drinking Water<br>Aqueous<br>Soil<br>Sludge<br>Special Waste<br>Groundwater<br>DW Lead                                                                                                                                                                   |                              | <b>Indicate Analysis Requested</b>                                                                                                                                                                                                                                                                          |  |
|                                                                                                                                                                                                                                                                           |                              |                                                                                                                                                                                                                                                                                                             |  |

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

Bottle Order: 82000



# CHAIN OF CUSTODY

pg. 16 of 23 Work order # 23080294

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

|                                                                                                                                                                                                                                           |  |                                                                                                                                                                                                                                                                                                          |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Client:</b> Blackstone Environmental, Inc.<br><b>Address:</b> 16200 Foster Street<br><b>City / State / Zip:</b> Overland Park, KS 66085<br><b>Contact:</b> Lindsay E. James (913) 495-9890<br><b>E-Mail:</b> ljames@blackstone-env.com |  | <b>Samples on:</b> <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> LTG# _____<br><b>Preserved in:</b> <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <input type="checkbox"/> FOR LAB USE ONLY<br><b>Lab Notes:</b> |  |
| <b>Client Comments:</b> LSW                                                                                                                                                                                                               |  |                                                                                                                                                                                                                                                                                                          |  |

| Project Name/Number                                                                                                                                                             |                       | Sample Collector's Name |               | INDICATE ANALYSIS REQUESTED |   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------|---------------|-----------------------------|---|
| ee's Summit School Dist. DW                                                                                                                                                     |                       | KSM                     |               |                             |   |
| Results Requested                                                                                                                                                               |                       | Billing Instructions    |               |                             |   |
| <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)<br><input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge) |                       |                         |               |                             |   |
| Lab Use Only                                                                                                                                                                    | Sample Identification | Date/Time Sampled       |               |                             |   |
| 151                                                                                                                                                                             | LSW2-DF151            | 8/11/23 @ 1032          | Aqueous       | Drinking Water              | X |
| 152                                                                                                                                                                             | -S152                 | @ 1035                  | Groundwater   |                             |   |
| 153                                                                                                                                                                             | -S153                 | @ 1036                  | Special Waste |                             |   |
| 154                                                                                                                                                                             | -S154                 | @ 1036                  | Sludge        |                             |   |
| 155                                                                                                                                                                             | -S155                 | @ 1036                  | Soil          |                             |   |
| 156                                                                                                                                                                             | -S156                 | @ 1037                  |               |                             |   |
| 157                                                                                                                                                                             | -S157                 | @ 1037                  |               |                             |   |
| 158                                                                                                                                                                             | -S158                 | @ 1037                  |               |                             |   |
| 159                                                                                                                                                                             | -S159                 | @ 1038                  |               |                             |   |
| 160                                                                                                                                                                             | -S160                 | @ 1038                  |               |                             |   |

| Relinquished By | Date/Time      | Received By | Date/Time    |
|-----------------|----------------|-------------|--------------|
| Kalena J...     | 8/11/23 @ 1645 | L. James    | 8/23/23 1200 |
| L. James        | 8/23/23 1000   |             | 8/23/23 1150 |

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

Bottle Order: 82000



pg. 17 of 23 Work.order # 23

**(618) 344-1004 - Fax: (618) 344-1005**

|                           |                                |               |                |
|---------------------------|--------------------------------|---------------|----------------|
| <b>Client:</b>            | Blackstone Environmental, Inc. |               |                |
| <b>Address:</b>           | 16200 Foster Street            |               |                |
| <b>City / State / Zip</b> | Overland Park, KS 66085        |               |                |
| <b>Contact:</b>           | Lindsay E. James               | <b>Phone:</b> | (913) 495-9990 |
| <b>E-Mail:</b>            | ljames@blackstone-env.com      |               |                |
| <b>Lab Notes</b>          |                                |               |                |
| <b>Client Comments:</b>   |                                |               |                |

|                         |                              |                                   |                                 |           |             |
|-------------------------|------------------------------|-----------------------------------|---------------------------------|-----------|-------------|
| <b>Samples on:</b>      | <input type="checkbox"/> ICE | <input type="checkbox"/> BLUE ICE | <input type="checkbox"/> NO ICE | <b>°C</b> | <b>LTG#</b> |
| <b>Preserved in:</b>    | <input type="checkbox"/> LAB | <input type="checkbox"/> FIELD    |                                 |           |             |
| <b>FOR LAB USE ONLY</b> |                              |                                   |                                 |           |             |

LSW

[illegible]

| Relinquished By    | Date/Time     | Received By        | Date/Time   |
|--------------------|---------------|--------------------|-------------|
| Kalyn Vinn         | 8/1/23 @ 1645 | <i>[Signature]</i> | 8/2/23 1200 |
| <i>[Signature]</i> | 8/2/23 1500   | <i>[Signature]</i> | 8-3-23 1150 |
|                    |               |                    |             |
|                    |               |                    |             |
|                    |               |                    |             |

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See [www.teklabinc.com](http://www.teklabinc.com) for terms and conditions.

Bottle Order: 82000



TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

**Client:** Blackstone Environmental, Inc.  
**Address:** 16200 Foster Street  
**City / State / Zip:** Overland Park, KS 66085  
**Contact:** Lindsay E. James (913) 495-9990  
**E-Mail:** ljames@blackstone-env.com

**Phone:** \_\_\_\_\_  
**Fax:** \_\_\_\_\_

are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
are these samples known to be hazardous? ☐ Yes ☒ No  
are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

**Project Name/Number:** ee's Summit School Dist. DW  
**Sample Collector's Name:** KSM

| Results Requested |  | Billing Instructions |  | # and Type of Containers |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-------------------|--|----------------------|--|--------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|-------------------|--|----------------------|--|--------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

|                 |           |                |           |
|-----------------|-----------|----------------|-----------|
| Relinquished By | Date/Time | Received By    | Date/Time |
| Kalvin          | 8/11/23   | W. [Signature] | 8/21/23   |
| W. [Signature]  | 8/21/23   | [Signature]    | 8/23/23   |

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
 Address: 16200 Foster Street  
 City / State / Zip: Overland Park, KS 66085  
 Contact: Lindsay E. James Phone: (913) 495-9990  
 E-Mail: ljames@blackstone-env.com Fax:

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTG#  
 Preserved in: ☐ LAB ☐ FIELD FOR LAB USE ONLY  
 Lab Notes  
 Client Comments: LSW

Project Name/Number: ee's Summit School Dist. DW  
 Sample Collector's Name: KSM  
 Results Requested: ☒ Standard ☐ 1-2 Day (100% Surcharge) ☐ Other ☐ 3 Day (50% Surcharge)  
 Billing Instructions: ☐ Yes ☒ No  
 re these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
 re these samples known to be hazardous? ☐ Yes ☒ No  
 re there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

| Lab Use Only | Sample Identification | Date/Time Sampled | Matrix         | INDICATE ANALYSIS REQUESTED |
|--------------|-----------------------|-------------------|----------------|-----------------------------|
| 181          | LSW2-518              | 8/11/23 @ 1050    | Aqueous        |                             |
| 182          | -DF182                | @ 1057            | Drinking Water | X                           |
| 183          | -DF183                | @ 1050            | Groundwater    |                             |
| 184          | -8184                 | @ 1050            | Sludge         |                             |
| 185          | -S185                 | @ 1058            | Soil           |                             |
| 186          | -S186                 | @ 1058            | Special Waste  |                             |
| 187          | -S187                 | @ 1058            | DW Lead        | X                           |
| 188          | -S188                 | @ 1059            |                |                             |
| 189          | -S189                 | @ 1059            |                |                             |
| 190          | -S190                 | @ 1059            |                |                             |

| Relinquished By | Date/Time      | Received By | Date/Time    |
|-----------------|----------------|-------------|--------------|
| Kalvin J...     | 8/11/23 @ 1645 | [Signature] | 8/12/23 1700 |
| L. J. ...       | 8/2/23 600     | [Signature] | 8-3-23 1550  |

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.  
Address: 16200 Foster Street  
City / State / Zip: Overland Park, KS 66085  
Contact: Lindsay E. James (913) 495-9990  
E-Mail: ljames@blackstone-env.com

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTC#  
Preserved in: ☐ LAB ☐ FIELD **FOR LAB USE ONLY**  
Lab Notes

Client Comments: LSW

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
Are these samples known to be hazardous? ☐ Yes ☒ No  
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

| Project Name/Number                                                                                                                                                             |  | Sample Collector's Name |  | INDICATE ANALYSIS REQUESTED |  |        |        |      |     |       |      |      |        |                |      |        |               |             |         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------|--|-----------------------------|--|--------|--------|------|-----|-------|------|------|--------|----------------|------|--------|---------------|-------------|---------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lee's Summit School Dist. DW                                                                                                                                                    |  | KSM                     |  |                             |  |        |        |      |     |       |      |      |        |                |      |        |               |             |         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Results Requested                                                                                                                                                               |  | Billing Instructions    |  | # and Type of Containers    |  | MATRIX |        |      |     |       |      |      |        |                |      |        |               |             |         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)<br><input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge) |  |                         |  |                             |  | OTHER  | NaHSO4 | MeOH | HCL | H2SO4 | NaOH | HNO3 | UNPRES | Drinking Water | Soil | Sludge | Special Waste | Groundwater | DW Lead |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

|                 |                |             |              |
|-----------------|----------------|-------------|--------------|
| Relinquished By | Date/Time      | Received By | Date/Time    |
| Kalvin Mann     | 8/11/23 @ 1645 | LSM         | 8/14/23 1200 |
| L. James        | 8/12/23 1600   | LSM         | 8-13-23 1800 |

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

**Client:** Blackstone Environmental, Inc.  
**Address:** 16200 Foster Street  
**City / State / Zip:** Overland Park, KS 66085  
**Contact:** Lindsay E. James  
**E-Mail:** ljames@blackstone-env.com  
**Phone:** (913) 495-9990  
**Fax:**

are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
are these samples known to be hazardous? ☐ Yes ☒ No  
are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

**Project Name/Number:** ee's Summit School Dist. DW  
**Sample Collector's Name:** KSM

| Lab Use Only | Results Requested<br>Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)<br>Other <input type="checkbox"/> 3 Day (50% Surcharge) | Billing Instructions | Sample Identification | Date/Time Sampled | # and Type of Containers |        |      |     |       |      |      |        |  |  |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------------|-------------------|--------------------------|--------|------|-----|-------|------|------|--------|--|--|
|              |                                                                                                                                         |                      |                       |                   | OTHER                    | NaHSO4 | MeOH | HCL | H2SO4 | NaOH | HNO3 | UNPRES |  |  |
| 201 201      | LSNB2-S201                                                                                                                              |                      |                       | 8/11/23 @ 1107    | X                        |        |      |     |       |      |      |        |  |  |
| 202 202      | LSNB-DF202                                                                                                                              |                      |                       | @ 1112            |                          |        |      |     |       |      |      |        |  |  |
| 203 203      | -DF203                                                                                                                                  |                      |                       | @ 1112            |                          |        |      |     |       |      |      |        |  |  |
| 204 204      | -S204                                                                                                                                   |                      |                       | @ 1114            |                          |        |      |     |       |      |      |        |  |  |
| 205 205      | -O205                                                                                                                                   |                      |                       | @ 1114            |                          |        |      |     |       |      |      |        |  |  |
| 206 206      | -S206                                                                                                                                   |                      |                       | @ 1114            |                          |        |      |     |       |      |      |        |  |  |
| 207 207      | -O207                                                                                                                                   |                      |                       | @ 1115            |                          |        |      |     |       |      |      |        |  |  |
| 208 208      | -S208                                                                                                                                   |                      |                       | @ 1115            |                          |        |      |     |       |      |      |        |  |  |
| 209 209      | -S209                                                                                                                                   |                      |                       | @ 1116            |                          |        |      |     |       |      |      |        |  |  |
| 210 209      | -S210                                                                                                                                   |                      |                       | @ 1117            |                          |        |      |     |       |      |      |        |  |  |

**Relinquished By:** Kaley M...  
**Relinquished By:** h. g...  
**Received By:** h. g...  
**Date/Time:** 8/11/23 @ 8/21/23 1600  
**Date/Time:** 8/21/23 1700  
**Date/Time:** 8-3-23 1150

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.

Address: 16200 Foster Street

City / State / Zip: Overland Park, KS 66085

Contact: Lindsey E. James

E-Mail: ljames@blackstone-env.com

Phone: (913) 495-9990

Fax:

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTG#

Preserved in: ☐ LAB ☐ FIELD

Lab Notes

Client Comments: LSW

re these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
re these samples known to be hazardous? ☐ Yes ☒ No  
re there any required reporting limits to be met on the requested analysis? If yes, please provide  
nits in the comment section. ☐ Yes ☒ No

| Project Name/Number                                                                                                                                                             |                       | Sample Collector's Name |                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------|-------------------------------------------------------------------|
| ee's Summit School Dist. DW                                                                                                                                                     |                       | KSM                     |                                                                   |
| Results Requested                                                                                                                                                               |                       | Billing Instructions    |                                                                   |
| <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)<br><input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge) |                       |                         |                                                                   |
| Lab Use Only                                                                                                                                                                    | Sample Identification | Date/Time Sampled       | # and Type of Containers                                          |
|                                                                                                                                                                                 |                       |                         | OTHER<br>NaHSO4<br>MeOH<br>HCL<br>H2SO4<br>NaOH<br>HNO3<br>UNPRES |
| 20894 208                                                                                                                                                                       | LSWB-02114            | 8/11/23 @ 1117          | X                                                                 |
| 212 206                                                                                                                                                                         | -S212                 | @ 1118                  |                                                                   |
| 213 207                                                                                                                                                                         | -S213                 | @ 1118                  |                                                                   |
| 214 208                                                                                                                                                                         | -S214                 | @ 1119                  |                                                                   |
| 215 209                                                                                                                                                                         | -S215                 | @ 1122                  |                                                                   |
| 216 210                                                                                                                                                                         | -0216                 | @ 1122                  |                                                                   |
| 217 211                                                                                                                                                                         | -S217                 | @ 1123                  |                                                                   |
| 218 212                                                                                                                                                                         | -0218                 | @ 1123                  |                                                                   |
| 219 213                                                                                                                                                                         | -S219                 | @ 1124                  |                                                                   |
| 220 214                                                                                                                                                                         | -0220                 | @ 1124                  |                                                                   |

| Relinquished By |  | Date/Time      | Received By | Date/Time    |
|-----------------|--|----------------|-------------|--------------|
| Kathy Tamm      |  | 8/11/23 @ 1645 |             | 8/12/23 1200 |
| L. H. H. H.     |  | 8/12/23 1600   |             | 8/13/23 1650 |

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

**Client:** Blackstone Environmental, Inc.  
**Address:** 16200 Foster Street  
**City / State / Zip:** Overland Park, KS 66085  
**Contact:** Lindsay E. James (913) 495-9990  
**E-Mail:** ljames@blackstone-env.com

**Samples on:** ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTG#  
**Preserved in:** ☐ LAB ☐ FIELD **FOR LAB USE ONLY**  
**Lab Notes**

**Client Comments:** LSW

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
Are these samples known to be hazardous? ☐ Yes ☒ No  
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

| Project Name/Number          |                   | Sample Collector's Name  |                       | INDICATE ANALYSIS REQUESTED |                          |         |                |      |        |               |             |         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|------------------------------|-------------------|--------------------------|-----------------------|-----------------------------|--------------------------|---------|----------------|------|--------|---------------|-------------|---------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lee's Summit School Dist. DW |                   | KSM                      |                       |                             |                          |         |                |      |        |               |             |         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Lab Use Only                 | Results Requested |                          | Sample Identification | Date/Time Sampled           | # and Type of Containers | MATRIX  |                |      |        |               |             |         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|                              | Standard          | 1-2 Day (100% Surcharge) |                       |                             |                          | Aqueous | Drinking Water | Soil | Sludge | Special Waste | Groundwater | DW Lead |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

| Relinquished By       | Date/Time      | Received By | Date/Time    |
|-----------------------|----------------|-------------|--------------|
| Kalvin J. [Signature] | 8/11/23 @ 1645 | [Signature] | 8/22/23 1200 |
| [Signature]           | 8/22/23 1600   | [Signature] | 8/23/23 1600 |