

ATTACHMENT B

**Pleasant Lea Middle School
Field Forms**

Lee's Summit DW

Team 25-33

School PLEASANT LEA MS

Date Purged 7/31/23

Date Sampled 8/1/23

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

155

Test #	Floor #	Sink (SK)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
1	1	X			TUB SINK IN 221	1206	855
2	1	X			L SINK IN 221	1206	855
3	1	X			M SINK IN 221	1206	855
4	1	X			R SINK IN 221	1206	855
5	1	X			SINK IN 221A	1206	855
6	1			X	ICE MACHINE IN 248	1220	900
7	1	X			SINK IN 248	1220	900
8	1			X	DISHWASHER IN 248	1220	900
9	1	X			SINK IN 249	1224	905
10	1	X			SINK IN 226	1230	906
11	1	X			FRONT SINK IN 230 / NURSE	1230	906
12	1	X			SINK IN 230 / NURSE	1234	909
13	1		X		L DOW FOUNTAIN NEAR 212	1234	909
14	1		X		R DOW FOUNTAIN NEAR 212	1238	912
15	1			X	DISHWASHER IN KITCHEN	1238	912
16	1	X			SINK ACCESS FROM 15	1238	912
17	1	X			SINK BY DOOR	1238	912
18	1	X			SINK RIGHT OF 17	1238	912
19	1	X			SINK RIGHT OF 18	1238	912
20	1	X			L SINK NEAR OUTSIDE DOOR	1238	912
21	1	X			SINK RIGHT OF 20	1238	912
22	1			X	ICE MACHINE IN STORAGE ROOM	1238	912
23	1			X	LEFT COMBI OVER	1238	912
24	1			X	RIGHT COMBI OVER	1238	912

Lee's Summit DW

Team RS-88

School PLEASANT LEA MS

Date Purged 7/31/23

Date Sampled 8/1/23

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Test #	Floor #	Sink (SK)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
25	1		X		L Group of 30 Fountains - L	1244	922
26	1		X		L Group of 30 Fountains - R	1244	922
27	1		X		R Group of 30 Fountains - L	1244	922
28	1		X		R Group of 30 Fountains - R	1244	922
29	1		X		L 30 Fountains - NOT WORKING	1250	—
30	1		X		R 30 Fountains - NOT WORKING	1250	—
31	1	X			L Sink in 214	1251	930
32	1	X			M Sink in 214	1251	930
33	1	X			R Sink in 214	1251	930
34	1	X			L Sink in 215	1252	930
35	1	X			M Sink in 215	1252	930
36	1	X			R Sink in 215	1252	930
37	1	X			COUNTER SINK in 215	1252	930
38	1			X	DISHWASHER in 215	1252	930
39	1	X			SINK in LAB/214C	1254	930
40	1		X		30 FOUNTAIN OUTSIDE 219 - NOT WORKING	1300	—
41	1	X			SINK in 258	1305	940
42	1	X			SINK in 258	1305	941
43	1	X			L Sink in 253	1311	943
44	1	X			M Sink in 253	1311	943
45	1	X			R Sink in 253	1311	943
46	1	X			SINK in 253	1311	943
47	1	X			SINK in 251	1312	945
48	1	X			SINK in 257	1312	945

Lee's Summit DW

Team 75 - 68

Date Purged 7/31/23

School Pleasant LEA MS

Date Sampled 8/1/23

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Test #	Floor #	Sink (SK)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
49	1	X			SINK IN 257	1312	945
50	1	X			SINK IN 257	1312	945
51	B	X			SINK IN 141	1318	954
52	B		X		LERP DR FOUNTAIN - L OUTSIDE 120	1320	955
53	B		X		LERP DR FOUNTAIN - R OUTSIDE 120	1320	955
54	B		X		R GRP " - L OUTSIDE 120	1320	955
55	B		X		R GRP " - R OUTSIDE 120	1320	955
56	B	X			SINK IN WORKROOM / LIBRARY	1325	1000
57	B	X			SINK IN CONF ROOM / 158	1326	1000
58	2	X			SINK 1 / 302	1335	1005
59	2	X			SINK 2 IN 302	1335	1005
60	2	X			SINK 3 IN 302	1335	1005
61	2	X			SINK 4 IN 302	1335	1005
62	2	X			SINK 5 IN 302	1335	1005
63	2	X			SINK 6 IN 302	1335	1005
64	2	X			CTR SINK IN 302	1335	1005
65	2	X			SINK IN LAB / 302	1335	1005
66	2			X	DISHWASHER IN 302	1335	1005
67	2		X		LERP FOUNTAIN OUTSIDE 302	1340	1015
68	2		X		R DR FOUNTAIN OUTSIDE 302	1340	1015
69	2	X			316 - CTR SINK	1342	1017
70	2	X			CCLOCKWISE FROM DOOR - 316	1342	1017
71	2	X			" " - 316	1342	1017
72	2	X			" " - 316	1342	1017

Lee's Summit DW

Date Purged 7/31/23
Date Sampled 8/1/23

School RESERVANT USA MS

Team RS+BS

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Test #	Floor #	Sink (SK)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
73	2	X			316 - CLOCKWISE FROM DOOR	1342	1017
74	2	X			316 - "	1342	1017
75	2	X			316 - "	1342	1017
76	2	X			SINK IN REST ROOM OFF 316	1345	1017
77	2	X			314 - CTR SINK	1350	1024
78	2	X			314 - CLOCKWISE FROM DOOR	1350	1024
79	2	X			314 - "	1350	1024
80	2	X			314 - "	1350	1024
81	2	X			314 - "	1350	1024
82	2	X			314 - "	1350	1024
83	2	X			314 - "	1350	1024
84	2	X			312 - CTR SINK	1353	1030
85	2	X			312 - CLOCKWISE FROM DOOR	1353	1030
86	2	X			312 - "	1353	1030
87	2	X			312 - "	1353	1030
88	2	X			312 - "	1353	1030
89	2	X			312 - "	1353	1030
90	2	X			312 - "	1353	1030
91	2	X			315 - CTR SINK	1358	1034
92	2	X			315 - CLOCKWISE FROM DOOR	1358	1034
93	2	X			315 - "	1358	1034
94	2	X			315 - "	1358	1034
95	2	X			315 - "	1358	1034
96	2	X			315 - "	1358	1034

Lee's Summit DW

Date Purged 7/31/23
Date Sampled 8/1/23

School PLAENEST LSA MS

Team Scot AB

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Test #	Floor #	Sink (SK)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
97	2	X			315 - CLOCKWISE FROM DOOR	1358	1034
98	2	X			313 - CTR SINK	1400	1040
99	2	X			313 - CLOCKWISE FROM DOOR	1400	1040
100	2	X			313 - " "	1400	1040
101	2	X			313 - " "	1400	1040
102	2	X			313 - " "	1400	1040
103	2	X			313 - " "	1400	1040
104	2	X			313 - " "	1400	1040
105	2	X			311 - CTR SINK	1404	1048
106	2	X			311 - CLOCKWISE FROM DOOR	1404	1048
107	2	X			311 - " " - NOT WORKING	1404	—
108	2	X			311 - " "	1404	1048
109	2	X			311 - " "	1404	1048
110	2	X			311 - " "	1405	1048
111	2	X			311 - " "	1404	1048
112	2	X			310 - CTR SINK	1410	1050
113	2	X			310 - CLOCKWISE FROM DOOR ± NOT WORKING	1412	—
114	2	X			310 - " " - NOT WORKING	1412	—
115	2	X			310 - " " - NOT WORKING	1412	—
116	2	X			310 - " " - NOT WORKING	1412	—
117	2	X			310 - " " - NOT WORKING	1412	—
118	2	X			310 - CLOCKWISE FROM DOOR	1412	1050
119	2	X			309 - CTR SINK	1414	1052
120	2	X			309 - CLOCKWISE FROM DOOR	1414	1052

Lee's Summit DW

Date Purged	7/31/23
Date Sampled	8/1/23

School Pleasant LEA MS

Team ZS + BB

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

[illegible]

ATTACHMENT C

Pleasant Lea Middle School Summary Table

Summary Table
Pleasant Lea Middle School

Sample ID	Date	Analyte	Result	Unit	Reporting Limit
PLMS1SK1	8/1/2023	Lead	ND	µg/L	1
PLMS1SK2	8/1/2023	Lead	ND	µg/L	1
PLMS1SK3	8/1/2023	Lead	1.4	µg/L	1
PLMS1SK4	8/1/2023	Lead	ND	µg/L	1
PLMS1SK5	8/1/2023	Lead	ND	µg/L	1
PLMS106	8/1/2023	Lead	ND	µg/L	1
PLMS1SK7	8/1/2023	Lead	ND	µg/L	1
PLMS108	8/1/2023	Lead	ND	µg/L	1
PLMS1SK9	8/1/2023	Lead	ND	µg/L	1
PLMS1SK10	8/1/2023	Lead	ND	µg/L	1
PLMS1SK11	8/1/2023	Lead	ND	µg/L	1
PLMS1SK12	8/1/2023	Lead	ND	µg/L	1
PLMS1DF13	8/1/2023	Lead	2.3	µg/L	1
PLMS1DF14	8/1/2023	Lead	ND	µg/L	1
PLMS1015	8/1/2023	Lead	ND	µg/L	1
PLMS1SK16	8/1/2023	Lead	ND	µg/L	1
PLMS1SK17	8/1/2023	Lead	4.5	µg/L	1
PLMS1SK18	8/1/2023	Lead	1.7	µg/L	1
PLMS1SK19	8/1/2023	Lead	ND	µg/L	1
PLMS1SK20	8/1/2023	Lead	ND	µg/L	1
PLMS1SK21	8/1/2023	Lead	ND	µg/L	1
PLMS1022	8/1/2023	Lead	ND	µg/L	1
PLMS1023	8/1/2023	Lead	115	µg/L	1
PLMS1024	8/1/2023	Lead	29.7	µg/L	1
PLMS1DF25	8/1/2023	Lead	ND	µg/L	1
PLMS1DF26	8/1/2023	Lead	ND	µg/L	1
PLMS1DF27	8/1/2023	Lead	ND	µg/L	1
PLMS1DF28	8/1/2023	Lead	1.3	µg/L	1
PLMS1SK31	8/1/2023	Lead	1.3	µg/L	1
PLMS1SK32	8/1/2023	Lead	10.9	µg/L	1
PLMS1SK33	8/1/2023	Lead	5.4	µg/L	1
PLMS1SK34	8/1/2023	Lead	2.4	µg/L	1
PLMS1SK35	8/1/2023	Lead	15.0	µg/L	1
PLMS1SK36	8/1/2023	Lead	5.6	µg/L	1
PLMS1SK37	8/1/2023	Lead	ND	µg/L	1
PLMS1038	8/1/2023	Lead	ND	µg/L	1
PLMS1SK39	8/1/2023	Lead	4.8	µg/L	1
PLMS1SK41	8/1/2023	Lead	ND	µg/L	1
PLMS1SK42	8/1/2023	Lead	ND	µg/L	1
PLMS1SK43	8/1/2023	Lead	ND	µg/L	1
PLMS1SK44	8/1/2023	Lead	ND	µg/L	1
PLMS1SK45	8/1/2023	Lead	ND	µg/L	1
PLMS1SK46	8/1/2023	Lead	ND	µg/L	1

PLMS1SK47	8/1/2023	Lead	ND	µg/L	1
PLMS1SK48	8/1/2023	Lead	1.2	µg/L	1
PLMS1SK49	8/1/2023	Lead	1.6	µg/L	1
PLMS1SK50	8/1/2023	Lead	1.0	µg/L	1
PLMSBSK51	8/1/2023	Lead	33.8	µg/L	1
PLMSBDF52	8/1/2023	Lead	ND	µg/L	1
PLMSBDF53	8/1/2023	Lead	ND	µg/L	1
PLMSBDF54	8/1/2023	Lead	1.6	µg/L	1
PLMSBDF55	8/1/2023	Lead	2.1	µg/L	1
PLMSBSK56	8/1/2023	Lead	4.5	µg/L	1
PLMSBSK57	8/1/2023	Lead	ND	µg/L	1
PLMS2SK58	8/1/2023	Lead	4.8	µg/L	1
PLMS2SK59	8/1/2023	Lead	10.2	µg/L	1
PLMS2SK60	8/1/2023	Lead	67.6	µg/L	1
PLMS2SK61	8/1/2023	Lead	36.9	µg/L	1
PLMS2SK62	8/1/2023	Lead	5.3	µg/L	1
PLMS2SK63	8/1/2023	Lead	28.3	µg/L	1
PLMS2SK64	8/1/2023	Lead	6.0	µg/L	1
PLMS2SK65	8/1/2023	Lead	9.3	µg/L	1
PLMS2066	8/1/2023	Lead	ND	µg/L	1
PLMS2DF67	8/1/2023	Lead	ND	µg/L	1
PLMS2DF68	8/1/2023	Lead	ND	µg/L	1
PLMS2SK69	8/1/2023	Lead	13.0	µg/L	1
PLMS2SK70	8/1/2023	Lead	206	µg/L	10
PLMS2SK71	8/1/2023	Lead	35.2	µg/L	1
PLMS2SK72	8/1/2023	Lead	31.5	µg/L	1
PLMS2SK73	8/1/2023	Lead	ND	µg/L	1
PLMS2SK74	8/1/2023	Lead	ND	µg/L	1
PLMS2SK75	8/1/2023	Lead	ND	µg/L	1
PLMS2SK76	8/1/2023	Lead	ND	µg/L	1
PLMS2SK77	8/1/2023	Lead	4.2	µg/L	1
PLMS2SK78	8/1/2023	Lead	ND	µg/L	1
PLMS2SK79	8/1/2023	Lead	ND	µg/L	1
PLMS2SK80	8/1/2023	Lead	ND	µg/L	1
PLMS2SK81	8/1/2023	Lead	ND	µg/L	1
PLMS2SK82	8/1/2023	Lead	ND	µg/L	1
PLMS2SK83	8/1/2023	Lead	ND	µg/L	1
PLMS2SK84	8/1/2023	Lead	11.0	µg/L	1
PLMS2SK85	8/1/2023	Lead	ND	µg/L	1
PLMS2SK86	8/1/2023	Lead	ND	µg/L	1
PLMS2SK87	8/1/2023	Lead	1.1	µg/L	1
PLMS2SK88	8/1/2023	Lead	1.7	µg/L	1
PLMS2SK89	8/1/2023	Lead	ND	µg/L	1
PLMS2SK90	8/1/2023	Lead	1.7	µg/L	1
PLMS2SK91	8/1/2023	Lead	4.5	µg/L	1
PLMS2SK92	8/1/2023	Lead	2.1	µg/L	1
PLMS2SK93	8/1/2023	Lead	ND	µg/L	1
PLMS2SK94	8/1/2023	Lead	3.5	µg/L	1

PLMS2SK95	8/1/2023	Lead	4.5	µg/L	1
PLMS2SK96	8/1/2023	Lead	1.0	µg/L	1
PLMS2SK97	8/1/2023	Lead	1.0	µg/L	1
PLMS2SK98	8/1/2023	Lead	7.0	µg/L	1
PLMS2SK99	8/1/2023	Lead	4.7	µg/L	1
PLMS2SK100	8/1/2023	Lead	3.2	µg/L	1
PLMS2SK101	8/1/2023	Lead	3.0	µg/L	1
PLMS2SK102	8/1/2023	Lead	3.8	µg/L	1
PLMS2SK103	8/1/2023	Lead	2.3	µg/L	1
PLMS2SK104	8/1/2023	Lead	8.8	µg/L	1
PLMS2SK105	8/1/2023	Lead	1.5	µg/L	1
PLMS2SK106	8/1/2023	Lead	1.0	µg/L	1
PLMS2SK108	8/1/2023	Lead	ND	µg/L	1
PLMS2SK109	8/1/2023	Lead	3.7	µg/L	1
PLMS2SK110	8/1/2023	Lead	6.9	µg/L	1
PLMS2SK111	8/1/2023	Lead	ND	µg/L	1
PLMS2SK112	8/1/2023	Lead	2.6	µg/L	1
PLMS2SK118	8/1/2023	Lead	1.8	µg/L	1
PLMS2SK119	8/1/2023	Lead	50.3	µg/L	1
PLMS2SK120	8/1/2023	Lead	2.5	µg/L	1
PLMS2SK121	8/1/2023	Lead	1.1	µg/L	1
PLMS2SK122	8/1/2023	Lead	3.2	µg/L	1
PLMS2SK123	8/1/2023	Lead	2.2	µg/L	1
PLMS2SK124	8/1/2023	Lead	ND	µg/L	1
PLMS2SK125	8/1/2023	Lead	ND	µg/L	1
PLMS2SK127	8/1/2023	Lead	ND	µg/L	1
PLMS2SK128	8/1/2023	Lead	ND	µg/L	1
PLMS2SK129	8/1/2023	Lead	ND	µg/L	1
PLMS2SK130	8/1/2023	Lead	ND	µg/L	1
PLMS2SK131	8/1/2023	Lead	3.9	µg/L	1
PLMS2SK132	8/1/2023	Lead	ND	µg/L	1
PLMS2SK133	8/1/2023	Lead	ND	µg/L	1
PLMS2SK134	8/1/2023	Lead	ND	µg/L	1

µg/L: micrograms per liter

Bolded results indicate detections above reporting limits

ATTACHMENT D

**Pleasant Lea Middle School
Laboratory Analytical Report**

September 19, 2023

Lindsay E. James
Blackstone Environmental, Inc.
16200 Foster Street
Overland Park, KS 66085
TEL: (913) 956-4160
FAX:



Illinois	100226
Kansas	E-10374
Louisiana	05002
Louisiana	05003
Oklahoma	9978

RE: Lees Summit School Dist DW Pleasant LEA MS

WorkOrder: 23080293

Dear Lindsay E. James:

TEKLAB, INC received 124 samples on 8/3/2023 11:50:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Patrick Riley
Project Manager
(618)344-1004 ex 44
patrickriley@teklabinc.com



Report Contents

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Receiving Check List	131
Chain of Custody	Appended

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Abbr Definition

* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count (> 200 CFU)

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Qualifiers

- | | |
|---|--|
| # - Unknown hydrocarbon | B - Analyte detected in associated Method Blank |
| C - RL shown is a Client Requested Quantitation Limit | E - Value above quantitation range |
| H - Holding times exceeded | I - Associated internal standard was outside method criteria |
| J - Analyte detected below quantitation limits | M - Manual Integration used to determine area response |
| ND - Not Detected at the Reporting Limit | R - RPD outside accepted recovery limits |
| S - Spike Recovery outside recovery limits | T - TIC(Tentatively identified compound) |
| X - Value exceeds Maximum Contaminant Level | |



Case Narrative

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Cooler Receipt Temp: NA °C

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415
Phone (217) 698-1004
Fax (217) 698-1005
Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515
Phone (630) 324-6855
Fax
Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214
Phone (913) 541-1998
Fax (913) 541-1998
Email jhriley@teklabinc.com

Client: Blackstone Environmental, Inc.**Work Order:** 23080293**Client Project:** Lees Summit School Dist DW Pleasant LEA MS**Report Date:** 19-Sep-23

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2024	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2024	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2023	Collinsville
Arkansas	ADEQ	88-0966		3/14/2024	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2024	Collinsville
Missouri	MDNR	00930		5/31/2023	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-001

Client Sample ID: PLMS1SK1

Matrix: DRINKING WATER

Collection Date: 08/01/2023 8:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 0:09	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-002

Client Sample ID: PLMS1SK2

Matrix: DRINKING WATER

Collection Date: 08/01/2023 8:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 0:12	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-003

Client Sample ID: PLMS1SK3

Matrix: DRINKING WATER

Collection Date: 08/01/2023 8:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.4	µg/L	1	09/15/2023 0:16	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-004

Client Sample ID: PLMS1SK4

Matrix: DRINKING WATER

Collection Date: 08/01/2023 8:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 1:21	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-005

Client Sample ID: PLMS1SK5

Matrix: DRINKING WATER

Collection Date: 08/01/2023 8:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 1:32	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-006

Client Sample ID: PLMS106

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 1:36	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-007

Client Sample ID: PLMS1SK7

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 1:39	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-008

Client Sample ID: PLMS108

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 1:43	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-009

Client Sample ID: PLMS1SK9

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 1:47	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-010

Client Sample ID: PLMS1SK10

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 1:50	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-011

Client Sample ID: PLMS1SK11

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:06

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	5	09/12/2023 16:17	210963



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-012

Client Sample ID: PLMS1SK12

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:06

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 1:54	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-013

Client Sample ID: PLMS1DF13

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:09

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.3	µg/L	1	09/15/2023 0:20	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-014

Client Sample ID: PLMS1DF14

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:09

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 0:23	210947



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-015

Client Sample ID: PLMS1015

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 20:41	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-016

Client Sample ID: PLMS1SK16

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	5	09/12/2023 16:21	210963



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-017

Client Sample ID: PLMS1SK17

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.5	µg/L	1	09/15/2023 20:44	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-018

Client Sample ID: PLMS1SK18

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.7	µg/L	1	09/15/2023 20:55	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-019

Client Sample ID: PLMS1SK19

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 20:59	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-020

Client Sample ID: PLMS1SK20

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 21:03	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-021

Client Sample ID: PLMS1SK21

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 21:17	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-022

Client Sample ID: PLMS1022

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 21:21	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-023

Client Sample ID: PLMS1023

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		115	µg/L	5	09/12/2023 16:25	210963



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-024

Client Sample ID: PLMS1024

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		29.7	µg/L	5	09/12/2023 16:28	210963



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-025

Client Sample ID: PLMS1DF25

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:22

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 21:25	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-026

Client Sample ID: PLMS1DF26

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:22

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 21:28	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-027

Client Sample ID: PLMS1DF27

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:22

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 3:44	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-028

Client Sample ID: PLMS1DF28

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:22

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.3	µg/L	1	09/14/2023 3:47	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-029

Client Sample ID: PLMS1SK31

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.3	µg/L	1	09/14/2023 3:51	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-030

Client Sample ID: PLMS1SK32

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		10.9	µg/L	1	09/14/2023 4:02	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-031

Client Sample ID: PLMS1SK33

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		5.4	µg/L	1	09/14/2023 4:06	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-032

Client Sample ID: PLMS1SK34

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.4	µg/L	1	09/14/2023 4:09	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-033

Client Sample ID: PLMS1SK35

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		15.0	µg/L	1	09/14/2023 4:13	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-034

Client Sample ID: PLMS1SK36

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		5.6	µg/L	1	09/14/2023 4:17	210949



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-035

Client Sample ID: PLMS1SK37

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 4:31	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-036

Client Sample ID: PLMS1038

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 4:35	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-037

Client Sample ID: PLMS1SK39

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.8	µg/L	1	09/14/2023 4:39	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-038

Client Sample ID: PLMS1SK41

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:40

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 4:42	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-039

Client Sample ID: PLMS1SK42

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:41

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 4:53	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-040

Client Sample ID: PLMS1SK43

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:43

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 4:57	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-041

Client Sample ID: PLMS1SK44

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:43

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 5:00	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-042

Client Sample ID: PLMS1SK45

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:43

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 5:04	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-043

Client Sample ID: PLMS1SK46

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:43

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 5:19	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-044

Client Sample ID: PLMS1SK47

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:45

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 5:22	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-045

Client Sample ID: PLMS1SK48

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:45

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.2	µg/L	1	09/14/2023 5:26	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-046

Client Sample ID: PLMS1SK49

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:45

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.6	µg/L	1	09/14/2023 5:30	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-047

Client Sample ID: PLMS1SK50

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:45

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.0	µg/L	1	09/14/2023 5:33	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-048

Client Sample ID: PLMSBSK51

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:54

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		33.8	µg/L	1	09/14/2023 5:44	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-049

Client Sample ID: PLMSBDF52

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 5:48	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-050

Client Sample ID: PLMSBDF53

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 5:52	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-051

Client Sample ID: PLMSBDF54

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.6	µg/L	1	09/14/2023 6:06	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-052

Client Sample ID: PLMSBDF55

Matrix: DRINKING WATER

Collection Date: 08/01/2023 9:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.1	µg/L	1	09/14/2023 6:10	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-053

Client Sample ID: PLMSBSK56

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.5	µg/L	1	09/14/2023 6:14	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-054

Client Sample ID: PLMSBSK57

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 6:17	210952



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-055

Client Sample ID: PLMS2SK58

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.8	µg/L	1	09/18/2023 9:35	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-056

Client Sample ID: PLMS2SK59

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		10.2	µg/L	1	09/18/2023 9:38	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-057

Client Sample ID: PLMS2SK60

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		67.6	µg/L	1	09/18/2023 9:42	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-058

Client Sample ID: PLMS2SK61

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		36.9	µg/L	1	09/18/2023 9:46	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-059

Client Sample ID: PLMS2SK62

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		5.3	µg/L	1	09/18/2023 9:49	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-060

Client Sample ID: PLMS2SK63

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		28.3	µg/L	1	09/14/2023 12:42	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-061

Client Sample ID: PLMS2SK64

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		6.0	µg/L	1	09/14/2023 12:53	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-062

Client Sample ID: PLMS2SK65

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		9.3	µg/L	1	09/14/2023 12:57	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-063

Client Sample ID: PLMS2066

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 13:01	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-064

Client Sample ID: PLMS2DF67

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 13:04	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-065

Client Sample ID: PLMS2DF68

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 13:08	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-066

Client Sample ID: PLMS2SK69

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:17

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		13.0	µg/L	1	09/14/2023 13:12	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-067

Client Sample ID: PLMS2SK70

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:17

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	10.0		206	µg/L	10	09/18/2023 20:15	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-068

Client Sample ID: PLMS2SK71

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:17

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		35.2	µg/L	1	09/15/2023 19:02	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-069

Client Sample ID: PLMS2SK72

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:17

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		31.5	µg/L	1	09/15/2023 19:05	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-070

Client Sample ID: PLMS2SK73

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:17

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 19:09	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-071

Client Sample ID: PLMS2SK74

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:17

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 19:13	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-072

Client Sample ID: PLMS2SK75

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:17

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 19:16	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-073

Client Sample ID: PLMS2SK76

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:17

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 19:24	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-074

Client Sample ID: PLMS2SK77

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.2	µg/L	1	09/15/2023 19:27	210953



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-075

Client Sample ID: PLMS2SK78

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 19:42	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-076

Client Sample ID: PLMS2SK79

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 19:45	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-077

Client Sample ID: PLMS2SK80

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 19:49	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-078

Client Sample ID: PLMS2SK81

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 19:53	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-079

Client Sample ID: PLMS2SK82

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 19:56	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-080

Client Sample ID: PLMS2SK83

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 20:00	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-081

Client Sample ID: PLMS2SK84

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		11.0	µg/L	1	09/15/2023 20:11	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-082

Client Sample ID: PLMS2SK85

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 20:15	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-083

Client Sample ID: PLMS2SK86

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 15:18	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-084

Client Sample ID: PLMS2SK87

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.1	µg/L	1	09/14/2023 15:22	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-085

Client Sample ID: PLMS2SK88

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.7	µg/L	1	09/14/2023 15:26	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-086

Client Sample ID: PLMS2SK89

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 15:29	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-087

Client Sample ID: PLMS2SK90

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.7	µg/L	1	09/14/2023 15:33	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-088

Client Sample ID: PLMS2SK91

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.5	µg/L	1	09/14/2023 15:44	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-089

Client Sample ID: PLMS2SK92

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.1	µg/L	5	09/12/2023 16:32	210963



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-090

Client Sample ID: PLMS2SK93

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 15:48	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-091

Client Sample ID: PLMS2SK94

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.5	µg/L	1	09/14/2023 15:51	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-092

Client Sample ID: PLMS2SK95

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.5	µg/L	1	09/14/2023 16:06	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-093

Client Sample ID: PLMS2SK96

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.0	µg/L	1	09/14/2023 16:10	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-094

Client Sample ID: PLMS2SK97

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.0	µg/L	1	09/14/2023 16:13	210956



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-095

Client Sample ID: PLMS2SK98

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:40

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		7.0	µg/L	1	09/14/2023 16:17	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-096

Client Sample ID: PLMS2SK99

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:40

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.7	µg/L	1	09/14/2023 16:21	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-097

Client Sample ID: PLMS2SK100

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:40

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.2	µg/L	1	09/14/2023 16:24	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-098

Client Sample ID: PLMS2SK101

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:40

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.0	µg/L	1	09/14/2023 16:28	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-099

Client Sample ID: PLMS2SK102

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:40

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.8	µg/L	1	09/14/2023 16:32	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-100

Client Sample ID: PLMS2SK103

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:40

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.3	µg/L	1	09/14/2023 16:35	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-101

Client Sample ID: PLMS2SK104

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:40

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		8.8	µg/L	1	09/14/2023 16:39	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-102

Client Sample ID: PLMS2SK105

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.5	µg/L	1	09/14/2023 16:54	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-103

Client Sample ID: PLMS2SK106

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.0	µg/L	1	09/14/2023 16:57	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-104

Client Sample ID: PLMS2SK108

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 17:08	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-105

Client Sample ID: PLMS2SK109

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.7	µg/L	1	09/14/2023 17:12	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-106

Client Sample ID: PLMS2SK110

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		6.9	µg/L	1	09/14/2023 17:16	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-107

Client Sample ID: PLMS2SK111

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 17:19	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-108

Client Sample ID: PLMS2SK112

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.6	µg/L	1	09/14/2023 17:23	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-109

Client Sample ID: PLMS2SK118

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.8	µg/L	1	09/14/2023 17:27	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-110

Client Sample ID: PLMS2SK119

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:52

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		50.3	µg/L	5	09/12/2023 16:54	210963



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-111

Client Sample ID: PLMS2SK120

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:52

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.5	µg/L	1	09/14/2023 17:49	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-112

Client Sample ID: PLMS2SK121

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:52

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.1	µg/L	1	09/14/2023 17:52	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-113

Client Sample ID: PLMS2SK122

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:52

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.2	µg/L	1	09/14/2023 17:56	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-114

Client Sample ID: PLMS2SK123

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:52

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.2	µg/L	1	09/14/2023 18:00	210959



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-115

Client Sample ID: PLMS2SK124

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:52

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	08/26/2023 22:42	210960



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-116

Client Sample ID: PLMS2SK125

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:52

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	08/26/2023 23:08	210960



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-117

Client Sample ID: PLMS2SK127

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:58

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	08/26/2023 23:11	210960



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-118

Client Sample ID: PLMS2SK128

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:58

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	08/26/2023 23:15	210960



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-119

Client Sample ID: PLMS2SK129

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:58

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	08/26/2023 23:19	210960



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-120

Client Sample ID: PLMS2SK130

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:58

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	08/26/2023 23:22	210960



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-121

Client Sample ID: PLMS2SK131

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:58

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.9	µg/L	1	08/28/2023 15:27	210960



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-122

Client Sample ID: PLMS2SK132

Matrix: DRINKING WATER

Collection Date: 08/01/2023 10:58

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	08/26/2023 23:26	210960



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-123

Client Sample ID: PLMS2SK133

Matrix: DRINKING WATER

Collection Date: 08/01/2023 11:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	08/26/2023 23:30	210960



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Lab ID: 23080293-124

Client Sample ID: PLMS2SK134

Matrix: DRINKING WATER

Collection Date: 08/01/2023 11:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	08/26/2023 23:55	210960



Receiving Check List

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23080293

Client Project: Lees Summit School Dist DW Pleasant LEA MS

Report Date: 19-Sep-23

Carrier: Crossroads

Received By: LM

Completed by:

On:

03-Aug-23

Allison Colin

Reviewed by:

On:

04-Aug-23

Ellie Hopkins

Pages to follow: Chain of custody

Extra pages included

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>	Temp °C NA
Type of thermal preservation?	None <input checked="" type="checkbox"/>	Ice <input type="checkbox"/>	Blue Ice <input type="checkbox"/>	Dry Ice <input type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Reported field parameters measured:	Field <input type="checkbox"/>	Lab <input type="checkbox"/>	NA <input checked="" type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

Water – at least one vial per sample has zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials <input checked="" type="checkbox"/>
Water - TOX containers have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No TOX containers <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	NA <input type="checkbox"/>
NPDES/CWA TCN interferences checked/treated in the field?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	NA <input checked="" type="checkbox"/>

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.	Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input checked="" type="checkbox"/> NO ICE <input type="checkbox"/> NA °C <input type="checkbox"/> LTG#
Address: 16200 Foster Street	Preserved in: <input checked="" type="checkbox"/> LAB <input type="checkbox"/> FIELD FOR LAB USE ONLY
City / State / Zip: Overland Park, KS 66085	Lab Notes:
Contact: Lindsay E. James (913) 495-9990	
E-Mail: ljames@blackstone-env.com	

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☐ No

Are these samples known to be hazardous? ☐ Yes ☐ No

Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☐ No

Client Comments: Pleasant LEA MS

Project Name/Number			Sample Collector's Name			INDICATE ANALYSIS REQUESTED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Lee's Summit School Dist. DW			DS & BS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Lab Use Only	Results Requested		Billing Instructions	Date/Time Sampled	# and Type of Containers										MATRIX																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	<input type="checkbox"/> Standard	<input type="checkbox"/> 1-2 Day (100% Surcharge)			<input type="checkbox"/> Other	<input type="checkbox"/> 3 Day (50% Surcharge)	OTHER	NaHSO4	MeOH	HCL	H2SO4	NaOH	HNO3	UNPRES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
23080293 - 001	PLMSISK1		8/1/23 855																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

Relinquished By		Received By		Date/Time	
[Signature]		[Signature]		8/1/23 1700	
[Signature]		[Signature]		8/2/23 1600	

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.	Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG#
Address: 16200 Foster Street	Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD FOR LAB USE ONLY
City / State / Zip: Overland Park, KS 66085	Lab Notes
Contact: Lindsay E. James (913) 495-9990	
E-Mail: ljames@blackstone-env.com	

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☐ No
 Are these samples known to be hazardous? ☐ Yes ☐ No
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☐ No

Client Comments:

PLEASANT LEA MS

Project Name/Number		Sample Collector's Name		INDICATE ANALYSIS REQUESTED															
Lee's Summit School Dist. DW		25 & BB		MATRIX															
				Drinking Water	Soil	Sludge	Special Waste	Groundwater	DW Lead										
23080293	011 PLMS1 SK11	8/1/23	906	X					X										
	012 PLMS1 SK12		906	X					X										
	013 PLMS1 DF13		909	X					X										
	014 PLMS1 DF14		909	X					X										
	015 PLMS1 O15		912	X					X										
	016 PLMS1 SK16		912	X					X										
	017 PLMS1 SK17		912	X					X										
	018 PLMS1 SK18		912	X					X										
	019 PLMS1 SK19		912	X					X										
	020 PLMS1 SK20		912	X					X										

Relinquished By: *[Signature]* Date/Time: 8/1/23 1700
 Received By: *[Signature]* Date/Time: 8/12/23 1200
[Signature] Date/Time: 8/13/23 1150



Work order # 23

Work order # 23

Client: _____ Blackstone Environmental, Inc.	Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE _____ °C _____ LTG# _____
Address: _____ 16200 Foster Street	Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <u>FOR LAB USE ONLY</u>
City / State / Zip _____ Overland Park, KS 66085	Lab Notes _____
Contact: _____ Lindsay E. James	
E-Mail: _____ ljames@blackstone-env.com	
Phone: _____ (913) 495-9990	
Fax: _____	
Client Comments: _____	

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☐ No

Are these samples known to be hazardous? ☐ Yes ☐ No

Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section. ☐ Yes ☐ No

PURVISANT LEA MS

[illegible]

Relinquished By	Date/Time	Received By	Date/Time
<i>[Signature]</i>	8/1/23 1700	<i>[Signature]</i>	8/2/23 1200
<i>[Signature]</i>	8/2/23 1600	<i>[Signature]</i>	8/3/23 1150

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

BottleOrder: 82000



TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client:
Address:
City / State / Zip
Contact:
E-Mail:

Blackstone Environmental, Inc.
16200 Foster Street
Overland Park, KS 66085
Lindsay E. James
ljames@blackstone-env.com

Phone: (913) 495-9990
Fax:

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C LTG#
Preserved in: ☐ LAB ☐ FIELD
Lab Notes

FOR LAB USE ONLY

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☐ No
Are these samples known to be hazardous? ☐ Yes ☐ No
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☐ No


Client Comments:

PLeasant LEA MS

Project Name/Number		Sample Collector's Name		INDICATE ANALYSIS REQUESTED											
Lee's Summit School Dist DW		RS & BB													
Results Requested		Billing Instructions		# and Type of Containers											
<input type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)				OTHER NaHSO4 MeOH HCL H2SO4 NaOH HNO3 UNPRES											
Lab Use Only	Sample Identification	Date/Time Sampled	MATRIX												
			Aqueous	Drinking Water	Soil	Sludge	Special Waste	Groundwater	DW Lead						
23080293	PLMS1 SK31	8/1/23 930		X					X						
2308030	PLMS1 SK32	930		X					X						
2308031	PLMS1 SK33	930		X					X						
2308032	PLMS1 SK34	930		X					X						
2308034	PLMS1 SK35	930		X					X						
2308035	PLMS1 SK36	930		X					X						
2308036	PLMS1 SK37	930		X					X						
2308037	PLMS1 SK38	930		X					X						
2308038	PLMS1 SK39	930		X					X						
2308040	PLMS1 SK40			X					X						
EOA 8/14/23															
Relinquished By			Date/Time			Received By			Date/Time						
[Signature]			8/1/23 1700			[Signature]			8/2/23 1700						
[Signature]			8/2/23 1600			[Signature]			8/3/23 1150						

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

Bottle Order: 82000



pg. 5 of 13 Work order # 23080293

pg. 5 of 13 Work order # 23080293

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C LTG# _____

Preserved in: ☐ LAB ☐ FIELD FOR LAB USE ONLY

Lab Notes

Client Comments:

PLEASANT LEA MS

MATRIX		INDICATE ANALYSIS REQUESTED												Received By		Date/Time	
Drinking Water		X	X	X	X	X	X	X	X	X	X	X	X		W. [Signature]	8/12/23	1200
Aqueous																	
Soil																	
Sludge																	
Special Waste																	
Groundwater																	
DW Lead		X	X	X	X	X	X	X	X	X	X	X	X				

BottleOrder: 82000



CHAIN OF CUSTODY

pg. 6 of 13 Work order # 23080293
 TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.	Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG#
Address: 16200 Foster Street	Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD FOR LAB USE ONLY
City / State / Zip: Overland Park, KS 66085	Lab Notes
Contact: Lindsay E. James (913) 495-9990	Client Comments: <i>PLEASANT LEA MS</i>
E-Mail: ljames@blackstone-env.com	

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☐ No
 Are these samples known to be hazardous? ☐ Yes ☐ No
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☐ No

Project Name/Number		Sample Collector's Name		INDICATE ANALYSIS REQUESTED															
Lee's Summit School Dist. DW		ZS & BB		Matrix				Aqueous								Received By		Date/Time	
Results Requested		Billing Instructions		# and Type of Containers				Drinking Water	Soil	Sludge	Special Waste	Groundwater	DW Lead						
Lab Use Only	Sample Identification	Date/Time Sampled		UNPRES	HNO3	NaOH	H2SO4	HCL	MeOH	NaHSO4	OTHER								
20080293-048-049	PLMSBBS1	8/1/23 954										X							
049-050	PLMSBBS2	955										X							
050-051	PLMSBBS3	955										X							
051-052	PLMSBBS4	955										X							
052-053	PLMSBBS5	955										X							
053-054	PLMSBBS6	1000										X							
054-055	PLMSBBS7	1000										X							
055-056	PLMS2SK58	1005										X							
056-057	PLMS2SK59	1005										X							
057-058	PLMS2SK60	1005										X							
EDH 8/1/23	Relinquished By	Date/Time										Received By				Date/Time			
		8/1/23 1700										<i>[Signature]</i>				8/1/23 1700			
		8/1/23 1600										<i>[Signature]</i>				8/1/23 1150			

pg. 7 of 13 Work order # 23080293

pg. 7 of 13 Work order # 22


Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE _____ °C LTG# _____


Preserved in: ☐ LAB ☐ FIELD FOR LAB USE ONLY

Lab Notes

Client Comments:

PLEISSANT LEA MS

Project Name/Number Lee's Summit School Dist. DW		Sample Collector's Name RS & BB	
Results Requested <input type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)		Billing Instructions	
Lab Use Only	Sample Identification	Date/Time Sampled	# and Type of Containers
23080203 058	PLMS2SK61	8/1/23 1005	OTHER
-059	PLMS2SK62	1005	NaHSO4
-060	PLMS2SK63	1005	MeOH
-061	PLMS2SK64	1005	HCL
-062	PLMS2SK65	1005	H2SO4
-063	PLMS2066	1005	NaOH
-064	PLMS2DF67	1015	HNO3
-065	PLMS2DF68	1015	UNPRES
-066	PLMS2SK69	1017	
-067	PLMS2SK70	1017	
Relinquished By 		Date/Time 8/1/23 1700	

BottleOrder: 82000 

CHAIN OF CUSTODY

pg. 8 of 13 Work order # 23080293

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.	Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG#
Address: 16200 Foster Street	Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD FOR LAB USE ONLY
City / State / Zip: Overland Park, KS 66085	Lab Notes
Contact: Lindsay E. James (913) 495-9990	Client Comments: <i>PLEASANT LEA MS</i>
E-Mail: ljames@blackstone-env.com	

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☐ No
 Are these samples known to be hazardous? ☐ Yes ☐ No
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☐ No

Project Name/Number		Sample Collector's Name		INDICATE ANALYSIS REQUESTED																	
Lee's Summit School Dist. DW		RS & BB		Billing Instructions				# and Type of Containers				MATRIX									
Results Requested		Sample Identification		Date/Time Sampled		OTHER		NaHSO4		MeOH		HCL		H2SO4		NaOH		HNO3		UNPRES	
Lab Use Only	Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) Other <input type="checkbox"/> 3 Day (50% Surcharge)																				
23080293		PLMS22SK71	8/1/23	1017																	
-069-070		PLMS22SK72		1017																	
-070-071		PLMS22SK73		1017																	
-071-072		PLMS22SK74		1017																	
-072-073		PLMS22SK75		1017																	
-073-074		PLMS22SK76		1017																	
-074-075		PLMS22SK77		1024																	
-075-076		PLMS22SK78		1024																	
-076-077		PLMS22SK79		1024																	
-077-078		PLMS22SK80		1024																	
EDH 8/4/23 Relinquished By <i>[Signature]</i>				Date/Time 8/1/23 1700				Received By <i>[Signature]</i>				Date/Time 8/1/23 1200									
w. [Signature]				8/1/23 1600				8/1/23 1150													

CHAIN OF CUSTODY

pg. 9 of 13 Work order # 23000243

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.
Address: 16200 Foster Street
City / State / Zip: Overland Park, KS 66085
Contact: Lindsay E. James (913) 495-9990
E-Mail: ljames@blackstone-env.com
Phone: Fax:

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTG#
Preserved in: ☐ LAB ☐ FIELD FOR LAB USE ONLY
Lab Notes
Client Comments: Pleasant LEA MS

Project Name/Number		Sample Collector's Name		INDICATE ANALYSIS REQUESTED											
Lee's Summit School Dist. DW		25 & BB		MATRIX											
Results Requested		Billing Instructions		# and Type of Containers											
<input type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)															
Lab Use Only	Sample Identification	Date/Time Sampled		Aqueous	Drinking Water	Soil	Sludge	Special Waste	Groundwater	DW Lead					
23000243	PLMS2SK81	8/1/23 1024			X					X					
-079-080	PLMS2SK82	1024			X					X					
-080-081	PLMS2SK83	1024			X					X					
-081-082	PLMS2SK84	1030			X					X					
-082-083	PLMS2SK85	1030			X					X					
-083-084	PLMS2SK86	1030			X					X					
-084-085	PLMS2SK87	1030			X					X					
-085-086	PLMS2SK88	1030			X					X					
-086-087	PLMS2SK89	1030			X					X					
-087-088	PLMS2SK90	1030			X					X					
Relinquished By			Date/Time	Received By			Date/Time								
[Signature]			8/1/23 17:00	[Signature]			8/1/23 17:00								
[Signature]			8/2/23 16:00	[Signature]			8/2/23 16:00								

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.	Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG#
Address: 16200 Foster Street	Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD FOR LAB USE ONLY
City / State / Zip: Overland Park, KS 66085	Lab Notes:
Contact: Lindsay E. James (913) 495-9990	Client Comments:
E-Mail: ljames@blackstone-env.com	

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☐ No
Are these samples known to be hazardous? ☐ Yes ☐ No
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☐ No

PLEASANT LEA MS

Project Name/Number		Sample Collector's Name		INDICATE ANALYSIS REQUESTED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Lee's Summit School Dist. DW		250 BB																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Results Requested		Billing Instructions		# and Type of Containers																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
<input type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)				OTHER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
<input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)				NaHSO4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				MeOH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				HCL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				H2SO4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				NaOH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				HNO3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				UNPRES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Lab Use Only	Sample Identification	Date/Time Sampled	MATRIX																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
230802913-084	PLMS2SK91	8/1/23 1034	Drinking Water																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

8/3/23/19



pg. 12 of 13 Work order # 23080293

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: _____ Blackstone Environmental, Inc.	Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE	°C _____ LTG# _____
Address: _____ 16200 Foster Street	Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD	<u>FOR LAB USE ONLY</u>
City / State / Zip _____ Overland Park, KS 66085	Lab Notes _____	
Contact: _____ Lindsay E. James	Phone: _____ (913) 495-9990	
E-Mail: _____ ljames@blackstone-env.com	Fax: _____	Client Comments: _____





Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☐ No

Are these samples known to be hazardous? ☐ Yes ☐ No

Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☐ No

PURVISANT LEA MS

[illegible]

Relinquished By	Date/Time	Received By	Date/Time
	8/1/23 1700		8/2/23 1200
	8/2/23 1600	 (XX)	8/3/23 1150

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

BottleOrder: 82000



TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.	Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG#
Address: 16200 Foster Street	Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD FOR LAB USE ONLY
City / State / Zip: Overland Park, KS 66085	Lab Notes
Contact: Lindsay E. James (913) 495-9990	Client Comments:
E-Mail: ljames@blackstone-env.com	

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☐ No
Are these samples known to be hazardous? ☐ Yes ☐ No
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☐ No

Project Name/Number		Sample Collector's Name		INDICATE ANALYSIS REQUESTED															
Lee's Summit School Dist. DW		ZS & BB		MATRIX															
Results Requested <input type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)		Billing Instructions		# and Type of Containers				OTHER NaHSO4 MeOH HCL H2SO4 NaOH HNO3 UNPRES											
Lab Use Only	Sample Identification	Date/Time Sampled	Drinking Water	Aqueous	Soil	Sludge	Special Waste	Groundwater	DW Lead										
23080293-118	PLMS2SK127	8/1/23 1058	X	X					X										
-118-119	PLMS2SK128	1058	X	X					X										
-119-120	PLMS2SK129	1058	X	X					X										
-120-121	PLMS2SK130	1058	X	X					X										
-121-122	PLMS2SK131	1058	X	X					X										
-122-123	PLMS2SK132	1058	X	X					X										
-123-124	PLMS2SK133	1102	X	X					X										
-124-125	PLMS2SK134	1102	X	X					X										
PLMS																			
PLMS																			
Relinquished By			Date/Time			Received By			Date/Time										
L. James			8/1/23 1700			L. James			8/2/23 1200										
			8/2/23 1600			J. Mayo (XX)			8/3/23 1100										