

## **ATTACHMENT B**

---

**Richardson Elementary  
Field Forms**

# Lee's Summit DW

Date Purged  
Date Sampled

7/27  
7/28

School

Richardson Elementary (RE)

Team

K&T + A

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Test #	Floor #	Sink (SK)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
1	1	X			Sink in Lounge Workroom	12:40	8:21
2	1	X		X	Sink in Lounge	12:40	8:22
3	1				Ice Machine in Lounge	12:40	8:23
4	1	X			Sink in Health	12:46	8:24
5	1	X			Sink in 127	12:46	8:25
6	1	X			Sink in 126	12:46	8:26
7	1	X			Sink in 129	12:46	8:27
8	1	X			Sink in 128	12:46	8:27
9	1		X		Fountain next to 128	12:52	8:28
10	1	X			Sink in 131	13:48	8:29
11	1	X			Sink in 132	13:49	8:29
12	1		X		Right Fountain next to Restrooms	12:54	8:30
13	1		X		Left " "	12:54	8:30
14	1	X			Sink in 144	12:58	8:31
15	1			X	Bubbler in 144	12:58	8:32
16	1	X			Sink in 145	12:58	8:32
17	1	X		X	Bubbler in 145	12:58	8:32
18	1	X			Sink in 141	13:03	8:33
19	1	X			Sink in 140	13:03	8:34
20	1	X			Sink in 143	13:04	8:35
21	1	X			Sink in 142	13:04	8:35
22	1		X		Fountain next to 142	13:04	8:37
23	1	X			Sink in 182	13:05	8:37
24	1	X			Sink in 181	13:05	8:38



# Lee's Summit DW

Date Purged 7/27  
Date Sampled 7/28

School Richardson Elementary

Team K & T + O1

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Test #	Floor #	Sink (SK)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
25	1	X			Sink in 184	13:05	8:38
26	1	X			Sink in 183	13:05	8:39
27	1		X		Fountain right next to gym stairs	13:11	8:40
28	1		X		Fountain right middle 11	13:11	8:41
29	1		X		Fountain left middle 11	13:11	8:41
30	1		X		Fountain left 11	13:11	8:41
31	1		X		Fountain in multipurpose	13:16	8:42
32	1			X	Dishwasher in kitchen	13:18	8:45
33	1			X	Hose next to dishwashe	13:18	8:47
34	1	X			Sink next to hose	13:18	8:47
35	1	X			<del>Sink</del> Right trough sink	13:18	8:47
36	1	X			<del>Right</del> Left trough sink	13:18	8:48
37	1	X			Hose next to trough sink	13:18	8:48
38	1	X			Sink by office window	13:19	8:48
39	1			X	Oven hose	13:19	8:49
40	1	X			Sink next to oven	13:19	8:49
41	1	X			Sink next to freezer	13:19	8:50
42	1	X			Sink in 203	13:26	8:52
43	1	X			Sink in 206	13:26	8:52
44	1	X			Sink in 205	13:26	8:53
45	1	X			Sink in 204	13:26	8:53
46	1		X		Fountain next to 165	13:27	8:54
47	1	X			Sink in 165	13:28	8:56
48	1	X			Sink in 164	13:28	8:56



# Lee's Summit DW

Date Purged  
Date Sampled

7/27  
7/28

School

Richardson Elementary

Team

Kat + 9

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Test #	Floor #	Sink (SK)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
49	1	X			Sink in 163	13:28	8:57
50	1	X			Sink in 162	13:28	8:57
51	1		X		Fountain next to 160	13:33	8:58
52	1	X			Sink in 160	13:33	8:59
53	1	X			Sink in 157	13:33	8:59
54	1	X			Sink in 158	13:34	9:00
55	1	X			Sink in 159	13:34	9:00
56	1	X			Sink in 170	13:35	9:02
57	1	X			Sink in 169	13:35	9:03
58	1	X			Sink in 168	13:36	9:03
59	1	X			Sink in Library Office	13:41	9:05
60	1		X		Left Fountain by restroom	13:42	9:05
61	1		X		Left middle Fountain by restroom	13:42	9:06
62	1		X		Right middle Fountain by restroom	13:42	9:06
63	1		X		Right Fountain by restroom	13:42	9:06
64	B	X			Left Sink in art	13:55	9:09
65	B	X			Middle sink in art	13:55	9:09
66	B	X			Right sink in art	13:55	9:09
67	B		X		Right Fountain in kids country	13:55	9:10
68	B		X		Left Fountain in kids country	13:55	9:11

## **ATTACHMENT C**

---

**Richardson Elementary  
Summary Table**

**Summary Table  
Richardson Elementary**

Sample ID	Date	Analyte	Result	Unit	Reporting Limit
REI-S1	7/28/2023	Lead	5.2	µg/L	1
REI-S2	7/28/2023	Lead	ND	µg/L	1
REI-O3	7/28/2023	Lead	ND	µg/L	1
REI-S4	7/28/2023	Lead	ND	µg/L	1
REI-S5	7/28/2023	Lead	ND	µg/L	1
REI-S6	7/28/2023	Lead	ND	µg/L	1
REI-S7	7/28/2023	Lead	ND	µg/L	1
REI-S8	7/28/2023	Lead	ND	µg/L	1
REI-DF9	7/28/2023	Lead	ND	µg/L	1
REI-S10	7/28/2023	Lead	ND	µg/L	1
REI-S11	7/28/2023	Lead	ND	µg/L	1
REI-DF12	7/28/2023	Lead	ND	µg/L	1
REI-DF13	7/28/2023	Lead	ND	µg/L	1
REI-S14	7/28/2023	Lead	ND	µg/L	1
REI-O15	7/28/2023	Lead	1.4	µg/L	1
REI-S16	7/28/2023	Lead	ND	µg/L	1
REI-O17	7/28/2023	Lead	1.0	µg/L	1
REI-S18	7/28/2023	Lead	ND	µg/L	1
REI-S19	7/28/2023	Lead	ND	µg/L	1
REI-S20	7/28/2023	Lead	ND	µg/L	1
REI-S21	7/28/2023	Lead	ND	µg/L	1
REI-DF22	7/28/2023	Lead	ND	µg/L	1
REI-S23	7/28/2023	Lead	ND	µg/L	1
REI-S24	7/28/2023	Lead	ND	µg/L	1
REI-S25	7/28/2023	Lead	ND	µg/L	1
REI-S26	7/28/2023	Lead	ND	µg/L	1
REI-DF27	7/28/2023	Lead	ND	µg/L	1
REI-DF28	7/28/2023	Lead	ND	µg/L	1
REI-DF29	7/28/2023	Lead	ND	µg/L	1
REI-DF30	7/28/2023	Lead	ND	µg/L	1
REI-DF31	7/28/2023	Lead	ND	µg/L	1
REI-O32	7/28/2023	Lead	ND	µg/L	1
REI-O33	7/28/2023	Lead	1.2	µg/L	1
REI-S34	7/28/2023	Lead	ND	µg/L	1
REI-S35	7/28/2023	Lead	ND	µg/L	1
REI-S36	7/28/2023	Lead	ND	µg/L	1
REI-S37	7/28/2023	Lead	ND	µg/L	1
REI-S38	7/28/2023	Lead	18.2	µg/L	1
REI-O39	7/28/2023	Lead	1.3	µg/L	1
REI-S40	7/28/2023	Lead	ND	µg/L	1
REI-S41	7/28/2023	Lead	ND	µg/L	1
REI-S42	7/28/2023	Lead	ND	µg/L	1
REI-S43	7/28/2023	Lead	ND	µg/L	1

REI-S44	7/28/2023	Lead	ND	µg/L	1
REI-S45	7/28/2023	Lead	ND	µg/L	1
REI-DF46	7/28/2023	Lead	ND	µg/L	1
REI-S47	7/28/2023	Lead	ND	µg/L	1
REI-S48	7/28/2023	Lead	ND	µg/L	1
REI-S49	7/28/2023	Lead	ND	µg/L	1
REI-S50	7/28/2023	Lead	ND	µg/L	1
REI-DF51	7/28/2023	Lead	ND	µg/L	1
REI-S52	7/28/2023	Lead	ND	µg/L	1
REI-S53	7/28/2023	Lead	ND	µg/L	1
REI-S54	7/28/2023	Lead	ND	µg/L	1
REI-S55	7/28/2023	Lead	ND	µg/L	1
REI-S56	7/28/2023	Lead	ND	µg/L	1
REI-S57	7/28/2023	Lead	ND	µg/L	1
REI-S58	7/28/2023	Lead	ND	µg/L	1
REI-S59	7/28/2023	Lead	<b>1.8</b>	µg/L	1
REI-DF60	7/28/2023	Lead	ND	µg/L	1
REI-DF61	7/28/2023	Lead	ND	µg/L	1
REI-DF62	7/28/2023	Lead	ND	µg/L	1
REI-DF63	7/28/2023	Lead	ND	µg/L	1
REB-S64	7/28/2023	Lead	ND	µg/L	1
REB-S65	7/28/2023	Lead	ND	µg/L	1
REB-S66	7/28/2023	Lead	ND	µg/L	1
REB-DF67	7/28/2023	Lead	ND	µg/L	1
REB-DF68	7/28/2023	Lead	ND	µg/L	1

µg/L: micrograms per liter

Bolded results indicate detection above reporting limits

## **ATTACHMENT D**

---

**Richardson Elementary  
Laboratory Analytical Report**



September 14, 2023

Lindsay E. James  
Blackstone Environmental, Inc.  
16200 Foster Street  
Overland Park, KS 66085  
TEL: (913) 956-4160  
FAX:



Illinois	100226
Kansas	E-10374
Louisiana	05002
Louisiana	05003
Oklahoma	9978

**RE:** Lees Summit School Dist DW/Richardson Elem.

**WorkOrder:** 23072182

Dear Lindsay E. James:

TEKLAB, INC received 68 samples on 7/31/2023 12:40:00 PM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Patrick Riley  
Project Manager  
(618)344-1004 ex 44  
[patrickriley@teklabinc.com](mailto:patrickriley@teklabinc.com)



## Report Contents

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**This reporting package includes the following:**

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Receiving Check List	75
Chain of Custody	Appended

**Client:** Blackstone Environmental, Inc.**Work Order:** 23072182**Client Project:** Lees Summit School Dist DW/Richardson Elem.**Report Date:** 14-Sep-23**Abbr Definition**

\* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count ( > 200 CFU )

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

### Qualifiers

- |   |  |
|---|--|
| # - Unknown hydrocarbon                               | B - Analyte detected in associated Method Blank              |
| C - RL shown is a Client Requested Quantitation Limit | E - Value above quantitation range                           |
| H - Holding times exceeded                            | I - Associated internal standard was outside method criteria |
| J - Analyte detected below quantitation limits        | M - Manual Integration used to determine area response       |
| ND - Not Detected at the Reporting Limit              | R - RPD outside accepted recovery limits                     |
| S - Spike Recovery outside recovery limits            | T - TIC(Tentatively identified compound)                     |
| X - Value exceeds Maximum Contaminant Level           |  |





## Case Narrative

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Cooler Receipt Temp:** NA °C

### Locations

#### Collinsville

**Address** 5445 Horseshoe Lake Road  
Collinsville, IL 62234-7425  
**Phone** (618) 344-1004  
**Fax** (618) 344-1005  
**Email** jhriley@teklabinc.com

#### Collinsville Air

**Address** 5445 Horseshoe Lake Road  
Collinsville, IL 62234-7425  
**Phone** (618) 344-1004  
**Fax** (618) 344-1005  
**Email** EHurley@teklabinc.com

#### Springfield

**Address** 3920 Pintail Dr  
Springfield, IL 62711-9415  
**Phone** (217) 698-1004  
**Fax** (217) 698-1005  
**Email** KKlostermann@teklabinc.com

#### Chicago

**Address** 1319 Butterfield Rd.  
Downers Grove, IL 60515  
**Phone** (630) 324-6855  
**Fax**  
**Email** arenner@teklabinc.com

#### Kansas City

**Address** 8421 Nieman Road  
Lenexa, KS 66214  
**Phone** (913) 541-1998  
**Fax** (913) 541-1998  
**Email** jhriley@teklabinc.com

**Client:** Blackstone Environmental, Inc.**Work Order:** 23072182**Client Project:** Lees Summit School Dist DW/Richardson Elem.**Report Date:** 14-Sep-23

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2024	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2024	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2023	Collinsville
Arkansas	ADEQ	88-0966		3/14/2024	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2024	Collinsville
Missouri	MDNR	00930		5/31/2023	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-001

**Client Sample ID:** REI-S1

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:21

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		5.2	µg/L	1	09/12/2023 10:00	210843



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-002

**Client Sample ID:** REI-S2

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:22

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 10:05	210843





## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-003

**Client Sample ID:** REI-O3

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:23

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 10:10	210843



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-004

**Client Sample ID:** REI-S4

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:24

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 10:15	210843



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-005

**Client Sample ID:** REI-S5

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:25

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 10:20	210843



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-006

**Client Sample ID:** REI-S6

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:26

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 10:25	210843





## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-007

**Client Sample ID:** REI-S7

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:27

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 10:35	210843



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-008

**Client Sample ID:** REI-S8

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:27

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 10:30	210843



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-009

**Client Sample ID:** REI-DF9

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:28

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 11:05	210843



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-010

**Client Sample ID:** REI-S10

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:28

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 11:10	210843





## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-011

**Client Sample ID:** REI-S11

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:29

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 11:14	210843



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-012

**Client Sample ID:** REI-DF12

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 11:19	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-013

**Client Sample ID:** REI-DF13

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 11:24	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-014

**Client Sample ID:** REI-S14

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:31

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 11:39	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-015

**Client Sample ID:** REI-O15

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:32

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		1.4	µg/L	1	09/12/2023 11:29	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-016

**Client Sample ID:** REI-S16

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:32

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 11:34	210845





## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-017

**Client Sample ID:** REI-O17

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:32

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		1.0	µg/L	1	09/12/2023 12:09	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-018

**Client Sample ID:** REI-S18

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:33

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 12:14	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-019

**Client Sample ID:** REI-S19

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 12:19	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-020

**Client Sample ID:** REI-S20

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:35

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 12:24	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-021

**Client Sample ID:** REI-S21

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:35

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 12:29	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-022

**Client Sample ID:** REI-DF22

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:37

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 12:34	210845





## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-023

**Client Sample ID:** REI-S23

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:37

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 12:38	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-024

**Client Sample ID:** REI-S24

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:38

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 12:43	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-025

**Client Sample ID:** REI-S25

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:38

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 12:48	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-026

**Client Sample ID:** REI-S26

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:39

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 13:48	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-027

**Client Sample ID:** REI-DF27

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:40

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 12:53	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-028

**Client Sample ID:** REI-DF28

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:41

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 13:13	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-029

**Client Sample ID:** REI-DF29

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:41

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 13:18	210845





## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-030

**Client Sample ID:** REI-DF30

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:41

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 13:23	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-031

**Client Sample ID:** REI-DF31

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:42

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 13:28	210845



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-032

**Client Sample ID:** REI-O32

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:45

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 13:33	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-033

**Client Sample ID:** REI-O33

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:47

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.2	µg/L	1	09/12/2023 13:38	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-034

**Client Sample ID:** REI-S34

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:47

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 14:52	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-035

**Client Sample ID:** REI-S35

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:47

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 13:43	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-036

**Client Sample ID:** REI-S36

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 14:17	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-037

**Client Sample ID:** REI-S37

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 14:22	210844





## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-038

**Client Sample ID:** REI-S38

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:48

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		18.2	µg/L	1	09/12/2023 14:27	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-039

**Client Sample ID:** REI-O39

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:49

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		1.3	µg/L	5	09/13/2023 14:17	210908



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-040

**Client Sample ID:** REI-S40

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:49

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 14:32	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-041

**Client Sample ID:** REI-S41

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 14:37	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-042

**Client Sample ID:** REI-S42

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:52

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 14:42	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-043

**Client Sample ID:** REI-S43

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:52

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 14:47	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-044

**Client Sample ID:** REI-S44

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:53

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 15:22	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-045

**Client Sample ID:** REI-S45

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:53

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 15:56	210844





## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-046

**Client Sample ID:** REI-DF46

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:54

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 15:27	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-047

**Client Sample ID:** REI-S47

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:56

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 15:32	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-048

**Client Sample ID:** REI-S48

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:56

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 15:37	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-049

**Client Sample ID:** REI-S49

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:57

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 15:41	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-050

**Client Sample ID:** REI-S50

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:57

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 15:46	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-051

**Client Sample ID:** REI-DF51

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:58

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/12/2023 15:51	210844



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-052

**Client Sample ID:** REI-S52

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:59

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 18:33	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-053

**Client Sample ID:** REI-S53

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 8:59

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 18:37	210846





## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-054

**Client Sample ID:** REI-S54

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 18:40	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-055

**Client Sample ID:** REI-S55

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 8:47	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-056

**Client Sample ID:** REI-S56

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:02

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 9:09	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-057

**Client Sample ID:** REI-S57

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:03

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 8:50	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-058

**Client Sample ID:** REI-S58

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:03

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 8:53	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-059

**Client Sample ID:** REI-S59

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		1.8	µg/L	1	09/13/2023 8:56	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-060

**Client Sample ID:** REI-DF60

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 9:00	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-061

**Client Sample ID:** REI-DF61

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:06

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 9:03	210846





## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-062

**Client Sample ID:** REI-DF62

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:06

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 9:06	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-063

**Client Sample ID:** REI-DF63

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:06

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 9:53	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-064

**Client Sample ID:** REB-S64

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:09

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 9:56	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-065

**Client Sample ID:** REB-S65

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:09

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 9:59	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-066

**Client Sample ID:** REB-S66

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:09

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 10:02	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-067

**Client Sample ID:** REB-DF67

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:10

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 10:06	210846



## Laboratory Results

<http://www.teklabinc.com/>

**Client:** Blackstone Environmental, Inc.

**Work Order:** 23072182

**Client Project:** Lees Summit School Dist DW/Richardson Elem.

**Report Date:** 14-Sep-23

**Lab ID:** 23072182-068

**Client Sample ID:** REB-DF68

**Matrix:** DRINKING WATER

**Collection Date:** 07/28/2023 9:11

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
<b>EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)</b>								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 10:09	210846



## Receiving Check List

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072182

Client Project: Lees Summit School Dist DW/Richardson Elem.

Report Date: 14-Sep-23

Carrier: Skylar Mathis

Received By: MBP

Completed by:

On:

31-Jul-23

Allison Colin

Reviewed by:

On:

01-Aug-23

Ellie Hopkins

Pages to follow:

Chain of custody

7

Extra pages included

0

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Temp °C

NA

Type of thermal preservation?

None ☒

Ice ☐

Blue Ice ☐

Dry Ice

☐

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Reported field parameters measured:

Field ☐

Lab ☐

NA ☒

Container/Temp Blank temperature in compliance?

Yes ☒

No ☐

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

Water – at least one vial per sample has zero headspace?

Yes ☐

No ☐

No VOA vials ☒

Water - TOX containers have zero headspace?

Yes ☐

No ☐

No TOX containers ☒

Water - pH acceptable upon receipt?

Yes ☒

No ☐

NA ☐

NPDES/CWA TCN interferences checked/treated in the field?

Yes ☐

No ☐

NA ☒

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.



CHAIN OF CUSTODY

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

pg. 1 of 7 Work order # 23072182

Client:

Blackstone Environmental, Inc.

Address:

16200 Foster Street

City / State / Zip:

Overland Park, KS 66085

Contact:

Lindsay E. James

E-Mail:

ljames@blackstone-env.com

Phone:

(913) 495-9990

Fax:

Are these samples known to be involved in litigation? If yes, a surcharge will apply

☒ No

☐ Yes

Are these samples known to be hazardous?

☒ No

☐ Yes

Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section.

☐ Yes

☒ No

Client:

☐ ICE ☐ BLUE ICE ☒ NO ICE

Preserved in:

☒ LAB ☐ FIELD

Lab Notes

Client Comments:

Richardson Elementary  
(RE)

LTG#

FOR LAB USE ONLY

Project Name/Number

Lee's Summit School Dist. DW

Sample Collector's Name

KSM

Results Requested

☒ Standard ☐ 1-2 Day (100% Surcharge)  
☐ Other ☐ 3 Day (50% Surcharge)

Billing Instructions

Date/Time Sampled

Lab Use Only

Sample Identification

Date/Time Sampled

Matrix

Indicate Analysis Requested

Lab Use Only	Sample Identification	Date/Time Sampled	Matrix	Indicate Analysis Requested
001	PE1-S1	7/28/23 @ 821	Aqueous	
002	PE1-S2	@ 822	Drinking Water	X
003	PE1-S3	@ 823	Soil	
004	PE1-S4	@ 824	Sludge	
005	PE1-S5	@ 825	Groundwater	
006	PE1-S6	@ 826	Special Waste	
007	PE1-S7	@ 827	DW Lead	X
008	PE1-S8	@ 827		
009	PE1-DF9	@ 828		
010	PE1-S10	@ 828		

Relinquished By

Date/Time

Received By

Date/Time

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

<b>Client:</b> Blackstone Environmental, Inc.	<b>Samples on:</b> <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG#
<b>Address:</b> 16200 Foster Street	<b>Preserved in:</b> <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <b>FOR LAB USE ONLY</b>
<b>City / State / Zip:</b> Overland Park, KS 66085	<b>Lab Notes:</b>
<b>Contact:</b> Lindsay E. James (913) 495-9980	<b>Client Comments:</b>
<b>E-Mail:</b> ljames@blackstone-env.com	Richardson elem

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
Are these samples known to be hazardous? ☐ Yes ☒ No  
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

Project Name/Number		Sample Collector's Name	INDICATE ANALYSIS REQUESTED												
Lee's Summit School Dist. DW		KSM	MATRIX												
Results Requested		Billing Instructions	# and Type of Containers												
Standard	1-2 Day (100% Surcharge)	3 Day (50% Surcharge)	Lab Use Only	Sample Identification	Date/Time Sampled	Drinking Water	Soil	Sludge	Special Waste	Groundwater	DW Lead				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		PE1-S11	7/28/23 @ 829	X					X				
012	-DF12			@830											
013	-DF13			@830											
014	-S14			@831											
015	-O15			@832											
016	-S16			@832											
017	-O17			@833											
018	-S18			@834											
019	-S19			@835											
020	-S20														
Relinquished By			Date/Time			Received By			Date/Time						
Kelsey			7/28/23 @ 1300			K. J. [Signature]			7/28/23 1430						
L. E. James			7/29/23 600			Kelsey [Signature]			7/30/23						
Kelsey [Signature]			7/31/23 1240			Kelsey [Signature]			7/31/23 1240						

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

<b>Client:</b> Blackstone Environmental, Inc.	<b>Samples on:</b> <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTC#
<b>Address:</b> 16200 Foster Street	<b>Preserved in:</b> <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <b>FOR LAB USE ONLY</b>
<b>City / State / Zip:</b> Overland Park, KS 66085	<b>Lab Notes:</b>
<b>Contact:</b> Lindsay E. James (913) 495-9990	<b>Client Comments:</b> PE
<b>E-Mail:</b> ljames@blackstone-env.com	

<b>Project Name/Number:</b> Lee's Summit School Dist. DW	<b>Sample Collector's Name:</b> KSM	<b>MATRIX</b>	<b>INDICATE ANALYSIS REQUESTED</b>
<b>Results Requested:</b> <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)	<b>Billing Instructions</b>	<b># and Type of Containers</b>	
<b>Lab Use Only</b>	<b>Sample Identification</b>	<b>Date/Time Sampled</b>	
2307282 021	PE1 - S21	7/28/23 @ 835	X
022	- S22	@ 837	
023	- S23	@ 837	
024	- S24	@ 838	
025	- S25	@ 838	
026	- S26	@ 837	
027	- DF27	@ 840	
028	- DF28	@ 841	
029	- DF29	@ 841	
030	- DF30	@ 841	
<b>Relinquished By:</b> Kacey [Signature]	<b>Date/Time:</b> 7/28/23 @ 1300	<b>Received By:</b> [Signature]	<b>Date/Time:</b> 7/28/23 1430
<b>Relinquished By:</b> [Signature]	<b>Date/Time:</b> 7/28/23 1600	<b>Received By:</b> [Signature]	<b>Date/Time:</b> 7/30/23
<b>Relinquished By:</b> [Signature]	<b>Date/Time:</b> 7/31/23 1240	<b>Received By:</b> [Signature]	<b>Date/Time:</b> 7/30/23 1240
<b>Relinquished By:</b> [Signature]	<b>Date/Time:</b> 7/31/23	<b>Received By:</b> [Signature]	<b>Date/Time:</b> 7/31/23

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

<b>Client:</b> Blackstone Environmental, Inc.	<b>Samples on:</b> <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG#
<b>Address:</b> 16200 Foster Street	<b>Preserved in:</b> <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <b>FOR LAB USE ONLY</b>
<b>City / State / Zip:</b> Overland Park, KS 66085	<b>Lab Notes:</b>
<b>Contact:</b> Lindsay E. James (913) 495-9990	<b>Client Comments:</b> RE
<b>E-Mail:</b> ljames@blackstone-env.com	

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No  
Are these samples known to be hazardous? ☐ Yes ☒ No  
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

Project Name/Number		Sample Collector's Name		INDICATE ANALYSIS REQUESTED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Lee's Summit School Dist. DW		KSM																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Results Requested		Billing Instructions		# and Type of Containers																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
<input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)				OTHER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
<input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)				NaHSO4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				MeOH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				HCL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				H2SO4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				NaOH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				HNO3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				UNPRES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Lab Use Only	Sample Identification	Date/Time Sampled	MATRIX																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
23072162 031	RE1 - DF31	7/28/23 0842	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

CHAIN OF CUSTODY pg. 5 of 7 Work order # 23072182

**TEKLAB, INC.** 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Blackstone Environmental, Inc.		Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE	°C	LTG#
16200 Foster Street		Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD	<b>FOR LAB USE ONLY</b>	
City / State / Zip		Lab Notes		
Overland Park, KS 66085				
Contact:	Lindsay E. James			
E-Mail:	ljames@blackstone-env.com			
Phone:	(913) 485-9990			
Fax:				
Client:				
Address:				

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No

Are these samples known to be hazardous? ☐ Yes ☒ No

Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section. ☐ Yes ☒ No

RE

[illegible]

Relinquished By	Date/Time	Received By	Date/Time
Kalany Nunez	7/28/23 01300	L. S. [Signature]	7/28/23 1430
L. S. [Signature]	7/28/23 1600	[Signature] Math	7/30/23
[Signature] Math	7/31/23 1240	[Signature] Penter	7/30/23 1240
			7/31/23

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See [www.teklabinc.com](http://www.teklabinc.com) for terms and conditions.

Bottle Order: 82000



**CHAIN OF CUSTODY**

pg. 6 of 7 Work order # 23072182

Work order # 722

pg. 6 of 7

## CHAIN OF CUSTODY

**TEKLAB, INC.** 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Blackstone Environmental, Inc.      Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE      °C      LTO

16200 Foster Street

Preserved in: ☐ LAB ☐ FIELD

**FOR LAB USE ONLY**

Overland Park, KS 66085 / Zip

Lindsay E. James  
Phone: (913) 495-9990

James@blackstone-env.com  
Fax: \_\_\_\_\_  
Client Comments: \_\_\_\_\_

Is known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No

is known to be hazardous? ☐ Yes ☒ No

ment section.	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
---------------	------------------------------	--

Name/Number	Sample Collector's Name	MATRIX	INDICATE ANALYSIS REQUESTED
06-07-08-09-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000-1001-1002-1003-1004-1005-1006-1007-1008-1009-1010-1011-1012-1013-1014-1015-1016-1017-1018-1019-1020-1021-1022-1023-1024-1025-1026-1027-1028-1029-103			

Gr	Sp	Dr
W57		

<b>Units Requested</b> 1-2 Day (100% Surcharge)	<b>Billing Instructions</b>	<b># and Type of Containers</b>	DW round ecia Slu S nkin Aqu

Lead  
dw  
l Wa  
dge  
oil  
g W  
eou  
OTF  
NaH  
Me  
HC  
H2S  
Na  
HN  
UNP

Sample Identification	Date/Time Sampled
Water	
Waste	
Water	
S	
RIER	
SO4	
OH	
CL	
SO4	
OH	
O3	
RES	

Sample Identification	Water Time Sampled	
10-1-155	7:00 PM	X

[illegible]

5039	5039
Q859	Q859
553	553

[illegible][illegible]

333	Q-100
85	Q-207

857	Q923
857	Q923

[illegible]

05	0900
06	0900
07	0900
08	0900
09	0900
10	0900
11	0900
12	0900
13	0900
14	0900
15	0900
16	0900
17	0900
18	0900
19	0900
20	0900
21	0900
22	0900
23	0900
24	0900
25	0900
26	0900
27	0900
28	0900
29	0900
30	0900
31	0900
32	0900
33	0900
34	0900
35	0900
36	0900
37	0900
38	0900
39	0900
40	0900
41	0900
42	0900
43	0900
44	0900
45	0900
46	0900
47	0900
48	0900
49	0900
50	0900
51	0900
52	0900
53	0900
54	0900
55	0900
56	0900
57	0900
58	0900
59	0900
60	0900
61	0900
62	0900
63	0900
64	0900
65	0900
66	0900
67	0900
68	0900
69	0900
70	0900
71	0900
72	0900
73	0900
74	0900
75	0900
76	0900
77	0900
78	0900
79	0900
80	0900
81	0900
82	0900
83	0900
84	0900
85	0900
86	0900
87	0900
88	0900
89	0900
90	0900
91	0900
92	0900
93	0900
94	0900
95	0900
96	0900
97	0900
98	0900
99	0900
100	0900

569	✓	0.175	✓
570	✓	0.175	✓
571	✓	0.175	✓
572	✓	0.175	✓
573	✓	0.175	✓
574	✓	0.175	✓
575	✓	0.175	✓
576	✓	0.175	✓
577	✓	0.175	✓
578	✓	0.175	✓
579	✓	0.175	✓
580	✓	0.175	✓
581	✓	0.175	✓
582	✓	0.175	✓
583	✓	0.175	✓
584	✓	0.175	✓
585	✓	0.175	✓
586	✓	0.175	✓
587	✓	0.175	✓
588	✓	0.175	✓
589	✓	0.175	✓
590	✓	0.175	✓
591	✓	0.175	✓
592	✓	0.175	✓
593	✓	0.175	✓
594	✓	0.175	✓
595	✓	0.175	✓
596	✓	0.175	✓
597	✓	0.175	✓
598	✓	0.175	✓
599	✓	0.175	✓
600	✓	0.175	✓

Relinquished By	Date/Time	Received By	Date/Time
DFG	5:03		

1.22-3	4/28/23 @ 1300	<del>1.22-3</del>	<del>4/28/23</del>
1.22-3	4/28/23 @ 1300	<del>1.22-3</del>	<del>4/28/23</del>

[illegible]

<del>Not</del>	7/3/23	1240	even	7/3/23	2
<del>Not</del>	7/3/23	1240	even	7/3/23	2

[illegible]

By signing this agreement on behalf of the client, acknowledge that he/she has read and understands the terms and conditions of this

that he/she has the authority to sign on behalf of the client. See [www.tekiabinc.com](http://www.tekiabinc.com) for terms and conditions.

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

<b>Client:</b> Blackstone Environmental, Inc.	<b>Samples on:</b> <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG#
<b>Address:</b> 16200 Foster Street	<b>Preserved in:</b> <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <b>FOR LAB USE ONLY</b>
<b>City / State / Zip:</b> Overland Park, KS 66085	<b>Lab Notes:</b>
<b>Contact:</b> Lindsay E. James (913) 495-9990	<b>Client Comments:</b> PE
<b>E-Mail:</b> ljames@blackstone-env.com	

<b>Project Name/Number:</b> Lee's Summit School Dist. DW	<b>Sample Collector's Name:</b> KSM	<b>MATRIX:</b>	<b>INDICATE ANALYSIS REQUESTED</b>
<b>Results Requested:</b> <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)	<b>Billing Instructions:</b>	<input type="checkbox"/> Drinking Water	<input type="checkbox"/>
<b>Lab Use Only:</b>	<b>Date/Time Sampled:</b>	<input type="checkbox"/> Groundwater	<input type="checkbox"/>
<b>Sample Identification:</b>		<input type="checkbox"/> Special Waste	<input type="checkbox"/>
23072682-001	7/28/23 @ 906	<input type="checkbox"/> Sludge	<input type="checkbox"/>
002	@ 906	<input type="checkbox"/> Soil	<input type="checkbox"/>
003	@ 906	<input type="checkbox"/> Aqueous	<input type="checkbox"/>
004	@ 909	<input checked="" type="checkbox"/> DW Lead	<input checked="" type="checkbox"/>
005	@ 909		
006	@ 909		
007	@ 910		
008	@ 911		

<b>Relinquished By:</b> Kelsey J. James	<b>Date/Time:</b> 7/28/23 @ 1300	<b>Received By:</b> M. J. Williams	<b>Date/Time:</b> 7/28/23 1430
<b>Relinquished By:</b> Lindsay E. James	<b>Date/Time:</b> 7/29/23 600	<b>Received By:</b> Angela White	<b>Date/Time:</b> 7/30/23
<b>Relinquished By:</b> Angela White	<b>Date/Time:</b> 7/31/23 1240	<b>Received By:</b> Maryann Perdue	<b>Date/Time:</b> 7/30/23 1240
			<b>Date/Time:</b> 7/31/23