

ATTACHMENT B

**Underwood Elementary
Field Forms**

Lee's Summit DW

Team K+T+O

School Underwood Elementary (UE)

Date Purged 7/17
Date Sampled 7/28

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Test #	Floor #	Sink (SK)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
1	1	X			Copy Room Sink	14:40	10:12
2	1	X			Sink in All4	14:40	10:14
3	1	X		X	Ice machine in lounge	14:40	10:15
4	1	X			Sink " 113	14:40	10:15
5	1		X		Right Fountain next to restrooms	14:42	10:16
6	1		X		Right middle fountain next to restrooms	14:42	10:16
7	1		X		Left fountain " 11	14:47	10:17
8	1	X			Sink in 120	14:50	10:18
9	1	X			Sink in 119	14:50	10:18
10	1	X			Sink in 122	14:51	10:19
11	1	X			Sink in 121	14:51	10:20
12	1	X			Sink in 188	14:54	10:21
13	1			X	Bubbler in 188	14:54	10:21
14	1			X	Bubbler in 190	14:54	10:23
15	1	X			Sink in 190	14:54	10:23
16	1	X	X		Right fountain by bathrooms	15:00	10:25
17	1	X	X		Left " 11	15:00	10:25
18	1	X			Sink in 186	15:00	10:26
19	1	X			Sink in 185	15:00	10:26
20	1	X			Sink in 133	15:06	10:27
21	1	X			Sink in 132	15:06	10:28
22	1	X			Sink in 135	15:07	10:28
23	1	X			Sink in 134	15:07	10:29
24	1	X			Sink in 164	15:08	10:30

Lee's Summit DW

Date Purged 7/22
Date Sampled 7/28

School Underwood Elementary (UE)

Team K+T+Q

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

Test #	Floor #	Sink (SK)	Fountain (DF)	Other (O)	Location and Description	Time Purged	Time Sampled
25	1	X			Sink in 163	15:08	10:31
26	1	X			Sink in 166	15:09	10:31
27	1	X			Sink in 165	15:09	10:32
28	1		X		Fountain in multipurpose	15:16	10:33
29	1			X	Hose by kitchen door	15:22	10:34
30	1	X			Right Right sink by kitchen door	15:22	10:34
31	1	X			Left Sink by kitchen door	15:22	10:34
32	1			X	Dishwasher in kitchen	15:22	10:38
33	1			X	Hose by dish washer	15:22	10:36
34	1	X			Sink by exit	15:22	10:36
35	1	X			Sink by office window	15:23	10:37
36	1	X			Hose Sink by oven	15:23	10:38
37	1			X	Oven hose	15:24	10:38
38	1		X	X	Hose by office window	15:24	10:39
39	1		X		Left fountain by restrooms	15:32	10:41
40	1		X		Left middle fountain by restroom	15:32	10:42
41	1		X		Right middle fountain by restroom	15:37	10:42
42	1		X		Right fountain by restroom	15:37	10:42
43	1	X			Sink in Library office	15:38	10:45
44	1	X			Sink in 154	15:40	10:46
45	1	X			Sink in 153	15:42	10:49
46	1	X			Sink in 160	15:44	10:50
47	1	X			Sink in 181	15:51	10:51
48	1	X			Sink in 182	15:52	10:52

Team K4T

School Underwood Elementary (UE)

Date Purged	7/27
Date Sampled	7/28

Sample ID = School abbrev + Floor - Type + Test number (Ex: ME1-DF1)

[illegible]

ATTACHMENT C

**Underwood Elementary
Summary Table**

**Summary Table
Underwood Elementary**

Sample ID	Date	Analyte	Result	Unit	Reporting Limit
UEI-S1	7/28/2023	Lead	ND	µg/L	1
UEI-S2	7/28/2023	Lead	2.9	µg/L	1
UEI-O3	7/28/2023	Lead	ND	µg/L	1
UEI-S4	7/28/2023	Lead	2.7	µg/L	1
UEI-DF5	7/28/2023	Lead	ND	µg/L	1
UEI-DF6	7/28/2023	Lead	ND	µg/L	1
UEI-DF7	7/28/2023	Lead	ND	µg/L	1
UEI-S8	7/28/2023	Lead	ND	µg/L	1
UEI-S9	7/28/2023	Lead	ND	µg/L	1
UEI-S10	7/28/2023	Lead	2.0	µg/L	1
UEI-S11	7/28/2023	Lead	ND	µg/L	1
UEI-S12	7/28/2023	Lead	ND	µg/L	1
UEI-O13	7/28/2023	Lead	ND	µg/L	1
UEI-O14	7/28/2023	Lead	ND	µg/L	1
UEI-S15	7/28/2023	Lead	3.2	µg/L	1
UEI-DF16	7/28/2023	Lead	ND	µg/L	1
UEI-DF17	7/28/2023	Lead	ND	µg/L	1
UEI-S18	7/28/2023	Lead	ND	µg/L	1
UEI-S19	7/28/2023	Lead	ND	µg/L	1
UEI-S20	7/28/2023	Lead	ND	µg/L	1
UEI-S21	7/28/2023	Lead	ND	µg/L	1
UEI-S22	7/28/2023	Lead	ND	µg/L	1
UEI-S23	7/28/2023	Lead	1.5	µg/L	1
UEI-S24	7/28/2023	Lead	ND	µg/L	1
UEI-S25	7/28/2023	Lead	2.7	µg/L	1
UEI-S26	7/28/2023	Lead	ND	µg/L	1
UEI-S27	7/28/2023	Lead	1.1	µg/L	1
UEI-DF28	7/28/2023	Lead	ND	µg/L	1
UEI-S29	7/28/2023	Lead	ND	µg/L	1
UEI-O30	7/28/2023	Lead	ND	µg/L	1
UEI-S31	7/28/2023	Lead	ND	µg/L	1
UEI-O32	7/28/2023	Lead	1.3	µg/L	1
UEI-O33	7/28/2023	Lead	ND	µg/L	1
UEI-S34	7/28/2023	Lead	2.1	µg/L	1
UEI-S35	7/28/2023	Lead	ND	µg/L	1
UEI-S36	7/28/2023	Lead	1.4	µg/L	1
UEI-O37	7/28/2023	Lead	4.0	µg/L	1
UEI-O38	7/28/2023	Lead	3.6	µg/L	1
UEI-DF39	7/28/2023	Lead	ND	µg/L	1
UEI-DF40	7/28/2023	Lead	ND	µg/L	1
UEI-DF41	7/28/2023	Lead	ND	µg/L	1
UEI-DF42	7/28/2023	Lead	ND	µg/L	1
UEI-S43	7/28/2023	Lead	1.3	µg/L	1

UEI-S44	7/28/2023	Lead	4.5	µg/L	1
UEI-S45	7/28/2023	Lead	2.9	µg/L	1
UEI-S46	7/28/2023	Lead	3.3	µg/L	1
UEI-S47	7/28/2023	Lead	ND	µg/L	1
UEI-S48	7/28/2023	Lead	ND	µg/L	1
UEI-S49	7/28/2023	Lead	ND	µg/L	1
UEI-S50	7/28/2023	Lead	ND	µg/L	1
UEI-S51	7/28/2023	Lead	ND	µg/L	1
UEI-S52	7/28/2023	Lead	1.4	µg/L	1
UEI-S53	7/28/2023	Lead	ND	µg/L	1
UEI-S54	7/28/2023	Lead	1.6	µg/L	1
UEI-S55	7/28/2023	Lead	ND	µg/L	1
UEI-S56	7/28/2023	Lead	ND	µg/L	1
UEI-S57	7/28/2023	Lead	ND	µg/L	1
UEI-S58	7/28/2023	Lead	ND	µg/L	1
UEB-S59	7/28/2023	Lead	2.6	µg/L	1
UEB-S60	7/28/2023	Lead	4.7	µg/L	1
UEB-S61	7/28/2023	Lead	6.0	µg/L	1
UEB-S62	7/28/2023	Lead	8.3	µg/L	1
UEB-DF63	7/28/2023	Lead	ND	µg/L	1
UEB-DF64	7/28/2023	Lead	ND	µg/L	1

µg/L: micrograms per liter

Bolded results indicate detections above reporting limits

ATTACHMENT D

Underwood Elementary Laboratory Analytical Report

September 18, 2023

Lindsay E. James
Blackstone Environmental, Inc.
16200 Foster Street
Overland Park, KS 66085
TEL: (913) 956-4160
FAX:



Illinois	100226
Kansas	E-10374
Louisiana	05002
Louisiana	05003
Oklahoma	9978

RE: Lees Summit School Dist DW/Underwood Elem.

WorkOrder: 23072183

Dear Lindsay E. James:

TEKLAB, INC received 64 samples on 7/31/2023 12:40:00 PM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Patrick Riley
Project Manager
(618)344-1004 ex 44
patrickriley@teklabinc.com



Report Contents

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Receiving Check List	71
Chain of Custody	Appended

Client: Blackstone Environmental, Inc.**Work Order:** 23072183**Client Project:** Lees Summit School Dist DW/Underwood Elem.**Report Date:** 18-Sep-23**Abbr Definition**

* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count (> 200 CFU)

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Qualifiers

- | | |
|---|--|
| # - Unknown hydrocarbon | B - Analyte detected in associated Method Blank |
| C - RL shown is a Client Requested Quantitation Limit | E - Value above quantitation range |
| H - Holding times exceeded | I - Associated internal standard was outside method criteria |
| J - Analyte detected below quantitation limits | M - Manual Integration used to determine area response |
| ND - Not Detected at the Reporting Limit | R - RPD outside accepted recovery limits |
| S - Spike Recovery outside recovery limits | T - TIC(Tentatively identified compound) |
| X - Value exceeds Maximum Contaminant Level | |



Case Narrative

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Cooler Receipt Temp: NA °C

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415
Phone (217) 698-1004
Fax (217) 698-1005
Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515
Phone (630) 324-6855
Fax
Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214
Phone (913) 541-1998
Fax (913) 541-1998
Email jhriley@teklabinc.com

Client: Blackstone Environmental, Inc.**Work Order:** 23072183**Client Project:** Lees Summit School Dist DW/Underwood Elem.**Report Date:** 18-Sep-23

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2024	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2024	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2023	Collinsville
Arkansas	ADEQ	88-0966		3/14/2024	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2024	Collinsville
Missouri	MDNR	00930		5/31/2023	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-001

Client Sample ID: UEI-S1

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:12

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 17:41	210846



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-002

Client Sample ID: UEI-S2

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:14

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.9	µg/L	1	09/13/2023 10:12	210846



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-003

Client Sample ID: UEI-O3

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 10:35	210846



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-004

Client Sample ID: UEI-S4

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.7	µg/L	1	09/13/2023 10:38	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-005

Client Sample ID: UEI-DF5

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:16

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 10:42	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-006

Client Sample ID: UEI-DF6

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:16

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 18:03	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-007

Client Sample ID: UEI-DF7

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:17

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 10:45	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-008

Client Sample ID: UEI-S8

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:18

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 10:48	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-009

Client Sample ID: UEI-S9

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:18

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 10:51	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-010

Client Sample ID: UEI-S10

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:19

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.0	µg/L	1	09/13/2023 10:55	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-011

Client Sample ID: UEI-S11

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:20

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 11:18	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-012

Client Sample ID: UEI-S12

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:21

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 11:21	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-013

Client Sample ID: UEI-O13

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:21

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 11:24	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-014

Client Sample ID: UEI-O14

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:23

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 11:27	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-015

Client Sample ID: UEI-S15

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:23

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.2	µg/L	1	09/13/2023 11:31	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-016

Client Sample ID: UEI-DF16

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:25

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 11:34	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-017

Client Sample ID: UEI-DF17

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:25

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 11:37	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-018

Client Sample ID: UEI-S18

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:26

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 3:19	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-019

Client Sample ID: UEI-S19

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:26

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 12:00	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-020

Client Sample ID: UEI-S20

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:27

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 12:03	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-021

Client Sample ID: UEI-S21

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:28

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 12:07	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-022

Client Sample ID: UEI-S22

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:28

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 12:10	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-023

Client Sample ID: UEI-S23

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:29

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.5	µg/L	1	09/13/2023 12:13	210847



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-024

Client Sample ID: UEI-S24

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 12:17	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-025

Client Sample ID: UEI-S25

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:31

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.7	µg/L	1	09/13/2023 12:20	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-026

Client Sample ID: UEI-S26

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:31

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 12:45	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-027

Client Sample ID: UEI-S27

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:32

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.1	µg/L	1	09/15/2023 3:30	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-028

Client Sample ID: UEI-DF28

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:33

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 12:49	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-029

Client Sample ID: UEI-S29

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 12:52	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-030

Client Sample ID: UEI-O30

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 12:55	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-031

Client Sample ID: UEI-S31

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:34

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 12:58	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-032

Client Sample ID: UEI-O32

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:38

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.3	µg/L	5	09/13/2023 14:20	210908



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-033

Client Sample ID: UEI-O33

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:36

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 13:02	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-034

Client Sample ID: UEI-S34

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:36

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.1	µg/L	1	09/13/2023 13:05	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-035

Client Sample ID: UEI-S35

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:37

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 13:08	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-036

Client Sample ID: UEI-S36

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:38

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.4	µg/L	1	09/13/2023 13:11	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-037

Client Sample ID: UEI-O37

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:38

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.0	µg/L	1	09/13/2023 13:15	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-038

Client Sample ID: UEI-O38

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:39

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.6	µg/L	1	09/13/2023 13:28	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-039

Client Sample ID: UEI-DF39

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:41

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/15/2023 3:41	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-040

Client Sample ID: UEI-DF40

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:42

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 13:31	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-041

Client Sample ID: UEI-DF41

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:42

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 13:35	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-042

Client Sample ID: UEI-DF42

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:42

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 13:38	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-043

Client Sample ID: UEI-S43

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:45

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.3	µg/L	1	09/13/2023 13:41	210848



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-044

Client Sample ID: UEI-S44

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:46

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.5	µg/L	1	09/13/2023 13:27	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-045

Client Sample ID: UEI-S45

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:49

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.9	µg/L	1	09/13/2023 13:31	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-046

Client Sample ID: UEI-S46

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:50

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		3.3	µg/L	1	09/14/2023 18:58	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-047

Client Sample ID: UEI-S47

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:51

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 13:45	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-048

Client Sample ID: UEI-S48

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:52

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	5	09/13/2023 14:24	210908



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-049

Client Sample ID: UEI-S49

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:53

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 13:49	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-050

Client Sample ID: UEI-S50

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:54

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 13:53	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-051

Client Sample ID: UEI-S51

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 13:56	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-052

Client Sample ID: UEI-S52

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:55

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.4	µg/L	1	09/13/2023 14:11	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-053

Client Sample ID: UEI-S53

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:56

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 14:15	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-054

Client Sample ID: UEI-S54

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:57

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		1.6	µg/L	1	09/13/2023 14:18	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-055

Client Sample ID: UEI-S55

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:58

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 14:22	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-056

Client Sample ID: UEI-S56

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:58

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 14:26	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-057

Client Sample ID: UEI-S57

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:59

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/14/2023 19:20	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-058

Client Sample ID: UEI-S58

Matrix: DRINKING WATER

Collection Date: 07/28/2023 10:59

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 14:40	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-059

Client Sample ID: UEB-S59

Matrix: DRINKING WATER

Collection Date: 07/28/2023 11:03

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		2.6	µg/L	1	09/13/2023 14:44	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-060

Client Sample ID: UEB-S60

Matrix: DRINKING WATER

Collection Date: 07/28/2023 11:03

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		4.7	µg/L	1	09/13/2023 14:59	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-061

Client Sample ID: UEB-S61

Matrix: DRINKING WATER

Collection Date: 07/28/2023 11:03

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		6.0	µg/L	1	09/13/2023 15:02	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-062

Client Sample ID: UEB-S62

Matrix: DRINKING WATER

Collection Date: 07/28/2023 11:03

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		8.3	µg/L	1	09/13/2023 15:06	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-063

Client Sample ID: UEB-DF63

Matrix: DRINKING WATER

Collection Date: 07/28/2023 11:04

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 15:10	210849



Laboratory Results

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Lab ID: 23072183-064

Client Sample ID: UEB-DF64

Matrix: DRINKING WATER

Collection Date: 07/28/2023 11:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)								
Lead	NELAP	1.0		< 1.0	µg/L	1	09/13/2023 18:43	210852



Receiving Check List

<http://www.teklabinc.com/>

Client: Blackstone Environmental, Inc.

Work Order: 23072183

Client Project: Lees Summit School Dist DW/Underwood Elem.

Report Date: 18-Sep-23

Carrier: Skylar Mathis

Received By: MBP

Completed by:

On:

31-Jul-23

Allison Colin

Reviewed by:

On:

01-Aug-23

Ellie Hopkins

Pages to follow:

Chain of custody

7

Extra pages included

0

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Temp °C

NA

Type of thermal preservation?

None ☒

Ice ☐

Blue Ice ☐

Dry Ice

☐

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Reported field parameters measured:

Field ☐

Lab ☐

NA ☒

Container/Temp Blank temperature in compliance?

Yes ☒

No ☐

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

Water – at least one vial per sample has zero headspace?

Yes ☐

No ☐

No VOA vials ☒

Water - TOX containers have zero headspace?

Yes ☐

No ☐

No TOX containers ☒

Water - pH acceptable upon receipt?

Yes ☒

No ☐

NA ☐

NPDES/CWA TCN interferences checked/treated in the field?

Yes ☐

No ☐

NA ☒

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.

pg. 1 of 7 Work order # 23072183

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc. Address: 16200 Foster Street City / State / Zip: Overland Park, KS 66035 Contact: Lindsay E. James E-Mail: ljames@blackstone-env.com	Phone: (913) 495-9990 Fax:	re these samples known to be involved in litigation? If yes, a surcharge will apply <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No re these samples known to be hazardous? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No re there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
--	---	---

Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input checked="" type="checkbox"/> NO ICE <input type="checkbox"/> °C <input type="checkbox"/> LTG# _____ Preserved in: <input checked="" type="checkbox"/> LAB <input type="checkbox"/> FIELD Lab Notes	Client Comments: <div style="font-size: 1.2em; margin-top: 20px;">Underwood elem. (UE)</div>
---	--

[illegible]

Relinquished By	Date/Time	Received By	Date/Time
Kalay Trini	7/28/23 @ 1300	E. S.	7/28/23 1300
E. S.	7/29/23 600	Syler Motta - CR	7/30/23
Syler Motta	7/31/23 1200	Morgan Voth	7/31/23 12ND
			7/31/23

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

BottleOrder: 82000



CHAIN OF CUSTODY

pg. 2 of 7 Work order # 23072183

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client:	Blackstone Environmental, Inc.	Samples on:	<input type="checkbox"/> ICE	<input type="checkbox"/> BLUE ICE	<input type="checkbox"/> NO ICE	°C	LTG#
Address:	16200 Foster Street	Preserved in:	<input type="checkbox"/> LAB	<input type="checkbox"/> FIELD	FOR LAB USE ONLY		
City / State / Zip	Overland Park, KS 66085	Lab Notes					
Contact:	Lindsay E. James	Client Comments:	VE				
E-Mail:	ljames@blackstone-env.com						

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No
 Are these samples known to be hazardous? ☐ Yes ☒ No
 Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

Project Name/Number		Sample Collector's Name		INDICATE ANALYSIS REQUESTED	
ee's Summit School Dist. DW		KSM			
Results Requested		Billing Instructions		MATRIX	
Standard <input checked="" type="checkbox"/> 1-2 Day (100% Surcharge) Other <input type="checkbox"/> 3 Day (50% Surcharge)					
Lab Use Only	Sample Identification	Date/Time Sampled	# and Type of Containers	Drinking Water	Aqueous
23072183 011	WE1-SW	7/28/23 @ 1020	X	X	
012	-S12	@ 1021			
013	-D13	@ 1021			
014	-O14	@ 1023			
015	-S15	@ 1023			
016	-DF16	@ 1025			
017	-DF17	@ 1025			
018	-S18	@ 1026			
019	-S19	@ 1026			
020	-S20	@ 1027			
Relinquished By		Date/Time		Received By	
Kalen...		7/28/23 @ 1300		7/28/23 1400	
Lindsay E. James		7/28/23 1600		7/30/23	
Lindsay E. James		7/30/23 1200		7/30/23 1240	
				7/31/23	

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

Bottle Order: 82000



pg. 3 of 7 Work order # 23072193

pg. 3 of 7 Work order # 23

Client:	Blackstone Environmental, Inc.		
Address:	16200 Foster Street		
City / State / Zip	Overland Park, KS 66085		
Contact:	Lindsay E. James	Phone:	(913) 495-9990
E-Mail:	ljames@blackstone-env.com		
Samples on:	<input type="checkbox"/> ICE	<input type="checkbox"/> BLUE ICE	<input type="checkbox"/> NO ICE
Preserved in:	<input type="checkbox"/> LAB	<input type="checkbox"/> FIELD	
Lab Notes			
Client Comments:			

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No

Are these samples known to be hazardous? ☐ Yes ☒ No

Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section. ☐ Yes ☒ No

UE

[illegible]

Relinquished By	Date/Time	Received By	Date/Time
Kalvin Young	7/28/23 @ 1300	W. J. [Signature]	7/28/23 1400
W. J. [Signature]	7/28/23 1600	Steph Matthews	7/30/23
Steph Matthews	7/31/23 1240	W. J. Youngman	7/30/23-1240
			7/31/23

Bottle Order: 82000



CHAIN OF CUSTODY

pg. 4 of 7 Work order # 23072483

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Blackstone Environmental, Inc.
Address: 16200 Foster Street
City / State / Zip: Overland Park, KS 66085
Contact: Lindsay E. James (913) 495-9980
E-Mail: ljames@blackstone-env.com

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No
Are these samples known to be hazardous? ☐ Yes ☒ No
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

Project Name/Number: Lee's Summit School Dist. DW
Sample Collector's Name: KSM

Results Requested		Billing Instructions	Date/Time Sampled	# and Type of Containers										INDICATE ANALYSIS REQUESTED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Standard	<input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other			OTHER	NaHSO4	MeOH	HCL	H2SO4	NaOH	HNO3	UNPRES	Drinking Water	Soil	Sludge	Special Waste	Groundwater	DW Lead																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

Relinquished By	Date/Time	Received By	Date/Time
Kathy James	7/28/23 @ 1300	G. Stettin	7/28/23 1400
L. E. James	7/28/23 1600	Angie Mattox - CR	7/30/23
Angie Mattox	7/30/23 1240	Morgan Puran	7/30/23 1240
			7/30/23

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client:
Blackstone Environmental, Inc.
16200 Foster Street
Overland Park, KS 66085
Lindsay E. James
ljames@blackstone-env.com

City / State / Zip
Phone: (913) 495-9990
Fax:

Address:
Contact:
E-Mail:

Samples on: ☐ ICE ☐ BLUE ICE ☐ NO ICE ☐ °C ☐ LTG#

Preserved in: ☐ LAB ☐ FIELD ☐ FOR LAB USE ONLY

Lab Notes

Client Comments:
NE

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No
Are these samples known to be hazardous? ☐ Yes ☒ No
Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section. ☐ Yes ☒ No

Project Name/Number Lee's Summit School Dist. DW		Sample Collector's Name KSM		INDICATE ANALYSIS REQUESTED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Results Requested <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)		Billing Instructions		# and Type of Containers																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				OTHER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				NaHSO4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				MeOH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				HCL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				H2SO4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				NaOH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				HNO3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				UNPRES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Lab Use Only		Sample Identification		Date/Time Sampled		MATRIX																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
						Drinking Water																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
						Aqueous																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
						Soil																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
						Sludge																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
						Special Waste																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
						Groundwater																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
						DW Lead																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
23072183	041	VE1 - DF41	7/28/23 @ 1042	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

pg. 6 of 7 Work order # 72

(618) 344-1004 - Fax: (618) 344-1005

Client:	Blackstone Environmental, Inc.
Address:	16200 Foster Street
City / State / Zip	Overland Park, KS 66085
Contact:	Lindsay E. James
E-Mail:	ljames@blackstone-env.com
	Phone: (913) 495-9990
	Fax:

Are these samples known to be involved in litigation? If yes, a surcharge will apply ☐ Yes ☒ No

Are these samples known to be hazardous? ☐ Yes ☒ No

Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section. ☐ Yes ☒ No

Client Comments:

underwood

Project Name/Number Lee's Summit School Dist. DW		Sample Collector's Name KSM		INDICATE ANALYSIS REQUESTED													
Results Requested <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)		Billing Instructions		# and Type of Containers													
Lab Use Only		Sample Identification		Date/Time Sampled		OTHER NaHSO4 MeOH HCL H2SO4 NaOH HNO3 UNPRES											
Matrix		Date/Time															
Drinking Water		X															
Soil																	
Sludge																	
Special Waste																	
Groundwater																	
DW Lead		X															
Aqueous																	
Relinquished By		Date/Time		Received By		Date/Time											
Kelsey Martin		7/28/23 @ 1300		[Signature]		7/28/23 1400											
[Signature]		7/28/23 1600		[Signature]		7/30/23											
Kelsey Martin		7/31/23 1240		[Signature]		7/31/23 1240											

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

BottleOrder: 82000



73072183

x: (618) 344-1005

Client:	Blackstone Environmental, Inc.		
Address:	16200 Foster Street		
City / State / Zip	Overland Park, KS	66085	
Contact:	Lindsay E. James	Phone:	(913) 495-9990
E-Mail:	ljames@blackstone-env.com		

Samples on:	<input type="checkbox"/> ICE	<input type="checkbox"/> BLUE ICE	<input type="checkbox"/> NO ICE	LTG# _____
Preserved in:	<input type="checkbox"/> LAB	<input type="checkbox"/> FIELD		
Lab Notes				
Client Comments:	NE			

Are these samples known to be involved in litigation? If yes, a surcharge will apply	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Are these samples known to be hazardous?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section.	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No

[illegible]