

372 Pine Street East  
Varnville, SC 29944  
Phone: (803) 943-4576  
Fax: (803) 943-5943

Ronald Wilcox, Ed. D.  
Superintendent of Schools



Hannah Priester, Board Chair  
Sabrena Graham, Vice Chair  
Bruce Davis, Parliamentarian  
Kari Foy, Secretary  
Debra Homes, Member  
Mary Wilson, Member  
Marsha Robinson, Member

**October 31, 2023**

**The Hampton County School District is seeking bids on purchasing a 60'x12'x12' metal building with a standard metal roof until 12 noon November 17, 2023.**

**Please bid on the following:**

- 1. Metal building must meet all S.C. Codes related to metal building codes for wind resistance.**
- 2. Metal building must have a standing seam metal roof with 6" minimum overhang.**
- 3. Building is to be 60-foot long, 40-foot wide and 12-foot high with 4-foot minimum roof gables.**
- 4. Building is to have 26-gauge siding with Kynor paint or equivalent**
- 5. PBR Panels on side sheeting.**
- 6. 40-year warranty on roof and sides with stainless steel screws**
- 7. Galvanized purlins and girts**
- 8. 16-gauge steel trim (base and base angle)**
- 9. Metal closure where wall meets**
- 10. Galvanized over-head door closures are required**
- 11. Solid ridge frame construction with ¼ inch flanges**
- 12. Over-head door assembly to support a standard garage door**
- 13. Specify thickness and width of main frame: Thickness \_\_\_\_\_ Width \_\_\_\_\_**
- 14. Alternate 1 – building is to have inside the wall metal panels 8-foot high**

**The Board of Trustees has the right to reject any/all bids.**

**Place a bid in a sealed envelope and mail to or email:**

**Jerold Smart**

**372 Pine Street East  
Varnville, SC 29944**

**[jlsmart@hcsdsc.org](mailto:jlsmart@hcsdsc.org)**

**Bid Sheet:**

**Company:** \_\_\_\_\_

**Representative:** \_\_\_\_\_

**Address:** \_\_\_\_\_  
\_\_\_\_\_

**Phone:** \_\_\_\_\_

**Total Bid: \$** \_\_\_\_\_

**Beam Specs:** \_\_\_\_\_

**Alternate #1 Bid:** \_\_\_\_\_

**Special Notes:**

---

---

---

---