

12 66 00 – Telescoping Bleachers

DIVISION 12 - Furnishings



STATEMENT OF PURPOSE & BACKGROUND

- Scope:
 - Selection and installation of telescoping bleachers for gymnasium use.
- Statement of goals:
 - Provide consistent, high quality products that comply with all applicable codes and are functional, aesthetic, and provide years of performance and require low maintenance.
- Revision history of section:
 - 8/17/2018 (date of adoption)

SELECTION AND APPLICATION CRITERIA

- Telescoping bleachers with multiple tiered rows that stack vertically in minimum floor area when not in use.
- Provide end rails, handrails and other accessories as required.
- Provide wheelchair seating areas in compliance with Minnesota accessibility codes.
- Locations, number of rows and seating capacity to be determined with Owner input.

OUTLINE SPECIFICATION

- Part 1 General
 - Furnish and install telescoping bleacher components and all accessories necessary for complete installation.
 - Product delivery, storage and handling: deliver components only after all wet operations in building are completed. Store products in an enclosed, dry and ventilated area. Protect products from soiling and damage during handling and installation with protective coverings.
- Part 2 Products
 - Acceptable Manufacturers:
 - Irwin Seating Company, www.irwinseating.com
 - “VersaTract” Telescopic Seating System
 - Wall attached typical
 - Electrically operated unless noted otherwise
 - Rise per row: 12 inches
 - Row spacing: 22-26 inches
 - Seat: 18” wide x 12” deep Infinity contoured seat of high density molded polyethylene with waterfall front
 - Seating colors to be selected from manufacturer’s full range with Owner input and approval
 - Provide row letter and number plates
 - Provide non-removable aisle hand rails and end rails
 - Decking: Ribbed non-slip extruded aluminum with end caps
 - Equivalent manufacturers **approved, in writing, in advance, by the Architect**, may be substituted in accordance with the provisions of the Contract.
- Part 3 Execution
 - Per Consultant and / or manufacturer specification.

End of Section