

School District 5 of Lexington & Richland Counties  
Athletic AED Information & Emergency Action Plans



**Chapin High School**

- A total of 4 AEDs are accessible in the athletic areas.
  - Two back pack AEDs are carried to sporting events.
  - One AED is stationed in the field house at all times in the AED box on the wall in the Athletic Training Room.
  - One AED There in the hallway next to the arena.
- All sports have access to the AEDs.
- All coaches are trained in CPR/AED by either the American Red Cross or Heart Association.
- The school has access to two additional AEDs:
  - One in the cafeteria area and
  - one in the nurse's office.

**Dutch Fork High School**

- A total of 6 AEDs are accessible by athletic teams.
  - One is located in the Indoor ATR
  - One is located in the Outdoor ATR
  - Three are in "STAT" packs that are carried by each AT
  - One is in the Gator (all terrain vehicle)
- All sports have access to the AEDs.
- All coaches are trained in CPR/AED by either the American Red Cross or Heart Association

**Irmo High School**

- A total of 3 AEDs are accessible by athletic teams.
- One is mounted on the wall outside of the main training room (room #008).
- One is in the fieldhouse athletic training room.
- One is a floater that goes wherever it is needed, depending on games and practices. It is primarily located in the office of the main athletic training room (room #008).
- All sports have access to the AEDs.
- All coaches are trained in CPR/AED by either the American Red Cross or Heart Association

**School Name**  
**School Address**  
**City, State Zip**

**Automated External Defibrillation Program**

**AED School Contact: \_\_\_\_\_, School Nurse**

# **School Name**

## **Automated External Defibrillation Program**

**Section One: Current Signatures Authorizing School Program**

**Section Two: Program Description**

**Section Three: Appendices**

**Appendix A: South Carolina AED Law**

**Appendix B: School Coordinator and Trained Responders**

**Appendix C: Recommended Site Assessment**

**Appendix D: Locations of AEDs and Personnel with Keys**

**Appendix E: AED Checklist**

Section One: Current Signatures Authorizing Program

School Name  
Automated External Defibrillation Program

AED District Coordinator

---

Signature

Date

Principal

---

Signature

Date

AED School Contact

---

Signature

Date

## **Section Two: Program Description**

### **School District Five of Lexington and Richland Counties**

#### **Automated External Defibrillation Program Definitions**

**Automatic External Defibrillator (AED)** - A device used to treat a patient in cardiac arrest whose heart is beating irregularly (fibrillating) by assessing the patient's heart rhythm, judging whether defibrillation is needed, and then administering a shock to return the heart to normal.

**AED District Coordinator (DC)** - The health care professional designated by School District Five of Lexington and Richland Counties who is responsible for coordinating the AED program in the district and who serves as the Oversight Physician's point of contact for the AED program.

**AED School Coordinator (SC)** - The health care professional designated by each school that has an AED who conducts the day-to-day duties associated with the AED program.

**AED Oversight Physician (OP)** - A designated, licensed physician providing medical oversight to the AED program and authorizing the purchase of the AEDs for the district.

**Sudden Cardiac Arrest (SCA)** - A condition where the heart stops beating suddenly and unexpectedly, due to a disturbance in the heart's electrical system predominantly due to ventricular fibrillation.

**Trained Rescuer** - A designated AED user trained to respond to medical emergencies who possesses certified training in CPR, First Aid, and AED use within the confines of the AED program including defibrillation of the victim.

## Purpose

The practices and procedures described in this document describe School District Five of Lexington and Richland Counties' Automated External Defibrillator (AED) Program. The program will adhere to the legislative requirements of the State of South Carolina (see attachment A). The purpose of this program is to enable school personnel, through the use of an AED device, to intervene as soon as possible in the case of a Sudden Cardiac Arrest in an effort to help sustain an individual's life until trained EMS personnel arrive. By implementing the use of AEDs, the District does mean to imply that AEDs will be available for use in all medical emergencies that might occur on school property or at a school event. The first action taken by school personnel in any medical emergency will be to contact County Emergency Medical Services.

## Implementation of the AED Program at School Name

**(Make this specific for your school but DFHS is attached for reference.)**

Dutch Fork High School has two **Zoll AED Plus** and one **Phillips Heart Start Defibrillator**. The Lexington Medical Center, Palmetto Health Alliance, and Atlantic Medical Systems Incorporated donated these units, respectively. One Zoll unit will be located in the nurse's office and the second Zoll unit will be located in room 243. They should be available during the school working hours of 8:00a.m. to 4:00 p.m. The Phillips unit will be located in the Athletic Training Room, unlocked cabinet marked 'AED.' It should be available during regular school hours 8-4 and during certain events taking place in the athletic area. Priorities for availability at athletic events will be based on the following facts:

- Sudden Cardiac Death (SCD) occurs in male athletes more often than female athletes.
- SCD occurs in black athletes more than any other race.
- Men's basketball has the highest reports of SCD, followed closely by football.
- Blunt injuries to the chest can cause ventricular fibrillation.

Competitions will have priority over practices, and home games will have priority over away games.

**Sport Priority:**

1. Football
2. Men's basketball
3. Women's basketball
4. Baseball
5. Softball
6. Men's soccer
7. Women's soccer
8. Track and Field/Cross Country
9. Volleyball
10. Men's tennis
11. Women's tennis
12. Cheerleading
13. Swimming
14. Golf

Use of the AED is intended for personnel who are authorized by the school district's coordinator and have had CPR and AED training by either the American Heart Association or the American Red Cross.

AED units are to be used only on patients who appear to be in cardiopulmonary arrest. The patient must be:

- Unconscious
- Without pulse or signs of circulation
- Not breathing spontaneously

A CODE BLUE will be called in case of a medical emergency. The front office will then notify via intercom that there is a CODE BLUE and give the location. The nurse and CODE BLUE team members will then respond to the emergency. The front office will call EMS. The Richland County EMS is aware that Dutch Fork has two AED's and where they are located. We will keep close radio communication between the front office and the site of the emergency so EMS will be directed to the emergency.

The School Nurse, Athletic Trainer, and Code Blue Team members will be trained to use the AED during school hours. All coaches will be trained to use the AED for after school hours.

## Responsibilities

### A. Oversight Physician for the District

The Oversight Physician providing medical direction to this program is:

**Dr. Jawahar Swaminathan, M.D.**

**Doctor's Care - 100 Jimmy Love Lane, Columbia, SC 29212**

**Work Phone: 803-770-5030 Fax: 803-551-5477**

Medical Direction will include the following:

- Review of policies and procedures defining the standards of patient care and utilization of all AEDs used within School District Five of Lexington and Richland Counties.
- Review of response documentation and rescue data for all uses of AEDs.
- Quality Improvement recommendations determined after review of literature, consultation with experts, and review of AED utilization at the school.

B. The AED District Coordinator is: **Nichole Flowers, RN**

**Center for Advanced Technical Studies**

**803-476-8609**

The AED District Coordinator is responsible for the following:

- Serves as liaison between the AED program and the Oversight Physician.
- Oversees implementation of the program requirements, including training programs and maintenance of all AED equipment and related supplies, at each school through coordination with School Coordinators.
- Forwards incident data to the Oversight Physician.
- Review of response documentation and rescue data for all uses of AEDs.
- Quality Improvement recommendations determined after review of literature, consultation with experts, and review of AED utilization at the schools.

C. AED School Coordinator for School is: School Nurse.

The AED School Coordinator is responsible for the following:

- Serves as liaison between the school level AED program and the AED District Coordinator
- Oversees implementation of the program requirements at the school level, including training programs and maintenance of all AED equipment and related supplies
- Forwards incident data to the AED District Coordinator
- Reviews response documentation and rescue data for all uses of AEDs with AED District Coordinator

D. Trained Rescuers (See Appendix B for a current listing)

The Trained Rescuers at School Name are responsible for the following:

- Activating the internal emergency response system during *any* medical emergency.
- Providing CPR and application of AEDs to victims of SCA.
- Understanding and complying with the requirements of this program.

NOTE: Any Trained Rescuer who is expected to provide emergency care to a patient of SCA, or other medical emergency, will be trained in CPR and AED use. This training will conform to the American Heart Association Standards, American Red Cross Standards, or the standards of another nationally recognized training organization and will be current according to the requirements of the training organization.

Program Components

NOTE: OP = Overseeing Physician; DC = District Coordinator; SC = School Coordinator; TR = Trained Rescuer

A. Setting up the school program

1. The OP will authorize purchase of AED units
2. The DC will ensure that appropriate training is provided.
3. The DC and SC, will decide upon location(s) of AEDs-in the school.
4. TRs will be appropriately trained (CPR, AED), including the contents of this training manual, and a list developed of those personnel (see Appendix B). This list will be revised at the beginning of each year.
5. The AEDs will be installed (complete form in Appendix D) and the program implemented.

NOTE: Units will be stored in secure locations; designated TRs will have keys. Yearly implementation overview

1. The DC will designate the SC for each school (Appendix B) that has AEDs and will provide appropriate orientation.
2. TRs will be appropriately trained and the list updated (Appendix B). This list will be made available by the SC to the DC and to all TRs in the school.
3. The list of AED locations will be updated (Appendix D), as well as the list of TRs having the key to unlock the storage facility (Appendix D) and provided by the SC to the DC and to all TRs in the school.
4. The DC will send lists of TRs and AED locations to Emergency Medical Services.
5. The SC will provide a system whereby AEDs are checked on a regular schedule and a record maintained (see Appendix E).
6. An incident report (Appendix F) will be completed by the TR and given to the SC after any incident involving use of an AED; this report will in turn be given to the DC and processed by the SC, DC and OP.
7. The DC will monitor whether all of the above procedures are being followed and ensure compliance.

#### C. Emergency Procedures

Please see Appendix F for a hand-out that is to be kept with each AED for reference purposes in the case of an emergency. The Trained Responder to the crisis situation will follow accepted procedures of emergency response by assessing scene safety, assessing unresponsiveness, activating the EMS system by dialing 9-1-1, sending for the AED if it is not at the scene already and performing CPR until it arrives, then following all the voice prompts for the AED. When EMS arrives all information about the patient will be transferred to the EMS personnel, including information from the AED screen.

#### D. Post-Event Review

The Trained Responder must complete an AED Response Documentation Form (Appendix G) after each use of the AED. This form, along with all AED-generated rescue data, must be provided to the SC. The DC, after examination, will then forward the information to the Oversight Physician for review.

After each use of the AED, the School Coordinator shall conduct an incident debriefing with Trained Responders to determine any deficient practices and opportunities for improvement. All depleted AED supplies must be restocked, and the AED checked for damage. The AED battery must be checked prior to returning it to storage.

Section Three: Appendices  
*Appendix A- South Carolina AED Law*  
SOUTH CAROLINA AED LAW

*The following is a summary containing relevant portions of the law(s). This material is not intended as legal advice and may contain inaccurate or incomplete information.*

Background

On June 1, 1999, the Governor of the State of South Carolina signed Senate Bill 728. This legislation "encourages greater acquisition, deployment, and use of automated external defibrillators in communities across the State." This legislation adds Sections 44-76-10 to 44-76-50 to the South Carolina Code.

AED Definition

An AED is "an automated external defibrillator which is a medical device heart monitor and defibrillator that:

1. has received approval of its pre-market notification filed pursuant to the United States Code, Title 21, Section 360(k), from the United States Food and Drug Administration;
2. is capable of recognizing the presence or absence of ventricular fibrillation or rapid ventricular tachycardia and is capable of determining, without intervention by an operator, whether defibrillation should be performed; and
3. upon determining that defibrillation should be performed, automatically charges and requests delivery of an electrical impulse to an individual's heart."

Use Compliance Requirements

"A person or entity that acquires an AED shall:

1. require its designated AED users to have current training in CPR and AED use...
2. maintain and test the AED according to the manufacturer's operational guidelines and keep written records of maintenance and testing;
3. employ or obtain a health care professional (a licensed physician, surgeon, physician's assistant, nurse practitioner, or nurse) to serve as its AED liaison;
4. have in place an AED program approved by its AED liaison which includes CPR and AED training, AED protocol or guidelines, AED deployment strategies, and an AED equipment maintenance plan;
5. include in its AED protocol or guidelines that a person who renders emergency care or treatment to a person in cardiac arrest caused by ventricular fibrillation/tachycardia by using an AED must activate the emergency medical services system or 911 as soon as possible;
6. report any clinical use of the AED to the AED liaison."

Training Requirements

Designated AED users are to receive training in CPR and AED use "by the American Heart Association, American Red Cross, or National Safety Council."

Liability

"Any person or entity acting in good faith and gratuitously shall be immune from civil liability for the application of an AED unless the person was grossly negligent in the application."

"Any designated AED users meeting the requirements of [this legislation] and acting according to the required training shall be immune from civil liability for the application of an AED unless the application was grossly negligent."

"A person or entity acquiring an AED and meeting the requirements of [this legislation] or an AED liaison meeting the requirements of [this legislation] shall be immune from civil liability for the application of an AED by any person or entity described in items (1) or (2) of this section."

"A prescribing physician shall be immune from civil liability for authorizing the purchase of an AED, unless the authorization was grossly negligent."

(A34, R73, S728)

**AN ACT TO AMEND TITLE 44, CODE OF LAWS OF SOUTH CAROLINA, 1976, RELATING TO HEALTH, BY ADDING CHAPTER 76, SO AS TO ENACT THE "SOUTH CAROLINA AUTOMATED EXTERNAL DEFIBRILLATOR ACT" WHICH REQUIRES PERSONS OR ENTITIES THAT ACQUIRE AN AUTOMATED EXTERNAL DEFIBRILLATOR TO COMPLY WITH CERTAIN TRAINING, TESTING, AND USE PROCEDURES AND TO PROVIDE IMMUNITY FROM CIVIL LIABILITY WHEN IN COMPLIANCE.**

Whereas, the General Assembly of the State of South Carolina finds that each year more than two hundred fifty thousand Americans die from out-of-hospital sudden cardiac arrest. More than ninety-five percent of these deaths occur, in many cases, because lifesaving defibrillators arrive on the scene too late, if at all; and

Whereas, the American Heart Association estimates that more than twenty thousand deaths could be prevented each year if defibrillators were more widely available to designated responders; and

Whereas, communities in South Carolina, as well as around the country, have invested in 911 emergency response systems, personnel providing emergency services, and ambulance vehicles. However, many of the communities do not have enough defibrillators to meet the needs of their communities. Accordingly, the General Assembly encourages greater acquisition, deployment, and use of automated external defibrillators in communities across the State. Now, therefore,

Be it enacted by the General Assembly of the State of South Carolina:  
**Automated External Defibrillators; definitions; training and use procedures; immunity**

SECTION 1. The 1976 Code is amended by adding:

**"CHAPTER 76**

**Automated External Defibrillators**

Section 44-76-10. This act may be cited as the 'South Carolina Automated External Defibrillator Act'.

Section 44-76-20. For purposes of this chapter:

(1) 'Automated external defibrillator' or 'AED' means an automated external defibrillator which is a medical device heart monitor and defibrillator that:

(a) has received approval of its pre-market notification filed pursuant to the United States Code, Title 21, Section 360(k), from the United States Food and Drug Administration;

(b) is capable of recognizing the presence or absence of ventricular fibrillation or rapid ventricular tachycardia and is capable of determining, without intervention by an operator, whether defibrillation should be performed; and

(c) upon determining that defibrillation should be performed, automatically charges and requests delivery of an electrical impulse to an individual's heart.

(2) 'Health care professional' means a licensed physician, surgeon, physician's assistant, nurse practitioner, or nurse.

(3) 'Designated AED user' means a person identified by the person or entity acquiring an AED who has received training in the use of an AED pursuant to this chapter.

Section 44-76-30.(A) A person or entity that acquires an AED shall:

(1) require its designated AED users to have current training in CPR and AED use by the American Heart Association, American Red Cross, or National Safety Council;

(2) maintain and test the AED according to the manufacturer's operational guidelines and keep written records of maintenance and testing;

(3) employ or obtain a health care professional to serve as its AED liaison;

(4) have in place an AED program approved by its AED liaison which includes CPR and AED training, AED protocol or guidelines, AED deployment strategies, and an AED equipment maintenance plan;

(5) include in its AED protocol or guidelines that a person who renders emergency care or treatment to a person in cardiac arrest caused by ventricular fibrillation/tachycardia by using an AED must activate the emergency medical services system or 911 as soon as possible;

(6) report any clinical use of the AED to the AED liaison.

Section 44-76-40.(1) Any person or entity acting in good faith and gratuitously shall be immune from civil liability for the application of an AED unless the person was grossly negligent in the application.

(2) Any designated AED users meeting the requirements of Section 44-76-30(1) and acting according to the required training shall be immune from civil liability for the application of an AED unless the application was grossly negligent.

(3) A person or entity acquiring an AED and meeting the requirements of Section 44-76-30 or an AED liaison meeting the requirements of Section 44-76-30 shall be immune from civil liability for the application of an AED by any person or entity described in items (1) or (2) of this section.

(4) A prescribing physician shall be immune from civil liability for authorizing the purchase of an AED, unless the authorization was grossly negligent.

Section 44-76-50. The provisions of this chapter do not apply to emergency medical services, a physician's office, or a health care facility as defined in Section 44-7-130(10)."

#### **Time effective**

SECTION 2. This act takes effect upon approval by the Governor.

Ratified the 26th day of May, 1999. Approved the 1st day of June, 1999.



Main Location

---

Phone Number

---

Name

---

Title

---

Main Location

---

Phone Number

---

Name

---

Title

---

Main Location

---

Phone Number

---

Name

---

Title

---

Main Location

---

Phone Number

---

Name

---

Title

---

Main Location

---

Phone Number

---

Name

---

Title

---

Main Location

---

Phone Number

---

Name

---

Title

---

Main Location

---

Phone Number

---

## Appendix D: Locations of AEDs and Personnel with Keys

### AED Locations at School Name

1. \_\_\_\_\_; keys  
held by

\_\_\_\_\_

2. \_\_\_\_\_; keys  
held by

\_\_\_\_\_

3. \_\_\_\_\_; keys  
held by

\_\_\_\_\_

4. \_\_\_\_\_; keys  
held by

\_\_\_\_\_

## Appendix E: AED Checklist

Type of Unit:

Purchase Date:

Length of Warranty:

Recommended schedule for maintenance:

Verification of maintenance checks:

Date: \_\_\_\_\_ Certified in working order  
by \_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_  
Date: \_\_\_\_\_ Certified in working order by:

\_\_\_\_\_

## Appendix F - Emergency Procedures

To be laminated and stored with AED

- A. **Assess scene safety**  
During emergency situations, Trained Rescuers must assess the scene for safety hazards.
- B. **Assess unresponsiveness**  
Verify that the victim is actually unconscious. Tap the victim on the shoulder and shout, "Are you OK?"
- C. **Activate the EMS system by dialing 9-1-1**  
Have a designated person wait outside for EMS to arrive to lead emergency response personnel to the victim.
- D. Use the pre-selected code over the school administrative radio system to have **the AED brought to the scene**, or send someone to get the AED.
- E. **Perform CPR until the AED arrives at the scene.** Check for signs of circulation such as pulse, coughing or movement. Remember, verify that the victim:
- Is unconscious
  - Is not breathing
  - Has no pulse
- F. **Turn on the AED and follow all voice prompts**
- Place electrodes
  - NOTE: For patients with large amounts of body hair, it may be necessary to shave areas prior to placement of electrodes since body hair may interfere with the AED. The AED kit includes disposable razors and shave cream
  - Stand clear of the victim
  - Follow AED voice prompts
- G. **When EMS arrives, provide the following information:**
- Victim's name
  - Any known medical problems, allergies or medical history
  - Time victim was found
  - Initial and current condition of the victim
  - Information from the AED screen (number of shocks delivered, length of time the defibrillator has been used)
- H. **Return the AED to a state of readiness**
- Replace the pads, pocket mask and other supplies that were used

- Use the AED Maintenance Checklist to certify the device and supplies are ready for use

## **Appendix G- AED Response Documentation Form**

## AED Response Documentation Form

Date \_\_\_\_\_

Time patient found \_\_\_\_\_

Location of incident \_\_\_\_\_

Patient Name \_\_\_\_\_

Patient Age \_\_\_\_\_

Patient Gender \_\_\_\_\_

Arrest witnessed ..... yes      no

Bystander CPR ..... yes      no

Breathing on arrival of Trained Rescuers ..... yes      no

Pulse on arrival of Trained Rescuers ..... yes      no

Number of shocks by AED \_\_\_\_\_

Trained Rescuers Responding:

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

Comments:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

## Purpose

The practices and procedures described in this document describe School District Five of Lexington and Richland Counties' Automated External Defibrillator (AED) Program. The program will adhere to the legislative requirements of the State of South Carolina (see attachment A). The purpose of this program is to enable school personnel, through the use of an AED device, to intervene as soon as possible in the case of a Sudden Cardiac Arrest in an effort to help sustain an individual's life until trained EMS personnel arrive. By implementing the use of AEDs, the District does mean to imply that AEDs will be available for use in all medical emergencies that might occur on school property or at a school event. The first action taken by school personnel in any medical emergency will be to contact County Emergency Medical Services.

### AED Program for Lexington-Richland School District 5

- ✓ **The AEDs are available during regular school hours and during events taking place after school hours in the building where they are located.**
- ✓ See Appendix D for AED locations.
- ✓ EMS has been notified of availability and location.
- ✓ The office staff will call 911 when necessary.

## Responsibilities

### A. Oversight Physician for the District

The Oversight Physician providing medical direction to this program is:

Dr. Signature: J Swaminathan M.D. Date: 07/31/23

Dr. Jawahar Swaminathan, M.D., M.P.H.  
Wellness Director, Doctor's Care  
100 Jimmy Love Lane  
Columbia, SC 29212  
772-5030; fax 551-5477

Section One: Current Signatures Authorizing Program

School Name  
Automated External Defibrillation Program

AED District Coordinator

Jaimee Stovick, RN 7/31/23  
Signature                      Date

Principal

\_\_\_\_\_  
Signature                      Date

AED School Contact

\_\_\_\_\_  
Signature                      Date

District Owned Zoll  
 AED Plus  
 3/12/2019  
 Updated 4/17/2023

Location	Serial Number	Pad expiration	battery expiration	batteries replaced(to be done every 5 years)	Date AED put in service	2010 upgrade	
AFS	X04L048838	Adult: 3/18/2027 Adult: 11/28/2025 Peds: 07/02/2024	3/1/2028	Replaced 5/1/2019	3/1/2004	done 5/19/17	
BES	X12A534726		3/1/2030	Replaced 09/03/20	3/29/2012	N/A	
CATS-A(HR)	X12G558769	Adult:1/9/2027	3/1/2027	Replaced 8/17/2022	8/1/2012	N/A	pads replaced 4/1/2022
CATS-B	X17H952102	Adult:1/9/2027 Adult: 10/10/26	03/2027	Replaced 1/4/2022	1/16/18	N/A	pads replaced 6/2/2022
CES	X12G558657	Peds: 9/9/25	3/1		08/14/2012	N/A	
CHS backpack(Athletics)	X18B002503	Adult: 06/25/2028	3/30/2032	Replaced 4/1/23	5/16/2018	N/A	
CHS AT 1 (Athletics)	X03E016002	Adult: 3/11/2027	3/30/2028	Replaced 2/24/21	3/1/2004	done 5-16-17	
CHS AT 2 (Athletics)	A201-02655	Adult: 2/6/2023	2/5/2026	Replaced 2/15/22	2/15/2022	N/A	
CHS AT 3 (Athletics Field House)	X22I503153	Adult 07/09/2027	3/1/2031	08/01/2022 replaced	8/1/2022		
CHS Cafeteria	X07A105208	Adult: 3/19/2026	3/30/2028	3/12/2019	3/1/2004	done 5/19/17	
CHS Fine Arts	X07D111900	Adult: 3/19/2026	3/30/2028	replaced 01/26/21	3/1/2004	done 5-15-17	
CHS health room	X07L136870	Adult: 12/7/2024 Adult: 01/22/28 Peds: 02/18/25	3/30/2028	replaced 01/26/21	3/1/2004	done 5-12-17	
CIS	X04A026876		3/1/2028	replaced 3/1/23	3/1/2004	done 5/16/17	pads replaced 3/15/23
CMS	X14J713917	Adult: 7/6/24	03/01/28	09/03/2020	8/2015	N/A	
CRIS Red hall	X11H513312	Adult: 05/27/2026	3/1/2029	replaced 8/26/2020	2013	N/A	
CRIS Gym	X04A026471	Adult: 5/27/2026	3/1/2029	8/26/2020	2013	done 5-24-17	
DFES outside of mini-theater , 3rd and 4th grade side	X12G559051	Adult: 4/22/2027	12/1/2031	replaced 05/2022	8/15/2014	N/A	Pedi pads replaced 8/2/2023- expires 6/2025
DFHS 2nd Floor SS Lounge	X04A026641	Adult: 6/12/2027	2027	replaced 5/23	2004	done 5/19/17	
DFHS 3rd Floor Math Lounge	X05C057545	Adult: 6/12/2027	2027	replaced 5/23	2004	done 5/19/17	
DFHS Main Lobby	X04C030401	Adult: 6/12/2027	2027	replaced 4/23	2004	done 5/19/17	
DFMS	X03L026139	Adult: 7/21/2023	2023	09/16/2021	2004	done 5/19/17	
DFMS	X04C030456	Adult: 7/21/2023	2021	09/16/2021	2004	done 5/19/17	
DO	X13L644529	Adult: 12/17/2027 Adult 03/18/2027	December 2027	changed 3/2023	8/3/2014	N/A	
HEC	X12F556948	Peds: 11/06/2023 Adult: 08/07/2027			8/27/2012	N/A	
HWES	X12G559066	Peds: 06/10/2025 Adult: 3/18/2027	10/7/2027	replaced 10/07/2022	8/14/2012	N/A	
IES	X12F556960	Peds: 11/20/2023	3/1/2030	3/22/2022	8/14/2012	N/A	
IMS Health Room	X04A026842	Adult: 4/26/2024	3/1/2030	Replaced 10/2020	2004	done 5-24-17	
IMS gymnasium	X20K317759	Adult: 3/5/2026	1/5/2026				
Irmo High Attendance				replaced 4/24/2023			
Irmo High healthroom	X08L182130	Adult: 12/17/2027	5/1/2030	replaced	2004	done 5-24-17	
Irmo High-Athletics	X08K380008	Adult: 4/27/2027 Adult: 01/09/27 Peds: 11/6/23 Adult:03/18/2027	1/20/2027	1/20/2022	2004	done 5-24-17	
LES	X12F555902		3/1/2031	replaced 9/9/22	8/21/2012	N/A	
LMES	X12A534406	Peds: 03/18/2025 Adult: 08/08/2026	12/14/2026	replaced 12/14/21	3/15/2012	N/A	
NRES	X11F505865	Peds: 03/18/2025 Adult: 04/28/2028	12/1/2026	12/01/2021	9/1/2011	N/A	
OPES	X12F557108	Peds:03/25/2025	03/2028	Replaced 3/23/2023	6/6/2012	N/A	

removed from use until batteries and pads arrive (as of March 2023)(Dylan Baker has this one put aside in his office until battery and pads arrive.)

PWES	X20G296955	Adults: 10/25/25 Peds: 01/21/2025 Adult: 04/28/2027	3/1/2029	new 8/11/21	8/11/2021	N/A
RSES-outside HR	X12G559121	Peds: 6/10/2025	12/14/2027	12/14/2022 replaced	8/14/2012	N/A
SHHS- Gym	X13H618287	Adult: 3/18/2027 Adult: 06/28/2025	7/1/2032	12/14/2022	8/1/2013	N/A
SOES	X09J425891	Peds: 06/25/2024	3/1/2030	replaced 2/9/2022	2011	N/A
SHHS-outside HR	X17C904476	Adult: 3/18/2027	3/1/2031	replaced 9/14/22	2017	N/A



Michael Harris &lt;mrharris@lexrich5.org&gt;

---

## FOIA Request

---

Joanna Stanek <jstanek@lexrich5.org>  
To: Michael Harris <mrharris@lexrich5.org>

Thu, Sep 21, 2023 at 11:42 AM

I think the documents I have shared cover the 2nd, 3rd and 4th bullets.  
For the 5th bullet -

- All public records showing the district's training for use of AEDs.

We have 12 HeartSaver CPR/AED courses scheduled for this school year. Each class has 12 participants. This means 144 staff members across the district will become CPR certified this school year. Part of the CPR certification involves AED training.

On Thu, Sep 21, 2023 at 10:01 AM Michael Harris <mrharris@lexrich5.org> wrote:  
[Quoted text hidden]

--



**Joanna Stanek, BSN, RN**

*Nursing and Health Services Supervisor*

School District Five of Lexington & Richland Counties

o: 803.476.8258 e: [jstanek@lexrich5.org](mailto:jstanek@lexrich5.org)

[www.lexrich5.org](http://www.lexrich5.org)