



Frontage Improvements for Mt. Pleasant Schools





VISITORS
MUST
REGISTER
AT OFFICE

CAMBRIAN SCHOOL
1000 W. 10TH AVE. S.E.
TALLAHASSEE, FL 32310
TEL: 904.243.1234
WWW.CAMBRIAN.SCHOOL.FL.US


NOTICE
TO VISITORS
VISITORS MUST REGISTER
AT THE FRONT OFFICE
BEFORE ENTERING THE
SCHOOL CAMPUS

GATES LOCKED DURING
SCHOOL HOURS
VISITORS MUST ENTER/EXIT
THROUGH FRONT OFFICE
REJAS CERRADAS DURANTE
HORAS DE ESCUELA
LOS VISITANTES DEBEN
ENTRAR/SALIR POR LA OFICINA
DEL FRENTE

GATES LOCKED DURING
SCHOOL HOURS
VISITORS MUST ENTER/EXIT
THROUGH FRONT OFFICE
REJAS CERRADAS DURANTE
HORAS DE ESCUELA
LOS VISITANTES DEBEN
ENTRAR/SALIR POR LA OFICINA
DEL FRENTE







- ### SITE CONSTRUCTION NOTES
- ALL DIMENSIONS SHALL TAKE PRECEDENCE OVER SCALE. CONTRACTOR SHALL NOT SCALE DRAWINGS TO DETERMINE DIMENSIONS WITHOUT CONSULTING THE ARCHITECT. CONTRACTOR SHALL REVIEW ALL DIMENSIONS FOR ACCURACY PRIOR TO CONSTRUCTION.
 - THE CONTRACTOR SHALL VERIFY ALL UNDERGROUND UTILITIES WITH A LOCATING SERVICE PRIOR TO STARTING CONSTRUCTION.
 - NO SURVEY INFORMATION IS AVAILABLE AT THE TIME OF DRAWING PREPARATION. CONTRACTOR SHALL VERIFY ALL GRASSES IN THE FIELD AND VERIFY ALL SLOPES SHOWN ON DRAWING WILL BE ATTAINABLE.
 - CONTRACTOR SHALL PROTECT EXISTING LANDSCAPE AREAS ADJACENT TO THE WORK AREA. REPAIR AND RESEED ALL LANDSCAPE AREAS AFFECTED BY WORK.
 - REQUIRED UTILITY SHUTDOWNS SHALL BE REQUESTED 72 HOURS IN ADVANCE WITH ARCHITECT AND OWNER.
 - CONTRACTOR SHALL REMOVE ALL EXISTING FENCING AND GATES UNLESS NEW FENCING IS INDICATED. TYP.

- ### NEW SITE PLAN NOTES
- NEW 10'0" SLIDING GATE. MATCH ADJACENT FENCING TYPE. NEW 06L PATHWAY WITH REDWOOD HEADBOARDS EACH SIDE. SEE DETAIL 19.8.10A0.3
 - NEW WHEEL STOP PER DETAIL 19A0.3
 - NEW 60 CLIMB BLACK PVC COATED FENCE. 7' HIGH TYP. SEE DETAIL 19A0.3
 - NEW CHAIN LINK FENCING. 6' HIGH TYP. SEE DETAIL 19A0.3
 - NEW BLACK DECORATIVE FENCING. 7' HIGH TYP. SEE DETAILS 19A0.3 & 19A0.3
 - EXISTING CHAIN LINK FENCE TO REMAIN
 - NEW GATE AT NEW CONCRETE PAV SEE DETAIL 19A0.3

GATE SCHEDULE

GATE NO.	TYPE	GATE SIZE: OPENING WIDTH X HEIGHT	DETAILS	HARDWARE GROUP	NOTES
01	DECO	8'-0" X 7'-0"	6.8.8A0.3		DOUBLE WITH PANELED HARDWARE - PFD, STL
02	DECO	8'-0" X 7'-0"	6.8.8A0.3		DOUBLE WITH STANCHION LATCH - PFD, STL
03	DECO	4'-0" X 7'-0"	6.8.8A0.3		SINGLE WITH PANELED HARDWARE - PFD, STL
04	DECO	10'-0" X 7'-0"	19A0.3		DOUBLE VEHICULAR - PFD, STL
05	NC	4'-0" X 7'-0"			SINGLE GATE W/ STANDARD LATCH - VC
06	NC	8'-0" X 7'-0"			DOUBLE GATE W/ STANDARD LATCH - VC
07	NC	15'-0" X 7'-0"			DOUBLE VEHICULAR - VC

GATE HARDWARE NOTES:

ALL GATES SHALL HAVE THE FOLLOWING HARDWARE PACKAGE:

INTERIOR PANELED HARDWARE: VORLUBERIN MODEL 1000 WITH R&B DEVICE, 608 FRESH CHLORIDE DOGGING
 EXTERIOR TRIM: MOUNT LATCH
 CYLINDERS: SCALAGE & PIN RAIL FULL SIZE C
 CONTRACTOR SHALL FINISH CONSTRUCTION CORES AT EACH CYLINDER
 CLOSURE: LOCKING "NANMOTH" HEP WITH LOWER "TONG" HINGE

LEGEND:
 DECO - DECORATIVE FENCE
 PFD - PAINTED
 STL - STEEL
 NC - NO CLIMB
 VC - VEHICULAR COATED



NEW SITE PLAN

NEW FENCING @
 AUGUST BOEGER MIDDLE SCHOOL
 1944 FLINT AVE. SAN JOSE, CA 95148
 MT. PLEASANT ELEMENTARY SCHOOL DISTRICT

REVISION NO.	ITEM	DATE

DRAWN BY: RB
 CHECKED BY: MF
 DATE: 7/20/17

A0.2

1 NEW SITE PLAN



GATE NO.	TYPE	GATE SIZE (WIDTH X HEIGHT)	DETAILS	HARDWARE GROUP	NOTES
G1	DECO	8'-0" X 7'-2"	5 & 6A.3		DOUBLE WITH PANIC HARDWARE - PTD, STL
G2	DECO	8'-0" X 7'-2"	5 & 6A.3		DOUBLE WITH STANDARD LATCH - PTD, STL
G3	DECO	4'-0" X 7'-0"	4 & 8A.3		SINGLE WITH PANIC HARDWARE - PTD, STL
G4	DECO	10'-0" X 7'-0"	1A.0.3		DOUBLE VERTICAL - PTD, STL
G5	NC	4'-0" X 7'-0"			SINGLE GATE W/ STANDARD LATCH - VC
G6	NC	8'-0" X 7'-0"			DOUBLE GATE W/ STANDARD LATCH - VC
G7	DECO	20'-0" X 7'-0"			DOUBLE VERTICAL - PTD, STL
G8	DECO	4'-0" X 6'-0"			SINGLE GATE W/ STANDARD LATCH

GATE HARDWARE NOTES:

ALL GATES SHALL HAVE THE FOLLOWING HARDWARE PACKAGE:
 INTERIOR PANIC HARDWARE: VORLUPPER MODEL 8559 RM SERVICE, 800 POUND CYLINDER BODY
 EXTERIOR TRIM NIGHT LATCH
 CYLINDERS: SOLANGE 5/8" B&B, FULL SIZE 10
 CONTRACTOR SHALL FURNISH CONSTRUCTION CORES AT EACH CYLINDER
 CLOSERS: LOCKING "MAMMOTH 1 1/8" WITH LOWER "DINO" HINGE
 LEGEND
 DECO: DECORATIVE FENCE
 PTD: PAINTED
 STL: STEEL
 NC: NO CLUMP
 VC: VINYL COATED


2 GATE SCHEDULE

SITE CONSTRUCTION NOTES

- ALL DIMENSIONS SHALL TAKE PRECEDENCE OVER SCALE. CONTRACTOR SHALL NOT SCALE DRAWINGS TO DETERMINE DIMENSIONS WITHOUT CONSULTING THE ARCHITECT. CONTRACTOR SHALL REVIEW ALL DIMENSIONS FOR ACCURACY PRIOR TO CONSTRUCTION.
- THE CONTRACTOR SHALL VERIFY ALL UNDERGROUND UTILITIES WITH A LOCATING SERVICE PRIOR TO STARTING CONSTRUCTION.
- NO SURVEY INFORMATION IS AVAILABLE AT THE TIME OF DRAWING PREPARATION. CONTRACTOR SHALL VERIFY ALL GRADES IN THE FIELD AND VERIFY ALL SLOPES SHOWN ON DRAWING WILL BE ATTAINABLE.
- CONTRACTOR SHALL PROTECT EXISTING LANDSCAPE AREAS ADJACENT TO THE WORK AREA. REPAIR AND REGRADE ALL LANDSCAPE AREAS AFFECTED BY WORK.
- REQUIRED UTILITY DITCHINGS SHALL BE REQUESTED 72 HOURS IN ADVANCE WITH ARCHITECT AND OWNER.

NEW SITE PLAN NOTES

- NEW 60 CLAMP BLACK PVC COATED FENCE, 7' HIGH TYP. SEE DETAIL 1A.0.3
- NEW CHAIN LINK FENCING, 4' HIGH TYP. SEE DETAIL 1A.0.3
- NEW BLACK DECORATIVE FENCING, 7' HIGH TYP. SEE DETAILS 1A.0.3 & 1A.0.4
- (E) CHAIN LINK FENCE TO REMAIN
- NEW GATE AT NEW CONCRETE PAD. SEE DETAIL 1A.0.3
- NEW 6' HIGH COATED CHAIN LINK FENCE ENCLOSURE WITH TWO OUT SWINGING GATES. SIZES ENCLOSURE TO FIT (E) GARBAGE UNITS
- PROVIDE NEW GULL BOX OR BUZZER DEVICE, RUN LOW VOLTAGE LINE TO ADMIN AREA. LOCATE CONTROL DEVICE AS DESIGNATED BY DISTRICT REPRESENTATIVE.
- EXISTING DECORATIVE FENCE TO REMAIN
- NEW 60 CLAMP BLACK PVC COATED FENCE 14' HIGH. SEE DETAIL 1A.0.3 SIMILAR. FOOTING SIMILAR TO BE 6" DEEP



1 NEW SITE PLAN



NEW SITE PLAN
 NEW FENCING @
 MT PLEASANT ELEMENTARY SCHOOL
 14275 CANDLER AVENUE, SAN JOSE, CA 95127
 MT PLEASANT ELEMENTARY SCHOOL DISTRICT

REVISION NO.	ITEM	DATE

DRAWN BY: RB
 CHECKED BY: MF
 SFA JOB NO.: DATE: 2/2/20
 4/20/2021

GATE NO.	TYPE	GATE ELEC. DIMENS. WIDTH X HEIGHT	DETAILS	HARDWARE GROUP	NOTES
01	DEDO	8'-0" X 7'-0"	4 & 860.3		DOUBLE WITH PANIC HARDWARE - PFD, STL
02	DEDO	8'-0" X 7'-0"	4 & 860.3		DOUBLE WITH STANDARD LATCH - PFD, STL
03	DEDO	4'-0" X 7'-0"	4 & 860.3		SINGLE WITH PANIC HARDWARE - PFD, STL
04	DEDO	10'-0" X 7'-0"	1/4B.3		DOUBLE VEHICULAR - PFD, STL
05	NC	4'-0" X 7'-0"			SINGLE GATE W/ STANDARD LATCH - VC
06	NC	8'-0" X 7'-0"			DOUBLE GATE W/ STANDARD LATCH - VC
07	NC	10'-0" X 7'-0"			DOUBLE VEHICULAR - VC


GATE HARDWARE NOTES:
 ALL GATES SHALL HAVE THE FOLLOWING HARDWARE PROVIDED:
 INTERIOR: PANIC HARDWARE, VON DUREN MODEL 8055 RHM
 DEVICE OR PULLER, CYLINDER, DOORSTOP
 EXTERIOR: 3MM NEMO LATCH
 CYLINDERS: SCHLAGE 4-PINBALL FULL SIZE
 CONTRACTOR SHALL FURNISH CONSTRUCTION CORDS AT EACH CYLINDER
 CLOSERS: LOCKING "MAMMOTH 185" WITH LOWER "DMC" PINOR
 LEGEND:
 DECD - DECORATIVE FENCE
 STD - PAINTED
 STL - STEEL
 NC - NO CLIMB
 VC - VINYL COATED

2 GATE SCHEDULE


- SITE CONSTRUCTION NOTES**
- ALL DIMENSIONS SHALL TWO TIMES CHECKED OVER SCALE. CONTRACTOR SHALL NOT SCALE DRAWINGS TO DETERMINE DIMENSIONS WITHOUT CONSULTING THE ARCHITECT. CONTRACTOR SHALL REVIEW ALL DIMENSIONS FOR ACCURACY PRIOR TO CONSTRUCTION.
 - THE CONTRACTOR SHALL VERIFY ALL UNDERGROUND UTILITIES WITH A LOCATING SERVICE PRIOR TO STARTING CONSTRUCTION.
 - NO SURVEY INFORMATION IS AVAILABLE AT THE TIME OF DRAWING PREPARATION. CONTRACTOR SHALL VERIFY ALL GRADES IN THE FIELD AND VERIFY ALL SLOPES SHOWN ON DRAWING WILL BE ATTAINABLE.
 - CONTRACTOR SHALL PROTECT EXISTING LANDSCAPE AREAS ADJACENT TO THE WORK AREA. REPAIR AND REGRADE ALL LANDSCAPE AREAS AFFECTED BY WORK.
 - REQUIRED UTILITY SHIFTS/WORK SHALL BE REQUESTED TO BE COMPLETED IN ADVANCE WITH ARCHITECT AND OWNER.

- SITE PLAN NOTES**
- NEW 4" THICK CONCRETE WALKWAY
 - EXISTING WALKWAY
 - NEW CONCRETE WALK AT NEW GATE, SEE DETAIL 1/40.3
 - NEW NO CLIMB "BLACK PVC COATED" FENCE, 7' HIGH TYP. SEE DETAIL 1/40.3
 - NEW CHAIN LINK FENCING, 0' HIGH TYP. SEE DETAIL 1/40.3
 - NEW BLACK DECORATIVE FENCING, 7' HIGH TYP. SEE DETAILS 1/40.3 & 1/40.3.1
 - CHAINLINK FENCE TO REMAIN
 - REPLACE EXISTING GATES WITH NEW GATES - MATCH EXISTING

- GRAPHIC KEY**
- CHAINLINK FENCE
 - DECORATIVE FENCE
 - "NO CLIMB" DECORATIVE FENCE
 - "NO CLIMB" CHAINLINK FENCE
 - EXISTING BUILDING



1 NEW SITE PLAN



NEW SITE PLAN

REVISION NO.	DESCRIPTION	DATE
1		

DRAWN BY: [] RE: []
 CHECKED BY: [] MP: []
 SFA JOB NO: [] DATE: []
 2/15/20 [] 09/20/20 []

NEW FENCING @
 ROBERT SANDERS ELEMENTARY SCHOOL
 3411 ROCKY MOUNTAIN DR., SAN JOSE, CA 95127
 MT. PLEASANT ELEMENTARY SCHOOL DISTRICT

GATE NO.	GATE SIZE (OPENED WIDTH X HEIGHT)	DETAILS	HARDWARE GROUP	NOTES
01	8'-0" X 7'-0"	S & BAO.3		DOUBLE WITH PANIC HARDWARE - PFD, STL
02	8'-0" X 7'-0"	S & BAO.3		DOUBLE WITH STANDARD LATCH - PFD, STL
03	4'-0" X 7'-0"	S & BAO.3		SINGLE WITH PANIC HARDWARE - PFD, STL
04	10'-0" X 7'-0"	HA.3		DOUBLE VEHICULAR - PFD, STL
05	4'-0" X 7'-0"			SINGLE GATE W/ STANDARD LATCH - VC
06	8'-0" X 7'-0"			DOUBLE GATE W/ STANDARD LATCH - VC
07	18'-0" X 7'-0"			DOUBLE VEHICULAR - VC
08	18'-0" X 7'-0"			DOUBLE WITH STANDARD LATCH - PFD, STL
09	18'-0" X 7'-0"			DOUBLE GATE W/ STANDARD LATCH - VC

GATE HARDWARE NOTES:

ALL GATES SHALL HAVE THE FOLLOWING HARDWARE PACKAGE:
 INTERIOR: PANIC HARDWARE, VCN CURRAN MODEL 5830 RM DEVICE, 5/8" FRASH, CYLINDER LOCKING
 EXTERIOR: TRM, NEST LATCH
 CYLINDERS: SCHLAGE APN RM, FULL SIZE IC
 CONTRACTOR SHALL FURNISH CONSTRUCTION COVERS AT EACH CYLINDER
 GLOSSER LOCKING "MAMMOTH" 180° WITH LOWER "CONY" HINGE
 LEGEND:
 DECO - DECORATIVE FENCE
 PFD - PAINTED
 STL - STEEL
 NC - NO CLUMB
 VC - VINYL COATED


2 GATE SCHEDULE

SITE CONSTRUCTION NOTES

- ALL DIMENSIONS SHALL TAKE PRECEDENCE OVER SCALE. CONTRACTOR SHALL NOT SCALE DRAWINGS TO DETERMINE DIMENSIONS WITHOUT CONSULTING THE ARCHITECT. CONTRACTOR SHALL REVIEW ALL DIMENSIONS FOR ACCURACY PRIOR TO CONSTRUCTION.
- THE CONTRACTOR SHALL VERIFY ALL UNDERGROUND UTILITIES WITH A LOCATING SERVICE PRIOR TO STARTING CONSTRUCTION.
- NO SURVEY INFORMATION IS AVAILABLE AT THE TIME OF DRAWING PREPARATION. CONTRACTOR SHALL VERIFY ALL GRADES IN THE FIELD AND VERIFY ALL SLOPES SHOWN ON DRAWING WILL BE ATTAINABLE.
- CONTRACTOR SHALL PROTECT EXISTING LANDSCAPE AREAS ADJACENT TO THE WORK AREA, REPAIR AND RECONSTRUCT ALL LANDSCAPE AREAS AFFECTED BY WORK.
- REQUIRED UTILITY SHUTDOWNS SHALL BE REQUESTED TO HOURLY IN ADVANCE WITH ARCHITECT AND OWNER.
- FENCES SHALL BE PLACED 4'-0" MIN FROM FIRE HYDRANTS.

NEW SITE PLAN NOTES

- NEW NO CLUMB "BLACK PVC COATED" FENCE, 1" HIGH TYP. SEE DETAIL 15A.3
- NEW CHAIN LINK FENCING, 8' HIGH TYP. SEE DETAIL 15A.2
- NEW BLACK DECORATIVE FENCING, 1" HIGH TYP. SEE DETAIL 15A.5 & 15A.6
- EXISTING CHAIN LINK FENCE TO REMAIN
- NEW CONCRETE SIDEWALK, SEE DETAILS 15.16 & 15A2.3, CONFORM TO EXISTING.



1 NEW SITE PLAN



GRAPHIC KEY

- (S) CHAIN LINK FENCE
- (D) DECORATIVE FENCE
- (M) OTHER LINK FENCE
- (C) "NO CLUMB" CHAIN LINK FENCE
- (Hatched Box) EXISTING BUILDING




NEW SITE PLAN

REVISIONS	NO.	ITEM	DATE
	1		

DRAWN BY: [Signature]
 CHECKED BY: [Signature]
 SFA JOB NO.: [Number]
 DATE: 09/20/21

NEW FENCING @
VALLE VISTA ELEMENTARY SCHOOL
 2400 FLINT AVE, SAN JOSE 95148
 MT. PLEASANT ELEMENTARY SCHOOL DISTRICT



GATE HARDWARE NOTES:

ALL GATES SHALL HAVE THE FOLLOWING HARDWARE PACKAGE:
 INTERIOR PANIC HARDWARE, VON DUBERN MIDDLE 3688 RM DRINK, 4IN PRESS, COLUMBIAN DOORING
 EXTERIOR TIME NIGHT LATCH
 CLOSERS: SCHLAGE SPRING FULL SIZE IC
 (CONTRACTOR SHALL FINISH CONSTRUCTION CORES AT EACH CLOSURE)
 CLOSERS: LOGICOR "BAMMOOTH" 18" WITH LOWER "DANCY" HINGE

LEGEND:
 DECO - DECORATIVE FENCE
 PFD - PAINTED
 STL - STEEL
 MC - MC CLAMP
 VC - VINYL COATED

GATE NO.	TYPE	GATE SIZE - ORISING WIDTH X HEIGHT	DETAILS	HARDWARE GROUP	NOTES
01	DECO	8'-0" X 7'-0"	1 & 3&3.3		DOUBLE WITH PANIC HARDWARE - PFD STL
02	DECO	8'-0" X 7'-0"	1 & 3&3.3		DOUBLE WITH STANDARD LATCH - PFD STL
03	DECO	4'-0" X 7'-0"	4 & 3&3.3		SINGLE WITH PANIC HARDWARE - PFD STL
04	DECO	10'-0" X 7'-0"	1&3.1		DOUBLE VEHICULAR - PFD STL
05	MC	4'-0" X 7'-0"			SINGLE GATE W/ STANDARD LATCH - VC
06	MC	6'-0" X 7'-0"			DOUBLE GATE W/ STANDARD LATCH - VC
07	DECO	10'-0" X 7'-0"			DOUBLE VEHICULAR - PFD STL
08	DECO	4'-0" X 7'-0"	1 & 3&3.3		DOUBLE WITH PANIC HARDWARE - PFD STL

2 GATE SCHEDULE

- SITE CONSTRUCTION NOTES**
- ALL DIMENSIONS SHALL TAKE PRECEDENCE OVER SCALE. CONTRACTOR SHALL NOT SCALE DRAWINGS TO DETERMINE DIMENSIONS WITHOUT CONSULTING THE ARCHITECT. CONTRACTOR SHALL REVIEW ALL DIMENSIONS FOR ACCURACY PRIOR TO CONSTRUCTION.
 - THE CONTRACTOR SHALL VERIFY ALL UNDERGROUND UTILITIES WITH A LOCATING SERVICE PRIOR TO STARTING CONSTRUCTION.
 - NO SURVEY INFORMATION IS AVAILABLE AT THE TIME OF DRAWING PREPARATION. CONTRACTOR SHALL VERIFY ALL GRADES IN THE FIELD AND VERIFY ALL SLOPES SHOWN ON DRAWING WILL BE ATTAINABLE.
 - CONTRACTOR SHALL PROTECT EXISTING LANDSCAPE AREAS ADJACENT TO THE WORK AREA. REPAIR AND RESTORE ALL LANDSCAPE AREAS AFFECTED BY WORK.
 - REQUIRED UTILITY SHUTDOWNS SHALL BE REQUESTED 24 HOURS IN ADVANCE WITH ARCHITECT AND OWNER.

- NEW SITE PLAN NOTES**
- NEW PATHWAY BY OTHERS
 - NEW FENCE AND GATE BY OTHERS
 - NEW NO CLAMP BLACK PVC COATED FENCE, 7' HIGH TYP. SEE DETAIL 1&3.3
 - NEW CHAIN LINK FENCING, 6' HIGH TYP. SEE DETAIL 1&3.3
 - NEW BLACK DECORATIVE FENCING, 7' HIGH TYP. SEE DETAILS 1&3.3 & 1&3.2
 - NEW 6" S. PATHWAY - REFER TO DETAIL 1&3.3
 - NEW BUZZER ENTRANCE AT THIS GATE. 16' FROM ENTRY GATE TO ADMINISTRATIVE HGA AS LOCATED BY DISTRICT REPRESENTATIVE.
 - EXISTING FENCE TO REMAIN



NEW SITE PLAN

NEW FENCING @
 IDA JEW ACADEMY
 1966 FLINT AVE, SAN JOSE, CA 95148
 MT. PLEASANT ELEMENTARY SCHOOL DISTRICT

REVISION NO.	ITEM	DATE

DRAWN BY: RF
 CHECKED BY: MF
 SFA JOB NO.: DATE: 09/20/21
 2344