

# Immunization Requirements for Preschool – 12<sup>th</sup> Grade

3 Years	4 Years	5 Years	11-15 Years	16 Years and older
<u>DTaP</u> – 4 doses	* <u>DTaP</u> – 4 or 5 doses	* <u>DTaP</u> – 4 or 5 doses	* <u>DTaP</u> – 4 or 5 doses	* <u>DTaP</u> – 4 or 5 doses
<u>Polio (IPV)</u> – 3 doses	* <u>Polio (IPV)</u> – 3 or 4 doses	* <u>Polio (IPV)</u> – 3 or 4 doses	* <u>Polio (IPV)</u> – 3 or 4 doses	* <u>Polio (IPV)</u> – 3 or 4 doses
<u>MMR</u> – 1 dose	<u>MMR</u> – 2 doses	<u>MMR</u> – 2 doses	<u>MMR</u> – 2 doses	<u>MMR</u> – 2 doses
* <u>Hib</u> – 3 or 4 doses	* <u>Hib</u> – 3 or 4 doses	* <u>Hib</u> – no requirement	<u>Tdap</u> – 1 dose	<u>Tdap</u> – 1 dose
* <u>Hep A</u> - 2 doses effective for the school year beginning on or after <b>July 1, 2018</b>	* <u>Hep A</u> - 2 doses effective for the school year beginning on or after <b>July 1, 2018</b>	* <u>Hep A</u> - 2 doses effective for the school year beginning on or after <b>July 1, 2018</b>	* <u>Hep A</u> - 2 doses effective for the school year beginning on or after <b>July 1, 2018</b>	* <u>Hep A</u> 2 doses effective for the school year beginning on or after <b>July 1, 2018</b>
<u>Hep B</u> – 3 doses	<u>Hep B</u> – 3 doses	<u>Hep B</u> – 3 doses	<u>Hep B</u> – 3 doses	<u>Hep B</u> – 3 doses
* <u>Varicella</u> – 1 dose	* <u>Varicella</u> – 2 doses	* <u>Varicella</u> – 2 doses	* <u>Varicella</u> – 2 doses	* <u>Varicella</u> – 2 doses
* <u>Pneumococcal (PCV)</u> – 4 doses	* <u>Pneumococcal (PCV)</u> – 4 doses	* <u>Pneumococcal (PCV)</u> – no requirement	<u>Meningococcal ACWY (MCV4)</u> – 1 dose (at 11 years of age)	* <u>Meningococcal ACWY (MCV4)</u> – 2 doses for 16 yrs and older effective for the school year beginning on or after <b>July 1, 2018</b>

- \*DTaP - Fifth dose not needed if dose #4 given after 4<sup>th</sup> B-day and 6 months from previous dose
- \*Polio - Fourth dose not needed if dose #3 given after 4<sup>th</sup> B-day and 6 months from previous dose
- \*Hib - last dose must be on or after 12 months of age-not required at age 5 years and older; number of total doses (3 or 4) depends on brand used
- \*PCV - last dose must be on or after 12 months of age-not required at age 5 years and older
- \*Varicella - no doses needed if history of Chickenpox or Zoster disease is verified by a medical provider
- \*Meningococcal ACYW – if initial dose given at 16 yrs or older, will only need one dose (previously known as MCV4)
- \*Hepatitis A – 2 doses spaced 6 months apart effective for the school year beginning on or after **July 1, 2018**

