

Radon Testing

The following summary provides results of radon testing performed at this location.

Room	Start	Stop	Result	Variance	Comment
116	2017/04/10	2017/04/13	< 0.3	.3	
119	2017/04/10	2017/04/13	< 0.3	.2	
104	2017/04/10	2017/04/13	< 0.3	0.2	
Gym 1	2017/04/10	2017/04/13	< 0.3	0.2	
118	2017/04/10	2017/04/13	0.7	0.2	
102	2017/04/10	2017/04/13	0.5	0.2	
103	2017/04/10	2017/04/13	0.5	0.2	
115	2017/04/10	n/a	n/a	n/a	Lost kit, no data available
101	2017/04/10	2017/04/13	< 0.3	0.2	
108	2017/04/10	n/a	n/a	n/a	Lost kit, no data available
105	2017/04/10	2017/04/13	0.7	0.2	
114	2017/04/10	2017/04/13	< 0.3	0.2	
117	2017/04/10	2017/04/13	< 0.3	0.2	
STAGE	2017/04/10	2017/04/13	< 0.3	0.2	
MUSIC DUP	2017/04/10	2017/04/13	< 0.3	0.2	
90	2017/04/10	2017/04/13	< 0.3	0.2	
113	2017/04/10	2017/04/13	< 0.3	0.2	
MUSIC	2017/04/10	2017/04/13	0.6	0.2	
GYM 2	2017/04/10	n/a	n/a	n/a	Lost kit, no analysis performed.
LIBRARY	2017/04/10	2017/04/13	2.6	0.3	
LIBRARY DUP	2017/04/10	2017/04/13	3	0.3	