



PHOENIX SAFE INTERNATIONAL SUGGESTED RETAIL PRICE LIST

Model	Description	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Stocked Colors
World Class Insulated Files - Locking Options/Accessories/Special Order Colors Not Available				
25"D Vertical Files - SP Class 350-1 hour Fire Resistant & MKIS Impact Resistance Ratings				
LTR2W25	2 drawer letter size vertical fire file, 25" deep, key lock	28 x 16 ⁵ / ₈ x 25	10 ¹ / ₂ x 12 ¹ / ₄ x 20	black, putty, lt gray
LTR4W25	4 drawer letter size vertical fire file, 25" deep, key lock	54 x 16 ⁵ / ₈ x 25	10 ¹ / ₂ x 12 ¹ / ₄ x 20	black, putty, lt gray
LGL2W25	2 drawer legal size vertical fire file, 25" deep, can file legal and letter size, key lock	28 x 19 ⁷ / ₈ x 25	10 ¹ / ₂ x 15 x 20	black, putty, lt gray
LGL4W25	4 drawer legal size vertical fire file, 25" deep, can file legal and letter size, key lock	54 x 19 ⁷ / ₈ x 25	10 ¹ / ₂ x 15 x 20	black, putty, lt gray
31"D Vertical Files - SP Class 350-1 hour Fire Resistant & MKIS Impact Resistance Ratings				
LTR2W31	2 drawer letter size vertical fire file, 31" deep, key lock	28 x 16 ⁵ / ₈ x 31	10 ¹ / ₂ x 12 ¹ / ₄ x 26	black, putty, lt gray
LTR4W31	4 drawer letter size vertical fire file, 31" deep, key lock	54 x 16 ⁵ / ₈ x 31	10 ¹ / ₂ x 12 ¹ / ₄ x 26	black, putty, lt gray
LGL2W31	2 drawer legal size vertical fire file, 31" deep, can file legal and letter size, key lock	28 x 19 ⁷ / ₈ x 31	10 ¹ / ₂ x 15 x 26	black, putty, lt gray
LGL4W31	4 drawer legal size vertical fire file, 31" deep, can file legal and letter size, key lock	54 x 19 ⁷ / ₈ x 31	10 ¹ / ₂ x 15 x 26	black, putty, lt gray
31"W Lateral Files - SP Class 350-1 hour Fire Resistant & MKIS Impact Resistance Ratings				
LAT2W31	2 drawer lateral fire file, 31" wide, can file legal and letter size, key lock	28 ³ / ₄ x 31 x 23 ⁵ / ₈	10 ¹ / ₂ x 25 x 15	black, putty, lt gray
LAT3W31	3 drawer lateral fire file, 31" wide, can file legal and letter size, key lock	41 ¹ / ₄ x 31 x 23 ⁵ / ₈	10 ¹ / ₂ x 25 x 15	black, putty, lt gray
LAT4W31	4 drawer lateral fire file, 31" wide, can file legal and letter size, key lock	54 ⁵ / ₇ x 31 x 23 ⁵ / ₈	10 ¹ / ₂ x 25 x 15	black, putty, lt gray
38"W Lateral Files - SP Class 350-1 hour Fire Resistant & MKIS Impact Resistance Ratings				
LAT2W38	2 drawer lateral fire file, 38" wide, can file legal and letter size, key lock	28 ³ / ₄ x 38 ⁷ / ₉ x 23 ⁵ / ₈	10 ¹ / ₂ x 32 ¹ / ₂ x 15	black, putty, lt gray
LAT3W38	3 drawer lateral fire file, 38" wide, can file legal and letter size, key lock	41 ³ / ₄ x 38 ⁷ / ₉ x 23 ⁵ / ₈	10 ¹ / ₂ x 32 ¹ / ₂ x 15	black, putty, lt gray
LAT4W38	4 drawer lateral fire file, 38" wide, can file legal and letter size, key lock	54 ⁵ / ₇ x 38 ⁷ / ₉ x 23 ⁵ / ₈	10 ¹ / ₂ x 32 ¹ / ₂ x 15	black, putty, lt gray
44"W Lateral Files - SP Class 350-1 hour Fire Resistant & MKIS Impact Resistance Ratings				
LAT2W44	2 drawer lateral fire file, 44" wide, can file legal and letter size, key lock	28 ³ / ₄ x 44 x 23 ⁵ / ₈	10 ¹ / ₂ x 38 ¹ / ₄ x 15	black, putty, lt gray
LAT3W44	3 drawer lateral fire file, 44" wide, can file legal and letter size, key lock	41 ³ / ₄ x 44 x 23 ⁵ / ₈	10 ¹ / ₂ x 38 ¹ / ₄ x 15	black, putty, lt gray
LAT4W44	4 drawer lateral fire file, 44" wide, can file legal and letter size, key lock	54 ⁵ / ₇ x 44 x 23 ⁵ / ₈	10 ¹ / ₂ x 38 ¹ / ₄ x 15	black, putty, lt gray

PHOENIX SAFE INTERNATIONAL, LLC
 382 N Mt. Zion Rd. PO Box 608
 Lebanon, IN 46052

ph. 800-636-0778
 fx. 765-483-0962



PHOENIX SAFE INTERNATIONAL SUGGESTED RETAIL PRICE LIST

Model	Description	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Stocked Colors
Custom Class Insulated Files - Locking Options/Accessories/Special Order Colors Available				
25"D Vertical Files - UL Class 350-1 hour Fire Resistant Rating				
2LTR-25	2 drawer letter size vertical fire file, 25" deep, key lock	28 x 16¾ x 25	10½ x 12¼ x 20	not stocked
4LTR-25	4 drawer letter size vertical fire file, 25" deep, key lock	54 x 16¾ x 25	10½ x 12¼ x 20	not stocked
2LGL-25	2 drawer legal size vertical fire file, 25" deep, can file legal and letter size, key lock	28 x 19¾ x 25	10½ x 15 x 20	not stocked
4LGL-25	4 drawer legal size vertical fire file, 25" deep, can file legal and letter size, key lock	54 x 19¾ x 25	10½ x 15 x 20	not stocked
31"D Vertical Files - UL Class 350-1 hour Fire Resistant Rating				
2LTR-31	2 drawer letter size vertical fire file, 31" deep, key lock	28 x 16¾ x 31	10½ x 12¼ x 26	not stocked
3LTR-31	3 drawer letter size vertical fire file, 31" deep, key lock	41 x 16¾ x 31	10½ x 12¼ x 26	not stocked
4LTR-31	4 drawer letter size vertical fire file, 31" deep, key lock	54 x 16¾ x 31	10½ x 12¼ x 26	not stocked
2LGL-31	2 drawer legal size vertical fire file, 31" deep, can file legal and letter size, key lock	28 x 19¾ x 31	10½ x 15 x 26	not stocked
3LGL-31	3 drawer legal size vertical fire file, 31" deep, can file legal and letter size, key lock	41 x 19¾ x 31	10½ x 15 x 26	not stocked
4LGL-31	4 drawer legal size vertical fire file, 31" deep, can file legal and letter size, key lock	54 x 19¾ x 31	10½ x 15 x 26	not stocked
38"W Lateral Files - UL Class 350-1 hour Fire Resistant Rating				
2-38	2 drawer lateral fire file, 38" wide, can file legal and letter size, key lock	29 x 38¾ x 23½	10½ x 32½ x 15	not stocked
3-38	3 drawer lateral fire file, 38" wide, can file legal and letter size, key lock	42 x 38¾ x 23½	10½ x 32½ x 15	not stocked
4-38	4 drawer lateral fire file, 38" wide, can file legal and letter size, key lock	55 x 38¾ x 23½	10½ x 32½ x 15	not stocked
44"W Lateral Files - UL Class 350-1 hour Fire Resistant Rating				
2-44	2 drawer lateral fire file, 44" wide, can file legal and letter size, key lock	29 x 44 x 23½	10½ x 38¾ x 15	not stocked
3-44	3 drawer lateral fire file, 44" wide, can file legal and letter size, key lock	42 x 44 x 23½	10½ x 38¾ x 15	not stocked
4-44	4 drawer lateral fire file, 44" wide, can file legal and letter size, key lock	55 x 44 x 23½	10½ x 38¾ x 15	not stocked

Accessories - Options for Custom Class Files	
Model	Description
9001	Triple Section Insert - vertical files (runs front-to-back) - specify in description if for legal or letter size, 25" or 31" deep file
9001L	Triple Section Insert - lateral files (runs side-to-side) - specify in description if for 38" or 44" wide file
9002	Double Section Insert - vertical files (runs front-to-back) - specify in description if for legal or letter size, 25" or 31" deep file
9002L	Double Section Insert - lateral files (runs side-to-side) - specify in description if for 38" or 44" wide file
9007	Caster base for file cabinet - must be installed by factory
9008	Dial Combination Lock installed in addition to standard plunger lock - must be installed by factory
9008D	Digital Combination Lock installed in addition to standard plunger lock - must be installed by factory
9008CNP	Dial Combination Lock installed replacing standard plunger lock - must be installed by factory
9008DNP	Digital Combination Lock installed replacing standard plunger lock - must be installed by factory
9009	Drawer-in-a-drawer Option - vertical files - must be installed by factory
9009L	Drawer-in-a-drawer Option - lateral files - must be installed by factory
9010	Cross trays - 3" x 5" for use in legal and lateral files
9011	Cross trays - 4" x 6" for use in legal and lateral files
9012	Cross trays - 5" x 8" for use in legal and lateral files
9013	Check trays - 4" x 10" for use in legal and lateral files
9019	Drawer dividers for lateral files
9027	Lateral Side-to-Side Hanging Bar for letter size filing - specify if for 38" or 44" wide file



PHOENIX SAFE INTERNATIONAL SUGGESTED RETAIL PRICE LIST

Model	Description	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Stocked Colors
Depository Safes				
991	.80 cu. ft. front loading depository safe, combination lock	20¼ x 14 x 14	9 x 13¾ x 11¼	White
991E	.80 cu. ft. front loading depository safe, electronic lock	20¼ x 14 x 14	9 x 13¾ x 11¼	White
991T	2.00 cu. ft. front loading depository safe, combination lock	25 x 17 x 17	14⅞ x 16⅞ x 14½	White
991TE	2.00 cu. ft. front loading depository safe, electronic lock	25 x 17 x 17	14⅞ x 16⅞ x 14½	White
992	3.48 cu. ft. front loading depository safe w/locking interior safe, combination lock; 1 shelf upper section: 1.15 cu. ft. lower section: 2.33 cu. ft.	30 x 20 x 20	6¾ x 19¼ x 15 upper 12x 19¼ x 17 lower	White
992E	3.48 cu. ft. front loading depository safe w/locking interior safe, electronic lock; 1 shelf upper section: 1.15 cu. ft. lower section: 2.33 cu. ft.	30 x 20 x 20	6¾ x 19¼ x 15 upper 12x 19¼ x 17 lower	White
Olympian Office/Home Fire & Impact Resistant Safes				
1221	.66 cu. ft. safe, Class 350-1 hr. fire rating, dual key & combination lock	14½ x 16¼ x 14½	10½ x 12½ x 8¾	Black, White
1222	.87 cu. ft. safe, Class 350-1 hr. fire rating, dual key & combination lock, 1 shelf & 1 drawer	16½ x 13¾ x 17	12½ x 10¼ x 11¾	Black, White
1223	1.30 cu. ft. safe, Class 350-1 hr. fire rating, dual key & combination lock, 1 shelf & 1 drawer	20½ x 15½ x 17¾	16¼ x 11¾ x 11¾	Black, White
1231	.66 cu. ft. safe, Class 350-1 hr. fire rating, electronic lock	14½ x 16¼ x 14½	10½ x 12½ x 8¾	Black, White
1232	.87 cu. ft. safe, Class 350-1 hr. fire rating, electronic lock lock, 1 shelf & 1 drawer	16½ x 13¾ x 17	12½ x 10¼ x 11¾	Black, White
1233	1.30 cu. ft. safe, Class 350-1 hr. fire rating, electronic lock lock, 1 shelf & 1 drawer	20½ x 15½ x 17¾	16¼ x 11¾ x 11¾	Black, White
Fire Commander Fire & Impact Resistant Record Safes				
1901	5.75 cu. ft. Class 350-2 hr. fire resistant record safe, electronic lock, 2 shelves & 1 drawer	45¾ x 25¼ x 22	38½ x 18¼ x 13¾	White
1902	13.37 cu. ft. Class 350-2 hr. fire resistant record safe, electronic lock, 3 shelves & 1 drawer	64¼ x 30½ x 25½	57 x 23½ x 17¼	White
1903	24.12 cu. ft. Class 350-2 hr. fire resistant record safe, electronic lock, 3 shelves & 2 drawers	66¼ x 47¼ x 27½	59½ x 37½ x 19½	White
Fire Fighter Fire & Impact Resistant Record Safes				
502	1.75 cu. ft. Class 350-1 hr. fire resistant record safe, electronic lock, 1 shelf	23¾ x 18½ x 18½	18¾ x 13¾ x 11¾	White
504	2.88 cu. ft. Class 350-1 ½ hr. fire resistant record safe, electronic lock, 1 shelf & 1 drawer	32¾ x 20½ x 20½	25½ x 15 x 13	White
505	4.56 cu. ft. Class 350-2 hr. fire resistant record safe, electronic lock, 2 shelves & 1 drawer	37¾ x 25¼ x 22	30¾ x 18¾ x 13¾	White
507	9.52 cu. ft. Class 350-2 hr. fire resistant record safe, electronic lock, 2 shelves	54½ x 27¾ x 25¾	47½ x 20 x 17½	White
509	19.48 cu. ft. Class 350-2 hr. fire resistant record safe, electronic lock, 3 shelves	73½ x 38¾ x 25¾	66 x 30 x 17½	White
Designer Luxury Fire & Impact Resistant Safes				
DBAUM LUXURY SAFE WITH GENUINE WALNUT EXTERIOR DOOR FRONT				
DBAUM700	2.28 cu. ft. Class 350-1 ½ hr. fire resist record safe, electronic fingerprint lock, 1 shelf & 1 small drawer	25 ½ x 19 ¾ x 20 ¾	20 ¼ x 15 x 13	Black
DBAUM800	3.0 cu. ft. Class 350-1 ½ hr. fire resist record safe, electronic fingerprint lock, 1 shelf & 1 small drawer	32 ½ x 20 ½ x 21 ¾	26 ¾ x 15 x 13	Black
NEXT LUXURY SAFE WITH CHERRY LAMINATE EXTERIOR DOOR FRONT				
DPS6500-S	2.28 cu. ft. Class 350-1 hr. fire/RSC security ratings, electronic lock, 1 shelf & 1 small drawer	27 ¾ x 19 ¾ x 21 ½	20 ¾ x 15 x 12 ¾	Black
DPS7500-S	2.70 cu. ft. Class 350-1 hr. fire /RSC security ratings, electronic lock, 1 shelf & 1 small drawer	31 ½ x 19 ¾ x 21 ½	24 ¾ x 15 x 12 ¾	Black



PHOENIX SAFE INTERNATIONAL SUGGESTED RETAIL PRICE LIST

Model	Description	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Stocked Colors
DataCare Fire & Impact Resistant Data Safes				
2001	.26 cu. ft. Class 125-1 hr. data safe, key lock	16½ x 13⅞ x 17	9½ x 6¼ x 7¼	White
2002	.58 cu. ft. Class 125-2 hr. data safe, key lock	23⅞ x 18½ x 18½	15 x 9¼ x 7¼	White
2025	1.22 cu. ft. Class 125-1 ½ hr. data safe, key lock, 1 shelf	32⅞ x 20½ x 20½	23 x 10½ x 8¾	White
2003	2.80 cu. ft. Class 125-2 hr. data safe, key lock, 1 shelf	30½ x 27¼ x 28½	19½ x 15½ x 16	White
Data Commander Fire & Impact Resistant Data Safes				
4621	4.59 cu. ft. Class 125-2 hr. data safe, electronic lock, 3 drawers & 2 shelves	45¼ x 27½ x 28½	32½ x 15½ x 15¼	White
4622	7.87 cu. ft. Class 125-2 hr. data safe, electronic lock, 5 drawers & 2 shelves	68¼ x 27½ x 28½	55¼ x 15½ x 15¼	White
4623	15.75 cu. ft. Class 125-2 hr. data safe, electronic lock, 10 drawers & 4 shelves	68¼ x 47¼ x 28½	55¼ x 31 x 15¼	White
DataCare Fire Resistant Data Inserts				
MI 50	Class 125-1 hr. data storage insert for use in Class 350 25"D legal fire files	10 x 13½ x 19½	5½ x 8 x 14½	White
MI100	Class 125-1 hr. data storage insert for use in Class 350 31"D legal or lateral fire files	9½ x 15 x 21¼	5½ x 10½ x 16½	White
MI507/509	Class 125-1 hr. data storage insert for use in 507/509/1902/1903 record safes	12½ x 19¼ x 17	8¾ x 15¾ x 13¼	White

Accessories for Safes	
Model	Description
S1901/S505	Shelf for Fire Commander 1901 and Fire Fighter 505
S1902	Shelf for Fire Commander 1902
S1903	Shelf for Fire Commander 1903
S502	Shelf for Fire Fighter 502
S504	Shelf for Fire Fighter 504
S507	Shelf for Fire Fighter 507
POFH507	Pull-out File Hanger for Fire Fighter 507
POS507	Pull-out Shelf for Fire Fighter 507
S509	Shelf for Fire Fighter 509
POFH509	Pull-out File Hanger for Fire Fighter 509
POS509	Pull-out Shelf for Fire Fighter 509
S2025	Shelf for DataCare 2025
S4620	Shelf for DataCare 2003 and Data Commanders 4621, 4622, & 4623
MD4620	Multi-media drawer for DataCare 2003 and Data Commanders 4621, 4622, & 4623
MD4620 Div A	Additional divider for MD4620D - front to back
MD4620 Div B	Additional divider for MD4620D - side to side
SDB700/800	Shelf for DBAUM 700/800
SDPS6500/7500	Shelf for NEXT 6500/7500
Small Drawer	Small Pull-out drawer for DBAUM/NEXT Luxury Safes
Large Drawer	Large Pull-out drawer for DBAUM/NEXT Luxury Safes

PHOENIX SAFE INTERNATIONAL, LLC
 382 N Mt. Zion Rd. PO Box 608
 Lebanon, IN 46052

ph. 800-636-0778
 fx. 765-483-0962



Effective January 1, 2017

Weight (lbs.)	
	253
	437
	280
	471
	326
	512
	356
	550
	335
	500
	668
	483
	694
	878
	592
	771
	972

Effective January 1, 2017

Weight (lbs.)

95

95

124

124

214

214

65

80

117

65

80

117

515

900

1,300

177

269

445

828

1,070

220

298

287

320

Effective January 1, 2017

Weight (lbs.)

108

238

322

585

800

1,250

1,875

39

42

47