PRICE LIST

• 2017 •



21st CENTURY LEARNING

"If we teach today's students as we taught yesterday's, we rob them of tomorrow."

- John Dewey

CONTENT

| TERMS & CONDITIONS | 4 |
|--------------------|----|
| PRODUCT INFO | 6 |
| LOUNGE | 9 |
| MAKERSPACE | 15 |
| TABLES | 22 |
| SEATING | 43 |
| STUDENT DESKS | 58 |
| TRANSITIONAL | 72 |

<u>Authorized Dealers</u>: Only dealers ("Dealer") that have signed a written dealer agreement with Artcobell Corporation ("ABC"), have been approved by ABC, and are in good standing with ABC are authorized to market, provide pricing, and submit orders for ABC products.

<u>Pricing</u>: All pricing provided by ABC to Dealers is based on the current list price and excludes taxes, freight, delivery, and installation. Except as stated in a quote number issued by ABC, any discount ABC offers a Dealer will be from current list price at the discount stated in the Dealer's agreement. In order to obtain the discount in an issued quote number, Dealer must provide the quote number, discount and pricing at the time it submits a purchase order. If the correct quote number and pricing are not provided, the Dealer will receive its discount stated in the Dealer's agreement.

Payment Terms: ABC will invoice Dealer for product upon shipment, and for services upon their substantial completion, each of which may occur in stages. Dealer agrees to pay each invoice 1% 10 Net 30 days from the invoice date. Payment must be received within 10 days of invoice date to receive the 1% discount. Credit card payment terms are net 30. No payment may be withheld because of partial delivery. Dealer will pay interest on any unpaid amount due at the lower of 1.5% per month or the highest rate allowed by law. If ABC takes any action to collect any amount due, Dealer will pay all costs and expenses, including court costs and reasonable attorney fees, incurred by ABC in collecting such amount.

Order Placement and Acknowledgments: Dealers will submit all orders with complete model number (i.e., color, frame, material, finish), and for product that must be shipped in cartons, carton quantity. ABC will not process or put into production an order without complete model number. Lead time will be calculated based on the time the order is processed. After an order is processed, ABC will acknowledge the order via email or fax. Acknowledgments provided by ABC represent estimated completion dates and are not contractually binding. Any expenses incurred as a result of longer lead times will be the responsibility of the dealer. Dealer is responsible for checking the acknowledgment and immediately notifying ABC of any discrepancies.

<u>Changes and Cancellations:</u> Changes requested by Dealer after ABC has acknowledged the order must be sent in writing and are subject to written approval by ABC and additional charges. If ABC approves in writing any request by Dealer to cancel all or any part of an order after 48 hours from time of acknowledgment, dealer agrees to pay 25% cancellation fee.

<u>Returns:</u> Product will not be returned for refund, credit, or replacement, except on written approval of an officer of ABC. If approved by ABC, dealer agrees to pay a 25% restocking fee of net product price, in addition to pick-up, uninstall and freight charges

<u>Delays:</u> ABC will not be liable for any delay or interruption in its performance caused by circumstances beyond its reasonable control, including, without limitation, strikes, lockouts, work stoppages, accidents, terrorism, and availability of materials, acts of nature or God, inability to obtain transportation, or acts of the enemy. Delays so caused will not release Dealer from its obligation to accept and pay for the product.

Storage: Products that are complete and ready must be shipped within 30 days of original request date otherwise subject to storage fees.

Delivery and Installation: All shipments are F.O.B. ABC's factory or distribution center. Delivery is always quoted to take place during ABC's regular working hours on ABC's regularly scheduled business days (holidays excluded). Dealer will pay additional labor costs resulting from overtime work performed at Dealer's request. Dealer is responsible for providing: a clean, debris-free space with electricity, heat, hoisting/elevator service, and adequate facilities for off-loading, staging, uncartoning, and moving product; insurance and permits required at the site; and disposal containers. Delivery does not include the following additional expenses, which are the responsibility of Dealer: providing a licensed electrician, as required by national or local codes, to connect products to building power. If the space is under construction or other trades are working in the same space during the product installation, Dealer will immediately inspect the product on delivery for defects. If Dealer or Dealer's customer is not available to inspect product on delivery, then Dealer and Dealer's customer accept that all product was delivered in satisfactory condition and Dealer accepts all responsibility for any damages found later.

Loss and Damages: After delivery of product to Dealer' shipper or, if ABC is arranging freight, after delivery to shipping address, all risk of loss or damage shall pass to Dealer, including, without limitation, any loss or damage caused by weather, other trades (such as painting or plastering, electrical or telephone installation), fire or other elements, and Dealer agrees to hold ABC harmless from any such loss or damage.

<u>Title and Ownership:</u> All products will remain the personal property of, and title thereto will remain with, ABC until fully paid. ABC shall have the right, in addition to all other rights it may possess, at any time for credit reasons, ABC's reasonable belief Dealer may default, or Dealer's default, to withhold shipments, in whole or in part. Dealer will, on request of ABC, execute and deliver to ABC such instru-

Marranties: Dealer's remedies are limited exclusively to those set forth in ABC's standard limited warranty as published at www.artcobell.com at the time of delivery of the product to carrier. ABC MAKES NO WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO ANY PRODUCT OR SERVICE FURNISHED TO DEALER, AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED BY ABC. No agent, employee, or representative of ABC has any authority to make any warranty or representation to Dealer on behalf of ABC with respect to any product or service provided to Dealer by ABC. In no event will Artcobell be liable for any consequential, indirect, incidental, or punitive damages.

<u>Shipment Terms:</u> All orders shall be shipped prepaid and, unless specified, by ABC's carrier of choice. "Best way" shipping will be used. Pricing on shipments is an estimate and may vary by special charges incurred due to the consignee. These are estimates and additional charges are the responsibility of the Dealer.

LTL shipments are dock-to-dock at Dealer's expense. Any special delivery considerations are the responsibility of the consignee. This includes any accessorial charges billed by the carrier. LTL shipments may also be subject to a packaging surcharge.

Delivery dates are the responsibility of the carrier unless otherwise agreed to between Artcobell Corporation and the consignee. No expenses will be incurred by Artcobell Corporation for missed delivery appointments. Delivery scheduling is to be handled between the dealer and the carrier. All expenses incurred due to detention or other factors, caused by the consignee, shall be the responsibility of the dealer. If the delivery location is not ready for receipt of a shipment, all charges incurred by the freight company will be passed on to the dealer. If the shipment returns to Artcobell Corporation, the costs for handling and restocking will be billed back to the dealer, along with an administrative fee of 5% of the order total.

ABC will assess a service fee of \$250 per load for all "live loads". If a "live load" appointment is missed by more than 2 hours after the start of the scheduled pick up window, an additional missed appointment fee of \$250 will be assessed to the Dealer responsible for the coordination of the shipment. The carrier will not be guaranteed immediate attention if a live load appointment is missed, and the load may need to be rescheduled. Shipments outside of the continental U.S. are to be pre-arranged by the dealer. Due to dock space, all "live loads" must meet appointment times and "live loads" will be permitted on a "first come - first serve" basis. The carrier will not be guaranteed immediate attention if the appointment is missed. "Live loads" will take a minimum of 3 hours to load. Artcobell Corporation will not be responsible for any expenses incurred by the scheduling dealer if an appointment time is not met. All scheduling and coordination of 3rd party carriers must be arranged by the dealer.

Shipment Damages: All shipments should be carefully inspected at the time of delivery by the consignee. Any damages are to be noted on the bill of lading at the time of delivery. Concealed damage must be reported within 15 days of receipt of shipment. Damaged freight must be held at the point of delivery, along with original packaging to be considered for a claim. Digital photos are required and will speed up the claims process. Shipments left unopened for a period of more than 15 days will not be considered for claim or replacement. Shipment liability ceases after 15 days of delivery.

<u>Shipment Shortages:</u> Shortages not reported within 15 days of shipment receipt will not be honored for a claim. Shortages must be noted on the bill of lading at the time of delivery and reported to Artcobell within 15 days for consideration.

Dealer's and User's Care and Use Instructions: Products are to be used for their intended purpose and inspected on a regular basis to avoid structural failures and possible injury. Inspections are to include verifying there are no loose or missing screws, rivets, or other fasteners. Products are to be inspected for cracks, fatigue, or broken welds. Products that have adjustability are to be inspected to ensure the fasteners are installed and adjusted properly. Any product showing signs of damage or improper adjustment must be removed from service immediately and notice must be promptly provided to ABC and the the furnishing dealer. Repairs are to be made with factory authorized parts and methods.

<u>Other:</u> Questions about invoices must be communicated to ABC within 15 days of the invoice date. These Terms and Conditions may be changed by ABC without notice and are the only terms and conditions which apply to ABC's products. These Terms and Conditions are governed by Texas law, without regard to its conflicts of laws provisions. In the event of a dispute, the non-prevailing party will pay the prevailing party's reasonable attorneys' fees.

* Prices, discounts, payment terms, and other terms and conditions applicable to the sale of products to the Dealer are subject to change by Artcobell.



Nylon (3) All purpose nylon swivel glide Rounded leading edge VCT or Carpet flooring



Bell Glide (B) For use on 5-star task and Stool bases. Nylon base



Cantilever Toe Glide nylon (3)



Cantilever Heel Glide nylon (3)

REFER TO SPECIFIC PRODUCT PAGES FOR GLIDE AVAILABILITY BY MODEL.

NOTE ON GLIDES & FLOOR MAINTENANCE

Our research shows that no single solution can provide optimum performance across all floor types and conditions. Overall performance is based upon the type of flooring, preventative floor maintenance program and glide design & material selection. To maximize the performance of your furniture glides, floors must be properly prepared, and maintained. Soil, grit and the wrong polish can make a floor susceptible to damage regardless of the glides used on your furniture. Your flooring installer and/or manufacturer can provide specific guidelines on floor maintenance.



Hard Wheel (H) 50mm Dual Hard Wheel 7/16 x 7/8 brass grip ring



Hard Wheel 50mm Dual Hard Wheel 7/16 x 7/8 brass grip ring Discover and Uniflex 4-Leg Chairs



TA-CPS4 50mm Dual Soft Wheel Locking Caster 3/8" - 16 x 1" Threaded Stem



TA-CPS37T4 37 mm Dual Wheel Caster 3/8" - 16 x 1" Threaded Stem



37 mm Dual Wheel Caster 3/8" - 16 x 1" Steel Grip Ring Stem



TA-CPTD3 75mm Locking Caster 3/8" - 16 x 1" Threaded Stem


REFER TO SPECIFIC PRODUCT PAGES FOR CASTER AVAILABILITY BY MODEL.

NOTE ON GLIDES & FLOOR MAINTENANCE

Our research shows that no single solution can provide optimum performance across all floor types and conditions. Overall performance is based upon the type of flooring, preventative floor maintenance program and glide design & material selection. To maximize the performance of your furniture glides, floors must be properly prepared, and maintained. Soil, grit and the wrong polish can make a floor susceptible to damage regardless of the glides used on your furniture. Your flooring installer and/or manufacturer can provide specific guidelines on floor maintenance.

drtcobell

Student Desks & Combos



Laminate 3/4" MDF Flat Clear Edge (3)



Laminate 3/4" Particleboard Flat Edge (G)




Solid Plastic (S) 9/16" Solid Plastic

Tables



Laminate 11/8" Particleboard Core Flat Edge (F)




Epoxy (Y) 1" Epoxy Core Epoxy Edge

REFER TO SPECIFIC PRODUCT PAGES FOR TOP AVAILABILITY BY MODEL.



STATEMENT OF LINE


ALPHABET LOUNGE





EXP NEB

Poly Colors



Due to pattern scale and color variations in computer monitors and printers, we strongly suggest you view actual samples before making surface material selections.

MOV Stool



Application & Specification Rules

- > Always ships fully cartoned, one stool per carton
- > Standard convex base design allows controlled movement in all directions
- > Base provides a wider stance for stable and safe seating

- > Base and seat pad utilize a durable non-skid surface
- > Standard with dark grey base, seat pad and lower inner shell
- > Specify outer shell color





| Base Model | Seat Height | Max Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Each |
|------------|----------------|----------------------|-------------------|-----------------|--------------------|
| ASMOV14 | 14" | 1 | 2.1 | 10.9 | \$241 |
| ASMOV16 | 16" | 1 | 2.4 | 11.6 | \$241 |
| ASMOV18 | 18" | 1 | 2.67 | 13.1 | \$257 |
| ASMOV20 | 20" | 1 | 3.0 | 13.80 | \$257 |

Model Builder

| Base Model | | 1st Option Shell Color | |
|------------|---|---|---------------------------------|
| | | Apple Green (9E) Azure (Z) Onyx (D) Ruby Red (V) Sunset Orange (9S) | \$0 \$0 \$0 \$0 \$0 |
| ASMOV18 | • | 9E | |

Model Example: ASMOV18.9E

Max Units

Application & Specification Rules

> Always ships fully cartoned, one per carton > Constructed of durable polyethylene

Seat

> Specify poly shell color

Lbs Each

List Price



| Base Model | Height | Per Ctn | Ctn | Ctn | Each |
|------------|--------|---------|------|------|-------|
| | | | | | |
| BLOC | | | | | |
| ABLOC1414 | 14" | 1 | 1.95 | 8.0 | \$231 |
| ABLOC1818 | 18" | 1 | 3.97 | 15.0 | \$282 |

Cubes Each



| STP | | | | | |
|----------|---------|---|-----|------|-------|
| ASTP1428 | 14"/28" | 1 | 7.3 | 22.0 | \$359 |

Model Builder

| Base Model | | 1st Option Shell Color | |
|------------|---|---|---------------------------------|
| | | Apple Green (9E) Azure (Z) Onyx (D) Ruby Red (V) Sunset Orange (9S) | \$0 \$0 \$0 \$0 \$0 |
| ABLOC1414 | • | 9E | |

Model Example: ABLOC1414.9E

artcobe

Application & Specification Rules

> Always ships fully cartoned, one per carton

> Constructed of durable polyethylene

> Specify poly shell color

| | Base Model | Seat Height | Max Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Each |
|------|-----------------|----------------|----------------------|-------------------|-----------------|--------------------|
| NEW! | EXP | | | | | |
| NEW! | AEXP1428 | 14"/28" | 1 | 4.78 | 16.0 | \$359 |
| | NEB ANEB1428 | 14"/28" | 1 | 4.15 | 13.0 | \$359 |

| Mod | lel | Bui | lc | ler |
|-----|-----|-----|----|-----|
| | | | | |

| Base Model | | 1st Option Shell Color | |
|------------|---|---|---------------------------------|
| | | Apple Green (9E) Azure (Z) Onyx (D) Ruby Red (V) Sunset Orange (9S) | \$0 \$0 \$0 \$0 \$0 |
| ANEB1428 | • | 9E | |

Model Example: ANEB1428.9E



A place that not just embraces creativity, but inspires it! Whether it's using a 3-D printer, crafting with cardboard or rolling up your sleeves and getting dirty this is the space to build, share and innovate. If you can imagine it, you can make it!

STATEMENT OF LINE - 16

FRAME - 18

TABLE END PANEL KIT - 18

LOWER SHELF KIT - 18

TABLE TOPS - 19

CABINETS - 20

TRAY - 20

SHELF/DOOR KITS - 21

POWER DATA CENTER - 21

artcobe

STATEMENT OF LINE

MAKERSPACE



DTMF-RC (tall adjustable) 25"-42"h



MSTA-EP



MSTA-SL6

Frame

End Panel Kit

Lower Shelf Kit



Rectangle Flat Edge



Rectangle Epoxy



MSCA-TK1203



MSCA-TK1206




MSCA-SK1216

Table Tops

Tray Kits

Shelf Kit



MSCA-DK230M



MSCA-DK242M



PDC-MG22



DDC MG40

Door Kit

Power Data Centers



MSC-230PX 30"h




MSC-242PX 42"h

Cabinets

Essentials - Laminates



Artisan + Markerboard - Laminates



^{*}Subject to current lead times.

Due to pattern scale and color variations in computer monitors and printers, we strongly suggest you view actual samples before making surface material selections.

Makerspace Table Frames

Application & Specification Rules

- > Frame ONLY
- > Frames and tops ship in separate cartons, field assembly of tops required
- > Frames and tops are priced and specified separately
- > 2.0" \times 2.0" 14-GA legs with 1" \times 3" 14ga fully welded unitized legs and frame. 30"d frames include two (2) 13 gauge L-channel cross-supports.
- > Includes attachment hardware for laminate (F) tops
- > Standard with nylon or steel adjustable leveling glides, 34" range



| Base Model | Size | Description | Per Ctn | Ctn | Ctn | Carton |
|------------------|-----------|----------------------------------|---------|------|------|--------|
| DTMF-RC3060S.3.4 | 30" x 60" | 25"-42" Adjustable Leg, Titanium | 1 | 29.5 | 60.5 | \$479 |
| DTMF-RC3060S.3.7 | 30" × 60" | 25"-42" Adjustable Leg, Black | 1 | 29.5 | 60.5 | \$479 |

NEW! Table Caster Pack

Application & Specification Rules

- > 75mm locking caster, field Installed
- > Adjustable height table may be used with two (2) or four (4) casters
- > Adjustable height range with casters (26"- 44")



| Base Model | Description | Units Per Ctn | Cubes Ctn | Lbs Ctn | List Price |
|------------|------------------|------------------|--------------|------------|---------------|
| TA-CPTD3 | Locking I 4-Pack | 1 (4-casters) | 0.1 | 2.0 | \$65 |

NEW! Table End Panel Kit

Application & Specification Rules

- > Use with Makerspace table frame (DTMF-RC3060S) only
- > Makerspace table frame is priced and
- specified separately
- > Kit includes two (2) end panels and mounting hardware > Field installation required, frames are not pre-drilled
- > Standard metal peg-board design, 1/4" holes on 1" centers
- > Available in markerboard white finish only



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price | |
|---------------|---|------------------|-------------------|-----------------|---------------|---|
| MSTA-EP3020.W | Makerspace, Table, End Panel Kit, 30"w x 20"h | 1-Pair | 1.22 | 26 | \$419 | _ |

NEW! Lower Shelf Kit

Application & Specification Rules

- > Must be used in conjunction with makerspace end panel Kit (MSTA-EP3020.W)
- > Makerspace table frame and end panels are priced and -> Shelves mount directly to Makerspace end panels. specified separately
- > Each shelf is standard with a 1.0"h full width back stop
- > Steel construction with full width square steel tube support on front and back sides
- End panels allow mounting in 1.0" increments
- > Shelves may be installed at the same or different heights with backstop facing in or out



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|---------------|---|------------------|-------------------|-----------------|---------------|
| MSTA-SL6012.4 | Makerspace, Table, Lower Shelf Kit, 60"w x 12"d, Titanium | 1-Pair | 1.25 | 40.0 | \$379 |
| MSTA-SL6012.7 | Makerspace, Table, Lower Shelf Kit, 60"w x 12"d, Black | 1-Pair | 1.25 | 40.0 | \$379 |

Grtcobel

Application & Specification Rules

- > Top ONLY
- > Use with Makerspace table frames only
- > Epoxy tops are 1" thick

- > Tops and frames are priced and specified separately
- > Adhesive is recommended for attachment of epoxy tops. Adhesive must be sourced locally

List Price

- > Tops and frames ship in separate cartons, field assembly of tops required
- > Epoxy tops ship on pallets, black color only

| | Base Model | Size | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Essentials Laminates | Artisan/ Markerboard |
|--------|-------------------------|-----------|------------------|-------------------|-----------------|------------------------------------|-------------------------|
| NEW! | > 11/8" Laminate Flat | Edge (F) | | | | | |
| \sim | DTMT-RC3060F | 30" × 60" | 1 | 4.5 | 72.6 | \$302 | \$423 |
| | DTMT-RC3072F | 30" × 72" | 1 | 5.4 | 90.6 | \$337 | \$471 |
| | Epoxy (Y) | | | | | | |
| ~ | DTMT-RC3060Y | 30"×60" | 1 | 1.4 | 150.0 | \$923 | n/a |
| | DTMT-RC3072Y | 30" × 72" | 1 | 1.6 | 180.0 | \$1,107 | n/a |

Model Builder

| Base Model | • | Option 1 Top Color | | Option 2 Edge Color |
|--------------|---|---------------------------------|---|--|
| | | LAMINATES See page 17 | | Titanium (4) Black (0) |
| | | EPOXY Black Black Edge (Q) | | * Do not specify edge color on epoxy top |
| DTMT-RC3060Y | • | Q | • | 4 |

Model Example: DTMT-RC3060Y.Q.4

<u>CITTOD</u>

Application & Specification Rules

NEW! Cabinets

- > Cabinets are available in 30" or 42" heights Cabinets are 29.75"W x 17.0"D
- > Standard with 75mm casters. Casters ship unattached in carton for field installation
- > Side panels are standard with pegboard holes
- > Top and back panels are solid
- > All panels are standard markerboard white paint finish
- > Frame is standard in titanium paint finish
- > Bottom panel is standard with a 3" round grommet for power or cord management
- > Cabinets are specified and priced WITHOUT trays or shelves
- > Trays, shelves and other accessories must be specified separately

| 0 | |
|---|---|
| 3 | • |

| Base Model | Description | Units Per Ctn | Each Ctn | Each Ctn | List Price |
|---------------|---|------------------|----------|----------|---------------|
| MSC-230PX.4.W | Makerspace, Cabinet, 2-Column, 30"h, Pegboard End Pnl, NO Trays | 1 | 9.4 | 92 | \$1,079 |
| MSC-242PX.4.W | Makerspace, Cabinet, 2-Column, 42"h, Pegboard End Pnl, NO Trays | 1 | 13.3 | 112 | \$1,199 |

NEW! Tray Kits

- > Trays are available in 3" or 6" heights Trays are 16.5"D
- > Trays are priced and specified as kits only. Six (6) trays per kit
- > All trays are standard CLEAR only

> Trays are standard with integrated front handle



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|---------------|---|------------------|-------------------|-----------------|---------------|
| MSCA-TK1203.C | Makerspace, Tray Kit, 3"h x 12"w, Clear, 6-Pack | 6 PK | 1.6 | 10.6 | \$177 |
| MSCA-TK1206.C | Makerspace, Tray Kit, 6"h x 12"w, Clear, 6-Pack | 6 PK | 2.8 | 14.4 | \$276 |

Specification Guide | Makerspace Cabinets

> Below are recommendations

- > 1 rail opening for 3" tray or shelf
- > 2 rail openings for 6" tray

> Shelf can be substituted for 3" tray



42" Cabinet with Split Trays Order QTY 1 – MSC-242PX.4.W QTY 1 – MSCA-TK1203.C QTY 1 – MSCA-TK1206.C



42" Cabinet with 3" Trays Order QTY 1 – MSC-242PX.4.W QTY 3 – MSCA-TK1203.C



30" Cabinet with 6" Trays Order QTY 1 - MSC-230PX.4.W QTY 1 - MSCA-TK1206.C



30" Cabinet with 3" Trays Order QTY 1 – MSC-230PX.4.W QTY 2 – MSCA-TK1203.C

Application & Specification Rules

NEW! Shelf Kit

- > White Acrylic shelves > Six (6) shelves per kit > Removable. Must lift to remove.
- > Shelf kits are priced and specified as kits only



| Base Model | Description | Per Ctn | Each Ctn | Each Ctn | Price | |
|---------------|---|---------|----------|----------|-------|--|
| MSCA-SK1216.W | Makerspace, Cabinet, Shelf Kit, 12"w x 16"d, 6-Pack | 6 PK | .43 | 13.0 | \$379 | |

NEW! Door Kit

- > Laminate surfaces > Specify for 30" or 42" height cabinet > Field installation required
- > Standard locking > Clear edge



| Daga Madal | Description | Units Per | Cubes | Lbs Each | List Price Essentials | List Price Artisan/ |
|-------------|---|--------------|-------|-------------|--------------------------|------------------------|
| Base Model | Description | Ctn | Ctn | Ctn | Laminates | Markerboard |
| MSCA-DK2303 | Makerspace, Cabinet, RH & LH Door Kit, 2-Column, 30"h | 1 | .78 | 28.0 | \$286 | \$436 |
| MSCA-DK2423 | Makerspace, Cabinet, RH & LH Door Kit, 2-Column, 42"h | 1 | 1.11 | 36.0 | \$332 | \$482 |

Model Builder

| MSCA-DK2303 | • | 7M |
|-------------|---|------------------------|
| | | See page 17 |
| Base Model | | Option 1 Door Color |

Model Example: MSCA-DK2303.7M


Power Data Center | Grommet Mount

- > Standard high gloss white finish only, no color specification
- > Overall size 3%"w x 3%"d x 2"h
- > Specify base model only, no options
- > Fits in 3" round hole, maximum work surface thickness of 1.50"
- > Field installed only

- > Standard 6' 15-amp cord & 3-prong plug (4-power outlet model includes circuit breaker)
- > Not for use with modular power system


| Base Model | Description | Units Per Ctn | Cubes Each | Lbs Each Unctn | List Price |
|------------|---------------------------------|------------------|---------------|-------------------|---------------|
| PDC-MG22 | Grommet Mount 2-Power 2-USB | 1 | 0.71 | 2.0 | \$425 |
| PDC-MG40 | Grommet Mount 4-Power 0-USB | 1 | 0.71 | 2.0 | \$269 |






STATEMENT OF LINE

TABLES



Discover Shape Tables



Discover Shape Tables

Pyramid Teardrop ATPA1 Single Pedestal | T-Leg **ARISE Podium Alphabet Tables** Teacher Desks | Rectangular Top

Square Round Racetrack DCBR 30" DCBR 42" ABC | Convertible

Café Tables | Tops

Cafe Tables | Bases

T-Leg Tables | Nesting

Mobile Cafeteria Tables

(Specified as individual components)

Essentials - Laminates



Artisan + Markerboard - Laminates

Woodgrain Texture Portico Teak 5th Ave Elm New Age Oak White Cypress **Grey Elm** 86 84 97 46 96 Markerboard Dali Sol Spectrum Blue Vibrant Green **Markerboard White** WL WY WG WB

Due to pattern scale and color variations in computer monitors and printers, we strongly suggest you view actual samples before making surface material selections.

^{*}Subject to current lead times.

drtcobe



- > Tops and legs are specified and priced separately. Use DTLK (page 87)/DTLP (page 26) leg kits
- > Always ships fully cartoned, one top per carton
- > Tops and legs ship in separate cartons
- > Flat edge is standard 1-1/8" Particleboard core with high pressure laminate
- > 3" round grommets available for field installation. Specify separately. See page 38
- > Specify ganging clips separately for field installation. See page 39

| Daga Mardal | Description | C: | Units Per | Cubes Each | Lbs Each | List Price Essentials | List Price Artisan/ | Numbe of Legs |
|-------------------|----------------------|-----------|--------------|---------------|-------------|--------------------------|---------------------------------------|------------------|
| Base Model | Description | Size | Ctn | Ctn | Ctn | Laminates | Markerboard | Require |
| DTT-SQ42F | Flat Edge (F) | 42" X 42" | 1 | 4.4 | 71.7 | \$301 | \$422 | 4 |
| DTT-SQ42F | Flat Edge (F) | 48" X 48" | 1 | 5.6 | 101.3 | \$309 | \$433 | 4 |
| Round Flat Ed | ge | | | | | | | |
| DTT-RD36F | Flat Edge (F) | 36" | 1 | 3.3 | 37.4 | \$200 | \$320 | 4 |
| DTT-RD42F | Flat Edge (F) | 42" | 1 | 4.4 | 58.2 | \$299 | \$420 | 4 |
| DTT-RD48F | Flat Edge (F) | 48" | 1 | 5.6 | 75.0 | \$309 | \$433 | 4 |
| Rectangle Flat | Edge | | | | | | | |
| DTT-RC2448F | Flat Edge (F) | 24" × 48" | 1 | 3.0 | 44.4 | \$234 | \$327 | 4 |
| DTT-RC2460F | Flat Edge (F) | 24" × 60" | 1 | 3.7 | 58.9 | \$284 | \$397 | 4 |
| DTT-RC2472F | Flat Edge (F) | 24" × 72" | 1 | 4.4 | 69.7 | \$317 | \$444 | 4 |
| DTT-RC3048F | Flat Edge (F) | 30" x 48" | 1 | 3.7 | 54.3 | \$255 | \$357 | 4 |
| DTT-RC3060F | Flat Edge (F) | 30" x 60" | 1 | 4.5 | 72.6 | \$302 | \$423 | 4 |
| DTT-RC3072F | Flat Edge (F) | 30" x 72" | 1 | 5.4 | 90.6 | \$337 | \$471 | 4 |
| DTT-RC3660F | Flat Edge (F) | 36" x 60" | 1 | 5.3 | 88.8 | \$360 | \$504 | 4 |
| DTT-RC3672F | Flat Edge (F) | 36" x 72" | 1 | 6.3 | 108.2 | \$380 | \$530 | 4 |
| Aperture Flat | | | | | | 4000 | 4505 | |
| DTT-AP2440F | Flat Edge (F) | 24"x 40" | 1 | 3.7 | 44.4 | \$382 | \$535 | 4 |
| 3P-120 Flat Ed | lge | | | | | | | |
| DTT-3P3060F | Flat Edge (F) | 30" × 60" | 1 | 7.2 | 86.1 | \$553 | \$774 | 6 |
| Nova Flat Edg | e | | | | | | | |
| DTT-NV60F | Flat Edge (F) | 60" | 1 | 7.2 | 145.0 | \$553 | \$774 | 4 |
| Expanse Flat E | | | | | | #200 | ¢504 | |
| DTT-EX3054F | Flat Edge (F) | 30" x 54" | 1 | 4.7 | 69.0 | \$360 | \$504 | 4 |
| Nebula Flat Ed | dge Flat Edge (F) | 30" x 54" | 1 | 3.9 | 35.0 | \$348 | \$486 | 4 |
| Gravity Flat Ed | | | · | | | | · · · · · · · · · · · · · · · · · · · | |
| DTT-GV50F | Flat Edge (F) | 50" | 1 | 7.6 | 45.0 | \$457 | \$639 | 3 |
| Teardrop Flat | Edge | | | | | | | |
| DTT TDOCCOE | | 00" 00" | 4 | F 0 | 000 | 4000 | A100 | |

Model Builder

36" x 60"

Flat Edge (F)

DTT-TD3660F

| DTT-RC2448F | • | 7M | • | 4 |
|-------------|---|----------------------------|---|--------------------------|
| | | See page 24 | | Titanium (4) |
| Base Model | | 1st Option Top Laminate | | 2nd Option Edge Color |

5.3

88.8

\$328

\$460

Model Example: DTT-RC2448F.7M.4

NEW!

NEW!

Discover Shape Table | Leg Kits NEW! Available June 2017

Application & Specification Rules

- > Legs and tops are specified and priced separately. Use with DTT tops only, see page 25
- > Tops and legs ship in separate cartons
- > Legs are field installed

> Standard with nylon glides, ¾" leveling range

- > Casters and felt glides are available for field installation.
- See page 27
- > Does not require quick-set brackets

| Base Model | Description | Height | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|-----------------|-------------|-----------|------------------|-------------------|-----------------|---------------|
| Table Height Le | egs | | | | | |
| DTLP-4ATP | 4-Legs | 19" - 29" | 4-Legs | 1.25 | 26.0 | \$138 |
| Standing Heigh | nt Legs | | | _ | | |
| DTLP-4ASP | 4-Legs | 27" - 42" | 4-Legs | 1.70 | 29.5 | \$158 |

Model Builder | Leg Packs

| Base Model | | 1st Option Glide | | 2nd Option Leg Color |
|------------|---|---------------------|---|-------------------------|
| | | Nylon (3) \$0 | | Titanium (4) \$0 |
| DTLP-4ASP | • | 3 | • | 4 |

Model Example: DTLP-4ASP.3.4

Caster Packs

Application & Specification Rules

- > For use on Shape Table Legs (DTLP) and Alphabet Table legs (ATLI)
- > 50mm Dual-Soft wheel casters, 3/8"- 16×1 " threaded stem, black only
- > Not for use on Discover Shape Student Desks (DSLK) or Discover T-Leg Student Desks (DT)
- > All casters are standard locking 360 degree swivel
- > Casters are NOT approved for use on Nebula tops
- > Field installed only > Casters add 2" to the height range

| Base Model | Description | Units Per Ctn | Cubes Each | Lbs Each Unctn | List Price |
|------------|-------------|------------------|---------------|-------------------|---------------|
| Casters | | | | | |
| TA-CPS4 | 4-Pack | 4-pack | .02 | 1.0 | \$39 |

Felt Glide Pack

Application & Specification Rules

> Use with DTLK and DTLP legs, field installed only

> 3/8" - 16 x 1" threaded stem

> No color specification, specify base model only

> May also be used on Discover Shape Student Desk legs (DSLK) or Alphabet table legs (ATLI)

> Not for use on Discover T-Leg Student Desks (DT)

| Base Model | Description | Units Per Ctn | Cubes Each | Lbs Each Unctn | List Price |
|------------|-------------|------------------|---------------|-------------------|---------------|
| Glides | | | | | |
| TA-GFK | 100-Pack | 100 | .10 | 5.0 | \$343 |



Mobile Pedestal

Application & Specification Rules

> Overall dimensions 15"w x 22 %"d x 22"h

> Includes counter weight

> Full radius drawer pull

> Standard with lock, 2 keys provided

> Box drawer includes 1-pencil and 1-divider. File drawer includes 1 - compressor



| | | Units | Cubes Each | Lbs Each | List |
|-------------|--------------------------------------|---------|------------|----------|-------|
| Base Model | Description | Per Ctn | Ctn | Ctn | Price |
| DPM-BFR.L.4 | Mobile box I File Pedestal, Titanium | 1 | 6.0 | 92 | \$465 |





- > Use on rectangular tops for privacy above or below work surface
- > Field installed, tops are not pre-drilled
- > 12" screens may be installed in two positions Above as a privacy screen (9" above worksurface) Below as a modesty panel (12" below worksurface)

> Clear, frosted acrylic panels

> Includes screen, brackets and hardware

| 5 | | Units | Cubes | Lbs | List |
|-------------|-------------|---------|----------|----------|-------|
| Base Model | Size | Per Ctn | Each Ctn | Each Ctn | Price |
| TA-SA1224.F | 12"h x 24"w | 1 | 0.3 | 4.0 | \$154 |
| TA-SA1236.F | 12"h x 36"w | 1 | 0.5 | 5.8 | \$231 |
| TA-SA1248.F | 12"h x 48"w | 1 | 0.7 | 7.7 | \$266 |

Application Guide | Discover Shape Table Tops

| | | Table Width | | | Table Depth | |
|------------------|------|-------------|------|------|-------------|------|
| Table | 36"w | 48"w | 60"w | 24"d | 30"d | 36"d |
| Use Screen Width | 24"w | 36"w | 48"w | n/a | 24"w | 24"w |

^{* 24&}quot;w screens may be used on the following shapes/sizes: 3P3060 (3), AP2440 (2), EX3054 (2)

INDOOR AIR QUALITY IS NOOR AIR MATTER NOOR AIR MATTER

Application & Specification Rules


- > For use on Rectangular Shape DTT table tops
- > Specify brackets individually, includes mounting hardware

- > Refer to Discover table flat & tie bracket installation instructions for application and planning information
- > Black only

> Use planning info to determine bracket needs, reduce leg quantity as appropriate


| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|----------------|---------------------------|---------------|----------------|--------------|------------|
| Table Brackets | | | | | |
| TA-FB1 | Flat bracket, 5.0" x 6.0" | Pack to Order | 0.05 | 0.9 | \$12 |
| TA-TB1 | Tie bracket, 2.5" x 2.5" | Pack to Order | 0.02 | 0.2 | \$7 |

Return Applications




- > Any size secondary table up to 36"d x 72" w
- > 24"d returns use 1 flat bracket and 1 tie bracket
- > 30"d and 36"d returns use 2 flat brackets

Side to Side Applications




- > Any depth table of equal size
- > Tables with 2 legs may be ganged to other tables with 2 legs as long as the run has at least one table with 4 legs
- > 24"d tables use 1 flat bracket and 1 tie bracket
- > 30"d and 36"d tables use 2 flat brackets

Bridge Applications



- > Any size secondary table up to 36"d x 72"w
- > 24"d bridge use 1 flat bracket and 1 tie bracket per side
- > 30"d and 36"d bridges use 2 flat brackets per side

Back to Back Applications



- > Any width table of equal size
- > Any combination of depths
- > Use 2 flat brackets

T-Leg Tables | Nesting | 29" Height



Application & Specification Rules

- > Top options include 11/8" Particleboard with HPL surface and Flat Edge (F)
- > Ordered and sold as a COMPLETE table (top & legs)
- > Field installation of legs required

- > Standard with casters includes 2-locking and 2 non-locking dual wheel black casters
- > Two handle operation required to unlatch and pivot top
- > Half-Round table is standard with a FIXED leg. Half-round table does not nest
- > Depth of unit (except foot) when flipped up/storage position is 8-1/4"
- > Grommets available as a separately specified and field installed item. See page 37

| | Base Model | Description | Leg Type, Height | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Essentials Laminates | List Price Artisan/ Markerboard |
|---|-------------|----------------------------|---------------------|---------------------|----------------------|--------------------|---------------------------------------|---------------------------------------|
| > | Rectangular | | | | | | | |
| , | DTN-RC24F | 24"d x 54"w, Flat Edge (F) | Nesting, 29" Fixed | 1 | 6.4 | 71.9 | \$767 | \$860 |
| 3 | DTN-RC25F | 24"d x 60"w, Flat Edge (F) | Nesting, 29" Fixed | 1 | 6.9 | 78.9 | \$817 | \$930 |



DTN-RC26F \$977 24"d x 72"w, Flat Edge (F) 89.7 \$850 Nesting, 29" Fixed 8.0 DTN-RC34F 30"d x 54"w, Flat Edge (F) Nesting, 29" Fixed 6.4 84.7 \$788 \$890 DTN-RC35F 30"d x 60"w, Flat Edge (F) Nesting, 29" Fixed 6.9 92.6 \$835 \$956 DTN-RC36F 30"d \times 72"w, Flat Edge (F) Nesting, 29" Fixed \$870 \$1,004 8.0 110.6



| Expanse | | | | | | | |
|-----------|----------------------------|--------------------|---|-----|------|-------|---------|
| DTN-EX34F | 30"d x 54"w, Flat Edge (F) | Nesting, 29" Fixed | 1 | 6.4 | 89.0 | \$893 | \$1,037 |

Model Builder

| Base Model | | 1st Option Frame Color | | | 2nd Option Top Laminate | | 3rd Option Edge Color |
|------------|---|---------------------------|-----|---|----------------------------|---|--------------------------|
| | | Titanium (4) | \$0 | | See page 24 | | Titanium (4) |
| DTN-EX34F | • | 4 | | • | 7M | • | 4 |

Model Example: DTN-EX34F.4.7M.4

| | Half-Round (I | Fixed Leg) | | | | | | |
|---|---------------|----------------------------|-----------|---|-----|------|-------|-------|
|) | DTF-HR48F | 32"d x 48"w, Flat Edge (F) | 29" Fixed | 1 | 6.2 | 69.0 | \$696 | \$807 |
| 2 | DTF-HR60F | 30"d x 60"w, Flat Edge (F) | 29" Fixed | 1 | 6.9 | 73.0 | \$722 | \$843 |

Model Builder

| Base Model | | 1st Option Glide | 2nd Option Frame Color | | 3rd Option Top Laminate | • | 3rd Option Edge Color |
|------------|---|---------------------|---------------------------|---|----------------------------|---|--------------------------|
| | | Caster (H) \$0 | Titanium (4) \$0 | | See page 24 | | Titanium (4) |
| DTF-HR48F | • | Н | 4 | • | 7M | • | 4 |

Model Example: DTF-HR48F.H.4.7M.4

T-Leg Tables | Nesting | 27" Height



Application & Specification Rules

- > Top options include 1 1/s" Particleboard with HPL surface and Flat Edge (F)
- > Ordered and sold as a COMPLETE table (top & legs)
- > Field installation of legs required

- > Standard with casters includes 2-locking and 2 non-locking dual wheel black casters
- > Two handle operation required to unlatch and pivot top
- > Half-Round table is standard with a FIXED leg. Half-round table does not nest
- > Depth of unit (except foot) when flipped up/storage position is 8-1/4"
- > Grommets available as a separately specified and field installed item. See page 37

| Base Model | Description | Leg Type, Height | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Essentials Laminates | List Price Artisan/ Markerboard |
|------------|-------------|---------------------|---------------------|----------------------|--------------------|---------------------------------------|---------------------------------------|
| | | | | | | | |



Rectangular

| , | | | | | | | |
|-----------|----------------------------|--------------------|---|-----|-------|-------|---------|
| DTN7RC24F | 24"d x 54"w, Flat Edge (F) | Nesting, 27" Fixed | 1 | 6.4 | 71.9 | \$767 | \$860 |
| DTN7RC25F | 24"d x 60"w, Flat Edge (F) | Nesting, 27" Fixed | 1 | 6.9 | 78.9 | \$817 | \$930 |
| DTN7RC26F | 24"d x 72"w, Flat Edge (F) | Nesting, 27" Fixed | 1 | 8.0 | 89.7 | \$850 | \$977 |
| DTN7RC34F | 30"d x 54"w, Flat Edge (F) | Nesting, 27" Fixed | 1 | 6.4 | 84.7 | \$788 | \$890 |
| DTN7RC35F | 30"d x 60"w, Flat Edge (F) | Nesting, 27" Fixed | 1 | 6.9 | 92.6 | \$835 | \$956 |
| DTN7RC36F | 30"d x 72"w, Flat Edge (F) | Nesting, 27" Fixed | 1 | 8.0 | 110.6 | \$870 | \$1,004 |
| | | | | | | | |



Expanse

DTN7EX34F 30"d x 54"w, Flat Edge (F) Nesting, 27" Fixed 1 6.4 89.0 \$893 \$1,037

Model Builder

| Base Model | | 1st Option Frame Color | | 2nd Option Top Laminate | | 3rd Option Edge Color |
|------------|---|---------------------------|---|----------------------------|---|--------------------------|
| | | Titanium (4) \$0 | | See page 24 | | Titanium (4) |
| DTN7EX34F | • | 4 | • | 7M | • | 4 |

Model Example: DTN7EX34F.4.7M.4



| Half-Round (F | Half-Round (Fixed Leg) | | | | | | | | | |
|---------------|----------------------------|-----------|---|-----|------|-------|-------|--|--|--|
| DTF7HR48F | 32"d x 48"w, Flat Edge (F) | 27" Fixed | 1 | 6.2 | 69.0 | \$696 | \$807 | | | |
| DTF7HR60F | 30"d x 60"w, Flat Edge (F) | 27" Fixed | 1 | 6.9 | 73.0 | \$722 | \$843 | | | |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Top Laminate | | 3rd Option Edge Color |
|------------|---|---------------------|---|---------------------------|---|----------------------------|---|--------------------------|
| | | Caster (H) \$44 | | Titanium (4) \$0 | | See page 24 | | Titanium (4) |
| DTF7HR48F | • | Н | • | 4 | • | 7M | • | 4 |

Model Example: DTF7HR48F.H.4.7M.4



Tops

Application & Specification Rules

- > Tops and leg kits are specified and shipped separately. See leg kits below.
- > Tops always ship fully cartoned
- > Flat edge (F) is standard on 1-1/8" particleboard core with high pressure laminate
- > Tops include quick-set brackets factory installed for easy field installation of legs



| Base Model | Size | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Essentials Laminates | List Price Artisan/ Markerboard | Number of Legs Required |
|-------------|-----------|---------------|------------------|-------------------|-----------------|---------------------------------------|---------------------------------------|-------------------------------|
| Pyramid | | | | | | | | |
| ATT-PY36F | 36" | Flat Edge (F) | 1 | 4.4 | 36.8 | \$380 | \$531 | 3 |
| ATT-PY48F | 48" | Flat Edge (F) | 1 | 6.1 | 61.4 | \$492 | \$689 | 3 |
| Teardrop | | | | | | | | |
| ATT-TD3048F | 30" x 48" | Flat Edge (F) | 1 | 3.7 | 54.3 | \$434 | \$607 | 4 |
| ATT-TD3660F | 36" x 60" | Flat Edge (F) | 1 | 59 | 78.3 | \$542 | \$758 | 4 |

Model Builder

| Base Model | | 1st Option # Top Laminate | | 2nd Option Edge Color |
|------------|---|------------------------------|---|---------------------------|
| | | See page 24 | | Titanium (4) Black (0) |
| ATT-PY36F | • | 7M | • | 4 |

Model Example: ATT-PY36F.7M.4

Leg Kits

Application & Specification Rules

- > Tops and leg kits are specified and shipped separately. See above for tops
- > All tops require 4-legs with the exception of Pyramid which uses 3-legs
- > Legs are not available in chrome

- > Legs are height adjustable 22" 35" in 1" increments
- > Standard with nylon leveling glide, 1" adjustment range
- > Both upper and lower leg is painted specified color
- > Field installed only, legs ship pre-set for 29" table height



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|------------|--------------|------------------|-------------------|-----------------|------------|
| ATLI-3AP | 3-pack, legs | 3-legs | 0.93 | 14.3 | \$135 |
| ATLI-4AP | 4-pack, legs | 4-legs | 0.93 | 19.5 | \$179 |

Model Builder | Leg Kits

| Base Model | | 1st Option Glide | | 2nd Option Leg Color |
|------------|---|---------------------|---|-----------------------------------|
| | | Nylon (3) \$0 | | Titanium (4) \$0 Black (7) \$0 |
| ATLI-4AP | • | 3 | • | 4 |

Model Example: ATLI-4AP.3.4

Caster Packs

Application & Specification Rules

- > 50mm, dual-hard wheel locking casters with 3/8-16 x 1" threaded stem
- 3/6-16 X I tilledded Stelli
- > Casters add 2" to overall height range
- > Field installed only

> Black only

- > Specify base model only, no options required
- > Not for use on Alphabet Student Desks



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|------------|-----------------|---------------|----------------|--------------|------------|
| TA-CPS4 | 4-pack, casters | 4-Casters | 0.2 | 1.0 | \$39 |

Alphabet ARISE Podium

INDOOR AIR QUALITY INDOOR AURAINAGE GOLD RUNNINGE RU

Application & Specification Rules

- > Standard 24"d x 36"w laminate top with 1-1/8" particle board core and flat edge
- > Fully welded base standard with 50mm hard wheel locking casters
- > Top height adjustment range of 30.5" 50.0"
- > Smooth and efficient pneumatic cylinder, one-hand operation
- > Unit ships KD, field assembly required
- > Meets or exceeds ANSI/BIFMA X5.5-2014 Educational Furniture Test Standards
- > Recommended accessories are specified separately and field installed. Tops are not pre-drilled.
- > Standard in titanium finish



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | Essentials Laminates | List Price Artisan/ Markerboard |
|------------|--|------------------|-------------------|-----------------|-------------------------|---------------------------------------|
| ATPA1F | Arise, 24" x 36" Top, Flat Edge Height Adjustable 30.5" - 50.0" | 1 | 7.34 | 88.0 | \$1,384 | \$1,461 |

Model Builder

| Base Model | | 1st Option Frame Color | | 2nd Option Top Laminate | | 3rd Option Edge Color |
|------------|---|---------------------------|---|----------------------------|---|--------------------------|
| | | Titanium (4) \$0 | | See page 24 | | Titanium (4) |
| ATPA1F | • | 4 | • | 7M | • | 4 |

Model Example: ATPA1F.4.7M.4

| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|----------------|--|------------------|-------------------|-----------------|---------------|
| Wire Book Box | , Single Pack | | | | |
| TA-1BBW15 | 15"w x 13.25"d x 5.25"h, Chrome | 1 | 1.4 | 4.0 | \$64 |
| TA-1BBW20 | 20"w x 18.5"d x 5.25"h, Chrome | 1 | 2.6 | 5.4 | \$64 |
| Perforated Met | al Book Box, Single Pack | | | | |
| TA-1BBM16 | 16"w x 13.22"d x 5.13"h, Titanium | 1 | 1.4 | 4.8 | \$80 |
| TA-1BBM22 | 21.75"w x 14.25"d x 5.13"h, Titanium | 1 | 1.7 | 5.9 | \$80 |
| Backpack Hool | K | | | | |
| TA-BPH1 | 2.25"w x 1.22"d x 2.35"h, Chrome, 1-Pack | 1 | O.1 | 0.1 | \$11 |
| Grommet | | | | | |
| TA-GR3 | 3" Round Grommet (Black) | 1 | 0.2 | <1 | \$14 |
| Mobile Pedesta | al | | | | |
| DPM-BFR.L.4 | Box/File, Locking (Titanium) | 1 | 6 | 92 | \$46 |



Application & Specification Rules

- > ALL COMPONENTS SPECIFIED, PRICED AND SHIPPED SEPARATELY
- > Specify Top, Pedestal, Leg Kit and Accessories
- > REQUIRES FIELD INSTALLATION OF TOP, PEDESTAL AND LEGS



RECTANGLE T-LEG

(1) DTDT-RC3060F Top

(1) DTLK-1TF29C.4 T-Leg Support
(1) DPF - BBFR Pedestal

Tops

Application & Specification Rules

- > Top options include 1-1/8" Particleboard core with HPL and flat edge (F)
- > All rectangular tops are non-handed

Units

> Tops are pre-drilled for pedestal and leg installation

List Price

Artisan/

List Price

Essentials

> Field install pedestals for RH or LH application

| ~ | |
|---|--|

| Base Model | Size | Per Carton | Each Ctn | Each Ctn | Laminates | Markerboard |
|-----------------|-------------|------------|----------|----------|-----------|-------------|
| | | | | | | |
| Rectangular Top | | | | | | |
| DTDT-RC3048F | 30"d x 48"w | 1 | 3.7 | 54.3 | \$255 | \$357 |
| DTDT-RC3060F | 30"d x 60"w | 1 | 4.5 | 72.6 | \$302 | \$423 |
| DTDT-RC3072F | 30"d x 72"w | 1 | 5.4 | 90.6 | \$337 | \$471 |

Cubes

Lbs

Model Builder

| Base Model | | Option 1 Top Laminate | | Option 2 Edge Color |
|--------------|---|--------------------------|---|------------------------|
| | | See page 24 | | Titanium (4) |
| DTDT-RC3072F | • | 7M | • | 4 |

Model Example: DTDT-RC3072F.7M.4

T-Leg Support

Application & Specification Rules

> Standard with casters

> Includes mounting hardware

> Field installation required

> 24" Foot Depth



| Base Model | Description | Per Ctn | Each | Unctn | List Price |
|---------------|-------------------------------|---------|------|-------|---------------|
| DTLK-1TF29C.4 | T-Leg, 1Pk, Casters, Titanium | 1 | 0.9 | 6.0 | \$208 |

Pedestals

Application & Specification Rules

- > Use for RH or LH applications
- > Field installation required
- > Pedestals standard with casters

- > Box drawer includes pencil tray and drawer divider
- > File drawer includes follower block
- > File drawer has high sides for front to back filing
- > Drawers feature steel ball-bearing drawer slides
- > Standard with Lock / Random Keyed
- > Standard with Full Radius Drawer Pull

Culana



| Base Model | Drawers | Description | Per Carton | Each Ctn | Each Ctn | Price |
|--------------|--------------|---|------------|----------|----------|-------|
| DPF-BBFR.L.4 | Box/Box/File | Freestanding Support Pedestal, Titanium | 1 | 9.8 | 90.0 | \$696 |

OR AIR GUALITY IN

Application & Specification Rules

- > Includes hardware for field installation. Tops are not pre-drilled
- > For use on laminate tops only

- > Requires a minimum clearance of rail width x 1.75"d for installation
- > Available in titanium only

| > Bundle (TA-DRB16) includes 1-16" | rail, |
|------------------------------------|-------|
| 1-Media holder 1-Device holder | |

| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|------------------|--------------------------------------|------------------|-------------------|-----------------|---------------|
| Desk Rail & Hold | ler Bundle | | | | |
| TA-DRB16.4.4 | 16"w Rail, Holders | 1 | 0.35 | 7.1 | \$120 |
| Desk Rail | | | | | |
| TA-RAIL16.4 | 16"w Rail | 1 | 0.21 | 3.0 | \$40 |
| TA-RAIL20.4 | 20"w Rail | 1 | 0.37 | 4.2 | \$50 |
| TA-RAIL32.4 | 32"w Rail | 1 | 0.57 | 6.8 | \$7' |
| Device Holder | | | | | |
| TA-DH1.4 | Device Holder, 6.0"w x 3.6"d x 5.8"h | 1 | 0.16 | 1.5 | \$35 |
| Media Holder | | | | | |
| TA-MH1.4 | Media Holder, 8.12"w x 2"d x 9"h | 1 | 0.23 | 2.7 | \$4 |





- > Teacher desk tops are pre-drilled for easier field installation of screens
- > 12"h screens may be installed in two positions. Up as a privacy screen (9"h above work surface) or down as a modesty panel (12" below work surface)
- > Clear-frosted acrylic screens, includes brackets and hardware for field installation




| | | Units | Cubes | Lbs | List |
|-------------|-------------|---------|----------|----------|-------|
| Base Model | Size | Per Ctn | Each Ctn | Each Ctn | Price |
| TA-SA1224.F | 12"h x 24"w | 1 | 0.3 | 4.0 | \$154 |
| TA-SA1236.F | 12"h x 36"w | 1 | 0.5 | 5.8 | \$231 |
| TA-SA1248.F | 12"h x 48"w | 1 | 0.7 | 7.7 | \$266 |

Application Guide | Teacher Desk

| Top Shape | Pedestal Configuration | Desk Width | Use Screen Width |
|-------------|---------------------------|---------------|---------------------|
| Rectangular | Single | 48"w | 24"w Screen |
| | | 60"w | 36"w Screen |
| | | 72"W | 48"w Screen |







12"h Screen Privacy Position





Power Data Center | Free Standing

Application & Specification Rules

- > Standard high gloss white finish only, no color specification
- > Freestanding model no mounting required
- > Standard 6' 15-amp cord & 3-prong plug (4-power outlet model includes circuit breaker)
- > Not for use with modular power system
- > Overall size 3%"w x 3%"d x 2"h
- > Specify base model only, no options



| Base Model | Description | Units Per Ctn | Cubes Each | Lbs Each Unctn | List Price |
|------------|-----------------------------|------------------|---------------|-------------------|---------------|
| PDC-MT21 | Table Top 2-Power 1-USB | 1 | 0.71 | 2.0 | \$344 |
| PDC-MT40 | Tabe Top I 4-Power I 0-USB | 1 | 0.71 | 2.0 | \$269 |

Power Data Center | Grommet Mount

Application & Specification Rules

- > Standard high gloss white finish only, no color specification
- > Not for use with modular power system
- > Overall size 3%"w x 3%"d x 2"h

- > Fits in 3" round hole, maximum work surface thickness of 1.50"
- > Field installed only

- > Standard 6' 15-amp cord & 3-prong plug (4-power outlet model includes circuit breaker)
- > Specify base model only, no options



| Base Model | Description | Units Per Ctn | Cubes Each | Lbs Each Unctn | List Price |
|------------|---------------------------------|------------------|---------------|-------------------|---------------|
| PDC-MG22 | Grommet Mount 2-Power 2-USB | 1 | 0.71 | 2.0 | \$425 |
| PDC-MG40 | Grommet Mount 4-Power 0-USB | 1 | 0.71 | 2.0 | \$269 |

Power Data Center | Flush Grommet Mount

Application & Specification Rules

> Black finish only. No color specification required

> 6ft 15-amp cord & 3-prong plug

- > Fits in 3" round hole, maximum work surface thickness of 1.50"
- > Field installed only > Not for use with modular power system



| Dana Marial | Description | Units | Cubes | Lbs Each | List |
|-------------|--|---------|-------|----------|-------|
| Base Model | Description | Per Ctn | Each | Unctn | Price |
| PDC-3G20 | 3" Round Grommet Flush Mount 2-Power 0-USB | 1 | 0.71 | 2.0 | \$97 |



Modular Power System

- > For use on Discover rectangular tops Field installation of grommets required.
- > Modular power system is a pluggable single circuit electrical system
- > UL recognized as a powered table system and meets the requirements of UL962
- > Non-sequential, allows system to be arranged and rearranged quickly and easily in any order
- > Power components are field installed only
- > Maximum allowable run is 40' or no more than 8-power harnesses off one infeed. With is based upon harness width not table width
- > System status indicator light provides convenient go (green), no go (red) status
- > Specify base model only, no options

| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|------------|---|------------------|-------------------|-----------------|---------------|
| MPS-QBF | In-Feed Control Unit | 1 | 0.71 | 3.0 | \$418 |
| MPS-QPH312 | 12" Harness with 3" Round Duplex Power Unit | 1 | 0.71 | 2.0 | \$135 |
| MPS-QPH360 | 60" Harness with 3" Round Duplex Power Unit | 1 | 0.71 | 2.0 | \$150 |

Application Guide | Modular Power System

| Top Width | One (1) Power | Unit Per Table | Two (2) Power Units Per Table | | |
|-----------|---------------------|-------------------|----------------------------------|-------------------|--|
| TOP WIGHT | Components Required | Maximum Table Run | Components Required | Maximum Table Run | |
| 48" | MPS-QPH360 (1) | 8 - Tables | MPS-QPH360 (1) MPS-QPH312 (1) | 4 - Tables | |
| 60" | MPS-QPH360 (1) | 8 - Tables | MPS-QPH360 (1) MPS-QPH312 (1) | 4 - Tables | |
| 72" | N/A | N/A | MPS-QPH360 (1) MPS-QPH312 (1) | 4 - Tables | |

Determine table width and the desired number of power units per table (1 or 2). Specify the in-feed (MPS-QBF) and then use the matrix above to identify and specify the type and quantity of power harnesses needed per table. Note the MAXIMUM number of tables allowed in a run per in-feed. For example, to power two 60" tables you will need one (1) in-feed (MPS-QBF), two (2) 60" power harnesses (MPS-QPH360) and two (2) 12" power harnesses (MPS-QPH312).

drtcobe



Wire Manager, Vertical

Application & Specification Rules

> Field installed, attaches with double sided tape

> Ideal for use on legs or flat work surface edges

> Light grey or black color options



| Base Model | Description | Units Per Ctn | Cubes Each | Lbs Each Unctn | List Price |
|------------|-------------------|------------------|---------------|-------------------|------------|
| TA-WMV12.K | 12"w Light Grey | 1 | 0.2 | < 1 | \$14 |
| TA-WMV12.7 | 12"w Black | 1 | 0.2 | < 1 | \$14 |

Wire Manager, Horizontal

Application & Specification Rules

- > Field installed, attaches with double sided tape
- > Ideal for use on the underside of work surfaces
- > Black only, no color specification

Cubas

I he Fach

Lict

> Size: 3 9/16"h x 1 7/32"d x 1 3/4"h trough



| Base Model | Description | Per Ctn | Each | Unctn | Price |
|------------|-------------------|---------|------|-------|-------|
| TA-WMH24 | 24"w I Black Only | 1 | .04 | < 1 | \$23 |
| TA-WMH36 | 36"w I Black Only | 1 | .06 | < 1 | \$33 |
| TΔ-\//MH48 | 48"w I Black Only | 1 | 07 | < 1 | \$45 |

Linite

Wire Manager, General Purpose

Application & Specification Rules

- > Field installed, attaches with double sided tape
- > Velcro clasp secures wires

> Black only, no color specification

> Size: 3 1/2"w x 1 3/4"d



| | Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|---|------------|---------------------------|------------------|-------------------|-----------------|------------|
| > | TA-WMG | Velcro Clasp Black Only | 1 | _ | _ | \$14 |

Grommet

Application & Specification Rules

> Fits in 3" round hole, field installed

> Black only, no color specification



| Base Model | Description | Per Ctn | Ctn | Ctn | Price |
|------------|-----------------------|---------|-----|-----|-------|
| TA-GR3 | 3" Round I Black Only | 1 | 0.2 | < 1 | \$14 |

Table Ganging Clip

Application & Specification Rules

- > Use to gang two tables together
- > Dark grey only, no color specification
- > Tops are not pre-drilled

- > Includes two clips and hardware per pack
- > Field installed

| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|------------|---------------|------------------|-------------------|-----------------|---------------|
| TA-GC2 | Graphite Only | 1 (1-pair) | 0.1 | <1 | \$30 |



- > Tops and bases are priced and specified separately
- > Tops and bases ship in separate cartons, field assembly of tops required
- > Separately specified 3" round grommets available for field installation. See page 39
- > 3" round grommet opening compatible with Power Data Centers. See page 37
- > Use two (2) 18" diameter bases for racetrack tops.
- > Use a single 24" diameter base for 36" and 42" square or round tops

| | Base Model | Description | Size | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Essentials Laminates | List Price Artisan/ Markerboard |
|-------------------|-----------------|---------------|-----------|------------------|-------------------|-----------------|---------------------------------------|---------------------------------------|
| | Square Flat E | dge (F) | | | | | | |
| $\langle \rangle$ | DCT-SQ30F | Flat Edge (F) | 30" | 1 | 1.4 | 31.9 | \$274 | \$357 |
| <u> </u> | DCT-SQ36F | Flat Edge (F) | 36" | 1 | 3.5 | 45.5 | \$281 | \$365 |
| | Round Flat Ec | lge (F) | | | | | | |
| | DCT-RD36F | Flat Edge (F) | 36" | 1 | 3.3 | 37.9 | \$281 | \$365 |
| | DCT-RD42F | Flat Edge (F) | 42" | 1 | 4.5 | 49.2 | \$285 | \$369 |
| | Racetrack Fla | t Edge (F) | | | | | | |
| \sim | DCT-RT3372F | Flat Edge (F) | 33" x 72" | 1 | 6.0 | 76.0 | \$361 | \$537 |

Model Builder

| Base Model | | 1st Option Top Color | | 2nd Option Edge Color |
|------------|---|-------------------------|---|--------------------------|
| | | See page 24 | | Titanium (4) |
| DCT-SQ36F | • | 7M | • | 4 |

Model Example: DCT-SQ36F.7M.4





- > Price is for complete base
- > Bases ship KD with 1- disc base and 1- column in separate boxes, field assembly required
- > Bases and tops are priced, specified and shipped separately
- > Available in 30" table or 42" café heights
- > Disc base includes nylon leveling glides
- > Available in titanium paint finish only
- > Specify one (1) base per round and square tops and two (2) bases for racetrack tops



| Base Model | Size | Disc Base Ctn Cubes Each | Disc Base Ctn Lbs Each | Column Ctn Cubes Each | Column Ctn Lbs Each | List Price |
|---------------|------------------|-----------------------------|---------------------------|--------------------------|------------------------|---------------|
| Base Assembly | 30" Table Height | | | | | |
| DCBR-1830.4 | 18" dia x 30"h | .5 | 14.2 | 2.8 | 30.2 | \$227 |
| DCBR-2430.4 | 24" dia x 30"h | .8 | 24.5 | 2.8 | 30.2 | \$279 |



Base Assembly | 42" Table Height

| DCBR-1842.4 | 18" dia x 42"h | .5 | 14.2 | 4.0 | 41.4 | \$268 |
|-------------|----------------|----|------|-----|------|-------|
| DCBR-2442.4 | 24" dia x 42"h | .8 | 24.5 | 4.0 | 41.4 | \$320 |

Application Guide

| | Square Top | Roun | d Тор | Racetrack Top |
|------------------|-------------|-------------|-------------|---------------|
| | 36" | 36" | 42" | 33" x 72" |
| 30" Table Height | DCBR-2430.4 | DCBR-2430.4 | DCBR-2430.4 | DCBR-1830.4 |
| 42" Table Height | DCBR-2442.4 | DCBR-2442.4 | DCBR-2442.4 | DCBR-1842.4 |

Mobile Cafeteria I Convertible Bench Units



Application & Specification Rules

- > Standard 3/4" MDF with HPL surface and Permatuff Edge (N)
- > UL Listed UL2040 Folding Rollaway Tables
- > Standard with couplings for ganging
- > Markerboard laminates not available with permatuff edge

> Meets ANSI/BIFMA X6.1-2012 test standard



| | | | | | | List Price | |
|--------------|-------------|-----------------|------------------|-------------------|-----------------|-------------------------|-----------------------|
| , Base Model | Description | Bench Height | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | Essentials Laminates | List Price Artisan |
| ABC89PN | 8'w x 29"h | 17" | 1 | 30.0 | 136.0 | \$1,469 | \$1,619 |

Model Builder


| Base Model | | 1st Option Frame | | 2nd Option Laminate | | 3rd Option Edge Color |
|------------|---|---------------------|---|------------------------|---|--------------------------|
| | | Titanium (4) \$0 | | See page 24 | | Black (0) |
| | | | | | | |
| ABC89PN | • | 4 | • | 7M | • | 0 |

Model Example: ABC89PN.4.7M.0



Seating that fits! Shape, size and posture support are effortlessly blended into a variety of ergonomic designs.


Stay comfortable, alert and engaged anywhere.




drtcobel

STATEMENT OF LINE

SEATING












Poly Colors




Alphabet Multi-Ply Chairs ONLY



- * Subject to current lead times.
- * Woodgrain Texture

Metal Frames



Due to pattern scale and color variations in computer monitors and printers, we strongly suggest you view actual samples before making surface material selections.



- > Ships without cartons on truckloads
- > Specify carton specific models for LTL shipments. See page 48
- > All chairs stack to 10 high
- > Standard with poly shell

- > List Price shown is for EACH chair without carton
- > Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards



| Base Model | Seat Height | Cubes Each Unctn | Lbs Each Unctn | List Price Each |
|------------|----------------|---------------------|-------------------|--------------------|
| D10D | 12" | 1.3 | 5.9 | \$56 |
| D10C | 14" | 1.3 | 6.2 | \$56 |
| D10B | 16" | 1.4 | 7.6 | \$72 |
| D10A | 18" | 1.5 | 8.9 | \$72 |
| D10X | 18" | 16 | 12.4 | \$86 |

Model Builder

| Base Model | • | 1st Option Glide | • | 2nd Option Frame Color | | 3rd Option Shell Color |
|------------|---|---------------------|---|---|---|---------------------------|
| | | Nylon (3) \$0 | | Chrome (5) \$0 Titanium (4) \$0 Black (7) \$0 | | See page 45 |
| D10A | • | 3 | • | 4 | • | M |

Model Example: D10A.3.4.M

drtcobell

Application & Specification Rules

- > Ships without cartons on truckloads
- > Caster chairs stack to 4 high

> ONLY available with 50mm dual wheel casters. Use code H in glide option field below

- > List Price shown is for EACH chair without carton
- > Specify carton specific models for LTL shipments. See page 49
- > Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards



| Base Model | Seat Height | Cubes Each Unctn | Lbs Each Unctn | List Price Each |
|------------|----------------|---------------------|-------------------|--------------------|
| D16A | 17" | 1.5 | 12.2 | \$123 |
| D16X | 17" | 1.6 | 13.8 | \$135 |

Model Builder

| Base Model | • | 1st Option Glide | • | 2nd Option Frame Color | | 3rd Option Shell Color |
|------------|---|----------------------------|---|---|---|---------------------------|
| | | Casters, Hardwheel (H) \$0 | | Chrome (5) \$0 Titanium (4) \$0 Black (7) \$0 | | See page 45 |
| D16A | • | Н | • | 4 | • | Z |

Model Example: D16A.H.4.Z

FULLY CARTONED

INDOOR AIR QUALITY NDOOR AIR STATE NDOOR AIR STATE FUNNTUE FUNNTUE

Application & Specification Rules

> NOTE MODELS ARE FOR CARTON QUANTITIES

- > Chairs stack to 10 high, caster chairs stack 4 high
- > By ordering a quantity of one (1) you will receive 5 chairs

- > Carton pack models for LTL Shipments
- > Carton Pack models are priced and sold as 5-packs only.
- > Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards



| Base Model | Description | Seat Height | Chairs Per Ctn | Cubes Ctn | Lbs Ctn | Carton Price |
|------------|--------------------------|----------------|-------------------|--------------|------------|-----------------|
| D10DC | 5-Chairs, Fully Cartoned | 12" | 5 | 6.9 | 33.0 | \$290 |
| D10CC | 5-Chairs, Fully Cartoned | 14" | 5 | 6.9 | 37.5 | \$290 |
| D10BC | 5-Chairs, Fully Cartoned | 16" | 5 | 9.9 | 45.0 | \$382 |
| D10AC | 5-Chairs, Fully Cartoned | 18" | 5 | 13.2 | 55.5 | \$382 |
| D10XC | 5-Chairs, Fully Cartoned | 18" | 5 | 19 | 69.5 | \$455 |



| With Caste | rs | | | , | | |
|------------|--------------------------|-----|---|------|------|-------|
| D16AC | 4-Chairs, Fully Cartoned | 17" | 4 | 13.2 | 54.3 | \$515 |
| D16XC | 4-Chairs, Fully Cartoned | 17" | 4 | 19 | 62.7 | \$564 |

Model Builder

| Base Model | • | 1st Option Glide | • | 2nd Option Frame Color | ٠ | 3rd Option Shell Color |
|------------|---|---|---|---|---|---------------------------|
| | | Nylon (3) \$0 Casters, Hardwheel (H) \$0 (D16AC & D16XC ONLY) | | Chrome (5) \$0 Titanium (4) \$0 Black (7) \$0 | | See page 45 |
| D10AC | • | 3 | • | 4 | • | М |

Model Example: D10AC.3.4.M



> Always ships fully cartoned

> Chairs stack 4 high

> Meets or Exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Standards

> Standard with poly shell

> Must order in multiples of 4 (full carton quantity)



| Base Model | Seat Height | Units Per Ctn | Cubes Each Chair | Lbs Each Chair | Price Each Chair |
|------------|----------------|------------------|---------------------|-------------------|---------------------|
| D30C | 14" | 4 | 2.70 | 10.68 | \$136 |
| D30B | 16" | 4 | 3.10 | 12.70 | \$138 |
| D30A | 18" | 4 | 3.90 | 15.38 | \$140 |

Model Builder

| Base Model | • | 1st Option Glide | ٠ | 2nd Option Frame Color | • | 3rd Option Shell Color |
|------------|---|---------------------|---|--|---|---------------------------|
| | | Nylon (3) \$0 | | Chrome (5) \$0 Titanium (4) \$0 Back (7) \$0 | | See page 45 |
| D30B | • | 3 | | 4 | • | z |

Model Example: D30B.3.4.Z

Cubes Each



Application & Specification Rules

- > Always ships fully cartoned, one unit per carton
- > Available with hard-wheel caster or bell glides
- > Pneumatic height adjustment. Chair adjusts 17" 22", Stool adjusts 24" 34"

Seat

> Five-star base, black only

> Lab stool includes 18" diameter metal foot ring. 10" adjustment range, 8" to 18" from floor

Lbs Each

List

> DL9A & DL9X ONLY Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards



| Base Model | Description | Height | Per Ctn | Ctn | Ctn | Price |
|----------------|---------------|-----------|---------|-----|------|-------|
| | | | | | | |
| Gas-Lift Swive | el Chair | | | | | |
| DP9A | A shell size | 17" - 22" | 1 | 6.2 | 22.3 | \$200 |
| DP9X | A+ shell size | 17" - 22" | 1 | 6.2 | 23.5 | \$225 |

Units



| Gas-Lift Sw | rivel Stool | | | | | |
|-------------|---------------|-----------|---|-----|------|-------|
| DL9A | A shell size | 24" - 34" | 1 | 6.2 | 29.0 | \$225 |
| DL9X | A+ shell size | 24" - 34" | 1 | 6.2 | 30.2 | \$250 |

Model Builder

| Base Model | | 1st Option Glide/Caster | | 2nd Option Shell Color |
|------------|---|---|---|---------------------------|
| | | Hard Wheel Caster (H) \$0 Bell Glide (B) \$0 | | See page 45 |
| DL9A | • | Н | • | М |

Model Example: DL9A.H.M

- > Always ships fully cartoned
- > Must order in multiples of 4 (full carton quantity)
- > Poly shell standard
- > Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards

> Alphabet FLOT chairs stack five (5) high



| | Base Model | Seat Height | Units Per Ctn | Cubes Each Chair | Lbs Each Chair | Price Each Chair |
|----|------------|----------------|------------------|---------------------|-------------------|---------------------|
| Į. | AS4L06 | 6" | 4 | 1.22 | 7.8 | \$129 |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Shell Color |
|------------|---|---------------------|---|---|---|---------------------------|
| | | Nylon (3) \$0 | | Chrome (5) \$0 Titanium (4) \$0 Black (7) \$0 | | See page 45 |
| AS4L06 | • | 3 | • | 4 | • | М |

Model Example: AS4L06.3.4.M

Alphabet | Four Leg Chair

INDOOR AIR QUALITY INDOOR ADVANTAGE GOLD

Application & Specification Rules

- > Always ships fully cartoned. Poly shell chairs are 4-chairs per carton, bent multi-ply wood shell chairs always ship one per carton.
- > Shell options include reinforced polypropylene or laminated bent multi-ply wood shell
- > Alphabet four leg chairs stack four (4) high (Stacking multi-ply wood shells is not recommended)
- > Optional wire book rack available for 16" and 18" chairs. See page 57 (Not for use on multi-ply wood shell chairs)
- > All poly shell Alphabet four leg chairs are rated for use up to 300lbs
- > Must order poly chairs in multiples of 4 (full carton quantity)
- > Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards



| Seat Height | Units Per Ctn | Cubes Each Chair | Lbs Each Chair | Price Each Chair |
|----------------|-----------------------|-------------------------------------|--|---|
| | | | | |
| 12" | 4 | 2.56 | 10.20 | \$129 |
| 14" | 4 | 2.56 | 10.70 | \$129 |
| 16" | 4 | 3.80 | 12.50 | \$132 |
| 18" | 4 | 3.80 | 13.00 | \$132 |
| | | | | |
| | Height 12" 14" 16" | Height Per Ctn 12" 4 14" 4 16" 4 | Height Per Ctn Each Chair 12" 4 2.56 14" 4 2.56 16" 4 3.80 | Height Per Ctn Each Chair Each Chair 12" 4 2.56 10.20 14" 4 2.56 10.70 16" 4 3.80 12.50 |



| Multi-ply Wood Shel | II | | | | |
|---------------------|-----|-------------|-----|------|-------|
| AS4L16P | 16" | 1 (per ctn) | 9.6 | 17.5 | \$455 |
| AS4L18P | 18" | 1 (per ctn) | 9.6 | 18.0 | \$455 |

Model Builder

| Base Model | • | 1st Option Glide | • | 2nd Option Frame Color | | 3rd Option Shell Color |
|------------|---|---------------------|---|---|---|---------------------------|
| | | Nylon (3) \$0 | | Chrome (5) \$0 Titanium (4) \$0 Black (7) \$0 | | See page 45 |
| AS4L16 | • | 3 | • | 4 | • | M |

Model Example: AS4L16.3.4.M



- > Always ships fully cartoned. Poly shell chairs are 4-chairs per carton, bent multi-ply wood shell chairs always ship one per carton.
- > Must order poly chairs in multiples of 4 (full carton quantity)
- > Shell options include reinforced polypropylene or laminated bent multi-ply wood shell
- > Standard hard wheel caster

- > Optional wire book rack available for 16" and 18" chairs. See page 57 (Not for use on multi-ply wood shell chairs)
- > AS4C16 & AS4C18 ONLY Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards



| Base Model | Seat Height | Units Per Ctn | Cubes Each Chair | Lbs Each Chair | Price Each Chair |
|------------|----------------|------------------|---------------------|-------------------|---------------------|
| Poly Shell | | | | | |
| AS4C14 | 14" | 4 | 2.56 | 10.20 | \$169 |
| AS4C16 | 16" | 4 | 3.80 | 13.70 | \$172 |
| AS4C18 | 18" | 4 | 3.80 | 14.20 | \$172 |



| Multi-ply Wood Shell | | | | | |
|----------------------|-----|-------------|-----|------|-------|
| AS4C16P | 16" | 1 (per ctn) | 9.6 | 18.7 | \$495 |
| AS4C18P | 18" | 1 (per ctn) | 9.6 | 19.2 | \$495 |

Model Builder

| Base Model | • | 1st Option Caster | | 2nd Option Frame Color | | 3rd Option Shell Color |
|------------|---|----------------------|---|---|---|---------------------------|
| | | Hardwheel (H) \$0 | | Chrome (5) \$0 Titanium (4) \$0 Black (7) \$0 | | See page 45 |
| AS4C16P | • | Н | • | 4 | • | 84 |

Model Example: AS4C16P.H.4.84

- > Always ships fully cartoned. Poly shell chairs are 4-chairs per carton, bent multi-ply wood shell chairs always ship one per carton.
- > Shell options include reinforced polypropylene or laminated bent multi-ply wood shell
- > Optional wire book rack available for 16" and 18" chairs. See page 57 (Not for use on multi-ply wood shell chairs)
- > Alphabet cantilever chairs stack four (4) high (Stacking multi-ply wood shells is not recommended)
- > Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards
- > Must order poly chairs in multiples of 4 (full carton quantity)



| | Seat | Units | Cubes | Lbs | Price |
|------------|--------|--------------------------|------------|------------|------------|
| Base Model | Height | eight Per Ctn Each Chair | | Each Chair | Each Chair |
| | | | | | |
| Poly Shell | | | | | |
| ASCL14 | 14" | 4 | 2.9 | 13.9 | \$168 |
| ASCL16 | 16" | 4 | 3.80 | 16.00 | \$170 |
| ASCL18 | 18" | 4 | 3.80 16.60 | | \$170 |



| Multi-ply Wood Shell | I | | | | |
|----------------------|-----|-------------|-----|------|-------|
| ASCL16P | 16" | 1 (per ctn) | 9.6 | 20.9 | \$493 |
| ASCL18P | 18" | 1 (per ctn) | 9.6 | 21.5 | \$493 |

Model Builder

| Base Model | • | 1st Option Glide | • | 2nd Option Frame Color | ٠ | 3rd Option Shell Color |
|------------|---|---------------------|---|---|---|---------------------------|
| | | Nylon (3) \$0 | | Chrome (5) \$0 Titanium (4) \$0 Black (7) \$0 | | See page 45 |
| ASCL18P | • | 3 | • | 4 | • | 84 |

Model Example: ASCL18P.3.4.84

Alphabet I Task Chair and Stool



Application & Specification Rules

- > Always ship fully cartoned, one unit per carton
- > Standard with reinforced polypropylene shell
- > Standard with five-star base with swivel and pneumatic height adjustment
- > Base available with hard casters or bell glides
- > Black base only, no color specification required
- > Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards

| > Stool includes height adjustable 18" diameter foot | rıng |
|--|------|
|--|------|



| Base Model | Description | Seat Height | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Each |
|------------|-------------|----------------|------------------|-------------------|-----------------|--------------------|
| Task Chair | | | | | | |
| ASTA18 | Poly shell | 16" - 21" | 1 | 6.2 | 23.5 | \$246 |



| Stool | | | | | | |
|--------|------------|-----------|---|-----|------|-------|
| ASST18 | Poly shell | 22" - 32" | 1 | 6.2 | 28.0 | \$291 |

Model Builder

| Base Model | | 1st Option Caster/Glide | • | 2nd Option Shell Color |
|------------|---|---|---|---------------------------|
| | | Hard wheel Caster (H) \$0 Bell Glide (B) \$0 | | See page 45 |
| ASTA18 | • | Н | • | М |

Model Example: ASTA18.H.M

Alphabet | Four Leg Stool



Application & Specification Rules

- > Always ships fully cartoned.
- > Standard with nylon solo glide. For use with our without glide caps.
- > Shell options include reinforced polypropylene or laminated multi-ply wood shell
- > Optional glide caps are available in steel, felt, and non-skid. See page 57

> Standard with welded foot rest



| Base Model | Seat Height | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Each | | |
|------------|----------------|------------------|-------------------|-----------------|--------------------|--|--|
| Poly Shell | | | | | | | |
| AS4ST24 | 24" | 1 | 9.0 | 32.0 | \$219 | | |
| AS4ST30 | 30" | 1 | 11.5 | 34.0 | \$225 | | |



| Multi-ply Wood Shell | | | | | |
|----------------------|-----|---|------|------|-------|
| AS4ST24P | 24" | 1 | 9.0 | 36.5 | \$542 |
| AS4ST30P | 30" | 1 | 11.5 | 38.5 | \$548 |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Shell Color |
|------------|---|---------------------|---|---|---|---------------------------|
| | | Solo Nylon (P) \$0 | | Chrome (5) \$0 Titanium (4) \$0 Black (7) \$0 | | See page 45 |
| AS4ST30 | • | Р | • | 4 | • | M |

Model Example: AS4ST30.P.4.M



Surface Saver Glide Caps

- > 100 glide CAPS (caps only) per kit. Includes one (1) installation/removal tool per kit
- > Use base model only for specification. No options required.
- > For use on all series chairs with solo nylon glides to replace or change glide type in the field
- > For use on all chairs or desks with solo nylon glides (P)
- > Glide caps are NOT for use on standard nylon (3)
- > Glide caps are field installed and attach directly to the solo nylon glide (P)
- > Caps are interchangable

| | | Units Per | Cubes Each | Lbs Each | List |
|-------------------|----------------------------|-----------|------------|----------|------|
| Base Model | del Description Ctn Ctn | | Ctn | Price | |
| Surface Saver Gli | de Caps Replacement Kits | | | | |
| ASA-GCK1 | Glide Caps Steel | 100 | 0.1 | 2.0 | \$80 |
| ASA-GCK2 | Glide Caps I Non-Skid | 100 | 0.1 | 1.0 | \$66 |
| ASA-GCK3 | Glide Caps I Nylon | 100 | 0.1 | 0.8 | \$43 |
| ASA-GCKF | Glide Caps Felt | 100 | 0.1 | 1.4 | \$66 |

Underseat Wire Book Basket - Alphabet Seating ONLY

- > Wire book basket is not for use on multi-ply wood shell chairs
- > Wire book basket available in chrome only, no color specification required
- > Wire book basket for use on poly shell 16" and 18" four leg and poly shell cantilever models only. Not for use on 12" or 14" chairs


> Wire book basket sold as 4-pack only. By ordering one (1) ASA-CWBB you will receive four (4) baskets



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|------------|---------------------|------------------|-------------------|-----------------|---------------|
| ASA-CWBB | 4-pack, chrome only | 4 | 2.1 | 9.9 | \$125 |

STUDENT DESKS

Whether you learn best in pairs, small groups, or individually, discover how any learning space can be customized. It's all about voice and choice. Reconfigure every week, day or even hour. Personalization has never been this flexible!



artcobe

STATEMENT OF LINE

STUDENT DESKS



7SD Series | Student Desk



7KD

Uniflex Basic | Student Desk



DAOD

D-Series | Open Front Desk



Aperture



Expanse



Rectangle



DT Expanse



DT Rectangle

Shape Student Desk

Shape T-Leg Study Desk



20" x 26"

4100 Series | Cantilever Desk




ASWA6G




ASWAJG

Alphabet Student Desks

Essentials - Laminates - 7SD3 | 7SD4 | DA0D | 7KD



Poly - DAOD






Solid Plastic

Grey Spectrum Sugar Maple Beige D 4

*Subject to current lead times.

Due to pattern scale and color variations in computer monitors and printers, we strongly suggest you view actual samples before making surface material selections.

Metal Frames



7SD Series | Student Desk

INDOOR ADVANTAGE GOLD FUNNTURE

Application & Specification Rules

- > Always ships fully cartoned, two units per carton
- > Top options include 3/4" MDF with a clear flat edge. Also available in 9/16" Solid Plastic
- > Must order in multiples of 2 (full carton quantity)
- > Standard with 22" 30" height adjustable legs
- > Legs require field installation of lower leg inserts
- > Accommodates a variety of book box and backpack hook accessories. See page 70
- > Accessories are specified and priced separately.
 All accessories are field installed

| Base Model | Top Material Edge | Height | Units Per Ctn | Cubes Each Desk | Lbs Each Desk | Price Each Desl |
|------------------------------------|--|--|------------------|----------------------|----------------------|-------------------------|
| Four Leg Stu | dent Desk Rectangle 18" x 24" | | | | | |
| 7SD4A03 | Laminate I Clear Flat Edge (3) | Adjustable 22" - 30" | 2 | 2.63 | 20.0 | \$121 |
| 7SD4A0S | Solid Plastic (S) | Adjustable 22" - 30" | 2 | 2.63 | 22.0 | \$177 |
| 7SD4F3603 | Laminate I Clear Edge (3) | Fixed, 36" | 2 | 5.50 | 21.0 | \$146 |
| 7SD4F360S | Solid Plastic (S) | Fixed, 36" | 2 | 5.50 | 23.0 | \$202 |
| 7SD4F4203 | Laminate I Clear Edge (3) | Fixed, 42" | 2 | 6.75 | 26.0 | \$166 |
| | | Fixed, 42" | 2 | 6.75 | 28.0 | \$222 |
| 7SD4F420S | Solid Plastic (S) | FIXEU, 42 | 2 | 0.73 | 20.0 | ΨΖΖΖ |
| Four Leg Stu | dent Desk Rectangle 20" x 26" | | | | | |
| | | Adjustable 22" - 30" Adjustable 22" - 30" | 2 2 2 | 2.90 | 21.0 23.0 | \$149 \$213 |
| Four Leg Stu 7SD4A63 | dent Desk Rectangle 20" x 26" Laminate Clear Edge (3) | Adjustable 22" - 30" | 2 | 2.90 | 21.0 | \$149 |
| Four Leg Stu 7SD4A63 | dent Desk Rectangle 20" x 26" Laminate Clear Edge (3) | Adjustable 22" - 30" | 2 | 2.90 | 21.0 | \$149 |
| Four Leg Stu 7SD4A63 7SD4A6S | dent Desk Rectangle 20" x 26" Laminate Clear Edge (3) Solid Plastic (S) | Adjustable 22" - 30" Adjustable 22" - 30" | 2 2 | 2.90 2.90 | 21.0 23.0 | \$149 |
| Four Leg Stu 7SD4A63 7SD4A6S | dent Desk I Rectangle 20" x 26" Laminate I Clear Edge (3) Solid Plastic (S) Laminate I Clear Edge (3) | Adjustable 22" - 30" Adjustable 22" - 30" Fixed, 36" | 2 2 | 2.90 2.90 5.50 | 21.0 23.0 22.0 | \$149 \$213 \$174 |

Model Builder

| Base Model | ٠ | 1st Option Glide | • | 2nd Option Frame Color | | 3rd Option Top Color |
|------------|---|---------------------|---|---|---|-------------------------|
| | | Nylon (3) \$0 | | Titanium (4) \$0 Chrome (5) \$0 Black (7) \$0 | | See page 60 |
| 7SD4A03 | • | 3 | • | 4 | • | 7M |

Model Example: 7SD4A03.3.4.7M

7SD Series | Student Desk

INDOOR AND STATE GOLD PUNTURE GOLD PUNTURE

Application & Specification Rules

- > Always ships fully cartoned, two units per carton
- > Top options include 3/4" MDF with a clear edge or available in 9/16" Solid Plastic
- > Must order in multiples of 2 (full carton quantity)
- > Fully welded cross-brace assembly
- > Legs require field installation of lower leg inserts
- > Accommodates a variety of book box and back pack hook accessories. See page 70
- > Accessories are specified and priced separately.
 All accessories are field installed

| Base Model | Top Material Edge | Height | Units Per Ctn | Cubes Each Desk | Lbs Each Desk | Price Each Desk |
|----------------|--------------------------------|----------------------|------------------|--------------------|------------------|--------------------|
| Tri-Top Studer | nt Desk 28" x 28" | | | | | |
| 7SD3A3C | Laminate Clear Flat Edge (3) | Adjustable 22" - 30" | 2 | 4.2 | 24.0 | \$154 |
| 7SD3ASC | Solid Plastic (S) | Adjustable 22" - 30" | 2 | 4.2 | 26.0 | \$253 |
| | Laminate Clear Flat Edge (3) | Fixed, 36" | 2 | 9.0 | 25.0 | \$265 |
| 7SD3F36SC | Solid Plastic (S) | Fixed, 36" | 2 | 9.0 | 27.0 | \$358 |
| | | | | | | |
| 7SD3F423C | Laminate Clear Flat Edge (3) | Fixed, 42" | 2 | 10.6 | 26.0 | \$295 |
| 7SD3F42SC | Solid Plastic (S) | Fixed, 42" | 2 | 10.6 | 28.0 | \$388 |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Top Color |
|------------|---|---------------------|---|---|---|-------------------------|
| | | Nylon (3) \$0 | | Titanium (4) \$0 Chrome (5) \$0 Black (7) \$0 | | See page 60 |
| 7SD3A3C | • | 3 | • | 4 | • | 7M |

Model Example: 7SD3A3C.3.4.7M

Uniflex Basic | Student Desk NEW!

Application & Specification Rules

- > Ships unassembled, assembly required.
- > Standard 20"d x 26"w top size.
- > Accessories are specified and price separately.
 All Accessories are field installed.
- > Ships fully cartoned, one (1) desk per carton.
- > Standard height adjustable legs, 22" 30" in 1" increments.
- > Top options include 3/4" laminate with clear edge or 9/16" Solid Plastic.
- > Includes hardware.
- > For felt glides, use glide kit TA-GFK. See page 27.
- > Accommodates a variety of book box and backpack hook accessories. See page 70.

NEW!



| Base Model | Top Material Edge | Height | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Each |
|------------|--------------------------------|----------------------|------------------|-------------------|-----------------|--------------------|
| 7KD4A63 | Laminate Clear Flat Edge (3) | Adjustable 22" - 30" | 1 | 1.4 | 28.7 | \$235 |
| 7KD4A6S | Solid Plastic (S) | Adjustable 22" - 30" | 1 | 1.4 | 30.7 | \$297 |

Model Builder

| Base Model | • | 1st Option Glide | | 2nd Option Frame Color | • | 3rd Option Top Color |
|------------|---|---------------------|---|-----------------------------------|---|-------------------------|
| | | Nylon (3) \$0 | | Black (7) \$0 Titanium (4) \$0 | | See page 60 |
| 7KD4A63 | • | 3 | • | 7 | • | 7M |

Model Example: 7KD4A63.3.7.7M

D-Series | Open Front Student Desks

INDOOR AIR QUALITY INDOOR AIR QUALITY INDOOR AIR QUALITY INDOOR AUGUST GO.D BINISTIES GO.D BINISTIES

Application & Specification Rules

> Always ships fully cartoned, two units per carton

> Must order in multiples of 2 (full carton quantity)

- > Ships KD, field installation of legs required
- > Standard adjustable height legs, 22" 30" in 1" increments
- > Specify upper leg paint color, lower leg chrome only

- > Fully integrated polypropylene book box
- > Meets or exceeds ANSI/BIFMA X5.5-2014 Educational Furniture Test Standards



| Base Model | Size | Description | Height | Units Per Ctn | Cubes Each Desk | Lbs Each Desk | Price Each Desk |
|------------|-----------|---------------------------|-----------|------------------|--------------------|------------------|--------------------|
| DA0D3 | 18" x 24" | Laminate Clear Edge (3) | 22" - 30" | 2 | 1.9 | 21.9 | \$106 |
| DAODS | 18" x 24" | Solid Plastic (S) | 22" - 30" | 2 | 1.9 | 24.9 | \$161 |

Model Builder


| Base | • Model | • | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Book Box Color | • | 4th Option Top Color |
|------|---------|---|---------------------|---|---|---|------------------------------|---|-------------------------|
| | | | Nylon (3) \$0 | | Chrome (5) \$0 Black (7) \$0 Titanium (4) \$0 | | See page 60 \$0 | | See page 60 |
| DAC | DDSC | • | 3 | • | 5 | • | М | • | 7M |

Model Example: DA0DSC.3.5.M.7M

Essentials - Laminates - DST | 4100 | ASWA



Artisan + Markerboard - Laminates



^{*}Subject to current lead times.

Due to pattern scale and color variations in computer monitors and printers, we strongly suggest you view actual samples before making surface material selections.

- > Tops and legs are specified and priced separately. See below for leg kits
- > Always ships fully cartoned, one top per carton
- > DST-RC2026, EX2232 & AP1830 ONLY Meets or exceeds ANSI/BIFMA X5.5-2014 Educational Furniture Test Standards
- > Tops and legs ship in separate cartons
- > Rectangle and Expanse tops may be used with post or > Accessories are specified separately. t-legs. Aperture is for use with post legs only.
- > 3/4" tops to align in height with Discover shape tables
 - See pages 69-70

| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price Essentials Laminates | List Price Artisan/ Markerboard | Number of Legs Required |
|------------------|-------------------------------|---------------------|----------------------|--------------------|---------------------------------------|---------------------------------------|-------------------------------|
| Rectangle 20" x | 26" | | | | | | |
| DST-RC2026G | 3/4" Laminate Flat Edge (G) | 1 | .95 | 15.6 | \$145 | \$182 | 4 |
| Rectangle 20" x | 36" | | | | | | |
| DST-RC2036G | 3/4" Laminate Flat Edge (G) | 1 | 1.66 | 22.6 | \$175 | \$212 | 4 |
| Expanse 22" x 3 | | | | | | | |
| DST-EX2232G | 3/4" Laminate Flat Edge (G) | 1 | 1,12 | 18.4 | \$175 | \$212 | 4 |
| Aperture 18" x 3 | 0" | | | | | | |
| DST-AP1830G | 3/4" Laminate Flat Edge (G) | 1 | 1.41 | 17.1 | \$166 | \$203 | 4 |

Model Builder

| Base Model | ٠ | 1st Option Top Laminate | | 2nd Option Edge Color |
|-------------|---|----------------------------|---|--------------------------|
| | | See page 65 | | Titanium (4) |
| | | | | |
| DST-EX2232G | • | 7M | • | 4 |

Model Example: DST-EX2232G.7M.4

Leg Kits & Accessories

> Caster pack includes four (4) 37mm dual wheel locking casters, black only. For use with post legs ONLY.

> Tops are NOT pre-drilled for accessories

> T-Legs are not for use with aperture tops

Cubas Fash | Lbs Fash

Lloito

| Base Model | Description | Per Ctn | Cubes Each Ctn | Ctn | Price |
|-------------------|--|---------|-------------------|------|-------|
| Post Leg Kits for | r Shape Student Desk Tops | | | | |
| DSLK-4AAP.3.4 | 22" - 34" Adjustable Legs, 4-Pack, Nylon glide, Titanium | 4 pack | .61 | 14.0 | \$99 |
| T-Leg Kits for Sh | nape Student Desk Tops | | | | |
| DSLK-2F29G.4 | 29" Fixed Height, 2-Pack, Nylon glide, Titanium | 2 pack | .90 | 10.0 | \$269 |
| Casters (Post Le | gs ONLY) | | | | |
| TA-CPS37T4 | 37mm Casters, 4-Pack | 4 PACK | .10 | .85 | \$27 |

4100 Series I Cantilever Desks

INDOOR AURAINAGE GOLD

Application & Specification Rules

All accessories are field installed

> Accessories are specified and priced separately.

> Always ships fully cartoned

- > Top options include 3/4" particleboard with a flat edge (G).
- > Must order in multiples of 2 (full carton quantity)
- > Accommodates a variety of book box and backpack hook accessories. See page 70



| Base Model | Size | Height | Units Per Ctn | Cubes Each Desk | Lbs Each Desk | List Price Each Desk Essentials Laminates | List Price Each Desk Artisan/Markerboard |
|------------|-----------|------------|------------------|--------------------|------------------|---|--|
| 4F276G | 20" x 26" | Fixed, 27" | 2 | 6.4 | 31.0 | \$227 | \$264 |
| 4F296G | 20" x 26" | Fixed, 29" | 2 | 6.4 | 34.0 | \$227 | \$264 |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Top Color | | 4th Option Edge Color |
|------------|---|---------------------|---|-----------------------------------|---|-------------------------|---|---------------------------|
| | | Nylon (3) \$0 | | Titanium (4) \$0 Black (7) \$0 | | See page 65 | | Titanium (4) Black (0) |
| 4F296GC | • | 3 | • | 4 | • | 7M | • | 4 |

Model Example: 4F296GC.3.4.7M.4

Alphabet Four Leg Study Desk

INDOOR ADVANTAGE COLD FUNDING

Application & Specification Rules

- > Always ships fully cartoned
- > 20" x 26" ship two units per carton and 20" x 36" ship one per carton
- > Fully welded leg and frame assembly
- > Must order multiples of 2 (full carton quantity) for $20" \times 26"$
- > Standard with adjustable nylon leveling glides, 1" adjustment range
- > Felt glides (TA-GFK) available for field installation only, see page 27 for glide packs
- > Desks pre-set at 29"h

- > Upper and lower leg is painted titanium
- > See page 70 to order book boxes or backpack hooks separately for field installation
- > Meets or exceeds ANSI/BIFMA X5.5-2014 Educational Furniture Test Standards

| Base Model | Description | Height | Units Per Ctn | Cubes Each Desk | Lbs Each Desk | List Price Each Desk Essentials Laminates | List Price Each Desk Artisan/Markerboard |
|--------------|-------------------------------|-----------|---------------------|-----------------------|---------------------|---|--|
| Rectangle 20 | 0" x 26" | | | | | | |
| ASWA6G | 3/4" Laminate I Flat Edge (G) | 22" – 35" | 2 | 6.8 | 92.0 | \$371 | \$408 |
| Rectangle 20 | 0" x 36" | | | | | | |
| ASWAJG | 3/4" Laminate Flat Edge (G) | 22" – 35" | 1 | 15.0 | 54.0 | \$410 | \$447 |

Model Builder

| Base Model | | 1st Option Glide | ٠ | 2nd Option Frame Color | | | |
|------------|---|---------------------|---|-----------------------------------|---|-------------|---------------------------|
| | | Nylon (3) \$0 | | Titanium (4) \$0 Black (7) \$0 | | See page 65 | Titanium (4) Black (0) |
| ASWA6G | • | 3 | • | 4 | • | 7M | 4 |

Model Example: ASWA6G.3.4.7M.4

Study Carrel Screen **NEW!**



Application & Specification Rules

- > For use with the following Student Desks:
 Discover, T-Leg Study Desk, 20"d x 36"w (See page 65)
 ASWAJ Alphabet, Four Leg Student Desk, 20"d x 36"w (See page 67)
 Discover, Shape Student Desk, 20"d x 36"w (See page 65)
- > Dry erase marker compatible

- > 1-piece opaque white acrylic study carrel screen
- > Price and specifications for SCREEN ONLY. Desk is priced and specified separately.
- > Screen is 16" above work surface when installed
- > Must order multiples of 2 (full carton quantity)
- > Brackets standard in Titanium finish only

NEW!



| | | Units | Cubes | Lbs | Price |
|--------------|--|---------|-------------|-------------|-------------|
| Base Model | Description | Per Ctn | Each Screen | Each Screen | Each Screen |
| TA-SCA1737.W | Opaque White Acrylic, 37"w x 18"d x 17"h | 2 | 3.8 | 13.5 | \$495 |

Accessories | Study Desk Book Boxes & Backpack Hooks



Application & Specification Rules

- > NOTE CARTON QUANTITIES. All book box models are 4-packs. For example, ordering one (1) TA-BBW20 you will receive four (4) book boxes. Back pack hooks are sold individually and packed to order.
- > All accessories require field installation. Student desk tops are NOT pre-drilled
- > No color specification is required.

> Includes mounting hardware

| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|-----------------|--------------------------------------|------------------|-------------------|-----------------|---------------|
| Poly Transluce | nt Book Box. 4-Pack | | | | |
| TA-BBP17 | 17.13"w x 13.25"d x 5.5"h | 4-pack | 3.1 | 12.0 | \$187 |
| Wire Book Box | , 4-Pack | | | | |
| TA-BBW15 | 15"w x 13.25"d x 5.25"h, Chrome | 4-pack | 1.9 | 10.0 | \$134 |
| TA-BBW20 | 20"w x 18.5"d x 5.25"h, Chrome | 4-pack | 3.2 | 16.0 | \$172 |
| Perforated Met | tal Book Box, 4-Pack | | | | |
| TA-BBM16 | 16"w x 13.22"d x 5.13"h, Titanium | 4-pack | 1.6 | 14.0 | \$25 |
| TA-BBM22 | 21.75"w x 14.25"d x 5.13"h, Titanium | 4-pack | 3.8 | 17.0 | \$25 |
| Full Metal Bool | k Box, 4-Pack | | | | |
| TA-BBFM17 | 17"w x 14.0"d x 5"h, Titanium | 4-pack | 3.1 | 19.4 | \$25 |
| Backpack Hoo | k, Single Pack | | | | |
| TA-BPH1 | 2.25"w x 1.22"d x 2.35"h, Chrome | | 0.1 | | \$11 |

| | POLY | WI | RE | PERFORAT | TED METAL | FULL METAL | ноок |
|---|-----------|----------|----------|----------|-----------|------------|--------|
| APPLICATION GUIDE | Universal | Small | Large | Small | Large | | |
| Model Number | TA-BBP17 | TA-BBW15 | TA-BBW20 | TA-BBM16 | TA-BBM22 | TA-BBFM17 | TA-BPH |
| Width | 17.13"w | 15"w | 20.0"W | 16"w | 21.75"w | 17.5" w | 2.25"w |
| Depth | 13.25"d | 13.25"d | 18.5"d | 13.22"d | 14.25"d | 14.0" d | 1.22"d |
| Height | 5.5"h | 5.25"h | 5.25"h | 5.13"h | 5.13"h | 5.0" h | 2.35"h |
| Uniflex 18" x 24" (7SD4A0) | YES | YES | NO | YES | NO | YES | YES |
| Uniflex 20" x 26" (7SD4A6) | YES | YES | NO | YES | NO | YES | YES |
| Uniflex Tri- Top (7SD3A, 7SD3F36, 7SD3F42) | YES | YES | NO | YES | NO | YES | YES |
| Discover Shape Student Desks ALL tops | YES | YES | NO | YES | NO | YES | YES |
| Discover T-Leg Student Desk 20" x 26", Expanse 20" x 36" | YES | YES | NO | YES | NO | YES | YES |
| Discover T-Leg Student Desk 20" x 36" | YES | YES | YES | YES | YES | YES | YES |
| Discover 4100 Series Cantilever Desk | YES | YES | YES | YES | YES | YES | YES |
| Alphabet Student Desk (ASWA) | YES | YES | NO | YES | NO | YES | YES |

NEW! Markerboard, Hand-Held

landscape orientation

Application & Specification Rules

- > Markerboard is durable 1-piece opaque white acrylic
- > Integrated handles for easy use in portrait or
- > Priced and sold as four (4) packs only
- > 13" x 19"

- > Use
- > Use with desk or wall mounting brackets (specified and priced separately)



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | Carton Price |
|------------|------------------------------|---------------|----------------|--------------|--------------|
| MBH-1319.W | Opaque White, 13" x 19", 4PK | 4-pack | 0.2 | 10.2 | \$380 |

NEW! Mounting Brackets, Desk/Table Hanging

Application & Specification Rules

- > Metal brackets are standard in Titanium finish only
- > Includes mounting hardware for field installation only
- > Priced and sold as four (4) packs only

- > Use with hand-held markerboards (specified and priced separately)
- > Easily mounts to the underside of most tables and student desks
- > Holds 1-2 markerboards per bracket



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | Carton Price |
|------------|-------------------------------------|---------------|----------------|--------------|--------------|
| MBH-DMB1.4 | Bracket, Desk/Table Hanging, 4-Pack | 4-pack | 0.1 | 1.4 | \$80 |

NEW! Mounting Brackets, Wall-Mount

Application & Specification Rules

- > Metal brackets are standard in Titanium finish only
- > Mounting hardware NOT included and must be specificed locally
- > Priced and sold as four (4) packs only

- > Use with hand-held markerboards (specified and priced separately)
- > Available in single (holds 1-board) or double (holds 2-boards) hook models



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | Carton Price |
|------------|--|---------------|----------------|--------------|--------------|
| MBH-WMB1.4 | Bracket, Wall Mount, Single Hook, 4-Pack | 4-pack | 0.1 | 3.2 | \$132 |
| MBH-WMB2 4 | Bracket Wall Mount Double Hook 4-Pack | 4-pack | 0.2 | 56 | \$196 |

NEW! Movable Screen

Application & Specification Rules

- > Durable 1-piece opaque white acrylic screen
- > Standard with powder coated metal stand
- > 18"w x 3.5"d x 13"h

- > Self standing, no mounting required
- > Screen and base stand come pre assembled
- > Dry erase marker compatible

- > Integrated handle for easy carrying
- > Base stand is standard in Titanium finish only

3.0 d X 10 11



| Base Model | Description | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|--------------|--|---------------|----------------|--------------|------------|
| TA-MSA1318.W | Opaque White, Acrylic, 18"w x 3.5"d x 13"h | 1 | 0.62 | 4.6 | \$171 |

TRANSITIONAL

STATEMENT OF LINE - 73

SEATING - 75

STUDENT DESKS - 80


TABLES - 85

TEACHER DESKS - 88



STATEMENT OF LINE

TRANSITIONAL





R90 Series H400 Series **Open Front Desk** Four Leg Combo Desk


D700 Series Four Leg Combo Desk Sled Combo Desk

D800 Series

7400 Series Four Leg Combo Desk



1200 Series | Activity Tables



Essentials - Laminates



Poly



Markerboard Solid Plastic

D

Markerboard

White

Metal Frames Titanium Sugar Maple **Grey Spectrum** Beige Chrome Black

NOTE: NOT ALL COLORS ARE AVAILABLE ON ALL MODELS. REFER TO MODEL BUILDER ON PRODUCT PAGE FOR AVAILABILITY.

Due to pattern scale and color variations in computer monitors and printers, we strongly suggest you view actual samples before making surface material selections.

7100 Series | Four Leg Stacking Chair

Application & Specification Rules

> Standard with poly shell

> List Price shown is for EACH chair without carton

> Specify carton specific models for LTL shipments. See page 76

> All chairs stack to 10 high

> Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards



| Base Model | Seat Height | Cubes Each Unctn | Lbs Each Unctn | List Price Each |
|------------|-------------|------------------|----------------|-----------------|
| 7103 | 131/2" | 1.0 | 5.4 | \$53 |
| 7105 | 151/2" | 1.1 | 7.3 | \$62 |
| 7107 | 171/2" | 1.2 | 9.2 | \$69 |

Model Builder

| Base Model | | 1st Option Glide/Caster | | 2nd Option Frame Color | • | 3rd Option Shell Color |
|------------|---|----------------------------|---|---|---|---------------------------|
| | | Nylon (3) \$0 | | Chrome (5) \$0 Black (7) \$0 Titanium (4) \$0 | | See page 74 |
| 7107 | • | 3 | • | 5 | • | М |

Model Example: 7107.3.5.M

FULLY CARTONED

Application & Specification Rules

- > NOTE MODELS ARE FOR CARTON QUANTITIES
- > Carton pack models for LTL shipments
- > By ordering a quantity of one (1) you will receive 5 chairs
- > Carton pack models are priced and sold as 5 packs only
- > Meets or exceeds ANSI/BIFMA X6.1-2012 Educational Furniture Test Standards
- > All chairs stack to 10 high



| Base Model | Description | Seat Height | Chairs Per Ctn | Cubes Ctn | Lbs Ctn | Carton Price |
|---------------|--------------------------|----------------|-------------------|--------------|------------|-----------------|
| 7103C | 5-Chairs, Fully Cartoned | 13 1/2" | 5 | 6.9 | 30.5 | \$290 |
| 7105C | 5-Chairs, Fully Cartoned | 15 1/2" | 5 | 9.9 | 41.0 | \$335 |
| 7107C | 5-Chairs, Fully Cartoned | 17 1/2" | 5 | 13.2 | 51.5 | \$370 |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Shell Color |
|---------------|---|---------------------|---|---|---|---------------------------|
| | | Nylon (3) \$0 | | Chrome (5) \$0 Black (7) \$0 Titanium (4) \$0 | | See page 74 |
| 7107C | • | 3 | • | 5 | • | М |

Model Example: 7107C.3.5.M

GITTCODE

Application & Specification Rules

> Always ships fully cartoned

> Solid plastic seat and back

> All chairs stack to 4 high

> Must order in multiples of 4 (full carton quantities)



| Base Model | Seat Height | Units Per Ctn | Cubes Each Chair | Lbs Each Chair | Price Each Chair |
|------------|----------------|------------------|---------------------|-------------------|---------------------|
| X105 | 15 1/2" | 4 | 2.80 | 15.0 | \$135 |
| X107 | 18" | 4 | 3.90 | 20.0 | \$142 |

Model Builder

| Base Model | 1st Option Glide | | 2nd Option Frame Color | 3rd Option Seat and Back Color |
|------------|---------------------|---|---|-----------------------------------|
| | Nylon (3) \$0 | | Black (7) \$0 Chrome (5) \$0 Titanium (4) \$0 | See page 74 |
| X107 | 3 | • | 4 | N |

Model Example: X107.3.4.N

Grtcobell

Application & Specification Rules

> Always ships fully cartoned

> Priced and sold as 4-pack only

> 13.5" diameter seat

> Must order in multiples of 4 (full carton quantities)



| Base Model | Description | Seat Height | Units Per Ctn | Cubes Each Chair | Lbs Each Chair | Price Each Chair |
|------------|---------------------------------|----------------|------------------|---------------------|-------------------|---------------------|
| 0801 | Standard Adjustable I Poly Seat | 19" - 27 1/2" | 4 | 2.0 | 13.0 | \$143 |

Model Builder

| Base Model | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Seat Color |
|------------|---------------------|---|---|---|--------------------------|
| | Nylon (3) \$0 | | Chrome (5) \$0 Titanium (4) \$0 Black (7) \$0 | | See page 74 |
| 0801 | 3 | • | 5 | • | M |

Model Example: 0801.3.5.M

D-Series | Four Leg Swivel Stool

Application & Specification Rules

> Always ships fully cartoned, maximum two units per carton > Include foot rest, non-adjustable

> Height adjustable 25" – 33", in 1" increments

> Must order in multiples of 2 (full carton quantities)

> Seat swivels 360-degrees



| Base Model | Shell Size | Seat Height | Units Per Ctn | Cubes Each Chair | Lbs Each Chair | Price Each Chair |
|------------|---------------|----------------|------------------|---------------------|-------------------|---------------------|
| D99A | А | 25" - 33" | 2 | 5.0 | 22.7 | \$228 |
| D99X | Д+ | 25" - 33" | 2 | 5.0 | 23.4 | \$244 |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Shell Color |
|------------|---|---------------------|---|---|---|---------------------------|
| | | Nylon (3) \$0 | | Chrome (5) \$0 Black (7) \$0 Titanium (4) \$0 | | See page 74 |
| D99A | • | 3 | • | 5 | • | M |

Model Example: D99A.3.5.M

R90 Series | Open Front Desk

Application & Specification Rules

- > Always ships fully cartoned
- > Fully integrated metal book box, matches specified frame color
- > Must order in multiples of 2 (full carton quantities)
- > Top size 18"d x 24"w
- > Standard adjustable height legs, 22" 30" in 1" increments
- > Requires field installation of leg inserts
- > Meets or exceeds ANSI/BIFMA X5.5-2014 Educational Furniture Test Standards



| Base Model | Description | Top Material Edge | Units Per Ctn | Cubes Each Desk | Lbs Each Desk | Price Each Desk |
|------------|-----------------------|---------------------------|------------------|--------------------|------------------|--------------------|
| R90D3 | Rectangle 18"d x 24"w | Laminate Clear Edge (3) | 2 | 3.2 | 28.0 | \$139 |
| R90DS | Rectangle 18"d x 24"w | Solid Plastic (S) | 2 | 3.2 | 32.0 | \$198 |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Top Color |
|------------|---|---------------------|---|-----------------------------------|---|-------------------------|
| | | Nylon (3) \$0 | | Black (7) \$0 Titanium (4) \$0 | | See page 74 |
| R90D3 | • | 3 | • | 7 | • | 7M |

Model Example: R90D3.3.7.7M

Application & Specification Rules

- > Always ships fully cartoned, two units per carton
- > Available in 17 1/2" seat height only
- > Must order in multiples of 2 (full carton quantities)
- > Top size 18" x 24"

- > Standard with fixed wire book rack
- > Standard with solid plastic top



| Base Model | Description | Seat Height | Units Per Ctn | Cubes Each Desk | Lbs Each Desk | Price Each Desk |
|------------|------------------------------|----------------|------------------|--------------------|------------------|--------------------|
| H457S | Top Type Solid Plastic (S) | 17 1/2" | 2 | 9.3 | 41.0 | \$307 |

Model Builder

| Base Model | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Seat & Back Color | 4th Option Top Color |
|------------|---------------------|-----|---|-------------------|---------------------------------|---|
| | Nylon (3) | \$0 | Chrome (5) Black (7) Titanium (4) | \$0 \$0 \$0 | Navy (N) | Grey Spectrum (J) Sugar Maple (D) Beige (4) |
| H457S | 3 | | 5 | | N | J |

Model Example: H457S.3.5.N.J

D700 Series | Four Leg Combo Desk RH Entry

Application & Specification Rules

> Always ships fully cartoned, two units per carton

> 18" x 24" standard top size

> Standard with fixed chrome wire book rack

> Must order in multiples of 2 (full carton quantities)

> 3/4" MDF or 9/16" solid plastic tops



| Base Model | Description | Units Per Ctn | Cubes Each Desk | Lbs Each Desk | Price Each Desk |
|------------|--|------------------|--------------------|------------------|--------------------|
| D75A3 | 18" Seat Height with book rack Laminate Clear Edge (3) | 2 | 9.4 | 33.0 | \$227 |
| D75AS | 18" Seat Height with book rack Solid Plastic (S) | 2 | 9.4 | 36.0 | \$286 |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Shell Color | | 4th Option Top Color |
|------------|---|---------------------|---|---|---|---------------------------|---|-------------------------|
| | | Nylon (3) \$0 | | Chrome (5) \$0 Black (7) \$0 Titanium (4) \$0 | | See page 74 | | See page 74 |
| D75A3 | • | 3 | • | 5 | • | М | • | 7M |

Model Example: D75A3.P.5.M.7M

D800 Series | Sled Combo Desk

Application & Specification Rules

- > Always ships fully cartoned, two units per carton
- > Standard with fixed wire book rack
- > 3/4" MDF or 9/16" solid plastic tops

- > Must order in multiples of 2 (full carton quantities)
- > 18" seat height

> Standard without glides

> 18" x 24" standard top size



| Base Model | Description | Units Per Ctn | Cubes Each Desk | Lbs Each Desk | Price Each Desk |
|---------------|--|------------------|--------------------|------------------|--------------------|
| D85A3 | 18" Seat Height with book rack Laminate Clear Edge (3) | 2 | 4.8 | 43.9 | \$328 |
| D85AS | 18" Seat Height with book rack I Solid Plastic (S) | 2 | 4.8 | 47.9 | \$388 |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Shell Color | | 4th Option Top Color |
|------------|---|---------------------|---|---|---|---------------------------|---|-------------------------|
| | | None (X) \$ | 0 | Chrome (5) \$0 Black (7) \$0 Titanium (4) \$0 | 1 | See page 74 | | See page 74 |
| D85A3 | • | Х | | 5 | • | М | • | 7M |

 $Model \ Example: \ D85A3.X.5.M.7M$

GITTCODE

Application & Specification Rules

> Always ships fully cartoned

> 18" x 24" standard top size

> Standard with fixed wire book rack

> Must order in multiples of 2 (full carton quantities)

> 3/4" MDF or 9/16" solid plastic tops

| T | 5 | |
|---|---|--|

| | Base Model | Top Material Edge | Units Per Ctn | Cubes Each Desk | Lbs Each Desk | Price Each Desk |
|---|------------|--|------------------|--------------------|------------------|--------------------|
| • | 74573 | 17 ½" seat height with book rack Laminate Clear Edge (3) | 2 | 9.3 | 29.0 | \$198 |
| | 7457S | 17 ½" seat height with book rack I Solid Plastic (S) | 2 | 9.3 | 33.0 | \$256 |

Model Builder

| Base Model | 1st Option Glide | | 2nd Option Frame Color | | 3rd Option Shell Color | 4th Option Top Color |
|------------|---------------------|-----|---|-------------------|---------------------------|-------------------------|
| | Nylon (3) | \$0 | Chrome (5) Black (7) Titanium (4) | \$0 \$0 \$0 | See page 74 | See page 74 |
| 7457S | 3 | | 5 | | D | K |

Model Example: 7457S.3.5.D.K

GITTCODE

Application & Specification Rules

- > Always ships fully cartoned
- > Standard with adult leg Adjustable Height, 21" – 29" (A)
- > Tops and legs ship in separate cartons
- > Standard vinyl edge

> Specified and priced as a complete table (top & legs)

| Base Model | Shape | Top Size | Units Per Ctn | Cubes Each | Lbs Each Ctn | List Price Essentials Laminates | List Price Markerboard |
|------------|-----------|-------------|------------------|---------------|-----------------|------------------------------------|---------------------------|
| Rectangle | | | | | | | |
| 1235FA | Rectangle | 24" × 60" | 1 | 3.7 | 69.5 | \$239 | \$352 |
| 1230FA | Rectangle | 30" × 60" | 1 | 4.4 | 79.4 | \$250 | \$371 |
| Teardrop | | | | | | | |
| 12TDFA | Teardrop | 36" x 60" | 1 | 5.9 | 78.3 | \$261 | \$393 |
| 1/2 Round | | | | | | | |
| 1285FA | 1/2 Round | 48" | 1 | 2.5 | 51 | \$194 | \$315 |
| Trapezoid | | | | | | | |
| 1290FA | Trapezoid | 30" × 60" | 1 | 2.9 | 58.1 | \$258 | \$379 |
| Kidney | | | | | | | |
| 1275FA | Kidney | 48" × 72" | 1 | 7.3 | 111.7 | \$433 | \$608 |
| Horseshoe | | | | | | | |
| 1277FA | Horseshoe | 60" × 66" | 1 | 10.4 | 125.0 | \$526 | \$747 |

Model Builder

| Base Model | | 1st Option Glide | | 2nd Option Leg Color | | 3rd Option Laminate Color | | 4th Option Edge Color |
|---------------|---|---------------------|---|-------------------------|---|------------------------------|---|---------------------------|
| | | Nylon (3) \$0 | | Black (7) \$0 | | See page 74 | | Black (0) Titanium (4) |
| 1235FA | • | 3 | • | 7 | • | 7M | • | 0 |

Model Builder Example: 1235FA.3.7.7M.0

Computer Tables | CY Series

Application & Specification Rules

- > Always ships fully cartoned. 1-per carton
- > Height adjustable 25" 32", 1" increments
- > Standard with 1-1/8" Particleboard with flat edge (F)
- > 60" tables standard with 2 grommets
- > Double post leg, includes wire management panel field installed
- > Meets or exceeds ANSI/BIFMA X5.5-2014 Educational Furniture Test Standards



| Base Model | ase Model Description | | Cubes Each Ctn | Lbs Each Ctn | List Price Essentials Laminates | List Price Markerboard |
|------------|---------------------------|---|-------------------|-----------------|------------------------------------|---------------------------|
| CY15F | 24" x 60" Flat Edge (F) | 1 | 7.4 | 104.0 | \$596 | \$709 |
| CY05F | 30" x 60" Flat Edge (F) | 1 | 7.4 | 138.0 | \$612 | \$733 |

Model Builder

| Base Model | | 1st Option Glide/Caster | | | 2nd Option Frame Color | | • | 3rd Option Top Color | | 4th Option Edge Color |
|------------|---|----------------------------|-----|---|---------------------------|-----|---|-------------------------|---|--------------------------|
| | | Nylon (3) | \$0 | | Black (7) | \$0 | | See page 74 | | Black (0) |
| CY15F | • | 3 | | • | 7 | | • | 08 | • | 0 |

Model Example: CY15F.3.7.08.0

Grtcobell

Application & Specification Rules

- > Legs and tops are specified and priced separately.

 Use with DTT tops only, see page 24
- > Tops and legs ship in separate cartons
- > Legs are field installed

- > Casters and felt glides are available for field installation. See page 27
- > Standard with nylon glides, ¾" leveling range
- > Quick-set brackets ships with legs for field installation

|) D | | |
|-----|------|--|
| | G | |

| Base Model | Description | Height | Units Per Ctn | Cubes Each Ctn | Lbs Each Ctn | List Price |
|-----------------|-------------|-----------|------------------|-------------------|-----------------|---------------|
| Youth Adjusta | ble Legs | | | | | |
| DTLK-4AYP | 4-Legs | 15" - 24" | 4-Legs | 0.9 | 17.1 | \$116 |
| Adult Adjusta | ble Legs | | | | | |
| DTLK-4AAP | 4-Legs | 25" - 34" | 4-Legs | 1.4 | 21.5 | \$138 |

Model Builder | Leg Packs

| Base Model | | 1st Option Glide | | 2nd Option Leg Color |
|------------|---|---------------------|---|-----------------------------------|
| | | Nylon (3) \$0 | | Titanium (4) \$0 Black (7) \$0 |
| DTLK-4AAP | • | 3 | • | 4 |

Model Example: DTLK-4AAP.3.4

drtcobe

Application & Specification Rules

- > All desks are height adjustable 27" 36" in 1" increments
- > 1-1/8" particleboard top with Flat Edge (F)
- > Fully welded frame and modesty panel
- > 3" casters may be separately specified for field installation. Casters extend height range to 38"
- > Specify 3" round grommet separately for field installation. See page 39 (TA-GR3)
- > All pedestals are box/file configuration.
 Pedestals are standard locking with common key
- > All models standard with non-locking center drawer

List Price





D4R0F shown

| Base Model | Description | Units Per Ctn | Each Ctn | Each Ctn | Essentials Laminates | List Price Markerboard |
|------------------|------------------------------------|------------------|-------------|-------------|-------------------------|---------------------------|
| Dase Model | Description | 1 01 011 | Cui | | Edifficació | Warkerboard |
| 30" x 60" Fla | t Edge (F) | | | | | |
| D500F | Double Pedestal, Center Drawer | 1 | 29.2 | 198.1 | \$1,250 | \$1371 |
| D5R0F | Single Pedestal, RH, Center Drawer | 1 | 29.2 | 164.6 | \$932 | \$1053 |
| D5L0F | Single Pedestal, LH, Center Drawer | 1 | 29.2 | 164.6 | \$932 | \$1053 |
| 30" x 48" Flat | t Edge (F) | | | | | , |
| D4R0F | Single Pedestal, RH, Center Drawer | 1 | 23.6 | 147.2 | \$917 | \$1019 |
| D4L0F | Single Pedestal, LH, Center Drawer | 1 | 23.6 | 147.2 | \$917 | \$1019 |
| | | | | | | |

Cubes

Lbs

Model Builder

| Base Model | | 1st Option Glide/Caster | | | 2nd Option Frame Color | | | 3rd Option Top Color | | 4th Option Edge Color |
|------------|---|----------------------------|-----|---|---------------------------|-----|---|-------------------------|---|--------------------------------------|
| | | Nylon (3) | \$0 | | Black (7) | \$0 | | See page 74 | | FLAT EDGE (F) Black (0) Titanium (4) |
| D500F | • | 3 | | • | 7 | | • | 7M | • | 0 |

Model Example: D500F.3.7.7M.0

Caster Pack

Application & Specification Rules

> 75mm locking caster, field Installed



| Base Model | Description | Units Per Ctn | Cubes Ctn | Lbs Ctn | List Price |
|------------|------------------|------------------|--------------|------------|---------------|
| TA-CPTD3 | Locking I 4-Pack | 1 (4-casters) | O.1 | 2.0 | \$65 |

LTL Carton Information

> Specify for all LTL shipments

> One LTL pack required per desk

> Use for D400 and D500 Series only

| Base Model | Description | List Price |
|------------|----------------------------|------------|
| | | |
| SPD4 | Use with D4 pre fix models | \$40 |
| SPD5 | Use with D5 pre fix models | \$40 |

The warranty information below is effective on all Artcobell products for orders manufactured after January 1, 2017. For warranty information concerning orders placed prior to January 1, 2017. please refer to the warranty information contained in the published price list of the corresponding year. For additional information relating to warranty, please contact your Customer Service Representative.

Effective January 1, 2017

Artcobell warrants to the original purchaser that its products are free from defects in material and workmanship under normal classroom or commercial use for as long as the life of the product, except as set forth below.

During the warranty period, Artcobell will replace, or at its option, repair locally, repair at its factory, or return the purchase price of any Artcobell brand product manufactured after January 1, 2016 that, upon inspection by Artcobell, is determined to be defective in material or workmanship.

This warranty is subject to the following provisions:

Some natural variations occurring in polypropylene material or other natural materials are inherent to their character and are not considered defects. Artcobell does not warrant the colorfastness or matching of colors, grains, or textures of these materials. Customer's Own Material (COM) selected by and used atthe request of an original purchaser is not warranted.

Our products are intended for interior use — exterior use of them will void the warranty.

The materials and components listed below are covered from the date of sale according to the following:

- Mobile Cafeteria table torsion bars 5 years
- Seating controls, glides, pneumatic cylinders, casters, chroming and polymer-based components and foam – 3 years
- User-adjustable worksurface mechanisms, tablet arm mechanisms, lounge products, occasional tables, seating upholstery fabrics and vinyls and other covering materials – 3 years

This warranty does not apply to:

- Normal wear and tear
- Damage from environmental factors
- Damage from sharp objects (e.g., writing utensils, heeled shoes, scissors, jewelry, and keys)
- Damage from accident, alteration, misuse, or improper installation or maintenance
- Modifications or attachments to the product not approved by Artcobell
- Products used for rental purposes
- Damage caused by the carrier in-transit, which is handled under separate terms
- Third-party products Artcobell, to the extent possible, will pass through to the original purchaser (and process claims under) any warranty provided by third-party products supplied to Artcobell.
- All warranty claims are to be made in writing by the original purchaser. The original purchaser may be required to produce the invoice or other evidence to establish that a claim is within the warranty period.

To the extent allowed by law, Artcobell makes no other warranty, either express or implied, including any warranty or merchantability or fitness for a particular purpose. Artcobell is not liable for any indirect consequential or incidental damages. This warranty contains the original purchaser's exclusive remedy.

Your Artcobell Dealer is our resource in supporting your warranty requests. To obtain service under this warranty, please contact your Artcobell Dealer.